

# APA Bib $\text{\LaTeX}$ style

Citation and References macros for Bib $\text{\LaTeX}$

Philip Kime  
Philip@kime.org.uk

Version 6.2  
19th October 2013

## Contents

<b>1 Important Changes</b>	<b>1</b>	<b>3 Use</b>	<b>4</b>
		3.1 Package options . . . . .	4
		3.2 Localisation . . . . .	5
		3.3 Limitations . . . . .	6
<b>2 Introduction</b>	<b>2</b>	<b>4 Details</b>	<b>6</b>
2.1 About . . . . .	2	4.1 Citations . . . . .	7
2.2 Requirements . . . . .	2	4.2 References . . . . .	8
2.3 License . . . . .	3		
2.4 History . . . . .	3	<b>5 Revision history</b>	<b>8</b>
2.5 Acknowledgments . . .	3		

## 1 Important Changes

Please see the revision history below (section 5) for details on changes in each version. This section is just for important things like incompatible changes which users should be aware of.

### 5.0

The style now uses the customisable data model functionality of `biblatex 2.0` and `biber 1.0` and so these are now required. Several cases which previously were forced to use custom fields like `USERA`, `USERB` etc. can now be more naturally implemented with semantically appropriate fields. See `biblatex-apa-references.bib` for examples. This particularly aids the use of `VIDEO` entries, for example which now support fields `DIRECTOR`, `PRODUCER`, `WRITER` and `EXECPRODUCER`.

Entries which relate to other entries like reviews and reprints are now implemented more naturally using the `biblatex 2` ‘related entries’ functionality. See entries with the `RELATED` field in `biblatex-apa-references.bib` and the `biblatex` manual for details and examples.

Entries where authors are listed as ‘with’ are now supported using the name field `WITH`. See examples file.

#### 4.5

`biber` is now *required*. This is because APA style needs a custom sorting scheme and only `biber` supports this. `bibtex` support is going away in `biblatex` eventually anyway so it's best to switch.

#### 4.4

The `\maxprtauth` command is now a package option called '`apamaxprtauth`', see section 3.1.

#### 4.3

Specifying entries as 'in press' should now be done using the official `biblatex` mechanism for this. Instead of, for example:

```
YEAR = {in press}
```

you should use:

```
PUBSTATE = {inpress}
```

as '`inpress`' is a `biblatex` localisation string which will render correctly in supported languages. If you still use the older method, it will still work but the string will always appear as the English 'in press'.

## 2 Introduction

### 2.1 About

This package is a Bib<sub>La</sub>T<sub>E</sub>X style for APA (American Psychological Association) style compliant documents typeset in LaTeX. It implements a citation style (`apa.cbx`), a references section style (`apa.bbx`), some data model enhancements (`apa.dbx`) and string localisation files (`<language>-apa.lbx`). Currently there are only string localisations for a few languages—if you can help with any other languages, please mail me; the localisation `.lbx` files are very small and simple and it would be a small translation task for the few APA-specific strings needed. The styles are loaded just like any other Bib<sub>La</sub>T<sub>E</sub>X styles but I wouldn't try to use the citation and references styles separately as they rely on each other, macro-wise, in places.

In this document and in the code, the specific APA requirements are referred to by the section and (if appropriate) the example number of the APA Style Guide (6th Edition).

### 2.2 Requirements

You will need to be using `csquotes` ( $\geq 4.3$ ), Bib<sub>La</sub>T<sub>E</sub>X ( $\geq 2.6$ ) and `Biber` ( $\geq 1.6$ ). If you want to take advantage of the Bib<sub>La</sub>T<sub>E</sub>X `\DeclareQuotePunctuation` facility

to enforce the APA required ‘American’ punctuation, you should normally use the `babel` package with the ‘american’ option (see Bib<sub>La</sub>T<sub>E</sub>X manual section 3.9.1). You can of course use other languages but in such cases, to adhere to APA ‘American’ punctuation rules (following commas moved inside closing quotes etc.), then you should set up `\DeclareQuotePunctuation` yourself as per section 4.7.5 of the Bib<sub>La</sub>T<sub>E</sub>X manual.

If you are using the `apa.cls` LaTeX class, you need be using version  $\geq 1.3.4$ . The class should be invoked with the `noapacite` class option as per the `apa.cls` documentation. Without this class option, the `apa.cls` class will automatically try to use plain Bib<sub>T</sub>E<sub>X</sub> with the `apacite` style which is completely incompatible with Bib<sub>La</sub>T<sub>E</sub>X.

## 2.3 License

Permission is granted to copy, distribute and/or modify this software under the terms of the LaTeX Project Public License, version 1.3c<sup>1</sup>. The current maintainer is Philip Kime (© 2011).

## 2.4 History

When I started using Bib<sub>La</sub>T<sub>E</sub>X, I assumed there would be an APA style when I went looking. I was wrong. I started to try to make one and realised why there was none. The APA style manual is enormous; the citation and references specifications run to about 60 pages and are very specific in terms of formatting. They are also not entirely consistent but then again, it is rare to have such a thorough specification to work from. Inconsistencies in the manual and workarounds are noted in the examples document.

## 2.5 Acknowledgments

Thanks to Philipp Lehman for Bib<sub>La</sub>T<sub>E</sub>X which really has been a major advance over pure Bib<sub>T</sub>E<sub>X</sub>. Thanks to Alexander van Loon for the Dutch localisation. Thanks to Paul Thompson for the suggestion to parameterise the max authors setting. Thanks to George Gkotsis for the Greek localisation. Thanks to Erikson Kaszubowski for the Brazilian localisation. Thanks to Braulio José Solano Rojas for the Spanish localisation. Thanks to Stefan Mayer for the `subtitledpunct` suggestion. Thanks to Håkon Malmedal for the Norwegian localisation. Thanks to Johann Gründl for the Austrian localisation. Thanks to Svante Kvarnström for the Swedish localisation. Thanks to Hendrik Maryns for further Dutch localisation.

---

<sup>1</sup><http://www.latex-project.org/lppl.txt>

### 3 Use

This package is available via T<sub>E</sub>XLive as `biblatex-apa`. You can find it through the provided T<sub>E</sub>XLive update utilities which will install it automatically for you. If you need to install manually (to use a new version which has not yet been published to the T<sub>E</sub>XLive updaters, for example), you can download it from CTAN and then, put the `.cbx`, `.bbx` and `.lbx` files in your texmf tree, usually:

```
<texmf>/tex/latex/biblatex/cbx/apa.cbx
<texmf>/tex/latex/biblatex/bbx/apa.bbx
<texmf>/tex/latex/biblatex/lbx/<language>-apa.lbx
```

Specify the style in the usual way when loading BibL<sup>A</sup>T<sub>E</sub>X. If you are using `babel`:

```
\usepackage[american]{babel}
\usepackage{csquotes}
\usepackage[style=apa]{biblatex}
\DeclareLanguageMapping{american}{american-apa}
```

or `polyglossia`:

```
\usepackage{polyglossia}
\setdefaultlanguage[variant=american]{english}
\usepackage{csquotes}
\usepackage[style=apa]{biblatex}
\DeclareLanguageMapping{english}{english-apa}
```

Note that the APA manual requires the forcing of titles into ‘sentence case’, that is, initial cap followed by lower case for sentence units, with the exception of names and material from languages which do not follow English capitalisation. As of version 0.8a, BibL<sup>A</sup>T<sub>E</sub>X has a `\MakeSentenceCase` macro which deals with this. So, in the traditional BibT<sub>E</sub>X way, capitalise correctly in the `.bib` file, protecting names etc. with the usual brace pairs and the style will take care of forcing the APA-style sentence case in the References section. Unlike the References section, titles in citations in the APA style appear in normal case and the style will ensure this too.

#### 3.1 Package options

The following options are set as usual in the options passed to `biblatex`.

```
apabackref=true|false
```

It is not APA style to include backreferences in the References to pages where citations of the entry occur. However, this is very useful, especially in proofing and so if you set the `apabackref` option to ‘true’, these are enabled. The default is ‘false’.

`apamaxprtauth=<num>`

This option controls the number of author/editor names which are printed in the References. APA style defaults to 7. You can change this if you really want to fully print all author list references in certain contexts (for example in a CV where you are an author in position 8 ...)

### 3.2 Localisation

Localisation is provided for APA-specific strings in the accompanying `.lbx` files. To use these files, put an appropriate mapping in your document preamble, after loading Bib<sub>La</sub>T<sub>E</sub>X.

Normal use will invoke `babel` with the ‘american’ language or `polyglossia` with ‘american’ variant of ‘english’. After loading `babel/polyglossia` and `biblatex`, put this in the preamble if you are using `babel` (see full preamble example in section 3 above):

```
\DeclareLanguageMapping{american}{american-apa}
```

or for `polyglossia` (since there is no language ‘american’ in `polyglossia`—it’s just an ‘english’ variant:

```
\DeclareLanguageMapping{english}{english-apa}
```

The `english-apa.lbx` is a copy of the `american-apa.lbx` since the default is ‘American’ English.

The APA manual does not mention nor sanction any non ‘American’ English strings but it is quite common for non-English journals to ask for APA style bibliographies and so this must be supported.

Here is an example to load the German localisation strings. This assumes that you are using the `babel` package with the appropriate language option:

```
\DeclareLanguageMapping{german}{german-apa}
```

This loads the `german-apa.lbx` file which in turn, loads the `german.lbx` file and augments it with APA-specific strings. If you are not using the `babel` ‘american’ option, they you may need to set up the `\DeclareQuotePunctuation` option as mentioned in section 2.2 above. You would only need to do this if, for some strange reason, a non-american journal required the (rather horrible) american practice of moving final punctuation marks inside closing quotes.

### 3.2.1 Date formats

Obviously, an American style uses month/day/year formats. European formats are usually day/month/year. The APA style dictates long date formats and so this is not really apparent in the bibliography. There is an APA standard for long date formats which may not be correct for European journals using roughly APA formatting standards (German journals tend to have a different long date format, for example). The ‘american’ babel option will give you APA compliant US date formats. Default sensible date formats are included for german, ngerman and french. You should redefine the `\mkbibdatelong` macro in the relevant language `*-apa.lbx` file to change this if needed.

### 3.3 Limitations

There are certain limitations you need to bear in mind when using these styles. The APA manual is written without much regard for automation of citation and references processing—it just tells you how it wants things to look and the implicit assumption is that you would type out everything by hand if necessary. Having said that, the majority of the APA citation and references style is implemented, there are just a few exceptions which are hardly worth the coding pain since they are ambiguous and easily worked around.

## 4 Details

The detailed information for this style is contained in the example document and accompanying `.bib` files:

**biblatex-apa.tex** This document.

**biblatex-apa-test.tex**<sup>2</sup> This document typesets just about every useful example from (APA 6.11)–(APA 6.21) and (APA 7.01)–(APA 7.11). The examples in it aim to look as much like the APA manual examples as possible. All citation examples in the document are real examples using a `.bib` file.

**biblatex-apa-test-citations.bib** This contains the `.bib` entries for the citations examples. You won’t find anything of interest in this file—it’s just used to provide real data for the citation examples.

**biblatex-apa-test-references.bib** This contains the `.bib` entries for all of the examples in (APA 7.x). This file is the main documentation for the `biblatex-apa` implementation of the APA References section style. To see how the style deals with a particular example from (APA 7.x), look it up

---

<sup>2</sup>`biblatex-apa-test.pdf` is also provided and is the typeset version of this LaTeX source file.

in here. Every example is marked with the APA example number and has explanatory notes.

**apa.cbx** The biblatex-apa citations style. It is decently structured with comments but shouldn't need to be read for normal use.

**apa.bbx** The biblatex-apa references style. It is decently structured with comments but shouldn't need to be read for normal use.

**apa.dbx** The biblatex-apa data model additions. This allows users to utilise more natural entry type and field names for certain entries. See comments in the biblatex-apa-test-references.bib.

**\*.lbx** The biblatex-apa localisation files. These files override some language-specific macros for some fixed strings.

## 4.1 Citations

To specify something as 'in press', use the biblatex PUBSTATE field with the special key value of 'inpress' (see biblatex manual, section 4.9.2.11). See the notes on the PUBSTATE field in section 4.2 below.

(APA 6.13) requires that there should be no parentheses around the year of the citation when the citation itself occurs within parenthesis. This is tricky to completely automate within the remit of a citation style since it requires knowledge of the current typesetting state. So, the new citation command

```
\nptextcite[⟨prenote⟩][⟨postnote⟩]{⟨key⟩}⟨punctuation⟩
```

is provided for such situations. It is identical to \textcite but does not put parentheses around the year and separates items with commas. See examples using this command in biblatex-apa-test.tex. There is also a multi-cite version \nptextcites that works in the same way as \textcites.

The \fullcite command uses ampersands, like the references section and there is also a \fullcitebib command which is the same as \fullcite but which fakes a mini references section with APA style indentation and so is not intended to be used inline like \fullcite. See examples in the test file. Please note that APA style does not have multiple citation lists sorted—they appear in the order cited. Since \fullcitebib is a citation command, the citations will not be sorted which might appear odd since this 'citation' style looks like a references section excerpt. There is no way around this since the sortcites biblatex option is a package-level option. If you want to customise such a fake references section 'citation', you should probably be using \printbibliography with a filter.

## 4.2 References

The references style was based on the Bib<sub>La</sub>T<sub>E</sub>X default `authoryear-comp` style but is heavily modified. If in doubt read the example references `.bib` as it is commented and you can learn a lot from the examples by picking something close to what you need from the APA examples and then looking in this file to see how it was implemented. Some general notes:

- The `PUBSTATE` field takes priority over any date field. If you specify something with a `PUBSTATE` field like ‘inpress’, then the year label in citations and the references will be the localisation of the `PUBSTATE` value key (`PUBSTATE` takes a pre-defined set of localisation keys as values, see `biblatex` manual).
- APA style sometimes refers to the ‘series’ of a multi-volume work. This corresponds to the `MAINTITLE` field in the `.bib` and *not* the `SERIES` field.
- `VOLUME`, `NUMBER` and `CHAPTER` are forced into arabic numerals if they are given as roman numerals, as required by (APA 6.22).

### 4.2.1 Retrieval dates for online items

APA 6th edition section 6.32 says ‘Do not include retrieval dates unless the source material may change over time (e.g., Wikis)’. This is open to interpretation of what constitutes a Wiki and what counts as ‘changing over time’. The style does not implement anything for this requirement by default but you can automate your own interpretation by putting this in your preamble:

```
\DeclareSourcemap{
  \maps[datatype=bibtex]{
    \map{
      \step[fieldsource=url,
            notmatch=\regexp{wiki},
            final=1]
      \step[fieldset=urldate, null]
    }
  }
}
```

This will dynamically remove the `URLDATE` field from any entry where the `URL` field doesn’t match the regular expression ‘wiki’. Modify this regular expression according to taste. This modification is dynamically applied to the data stream by `biber` and does not change your `.bib`.

## 5 Revision history



## **6.2 2013-10-19**

Corrected Dutch translations  
Fixed Norwegian lbx corruption  
Misc bugfixes

## **6.1 2013-07-19**

Corrected APA 6.12 error and switched to uniquelist=minyear  
Documented way of automating some APA 6.32 requirements

## **6.0 2013-07-10**

Added Swedish localisation  
Fixed useprefix=false issue

## **5.9 2013-05-08**

Compatibility with `biblatex` 2.6--'nodate' is now part of core  
autocite is set to inline

## **5.8 2013-03-07**

Made BOOK like INBOOK for order of online/reprint information  
Fixes for recursive RELATED fields

## **5.7 2012-12-28**

New name code to allow full name disambiguation as per APA 6.27  
Fixes to IN\* types

## **5.6 2012-12-19**

Fixed problems with EVENTDATE format

## **5.5 2012-12-17**

Fixed serial comma requirement (APA 4.03)

## **5.4 2012-11-28**

Updated for `biblatex` 2.4

## **5.3 2012-11-21**

Updated for some `biblatex` changes.

## 5.2 2012-09-30

Entries with no YEAR no longer fall back on other date fields and use ‘nodate’ bibstring.

‘nodate’ bibstring no longer lowercased and supports extrayear

## 5.1 2012-08-01

Added Norwegian localisation (thanks to Håkon Malmedal)

Fixed some documentation issues

## 5.0 2012-07-01

Using `biblatex 2.0/biber 1.0` data model facility.

## 4.8 2012-06-02

Put in proper package version strings

Fixed a problem with `\textcites` (thanks to Florian Sesser and Cornelia Entner for reporting)

## 4.7 2012-04-19

Made `firstinits=false` possible

Fixed a problem with explicit ‘and others’ with names (thanks to George Pigman)

## 4.6 2012-02-08

Reduced the Biber requirement to a warning due to bug in `biblatex 1.7`

Added Italian localisation (thanks to Luca Montanelli)

## 4.5 2012-01-31

Noted in manual that `biber` is now required due to custom sorting.

Added `INSTITUTION` field to `REPORT` entries

## 4.4 2012-01-25

`\maxprtauth` command is now a package option ‘`apamaxprtauth`’

New package option ‘`apabackref`’ controlling whether backreferences and links to citations appear in the References.

## 4.3 2012-01-22

‘et al’ now only replaces two or more names since it’s plural

‘in press’ items now should use the `biblatex PUBSTATE` field

Fixed ‘in press’ hyphenation issue for disambiguation in references

URLs are now by default in roman font as per APA style.

## **4.2 2011-11-12**

Fixed macro name typo

## **4.1 2011-11-02**

`subtitledpunct` now skips if following terminating punctuation

## **4.0 2011-10-05**

Disabled ‘smart and’ for spanish localisation as it breaks ampersands

## **3.9 2011-10-03**

Fixed data format issue in localisations

## **3.8 2011-09-25**

Fixed slanted/italic confusion in bibliography

## **3.7 2011-09-23**

Fixed issue no dates when `labeledyear` defined

## **3.6 2011-09-20**

Fixed issue with American format long dates

## **3.5 2011-09-05**

Fixed issue Editor name part order when in Author position (thanks to Johann Bauer)

## **3.4 2011-09-01**

Fixed issue with `\fullcite` not resetting `bbx` globals

## **3.3 2011-08-23**

Spanish localisation

## **3.2 2011-08-12**

Minor fix in `inbook` format

Doc clean up

## **3.1 2011-07-31**

Made compatible with Bib<sub>La</sub>T<sub>E</sub>X 1.6

### 3.0 2011-05-06

`maxnames` and `minnames` are now set to sensible things and actually used. Biber  $\geq 0.9.3$  is now required as this implements a fix for `uniquelist` in Bib<sub>La</sub>T<sub>E</sub>X which needs `maxnames` and `minnames` set to real values.

Fixed bug with commas before ‘et al’ not appearing in some cases.

### 2.9 2011-05-03

APA wants no space between volume and number for articles, even though it’s horribly ugly...

Made urls not optional with Bib<sub>La</sub>T<sub>E</sub>X url toggle in `ONLINE` entrytype (thanks to Mattias Erll)

### 2.8 2011-04-23

Added a Greek localisation strings file.

### 2.7 2011-04-1

Biber is now a strongly recommended requirement due to APA name and name list disambiguation requirements.

Updated for Bib<sub>La</sub>T<sub>E</sub>X 1.4/Biber 0.9 with automatic list disambiguation. Package now deals with all APA 6th Edition citation examples.

### 2.6 2011-03-15

Made `fullcite` use ampersand

Added `fullcitebib` macro to allow fake bib citations

### 2.5 2010-11-24

Refactored `hyperref` to only link from years to make it consistent across cite commands

Added `hyperref` target references section for citation examples

Fixed `textcite` multicite issue

### 2.4 2010-11-14

Fixed postnotes/`hyperref` for `textcite`

### 2.3 2010-11-04

Overhauled `hyperref` functionality and made more robust

## **2.2 2010-10-15**

Parameterised max author/editor list (thanks to Paul Thompson)

Better rudimentary regression script

Completely reconfigured EPRINT/EPRINTTYPE

## **2.1 2010-10-17**

New Dutch localisation (thanks to Alexander van Loon)

## **2.0 2010-09-30**

Moved to new date format code internally

## **1.9 2010-09-27**

Moved docs to LuaLaTeX compat

Fixed german/ngerman date formats

Cleaned up date format code

## **1.8 2010-08-06**

Fixed seven author ellipsis bug

## **1.7 2010-08-05**

Corrected dateless entry format, added examples to test doc

Corrected multi delim for `\citeyear`

Updated test doc for Bib<sub>L</sub>A<sub>T</sub>E<sub>X</sub> 0.9b compat

## **1.6 2010-07-19**

Added correct `\citeyear` definition

## **1.5 2010-07-12**

Corrected NOTE/ADDENDUM examples

Made `\nptextcite` behave more consistently like `\textcite` for multi-cites.

## **1.4 2010-07-07**

Removed extra space after DOI

## **1.3 2010-07-05**

Fixed Oxford comma bug

## **1.2 2010-06-18**

Made style arguments more explicit in `.bbx`

Fixed bad documentation due to beta Bib<sub>La</sub>T<sub>E</sub>X version.

Updated docs - minimum Bib<sub>La</sub>T<sub>E</sub>X version

## **1.1 2010-05-28**

Fixed `INBOOK` `citetitle` format to match `BOOK`.

Fixed `extrayear` in entries with full date specifications.

## **1.0 2010-05-12**

Fixed `TYPE` and `NUMBER` fields in `REPORT` entries. Now more flexible.

`PUBSTATE` is now valid for articles.

`DOI`, if present, suppresses any `URL` field.

Abstract retrieval string is now conditional on `USERB` field, not on the existence of an abstract.

Default strings for `PHDTHESIS` and `MASTERSTHESIS` entries corrected.

`LOCATION` is now valid for thesis entries and comes after `INSTITUTION`.

## **0.9 2010-03-08**

Update for APA manual 6th edition and Bib<sub>La</sub>T<sub>E</sub>X 0.9

## **0.8 2010-02-15**

Fixed bug with spaces after `nptextcite`

Updated for Bib<sub>La</sub>T<sub>E</sub>X 0.9

## **0.7 2010-01-20**

Made `hyperref` links more consistent, using the whole citation and not just the year.

## **0.6 2009-11-20**

Corrected two bugs in `cite` macro which left a trailing space after multiple cites and actually cited the year twice for multiple cite commands in some circumstances.

Corrected bug where `\textcite` would leave a stray open bracket on the stack when year was suppressed within a paragraph.

## 0.5 2009-09-19

Replaced literal string with localised form in url macro.

Moved localisation strings into .ltx files.

`\DeclareLanguageMapping` is now needed in preamble.

Moved `\DeclareBibliographyExtras` into .ltx files.

Some support for alternative localised date formats.

Fixed slant/italic font problem since the `\mkbibemph` macro had changed in Bib<sub>La</sub>T<sub>E</sub>X 0.8e.

Fixed `liststop` error which was preventing name lists with two entries from having the comma before the ampersand.

## 0.4 2009-07-24

Fixed bug where multiple year ranges were not displayed properly.

Updated to remove pre-Bib<sub>La</sub>T<sub>E</sub>X 0.8e macros error.

## 0.3 2008-12-21

Updated to use new fields (`EVENTTITLE`) and new options (`usetranslator`) from Bib<sub>La</sub>T<sub>E</sub>X 0.8b.

## 0.2 2008-12-06

Added `noremoveinfo` option).

Fixed bbx bug with more than 7 authors still printing names after ‘et al’. Was due to resetting `maxnames` to 999.

Removed the customised (hacked) `apa-biblatex.cls` class from the package as `apa.cls` version 1.3.4 is compatible with Bib<sub>La</sub>T<sub>E</sub>X

· Altered documentation about requiring the ‘american’ babel option. This is not required if you set up `\DeclareQuotePunctuation` yourself.

Added minimum required version of `csquotes`.

Minor doc tweaks.

## 0.1 2008-12-01

Initial release