The bidi *Package*

Source documentation for version 33.1

to my Master, ***Ferdowsi The Great***

If you enjoy the bidi package and want to support the project, then please consider donating to the project. It allows me to spend more time working on the bidi package, encourages me to continue, and is the perfect way to say thank you!
You can use *My PayPal.Me* to donate to the bidi package at

https://www.paypal.me/persiantex

If you have a problem using *My PayPal.Me*, then please email me at persian-tex@tug.org.

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, then please do not send any direct email to me; I will not answer any direct email. Instead please use the issue tracker:

https://sourceforge.net/p/persian-tex-dist/tickets

In doing so, please always explain your issue well enough, and always include a minimal working example showing the issue.

If you want to ask any question about the package, then please do not send any direct email to me; I will not answer any direct email. Instead please ask your question at:

http://persian-tex.com

In doing so, please always explain your issue well enough, and always include a minimal working example showing the issue.

Copyright (c) 2007–2018 Vafa Khalighi

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the LaTeX Project Public License, either version 1.3c of this license or (at your option) any later version.

The bidi *Package*

Bidirectional typesetting in plain TEX and LATEX, using XeTEX engine

Source documentation for version 33.1

Vafa Khalighi
persian-tex@tug.org

August 12, 2018

Contents

1 File amsart-xetex-bidi.def 4
2 File adjmulticol-xetex-bidi.def 6
3 File algorithm2e-xetex-bidi.def 7
4 File amsbook-xetex-bidi.def 8
5 File amsmath-xetex-bidi.def 10
6 File amstext-xetex-bidi.def 11
7 File amsthm-xetex-bidi.def 11
8 File array-xetex-bidi.def 11
9 File article-xetex-bidi.def 12
10 File artikel1-xetex-bidi.def 16
11 File artikel2-xetex-bidi.def 21
12 File artikel3-xetex-bidi.def 26
13 File arydshln-xetex-bidi.def 32
14 File bidi.sty 34
15 File bidi.tex 40
16 File bidi2in1.sty 42
17 File bidicode.sty 43
18 File bidiftnxtra.sty 46
19 File bidimoderncv.cls 50
20 File biditools.sty 55
21 File bidituftefloat.sty 89
22 File bidituftesidenote.sty 101
23 File bidituftetoc.sty 112
24 File bidituftegeneralstructure.sty 115
25 File bidituftehyperref.sty 117
26 File bidituftetitle.sty 118
27 File biditufte-handout.cls 121
28 File biditufte-book.cls 121
29 File bidipoem.sty 123
30 File boek3-xetex-bidi.def 130
31 File boek-xetex-bidi.def 133
32 File bookest-xetex-bidi.def 137

33 File book-xetex-bidi.def 138
34 File breqn-xetex-bidi.def 142
35 File cals-xetex-bidi.def 143
36 File caption-xetex-bidi.def 144
37 File caption3-xetex-bidi.def 144
38 File colortbl-xetex-bidi.def 144
39 File color-xetex-bidi.def 145
40 File combine-xetex-bidi.def 146
41 File crop-xetex-bidi.def 146
42 File cutwin-xetex-bidi.def 148
43 File cuted-xetex-bidi.def 149
44 File cvthemebidicasual.sty 158
45 File cvthemebidiclassic.sty 160
46 File dblfnote-xetex-bidi.def 162
47 File diagbox-xetex-bidi.def 165
48 File draftwatermark-xetex-bidi.def 168
49 File eso-pic-xetex-bidi.def 168
50 File empheq-xetex-bidi.def 169
51 File extarticle-xetex-bidi.def 172
52 File extbook-xetex-bidi.def 176
53 File extletter-xetex-bidi.def 179
54 File extrafootnotefeatures-xetex-bidi.def 180
55 File extreport-xetex-bidi.def 219
56 File fancybox-xetex-bidi.def 222
57 File fancyhdr-xetex-bidi.def 223
58 File fix2col-xetex-bidi.def 223
59 File fleqn-xetex-bidi.def 225
60 File float-xetex-bidi.def 226
61 File floatrow-xetex-bidi.def 226
62 File flowfram-xetex-bidi.def 226
63 File footnote-xetex-bidi.def 229
64 File framed-xetex-bidi.def 236
65 File ftnright-xetex-bidi.def 240
66 File graphicx-xetex-bidi.def 242
67 File geometry-xetex-bidi.def 244
68 File hvfloat-xetex-bidi.def 245
69 File hyperref-xetex-bidi.def 251
70 File imsproc-xetex-bidi.def 263
71 File leqno-xetex-bidi.def 265
72 File letter-xetex-bidi.def 265
73 File lettrine-xetex-bidi.def 265
74 File lineno-xetex-bidi.def 268
75 File listings-xetex-bidi.def 269
76 File loadingorder-xetex-bidi.def 271
77 File longtable-xetex-bidi.def 277
78 File mathtools-xetex-bidi.def 279
79 File mdframed-xetex-bidi.def 279
80 File bidi-media9.sty 281
81 File memoir-xetex-bidi.def 293
82 File midfloat-xetex-bidi.def 296
83 File minitoc-xetex-bidi.def 301
84 File multicol-xetex-bidi.def 302
85 File multienum-xetex-bidi.def 304
86 File natbib-xetex-bidi.def 306
87 File newfloat-xetex-bidi.def 306
88 File ntheorem-xetex-bidi.def 307

89 File ntheorem-hyper-xetex-bidi.def 308
90 File overpic-xetex-bidi.def 308
91 File pdfbase-xetex-bidi.def 309
92 File pdfpages-xetex-bidi.def 309
93 File pgfcorescopes.code-xetex-bidi.def 311
94 File picinpar-xetex-bidi.def 312
95 File plain-xetex-bidi.def 314
96 File pstricks-xetex-bidi.def 317
97 File quotchap-xetex-bidi.def 317
98 File ragged2e-xetex-bidi.def 318
99 File rapport1-xetex-bidi.def 320
100 File rapport3-xetex-bidi.def 325
101 File refrep-xetex-bidi.def 330
102 File report-xetex-bidi.def 334
103 File rotating-xetex-bidi.def 338
104 File scrartcl-xetex-bidi.def 341
105 File scrbook-xetex-bidi.def 352
106 File scrlettr-xetex-bidi.def 364
107 File scrreprt-xetex-bidi.def 366
108 File sidecap-xetex-bidi.def 378
109 File soul-xetex-bidi.def 378
110 File stabular-xetex-bidi.def 379
111 File subfigure-xetex-bidi.def 380
112 File tabls-xetex-bidi.def 380
113 File tabularx-xetex-bidi.def 380
114 File tabulary-xetex-bidi.def 382
115 File tc-xetex-bidi.def 383
116 File tcolorbox-xetex-bidi.def 383
117 File titlesec-xetex-bidi.def 384
118 File titletoc-xetex-bidi.def 384
119 File tocbibind-xetex-bidi.def 385
120 File tocloft-xetex-bidi.def 387
121 File tocbasic-xetex-bidi.def 393
122 File tocstyle-xetex-bidi.def 406
123 File todonotes-xetex-bidi.def 411
124 File wrapfig-xetex-bidi.def 414
125 File xcolor-xetex-bidi.def 415
126 File latex-xetex-bidi.def 418
127 File xltxtra-xetex-bidi.def 436
128 Index 436

1 File amsart-xetex-bidi.def

```
\ProvidesFile{amsart-xetex-bidi.def}[2017/08/09 v1.1 bidi adaptations for amsart class for XeT
\def\@tocline#1#2#3#4#5#6#7{\relax
  \ifnum #1>\c@tocdepth % then omit
  \else
    \par \addpenalty\@secpenalty\addvspace{#2}%
    \begingroup \hyphenpenalty\@M
    \@ifempty{#4}{%
      \@tempdima\csname r@tocindent\number#1\endcsname\relax
    }{%
      \@tempdima#4\relax
    }%
    \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\le
    \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
    #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
    \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
    \nobreak
    \endgroup
  \fi}
\renewcommand\thesubsection    {\thesection\@SepMark\arabic{subsection}}
\renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
\renewcommand\theparagraph     {\thesubsubsection\@SepMark\arabic{paragraph}}
\renewcommand\thesubparagraph  {\theparagraph\@SepMark\arabic{subparagraph}}
\def\part{\@startsection{part}{0}%
  \z@{\linespacing\@plus\linespacing}{.5\linespacing}%
  {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
\def\right@footnoterule{%
  \kern-.4\p@
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
  \kern11\p@\kern-\footnotesep}
\def\left@footnoterule{\kern-.4\p@
        \hrule\@width 5pc\kern11\p@\kern-\footnotesep}


\long\def\@footnotetext#1{%
  \insert\footins{%
    \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \reset@font%
    \bidi@@footnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}

\long\def\@RTLfootnotetext#1{%
```

```
  \insert\footins{%
    \@RTLtrue%
    \reset@font%
    \bidi@@RTLfootnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}


\long\def\@LTRfootnotetext#1{%
  \insert\footins{%
    \@RTLfalse%
    \reset@font%
    \bidi@@LTRfootnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}


\footdir@temp\footdir@ORG@bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
\footdir@temp\footdir@ORG@bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
\footdir@temp\footdir@ORG@bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%

\renewenvironment{thebibliography}[1]{%
  \@bibtitlestyle
  \normalfont\bibliofont\labelsep .5em\relax
  \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \bidi@@thebibliography@font@hook%
  \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth \advance\leftmargin\labelsep
    \usecounter{enumiv}}%
  \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
  \sfcode`\.=\@m
}{%
  \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
  \endlist
}
\def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
```

```
  \columnseprule\z@ \columnsep 35\p@
  \@indextitlestyle
  \thispagestyle{plain}%
  \let\item\@idxitem
  \parindent\z@  \parskip\z@\@plus.3\p@\relax
  \if@RTL\raggedleft\else\raggedright\fi
  \hyphenpenalty\@M
  \footnotesize}
\def\@idxitem{\par\hangindent \if@RTL-\fi2em}
\def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
\def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
\def\maketitle{\par
  \@topnum\z@ % this prevents figures from falling at the top of page 1
  \@setcopyright
  \thispagestyle{firstpage}% this sets first page specifications
  \uppercasenonmath\shorttitle
  \ifx\@empty\shortauthors \let\shortauthors\shorttitle
  \else \andify\shortauthors
  \fi
  \@maketitle@hook
  \begingroup
  \@maketitle
  \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
  \toks4{\def\\{ \ignorespaces}}% defend against questionable usage
  \edef\@tempa{%
    \@nx\markboth{\the\toks4
      \@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
  \@tempa
  \endgroup
  \c@footnote\z@
  \@cleartopmattertags
}
```

2 File adjmulticol-xetex-bidi.def

```
\ProvidesFile{adjmulticol-xetex-bidi.def}[2015/04/25 v0.1 bidi adaptations for adjmulticol pac
\def\adjmulticols#1#2#3{\col@number#1\relax
  \def\@tempa{#2}%
  \ifx\@tempa\@empty\adjmc@inner\z@\else\adjmc@inner#2\fi
  \def\@tempa{#3}%
  \ifx\@tempa\@empty\adjmc@outer\z@\else\adjmc@outer#3\fi
  \ifnum\col@number<\@ne
     \PackageWarning{adjmulticol}%
      {Using `\number\col@number'
       columns doesn't seem a good idea.^^J
       I therefore use one columns instead}%
     \col@number\@ne\fi
  \ifnum\col@number>10
     \PackageError{adjmulticol}%
      {Too many columns}%
```

```
      {Current implementation doesn't
       support more than 10 columns.%
       \MessageBreak
       I therefore use 10 columns instead}%
     \col@number10 \fi
     \ifx\@footnotetext\mult@footnotetext\else
       \let\orig@footnotetext\@footnotetext
       \let\@footnotetext\mult@footnotetext
     \fi
     \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
       \let\orig@LTRfootnotetext\@LTRfootnotetext
       \let\@LTRfootnotetext\mult@LTRfootnotetext
     \fi
     \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
       \let\orig@RTLfootnotetext\@RTLfootnotetext
       \let\@RTLfootnotetext\mult@RTLfootnotetext
     \fi
  \@ifnextchar[\adjmult@cols{\adjmult@cols[]}}
\let\adjmc@page@sofar@orig=\page@sofar
```

3 File algorithm2e-xetex-bidi.def

```
\ProvidesFile{algorithm2e-xetex-bidi.def}[2015/02/01 v0.1 bidi adaptations for algorithm2e pac
\expandafter\ifx\csname algocf@within\endcsname\relax% if \algocf@within doesn't exist
\else%                                        else
\renewcommand\thealgocf{\csname the\algocf@within\endcsname\@SepMark\@arabic\c@algocf}%
\fi%

\def\@algocf@pre@boxed{\noindent\begin{bidi@lrbox}{\algocf@algoframe}}
\def\@algocf@post@boxed{\end{bidi@lrbox}\framebox[\hsize]{\box\algocf@algoframe}\par}%
\def\@algocf@pre@boxruled{\noindent\begin{bidi@lrbox}{\algocf@algoframe}}%
\def\@algocf@post@boxruled{\end{bidi@lrbox}\framebox[\hsize]{\box\algocf@algoframe}\par}%
\renewcommand{\@algocf@start}{%
  \@algoskip%
  \begin{bidi@lrbox}{\algocf@algobox}%
  \setlength{\algowidth}{\hsize}%
  \vbox\bgroup% save all the algo in a box
  \hbox to\algowidth\bgroup\hbox to \algomargin{\hfill}\vtop\bgroup%
  \ifthenelse{\boolean{algocf@slide}}{\parskip 0.5ex\color{black}}{}%
  % initialization
  \addtolength{\hsize}{-1.5\algomargin}%
  \let\@mathsemicolon=\;\def\;{\ifmmode\@mathsemicolon\else\@endalgoln\fi}%
  \raggedright\AlFnt{}%
  \ifthenelse{\boolean{algocf@slide}}{\IncMargin{\skipalgocfslide}}{}%
  \@algoinsideskip%
%   \let\@emathdisplay=\]\def\]{\algocf@endline\@emathdisplay\nl}%
}%
\renewcommand{\@algocf@finish}{%
  \@algoinsideskip%
  \egroup%end of vtop which contain all the text
```

```
  \hfill\egroup%end of hbox wich contains [margin][vtop]
  \ifthenelse{\boolean{algocf@slide}}{\DecMargin{\skipalgocfslide}}{}%
  %
  \egroup%end of main vbox
  \end{bidi@lrbox}%
  \algocf@makethealgo% print the algo
  \@algoskip%
  % restore dimension and macros
  \setlength{\hsize}{\algowidth}%
  \lineskip\normallineskip\setlength{\skiptotal}{\@defaultskiptotal}%
  \let\;=\@mathsemicolon%
  \let\]=\@emathdisplay%
}%
```

4 File amsbook-xetex-bidi.def

```
\ProvidesFile{amsbook-xetex-bidi.def}[2017/08/09 v1.2 bidi adaptations for amsbook class for X
\def\@tocline#1#2#3#4#5#6#7{\relax
  \ifnum #1>\c@tocdepth % then omit
  \else
    \par \addpenalty\@secpenalty\addvspace{#2}%
    \begingroup \hyphenpenalty\@M
    \@ifempty{#4}{%
      \@tempdima\csname r@tocindent\number#1\endcsname\relax
    }{%
      \@tempdima#4\relax
    }%
    \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\le
    \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
    #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
    \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
    \nobreak
    \endgroup
  \fi}
\renewcommand\thesubsection    {\thesection\@SepMark\arabic{subsection}}
\renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
\renewcommand\theparagraph     {\thesubsubsection\@SepMark\arabic{paragraph}}
\renewcommand\thesubparagraph  {\theparagraph\@SepMark\arabic{subparagraph}}
\def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
  \columnseprule\z@ \columnsep 35\p@
  \@indextitlestyle
  \thispagestyle{plain}%
  \let\item\@idxitem
  \parindent\z@  \parskip\z@\@plus.3\p@\relax
  \if@RTL\raggedleft\else\raggedright\fi
  \hyphenpenalty\@M
  \footnotesize}
\def\@idxitem{\par\hangindent \if@RTL-\fi2em}
\def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
\def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
```

```
\def\right@footnoterule{%
  \kern-.4\p@
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
  \kern11\p@\kern-\footnotesep}
\def\left@footnoterule{\kern-.4\p@
        \hrule\@width 5pc\kern11\p@\kern-\footnotesep}

\long\def\@footnotetext#1{%
  \insert\footins{%
   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
   \reset@font%
    \bidi@@footnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}

\long\def\@RTLfootnotetext#1{%
  \insert\footins{%
   \@RTLtrue%
   \reset@font%
    \bidi@@RTLfootnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}


\long\def\@LTRfootnotetext#1{%
  \insert\footins{%
   \@RTLfalse%
   \reset@font%
    \bidi@@LTRfootnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}

```

```
290
291
292 \footdir@temp\footdir@ORG@bidi@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
293 \footdir@temp\footdir@ORG@bidi@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
294 \footdir@temp\footdir@ORG@bidi@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%
295
296 \renewenvironment{thebibliography}[1]{%
297   \@bibtitlestyle
298   \normalfont\bibliofont\labelsep .5em\relax
299   \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
300   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
301   \bidi@@thebibliography@font@hook%
302   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
303     \leftmargin\labelwidth \advance\leftmargin\labelsep
304     \usecounter{enumiv}}%
305   \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
306   \sfcode`\.=\@m
307 }{%
308   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
309   \endlist
310 }
311 \def\@makechapterhead#1{\global\topskip 7.5pc\relax
312   \begingroup
313   \fontsize{\@xivpt}{18}\bfseries\centering
314     \ifnum\c@secnumdepth>\m@ne
315       \leavevmode \hskip-\if@RTL\rightskip\else\leftskip\fi
316       \rlap{\vbox to\z@{\vss
317           \centerline{\normalsize\mdseries
318               \uppercase\@xp{\chaptername}\enspace\thechapter}
319           \vskip 3pc}}\hskip\if@RTL\rightskip\else\leftskip\fi\fi
320      #1\par \endgroup
321   \skip@34\p@ \advance\skip@-\normalbaselineskip
322   \vskip\skip@ }
323 \def\maketitle{\par
324   \@topnum\z@ % this prevents figures from falling at the top of page 1
325   \begingroup
326   \@maketitle
327   \endgroup
328   \c@footnote\z@
329   \def\do##1{\let##1\relax}%
330   \do\maketitle \do\@maketitle \do\title \do\@xtitle \do\@title
331   \do\author \do\@xauthor \do\address \do\@xaddress
332   \do\email \do\@xemail \do\curraddr \do\@xcurraddr
333   \do\dedicatory \do\@dedicatory \do\thanks \do\thankses
334   \do\keywords \do\@keywords \do\subjclass \do\@subjclass
335 }
```

5 File amsmath-xetex-bidi.def

```
336 \ProvidesFile{amsmath-xetex-bidi.def}[2018/01/08 v1.1 bidi adaptations for amsmath package for
```

```
\let\veqno=\eqno
\iftagsleft@ \let\veqno=\leqno \fi
\renewcommand{\numberwithin}[3][\arabic]{%
  \@ifundefined{c@#2}{\@nocounterr{#2}}{%
    \@ifundefined{c@#3}{\@nocnterr{#3}}{%
      \@addtoreset{#2}{#3}%
      \@xp\xdef\csname the#2\endcsname{%
        \@xp\@nx\csname the#3\endcsname \@nx\@SepMark\@nx#1{#2}}}}%
}
\def\tagform@#1{\maketag@@@{\if@nonlatin\beginR\fi(\kern\z@\ignorespaces#1\unskip\@@italiccor
```

6 File amstext-xetex-bidi.def

```
\ProvidesFile{amstext-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for amstext package fo
\def\textdef@#1#2#3{\hbox{{%
                    \everymath{#1}%
                    \let\f@size#2\selectfont
                    \if@nonlatin\beginR\fi#3\if@nonlatin\endR\fi}}}
```

7 File amsthm-xetex-bidi.def

```
\ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for
\def\@thmcountersep{\@SepMark}
```

8 File array-xetex-bidi.def

```
\ProvidesFile{array-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for array package for Xe
\def\@testpach{\@chclass
 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
  \ifnum \@lastchclass=7 5 \else
   \ifnum \@lastchclass=8 \tw@ \else
    \ifnum \@lastchclass=9 \thr@@
   \else \z@
   \ifnum \@lastchclass = 10 \else
   \edef\@nextchar{\expandafter\string\@nextchar}%
   \@chnum
   \if \@nextchar c\z@ \else
    \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
     \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
   \z@ \@chclass
   \if\@nextchar |\@ne \else
    \if \@nextchar !6 \else
     \if \@nextchar @7 \else
      \if \@nextchar <8 \else
       \if \@nextchar >9 \else
  10
  \@chnum
  \if \@nextchar m\thr@@\else
   \if \@nextchar p4 \else
    \if \@nextchar b5 \else
```

```
  \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi
  \fi \fi  \fi  \fi  \fi  \fi  \fi \fi \fi \fi \fi \fi}
\def\@tabular{%
  \leavevmode
  \hbox \bgroup\if@RTLtab\beginR \fi $\col@sep\tabcolsep \let\d@llarbegin\begingroup
                                    \let\d@llarend\endgroup
  \@tabarray}
\def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
\expandafter\let\csname endtabular*\endcsname=\endtabular
\def\@array[#1]#2{%
  \@tempdima \ht \strutbox
  \advance \@tempdima by\extrarowheight
  \setbox \@arstrutbox \hbox{\vrule
             \@height \arraystretch \@tempdima
             \@depth \arraystretch \dp \strutbox
             \@width \z@}%
  \begingroup
  \@mkpream{#2}%
  \xdef\@preamble{\noexpand \ialign \@halignto
                  \bgroup \@arstrut \@preamble
                          \tabskip \z@ \cr}%
  \endgroup
  \@arrayleft
  \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi \fi
  \bgroup
  \let \@sharp ##\let \protect \relax
  \lineskip \z@
  \baselineskip \z@
  \m@th
  \let\\\@arraycr \let\tabularnewline\\\let\par\@empty \if@RTLtab\hbox\bgroup\beginR\@hboxRcor
\def\@tabarray{\@ifnextchar[{\@array}{\@array[c]}}
\def\endarray{\crcr \egroup\if@RTLtab\egroup\endR\egroup\fi \egroup \@arrayright \gdef\@preamb
\def\array{\col@sep\arraycolsep
  \def\d@llarbegin{$}\let\d@llarend\d@llarbegin\gdef\@halignto{}%
  \@RTLtabfalse\@tabarray}
```

9 File `article-xetex-bidi.def`

```
\ProvidesFile{article-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for standard article cl
\if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  \null\vfil
  \vskip 60\p@
```

```
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
```

```
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \setlength\@tempdima{3em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
       \if@compatibility
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
```

```
    \endgroup
  \fi}
\renewcommand*\l@section[2]{%
  \ifnum \c@tocdepth >\z@
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \endgroup
  \fi}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\def\@part[#1]#2{%
    \ifnum \c@secnumdepth >\m@ne
      \refstepcounter{part}%
      \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
    \else
      \addcontentsline{toc}{part}{#1}%
    \fi
    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
     \interlinepenalty \@M
     \normalfont
     \ifnum \c@secnumdepth >\m@ne
       \Large\bfseries \partname\nobreakspace\thepart
       \par\nobreak
     \fi
     \huge \bfseries #2%
     \markboth{}{}\par}%
    \nobreak
    \vskip 3ex
    \@afterheading}
\renewenvironment{thebibliography}[1]
     {\section*{\refname}%
      \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
```

```
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy
      \clubpenalty4000
      \@clubpenalty \clubpenalty
      \widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewenvironment{theindex}
               {\if@twocolumn
                  \@restonecolfalse
                \else
                  \@restonecoltrue
                \fi
                \columnseprule \z@
                \columnsep 35\p@
                \twocolumn[\section*{\indexname}]%
                \@mkboth{\MakeUppercase\indexname}%
                        {\MakeUppercase\indexname}%
                \thispagestyle{plain}\parindent\z@
                \parskip\z@ \@plus .3\p@\relax
                \let\item\@idxitem}
               {\if@restonecol\onecolumn\else\clearpage\fi}
```

10 File artikel1-xetex-bidi.def

```
\ProvidesFile{artikel1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel1 class for
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\section*{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
```

```
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
```

```
672         \nobreak
673        \if@compatibility
674         \global\@nobreaktrue
675         \everypar{\global\@nobreakfalse\everypar{}}%
676       \fi
677     \endgroup
678   \fi}
679 \else
680    \renewcommand*\l@part{%
681      \ifnum \c@tocdepth >-2\relax
682      \addpenalty\@secpenalty
683      \addvspace{2.25em \@plus \p@}%
684      \@regtocline{0}%
685    \fi}
686 \fi
687 \if@oldtoc
688 \renewcommand*\l@section[2]{%
689     \addpenalty\@secpenalty
690     \addvspace{1.0em \@plus\p@}%
691     \setlength\@tempdima{1.5em}%
692     \begingroup
693     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
694     \parfillskip -\@pnumwidth
695     \leavevmode \bfseries
696     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
697     \hskip -\if@RTL\rightskip\else\leftskip\fi
698     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
699    \endgroup}
700 \else
701    \renewcommand*\l@section{\@regtocline{1}}
702 \fi
703 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
704 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
705 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
706 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
707 \renewenvironment{thebibliography}[1]
708      {\section*{\refname}%
709        \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
710       \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
711       \bidi@@thebibliography@font@hook%
712       \list{\@biblabel{\@arabic\c@enumiv}}%
713            {\settowidth\labelwidth{\@biblabel{#1}}%
714             \leftmargin\labelwidth
715             \advance\leftmargin\labelsep
716             \@openbib@code
717             \usecounter{enumiv}%
718             \let\p@enumiv\@empty
719             \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
720       \sloppy\clubpenalty4000\widowpenalty4000%
721       \sfcode`\.\@m}
```

```
    {\def\@noitemerr
      {\@latex@warning{Empty `thebibliography' environment}}%
     \endlist}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
```

```
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
```

```
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
```

11 File artikel2-xetex-bidi.def

```
\ProvidesFile{artikel2-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel2 class fo
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\section*{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
```

```
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \advance\@tempdima by \othermargin
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@section[2]{%
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
   \endgroup}
\else
   \renewcommand*\l@section{\@regtocline{1}}
\fi
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
       \if@compatibility
        \global\@nobreaktrue
```

```
        \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty\@secpenalty
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \section*{\hskip\unitindent\small\SectFont\abstractname}%
        \list{}{\setlength\listparindent{\unitindent}%
                \setlength\parindent    {\z@}%
                \setlength\leftmargin   {\unitindent}%
                \setlength\rightmargin  {\unitindent}%
                \setlength\parsep       {\z@}}%
        \item[]%
      \fi}
      {\if@twocolumn\else\par\endlist\fi}
\fi
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \hrule\@width 3\unitindent
  \kern 2.6\p@
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-3\unitindent\relax \hrulefill }
```

```
  \kern 2.6\p@}
\renewenvironment{thebibliography}[1]
     {\section*{\refname}%
       \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
```

```
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \long\def\@makefntext##1{\parindent\z@
      \def\labelitemi{\textendash}%
      \leavevmode\hb@xt@.5\unitindent{%
        \@textsuperscript{\normalfont\@thefnmark}\hfil}##1}
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
```

```
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
```

12 File artikel3-xetex-bidi.def

```
\ProvidesFile{artikel3-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for artikel3 class fo
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
```

```
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\section*{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
       \if@compatibility
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty\@secpenalty
```

```
      \addvspace{2.25em \@plus \p@}%
      \@regtocline{0}%
    \fi}
\fi

\if@oldtoc
\renewcommand*\l@section[2]{%
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \endgroup}
\else
    \renewcommand*\l@section{\@regtocline{1}}
\fi
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
```

```
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewenvironment{thebibliography}[1]
     {\section*{\refname}%
       \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
```

```
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \if@twocolumn
      \ifnum \col@number=\@ne
```

```
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
\if@titlecentered
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
 \else
     {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
     {\large \TitleFont \lineskip .5em \tabcolsep\z@
              \def\and{%%% \begin{tabular} has already started
                       \end{tabular}\hskip 1em plus .17fil
                       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}%% \end{tabula
              \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\pa
     \vskip 1em {\large \TitleFont \@date}
 \fi
```

```
  \par
  \vskip 1.5em}
\fi
```

13 File arydshln-xetex-bidi.def

```
\ProvidesFile{arydshln-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for arydshln package ]
\def\endarray{\adl@endarray \egroup \adl@arrayrestore \if@RTLtab\egroup\endR\egroup\fi\egroup]
\def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
\expandafter\let\csname endtabular*\endcsname\endtabular
\let\adl@array\@array
\def\@array{\adl@everyvbox\everyvbox
        \everyvbox{\adl@arrayinit \the\adl@everyvbox \everyvbox\adl@everyvbox}%
        \ifadl@inactive \adl@inactivate \else \adl@activate \fi
        \let\adl@noalign\noalign
        \adl@array}
\ifadl@usingarypkg
\def\@testpach{\@chclass
 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
  \ifnum \@lastchclass=7 5 \else
   \ifnum \@lastchclass=8 \tw@ \else
    \ifnum \@lastchclass=9 \thr@@
   \else \z@
   \ifnum \@lastchclass = 10 \else
   \edef\@nextchar{\expandafter\string\@nextchar}%
   \@chnum
   \if \@nextchar c\z@ \else
    \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
     \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
   \z@ \@chclass
   \if\@nextchar |\@ne \let\@arrayrule\adl@arrayrule \else
   \if\@nextchar :\@ne \let\@arrayrule\adl@arraydashrule \else
   \if\@nextchar ;\@ne \let\@arrayrule\adl@argarraydashrule \else
    \if \@nextchar !6 \else
     \if \@nextchar @7 \else
      \if \@nextchar <8 \else
       \if \@nextchar >9 \else
  10
  \@chnum
  \if \@nextchar m\thr@@\else
   \if \@nextchar p4 \else
    \if \@nextchar b5 \else
   \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi
   \fi \fi  \fi  \fi  \fi  \fi  \fi \fi \fi \fi \fi \fi}

\def\@classz{\@classx
   \@tempcnta \count@
   \prepnext@tok
   \@addtopreamble{\ifcase \@chnum
      \hfil
```

```
      \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
      \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
      \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
   \setbox\adl@box\hbox \adl@startmbox{\@nextchar}\insert@column
        \adl@endmbox\or
   \setbox\adl@box\vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
   \setbox\adl@box\vbox \@startpbox{\@nextchar}\insert@column \@endpbox
  \fi}\prepnext@tok}
\def\adl@class@start{4}
\def\adl@class@iiiorvii{7}

\else
\def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
        \ifnum \@lastchclass=\thr@@ 5\relax \else
                \z@ \if #1c\@chnum \z@ \else
                    \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
                    \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
                \@chclass
                    \if #1|\@ne \let\@arrayrule\adl@arrayrule \else
                    \if #1:\@ne \let\@arrayrule\adl@arraydashrule \else
                    \if #1;\@ne \let\@arrayrule\adl@argarraydashrule \else
                    \if #1@\tw@ \else
                    \if #1p\thr@@ \else \z@ \@preamerr 0\fi
        \fi  \fi  \fi  \fi  \fi  \fi  \fi  \fi  \fi}

\def\@arrayclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
                \or \or \@addamp \or
                \@acolampacol \or \@firstampfalse \@acol \fi
        \edef\@preamble{\@preamble
                \ifcase \@chnum
                    \hfil\adl@putlrc{$\relax\@sharp$}\hfil
                \or \adl@putlrc{$\relax\@sharp$}\hfil
                \or \hfil\adl@putlrc{$\relax\@sharp$}\fi}}
\def\@tabclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
                \or \or \@addamp \or
                \@acolampacol \or \@firstampfalse \@acol \fi
        \edef\@preamble{\@preamble
        \ifcase \@chnum
                    \hfil\adl@putlrc{\@sharp\unskip}\hfil
                \or \adl@putlrc{\@sharp\unskip}\hfil
                \or \hfil\hskip\z@ \adl@putlrc{\@sharp\unskip}\fi}}
\def\adl@class@start{6}
\def\adl@class@iiiorvii{3}
\fi
\@ifpackageloaded{colortbl}{%
\def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
\def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
        \let\@endpbox\adl@org@endpbox}
\let\adl@CT@setup\CT@setup
\def\CT@setup{\adl@CT@setup
```

```
        \@tempdima\ht\z@ \advance\@tempdima\minrowclearance
        \ifdim\adl@height<\@tempdima \global\adl@height\@tempdima \fi
        \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
\let\adl@act@CT@setup\CT@setup
\def\@classz{\@classx
        \@tempcnta\count@ \prepnext@tok
        \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
        \expandafter\adl@extract@arc\the\toks\@tempcnta\arrayrulecolor!\@nil
        \expandafter\adl@extract@drsc
                \the\toks\@tempcnta\doublerulesepcolor!\@nil
        \expandafter\adl@extract@dgc\the\toks\@tempcnta\dashgapcolor!\@nil
        \@addtopreamble{\if@RTL\beginL\fi%
                \setbox\z@\hbox\bgroup\bgroup\if@RTL\beginR\fi
                \ifcase \@chnum
                        \hskip\stretch{.5}\kern\z@
                        \d@llarbegin
                        \insert@column
                        \d@llarend\hskip\stretch{.5}%
                \or \d@llarbegin \insert@column \d@llarend \hfill
                \or \hfill \kern\z@ \d@llarbegin \insert@column \d@llarend
                \or  $\vcenter
                        \@startpbox{\@nextchar}\insert@column \@endpbox $%
                \or  \vtop \@startpbox{\@nextchar}\insert@column \@endpbox
                \or  \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
                \fi
                \if@RTL\endR\fi\egroup\egroup
                \begingroup
                        \CT@setup
                        \CT@column@color
                        \CT@row@color
                        \CT@cell@color
                        \CT@do@color
                \endgroup
                \@tempdima\ht\z@
                \advance\@tempdima\minrowclearance
                \vrule\@height\@tempdima\@width\z@
                \unhbox\z@\if@RTL\endL\fi}%
        \prepnext@tok}
\let\adl@act@classz\@classz
\let\adl@org@classz\@classz
}{}
```

14 File `bidi.sty`

```
\NeedsTeXFormat{LaTeX2e}
\def\bididate{2018/08/12}
\def\bidi@version{33.1}
\ProvidesPackage{bidi}[\bididate\space v\bidi@version\space
Bidirectional typesetting in plain TeX and LaTeX]
\edef\@bidi@info{**************************************************^^J%
```

```
* ^^J%
* bidi package (Bidirectional typesetting in^^J%
* plain TeX and LaTeX, using XeTeX engine)^^J%
* ^^J%
* Description: A convenient interface for^^J%
* typesetting bidirectional texts in plain TeX^^J%
* and LaTeX.  The package includes adaptations^^J%
* for use with many other commonly-used packages.^^J%
* ^^J%
* Copyright (c) 2009--2018 Vafa Khalighi^^J%
* ^^J%
* v\bidi@version, \bididate^^J%
* ^^J%
* License: LaTeX Project Public License, version^^J%
* 1.3c or higher (your choice)^^J%
* ^^J%
* Location on CTAN: /macros/xetex/latex/bidi^^J%
* ^^J%
* Issue tracker: https://sourceforge.net/p/persian-tex-dist/tickets^^J%
* ^^J%
* Support: http://persian-tex.com^^J%
* ^^J%
**************************************************}
\typeout{\@bidi@info}
\edef\bidi@everyjob{\the\everyjob}
\everyjob{\bidi@everyjob\typeout{\@bidi@info}}
\newcommand*{\bidiversion}{\ensuremath\bidi@version}
\newcommand*{\IfbidiPackageVersionLater}[1]{%
  \ifdim\bidi@version pt > #1 pt %
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\IfbidiPackageVersionBefore}[1]{%
  \ifdim\bidi@version pt < #1 pt %
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\IfbidiPackageVersion}[1]{%
  \ifdim\bidi@version pt = #1 pt %
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\RequirePackage{iftex}
\RequireXeTeX
\RequirePackage{biditools}
\RequirePackage{zref-abspage}
\RequirePackage{auxhook}
```

```
\RequirePackage{ltxcmds}
\RequirePackage{xkeyval}
\eqnewif{\if@RTLmain}{\if@rlmain}
\eqnewif{\if@RTL}{\if@rl}
\newif\if@nonlatin
\newcommand*{\setlatin}{\@nonlatinfalse}
\newcommand*{\setnonlatin}{\@nonlatintrue}
\eqnewif{\if@RTLtab}{\if@tab@rl}
\newif\if@hboxRconstruct
\newcommand*{\setRTLtable}{\@RTLtabtrue}
\newcommand*{\setLTRtable}{\@RTLtabfalse}
\newif\if@bidi@pdfm@mark
\newif\if@RTLmarginpar
\newif\if@LTRmarginpar
\newif\if@LTRbibitems
\newif\if@RTLbibitems
\newif\if@extrafootnotefeatures
\newif\if@parafootRTL
\newif\if@RTLcolumnfootnotes
\eqnewif{\if@RTL@footnote}{\if@rl@footnote}
\newif\if@bidi@list@minipage@parbox
\newif\if@bidi@list@minipage@parbox@not@nob
\newcommand*{\@bidi@pdfcreator}{%
  The bidi package, v\bidi@version, \bididate
}
\newcommand*{\@bidi@pdfproducer}{%
  The bidi package, v\bidi@version, \bididate
}
\newcommand*{\@bidi@pdfcustomproperties}{%
  This is the bidi package, Version \bidi@version,
  Released August 12, 2018.
}
\@RTLmainfalse
\AtBeginDocument{%
  \if@RTLmain\else
    \if@RTL\@RTLmaintrue%
    \else\@RTLmainfalse%
    \fi%
  \fi%
}
\let\n@xt=\
\bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
\def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
\bidi@newrobustcmd*{\RLE}{\protect\pRLE}
\def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
\def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
  \errmessage{Missing left brace has been substituted}\fi \bgroup}
\newinsert\@bidi@copyins@
\skip\@bidi@copyins@=12\p@
\dimen\@bidi@copyins@=40pc
```

```
%\count\@bidi@copyins@=1000
\newcommand*{\@bidi@inslogo@}{\insert\@bidi@copyins@{\@bidi@logo@}}
\newcommand*{\@bidi@logo@hb@xt@}{%
  \if@RTLmain
    \hboxR to
  \else
    \hboxL to
  \fi
}
\newcommand*{\@bidi@logo}[1]{%
  \toks@{%
    \setbox\z@\hbox{%
      \special{%
        pdf:image width 50pt height 50pt (#1)%
      }
    }%
    \dp\z@\z@
    \ht\z@=50pt
    \wd\z@=50pt
    \beginL
      \lower20pt\box\z@
    \endL
  }%
  \the\toks@
}
\newcommand*{\@bidi@logo@}{\@bidi@logo@hb@xt@\textwidth{\hss\LRE{\bfseries Typeset by the \tex
\input{latex-xetex-bidi.def}
\input{loadingorder-xetex-bidi.def}
\define@choicekey{bidi.sty}{RTLdocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@RTLtrue
  \or
    \@RTLfalse
  \fi}
\define@choicekey{bidi.sty}{documentdirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright
  \ifcase\bidi@tempb\relax
    \@RTLtrue
  \or
    \@RTLfalse
  \fi}
\define@choicekey{bidi.sty}{tabledirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright}{%
  \ifcase\bidi@tempb\relax
    \@RTLtabtrue
  \or
    \@RTLtabfalse
  \fi}
\define@choicekey{bidi.sty}{script}[\bidi@tempa\bidi@tempb]{latin,nonlatin}[latin]{%
  \ifcase\bidi@tempb\relax
    \@nonlatinfalse
  \or
```

```
    \@nonlatintrue
  \fi}
\define@choicekey{bidi.sty}{rldocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@RTLtrue
  \or
    \@RTLfalse
  \fi}
\define@choicekey{bidi.sty}{footnoterule}[\bidi@tempa\bidi@tempb]{automatic,left,right,split,t
  \ifcase\bidi@tempb\relax
    \autofootnoterule
  \or
    \leftfootnoterule
  \or
    \rightfootnoterule
  \or
    \SplitFootnoteRule
  \or
    \textwidthfootnoterule
  \fi}
\define@choicekey{bidi.sty}{footnotedirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright
  \ifcase\bidi@tempb\relax
    \@RTL@footnotetrue
  \or
    \@RTL@footnotefalse
  \fi}
\define@choicekey{bidi.sty}{debugfootnotedirection}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \footdir@debugtrue
  \or
    \footdir@debugfalse
  \fi}
\define@choicekey{bidi.sty}{extrafootnotefeatures}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@extrafootnotefeaturestrue
  \or
    \@extrafootnotefeaturesfalse
  \fi}

\define@choicekey{bidi.sty}{DetectColumn}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
  \def\bidi@firstcolumn@status@write{%
        \protected@write\@auxout{}%
             {\string\bidi@column@status
             {1}}}%
  \def\bidi@lastcolumn@status@write{%
        \protected@write\@auxout{}%
             {\string\bidi@column@status{2}}}%
  \or
    \let\bidi@firstcolumn@status@write\relax
```

```
    \let\bidi@lastcolumn@status@write\relax
  \fi}

\define@choicekey{bidi.sty}{logo}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \AtBeginDocument{\@bidi@inslogo@}%
  \or
    \let\@bidi@logo@\@empty \let\@bidi@inslogo@\@empty
  \fi}

\define@choicekey{bidi.sty}{pdfinfo}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@bidi@pdfm@marktrue
  \or
    \@bidi@pdfm@markfalse
  \fi}

\ExecuteOptionsX{%
    DetectColumn=off%
}

\ProcessOptionsX

\if@extrafootnotefeatures
  \input{extrafootnotefeatures-xetex-bidi.def}
\fi
\newcount\bidi@digits
\XeTeXinterchartokenstate=\@ne
\newXeTeXintercharclass\bidi@digits@charclass
\newXeTeXintercharclass\bidi@sepmark@charclass
\XeTeXcharclass `\. \bidi@sepmark@charclass
\XeTeXcharclass `\- \bidi@sepmark@charclass
\bidi@digits=`\0 \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digits<
\bidi@digits=`\  \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digits<
\XeTeXinterchartoks \bidi@sepmark@charclass  \bidi@digits@charclass = {\DigitsDotDashInterChar
\newcommand*{\DigitsDotDashInterCharToks}{\if@nonlatin\char"200F \fi}
\AtEndDocument{%
   \special{pdf:%
     docinfo<<%
     \if@bidi@pdfm@mark
       /Creator(\@bidi@pdfcreator)%
       /Producer(\@bidi@pdfproducer)%
     \fi
     /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
     \if@bidi@csdef{@xepersian@pdfcustomproperties}{%
       /XEPERSIAN.Fullbanner(\@xepersian@pdfcustomproperties)%
     }{}%
      >>%
    }%
}
```

15 File bidi.tex

```
\def\bididate{2018/08/12}
\catcode`@=11
\def\bidi@version{33.1}
\let \protect \relax
\newlinechar`\^^J
\edef\@bidi@info{**************************************************^^J%
* ^^J%
* bidi package (Bidirectional typesetting in^^J%
* plain TeX and LaTeX, using XeTeX engine)^^J%
* ^^J%
* Description: A convenient interface for^^J%
* typesetting bidirectional texts in plain TeX^^J%
* and LaTeX.  The package includes adaptations^^J%
* for use with many other commonly-used packages.^^J%
* ^^J%
* Copyright (c) 2009--2018 Vafa Khalighi^^J%
* ^^J%
* v\bidi@version, \bididate^^J%
* ^^J%
* License: LaTeX Project Public License, version^^J%
* 1.3c or higher (your choice)^^J%
* ^^J%
* Location on CTAN: /macros/xetex/latex/bidi^^J%
* ^^J%
* Issue tracker: https://sourceforge.net/p/persian-tex-dist/tickets^^J%
* ^^J%
* Support: http://persian-tex.com^^J%
* ^^J%
**************************************************}
\message{\@bidi@info}
\edef\bidi@everyjob{\the\everyjob}
\everyjob{\bidi@everyjob\message{\@bidi@info}}
\def\bidiversion{%
  \relax
  \ifmmode
    \bidi@version
  \else
    $\bidi@version$
  \fi
}
\input iftex.sty
\RequireXeTeX
\newif\if@bidi@pdfm@mark
\newif\if@RTLmain
\newif\if@RTL
\newif\if@hboxRconstruct
\newif\if@sentdir
\newif\if@RTL@footnote
```

```
\@RTLmainfalse
\def\setRTLmain{%
  \if@RTLmain\else
    \if@RTL\@RTLmaintrue%
    \else\@RTLmainfalse%
    \fi%
  \fi%
}
\let\n@xt=\
\protected\def\LRE{\protect\pLRE}%
\def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
\protected\def\RLE{\protect\pRLE}
\def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
\def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
  \errmessage{Missing left brace has been substituted}\fi \bgroup}
\newinsert\@bidi@copyins@
\skip\@bidi@copyins@=12\p@
\dimen\@bidi@copyins@=40pc
\count\@bidi@copyins@=1000
\def\@bidi@inslogo@{\insert\@bidi@copyins@{\@bidi@logo@}}
\def\@bidi@logo@hb@xt@{%
  \if@RTLmain
    \hboxR to
  \else
    \hboxL to
  \fi
}
\def\@bidi@logo#1{%
  \toks@{%
    \setbox\z@\hbox{%
      \special{%
        pdf:image width 50pt height 50pt (#1)%
      }
    }%
    \dp\z@\z@
    \ht\z@=50pt
    \wd\z@=50pt
    \beginL
      \lower20pt\box\z@
    \endL
  }%
  \the\toks@
}
\def\@bidi@logo@{\@bidi@logo@hb@xt@\hsize{\hss\LRE{\bf Typeset by the bidi package\quad\@bidi@
\def\nobidilogo{\let\@bidi@logo@\@empty \let\@bidi@inslogo@\@empty}
\def\@bidi@pdfcreator{%
  The bidi package, v\bidi@version, \bididate
}
\def\@bidi@pdfproducer{%
  The bidi package, v\bidi@version, \bididate
```

```
}
\def\@bidi@pdfcustomproperties{%
  This is the bidi package, Version \bidi@version,
  Released August 12, 2018.
}
\def\bidi@pdfm@mark{%
  \special{pdf:%
    docinfo<<%
    \if@bidi@pdfm@mark
      /Creator(\@bidi@pdfcreator)%
      /Producer(\@bidi@pdfproducer)%
    \fi
    /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
      >>%
    }%
}
\def\bidipdfinfoon{\@bidi@pdfm@marktrue}
\def\bidipdfinfooff{\@bidi@pdfm@markfalse}
\input plain-xetex-bidi.def
\@bidi@inslogo@
\outer\def\bye{\par\vfill\supereject\bidi@pdfm@mark\end}
\catcode`@=12
\bidipdfinfoon
```

16 File bidi2in1.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidi2in1}
\pagestyle{plain}
\newcount\evenpage
\newcount\oddpage
\twocolumn
\def\@oddfoot{\evenpage=\thepage%
\multiply\evenpage by 2%
\oddpage=\the\evenpage%
\advance\oddpage by -1%
\hfil\the\evenpage\hfil\hfil\the\oddpage\hfil}%
\def\@evenfoot{\evenpage=\thepage%
\multiply\evenpage by 2%
\oddpage=\the\evenpage%
\advance\oddpage by -1%
\hfil\the\oddpage\hfil\hfil\the\evenpage\hfil}%
\textwidth 9.49in
\textheight 6.7in
\columnsep 0.9in
\columnseprule 0.125pt
\headheight 0cm
\topmargin 0in
\marginparwidth 0in
\marginparsep 0in
```

```
\hoffset 0.05in % Corrected
\voffset -0.5in %top margin space is 1.0in by default
\oddsidemargin 0in
\evensidemargin 0in
\headsep 0cm
\topskip 0cm
\parskip 0.15in       %
\headsep 0pt
\special{papersize=11.69in,8.26in}
\renewcommand\maketitle{\par
\begingroup
\renewcommand\thefootnote{\@fnsymbol\c@footnote}%
\def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
\long\def\@makefntext##1{\parindent 1em\noindent
\hb@xt@1.8em{%
\hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
\@maketitle
\@thanks
\endgroup
\setcounter{footnote}{0}%
\global\let\thanks\relax
\global\let\maketitle\relax
\global\let\@maketitle\relax
\global\let\@thanks\@empty
\global\let\@author\@empty
\global\let\@date\@empty
\global\let\@title\@empty
\global\let\title\relax
\global\let\author\relax
\global\let\date\relax
\global\let\and\relax
}
```

17 File bidicode.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidicode}
\RequirePackage{xcolor}
\RequirePackage{showexpl}
\definecolor{hellgelb}{rgb}{1,1,0.85}
\definecolor{colKeys}{rgb}{0,0,1}
\definecolor{colIdentifier}{rgb}{0,0,0}
\definecolor{colComments}{rgb}{1,0,0}
\definecolor{colString}{rgb}{0,0.5,0}
\lstset{
    language=[LaTeX]TEX,
    float=hbp,
    basicstyle=\ttfamily\small,
    identifierstyle=\color{colIdentifier},
    keywordstyle=\color{colKeys},
```

```
    stringstyle=\color{colString},
    commentstyle=\color{colComments},
    backgroundcolor=\color{hellgelb},
    columns=flexible,
    tabsize=4,
    extendedchars=true,
    showspaces=false,
    showstringspaces=false,
    numbers=left,
    numbersep=0.9em,
    numberstyle=\tiny, %
    frame=single,
    captionpos=b,
    xleftmargin=1em,
    breaklines=true,
    breakautoindent=false,
    breakindent=0pt,
    escapeinside=**,
    pos=r,
    explpreset={%
    xleftmargin=1em,columns=flexible,language=[LaTeX]TEX},
    morekeywords={setLTR,setLR,setRTL,setRL,LRE,LR,RLE,RL,lr,bidiversion,bididate}
}
\newcommand\HLON{%
  \gdef\lst@alloverstyle##1{%
    \fboxrule=0pt
    \fboxsep=0pt
    \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
}}
\newcommand\HLOFF{%
  \xdef\lst@alloverstyle##1{##1}%
}
\newcommand\Larg [1]{{\normalfont\itshape#1\/}}
\newcommand\Larga[1]{$\langle$\Larg{#1}$\rangle$}
\newcommand\Largb[1]{\lcb\Larg{#1}\rcb}
\newcommand\Largs[1]{\lsb\Larg{#1}\rsb}
\newcommand\Largr[1]{\lrb\Larg{#1}\rrb}
\newcommand\LBEG[1]{{\normalfont\ttfamily\bs{}begin\lcb#1\rcb}}
\newcommand\LEND[1]{{\normalfont\ttfamily\bs{}end\lcb#1\rcb}}

\DeclareRobustCommand\bs{{\normalfont\ttfamily\symbol{92}}}
\DeclareRobustCommand\lcb{{\normalfont\ttfamily\char`\{}}
\DeclareRobustCommand\rcb{{\normalfont\ttfamily\char`\}}}
\DeclareRobustCommand\lsb{{\normalfont\ttfamily[}}
\DeclareRobustCommand\rsb{{\normalfont\ttfamily]}}
\DeclareRobustCommand\lrb{{\normalfont\ttfamily(}}
\DeclareRobustCommand\rrb{{\normalfont\ttfamily)}}

\def\Lcs#1{\nxLcs{#1}}
\def\LcsStar#1{\nxLcs{#1}\OptArg*{*}}
```

```
\def\nxLcs#1{\texttt{\symbol{92}#1}}

\def\Coordx#1{$x_{#1}$}
\def\Coordy#1{$y_{#1}$}
\def\Coordz#1{$z_{#1}$}
\def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
\def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
\def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
\def\CAny{\Coordx{},\kern 1pt\Coordy{}}
\def\CIIIAny{\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
\def\coord#1{(\Coordx{#1},\kern 1pt\Coordy{#1})}
\def\coordn{(\Coordx{n},\kern 1pt\Coordy{n})}
\def\coordiii#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
\def\coordx#1{($x_{#1}$)}
\def\coordy#1{($y_{#1}$)}
\def\coordz#1{($z_{#1}$)}
\def\cAny{(\Coordx{},\kern 1pt\Coordy{})}
\def\ciiiAny{(\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{})}

\newsavebox{\boxdef}
\newenvironment{BDef}
  {\begin{lrbox}\boxdef
      \def\arraystretch{1.0}
      \begin{tabular}{@{}l@{}l@{}l@{}}
  }
  {\end{tabular}\end{lrbox}

   {\BCmd\fbox{\usebox\boxdef}\endBCmd}
   \aftergroup\@afterindentfalse\aftergroup\@afterheading
  }

\newenvironment{BDef*}
  {\begin{lrbox}\boxdef
      \def\arraystretch{1.0}
      \begin{tabular}{@{}l@{}l@{}l@{}}
  }
  {\end{tabular}\end{lrbox}
   {\begin{BCmd*}\fbox{\usebox\boxdef}\end{BCmd*}}
   \aftergroup\@afterindentfalse\aftergroup\@afterheading
  }
\newenvironment{BCmd}{
  \@beginparpenalty-\@lowpenalty
  \topsep\BDefaboveskip
  \fboxsep3pt
  \flushleft}
 {\@endparpenalty\@M
  \@topsepadd\BDefbelowskip
  \endflushleft}

\newenvironment{BCmd*}{
```

```
  \@beginparpenalty\@M
  \topsep\BDefinlineskip
  \fboxsep3pt
  \flushleft}
 {\@endparpenalty5000
  \endflushleft}

\newskip\BDefaboveskip
\newskip\BDefbelowskip
\newskip\BDefinlineskip
\setlength\BDefaboveskip{10pt plus 4pt}
\setlength\BDefbelowskip{6pt}
\setlength\BDefinlineskip{6pt}

\def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}\kern1pt}
\def\OptArg{\@ifnextchar*\OptArg@i{\OptArg@ii*}}
\def\OptArg@i*#1{\colorbox{black!20}{\texttt{#1}}\kern1pt}
\def\OptArg@ii*#1{\colorbox{black!20}{\texttt{[#1]}}\kern1pt}
```

18 File bidiftnxtra.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidiftnxtra}
\newtoks\bidi@p@ftn
\let\FN@sf@@footnote\footnote
\let\FN@sf@@LTRfootnote\LTRfootnote
\let\FN@sf@@RTLfootnote\RTLfootnote
\def\footnote{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@footnote
  \else
    \expandafter\FN@sf@gobble@opt
  \fi
}
\def\LTRfootnote{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@LTRfootnote
  \else
    \expandafter\FN@sf@gobble@opt
  \fi
}
\def\RTLfootnote{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@RTLfootnote
  \else
    \expandafter\FN@sf@gobble@opt
  \fi
}
\edef\FN@sf@gobble@opt{\noexpand\protect
  \expandafter\noexpand\csname FN@sf@gobble@opt \endcsname}
\expandafter\def\csname FN@sf@gobble@opt \endcsname{%
  \@ifnextchar[%]
    \FN@sf@gobble@twobracket
```

```
    \@gobble
}
\def\FN@sf@gobble@twobracket[#1]#2{}
\let\FN@sf@@footnotemark\footnotemark
\def\footnotemark{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@footnotemark
  \else
    \expandafter\FN@sf@gobble@optonly
  \fi
}
\edef\FN@sf@gobble@optonly{\noexpand\protect
  \expandafter\noexpand\csname FN@sf@gobble@optonly \endcsname}
\expandafter\def\csname FN@sf@gobble@optonly \endcsname{%
  \@ifnextchar[%]
    \FN@sf@gobble@bracket
    {}%
}
\def\FN@sf@gobble@bracket[#1]{}
\def\@tabular{%
   \leavevmode \hbox \bgroup
   \let\@footnotetext\bidi@p@ftntext
   \let\@LTRfootnotetext\bidi@p@LTRftntext
   \let\@RTLfootnotetext\bidi@p@RTLftntext
   \let\@xfootnotenext\bidi@p@xftntext
   \let\@xfootnote\bidi@p@xfootnote
   \let\@xLTRfootnotenext\bidi@p@xLTRftntext
   \let\@xLTRfootnote\bidi@p@xLTRfootnote
    \let\@xRTLfootnotenext\bidi@p@xRTLftntext
   \let\@xRTLfootnote\bidi@p@xRTLfootnote
   \if@RTLtab\beginR \fi
   $\let\@acol\@tabacol
   \let\@classz\@tabclassz
   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
\def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                 \egroup $\if@RTLtab\endR\fi\egroup
                  \ifx\@captype\@undefined
                    \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn\fi}
\long\def\bidi@p@ftntext#1{%
  \edef\@tempy{\the\bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidi@p@ftn\expandafter{\@tempy{#1}}}%
\long\def\bidi@p@LTRftntext#1{%
  \edef\@tempyi{\the\bidi@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidi@p@ftn\expandafter{\@tempyi{#1}}}%
\long\def\bidi@p@RTLftntext#1{%
  \edef\@tempyii{\the\bidi@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidi@p@ftn\expandafter{\@tempyii{#1}}}%


\long\def\bidi@p@xftntext[#1]#2{%
  \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\footnotetext[#1]{#2}}}
```

```
2149
2150 \long\def\bidi@p@xLTRftntext[#1]#2{%
2151   \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\LTRfootnotetext[#1]{#2}}}
2152
2153 \long\def\bidi@p@xRTLftntext[#1]#2{%
2154   \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\RTLfootnotetext[#1]{#2}}}
2155
2156
2157 \def\bidi@p@xfootnote[#1]{%
2158    \begingroup
2159      \csname c@\@mpfn\endcsname #1\relax
2160      \unrestored@protected@xdef\@thefnmark{\thempfn}%
2161    \endgroup
2162    \@footnotemark\bidi@p@xftntext[#1]}
2163
2164
2165 \def\bidi@p@xLTRfootnote[#1]{%
2166    \begingroup
2167      \csname c@\@mpfn\endcsname #1\relax
2168      \unrestored@protected@xdef\@thefnmark{\thempfn}%
2169    \endgroup
2170    \@footnotemark\bidi@p@xLTRftntext[#1]}
2171
2172
2173 \def\bidi@p@xRTLfootnote[#1]{%
2174    \begingroup
2175      \csname c@\@mpfn\endcsname #1\relax
2176      \unrestored@protected@xdef\@thefnmark{\thempfn}%
2177    \endgroup
2178    \@footnotemark\bidi@p@xRTLftntext[#1]}
2179
2180 \def\@xfloat #1[#2]{%
2181   \@nodocument
2182   \def \@captype {#1}%
2183    \def \@fps {#2}%
2184    \@onelevel@sanitize \@fps
2185    \def \reserved@b {!}%
2186    \ifx \reserved@b \@fps
2187      \@fpsadddefault
2188    \else
2189      \ifx \@fps \@empty
2190        \@fpsadddefault
2191      \fi
2192    \fi
2193    \ifhmode
2194      \@bsphack
2195      \@floatpenalty -\@Mii
2196    \else
2197      \@floatpenalty-\@Miii
2198    \fi
```

```
\ifinner
   \@parmoderr\@floatpenalty\z@
\else
  \@next\@currbox\@freelist
    {%
     \@tempcnta \sixt@@n
     \expandafter \@tfor \expandafter \reserved@a
       \expandafter :\expandafter =\@fps
       \do
        {%
         \if \reserved@a h%
           \ifodd \@tempcnta
           \else
             \advance \@tempcnta \@ne
           \fi
         \fi
         \if \reserved@a t%
           \@setfpsbit \tw@
         \fi
         \if \reserved@a b%
           \@setfpsbit 4%
         \fi
         \if \reserved@a p%
           \@setfpsbit 8%
         \fi
         \if \reserved@a !%
           \ifnum \@tempcnta>15
             \advance\@tempcnta -\sixt@@n\relax
           \fi
         \fi
         }%
     \@tempcntb \csname ftype@\@captype \endcsname
     \multiply \@tempcntb \@xxxii
     \advance \@tempcnta \@tempcntb
     \global \count\@currbox \@tempcnta
     }%
  \@fltovf
\fi
\global \setbox\@currbox
  \color@vbox
    \normalcolor
    \vbox \bgroup
     \let\@footnotetext\bidi@p@ftntext
     \let\@LTRfootnotetext\bidi@p@LTRftntext
     \let\@RTLfootnotetext\bidi@p@RTLftntext
     \let\@xfootnotenext\bidi@p@xftntext
      \let\@xfootnote\bidi@p@xfootnote
      \let\@xLTRfootnotenext\bidi@p@xLTRftntext
      \let\@xLTRfootnote\bidi@p@xLTRfootnote
      \let\@xRTLfootnotenext\bidi@p@xRTLftntext
```

```
        \let\@xRTLfootnote\bidi@p@xRTLfootnote
        \hsize\columnwidth
        \@parboxrestore
        \@floatboxreset
}
\def \@endfloatbox{%
      \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
      \@minipagefalse
      \outer@nobreak
    \egroup                  %% end of vbox
    \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn
  \color@endbox
}
```

19 File `bidimoderncv.cls`

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesClass{bidimoderncv}
\newif\if@DEBUG\@DEBUGfalse
\DeclareOption{a4paper}{
  \setlength\paperheight{297mm}
  \setlength\paperwidth{210mm}}
\DeclareOption{a5paper}{
  \setlength\paperheight{210mm}
  \setlength\paperwidth{148mm}}
\DeclareOption{b5paper}{
  \setlength\paperheight{250mm}
  \setlength\paperwidth{176mm}}
\DeclareOption{letterpaper}{
  \setlength\paperheight{11in}
  \setlength\paperwidth{8.5in}}
\DeclareOption{legalpaper}{
  \setlength\paperheight{14in}
  \setlength\paperwidth{8.5in}}
\DeclareOption{executivepaper}{
  \setlength\paperheight{10.5in}
  \setlength\paperwidth{7.25in}}
\DeclareOption{landscape}{
  \setlength\@tempdima{\paperheight}
  \setlength\paperheight{\paperwidth}
  \setlength\paperwidth{\@tempdima}}
\newcommand\@ptsize{}
\DeclareOption{10pt}{\renewcommand\@ptsize{0}}
\DeclareOption{11pt}{\renewcommand\@ptsize{1}}
\DeclareOption{12pt}{\renewcommand\@ptsize{2}}
\DeclareOption{draft}{\setlength\overfullrule{5pt}}
\DeclareOption{final}{\setlength\overfullrule{0pt}}
\newif\if@colour\@colourtrue
\DeclareOption{nocolour}{\@colourfalse}
\ExecuteOptions{a4paper,11pt,colour,final}
```

```
\ProcessOptions\relax
\input{size1\@ptsize.clo}
\RequirePackage{color}
\RequirePackage{graphicx}
\RequirePackage{ifthen}
\RequirePackage{marvosym}
\addtolength{\oddsidemargin}{-54pt}
\addtolength{\textwidth}{109pt}
\addtolength{\topmargin}{-70pt}
\addtolength{\textheight}{122pt}
\addtolength{\marginparsep}{-5pt}
\addtolength{\marginparwidth}{-10pt}
\RequirePackage{url}
\RequirePackage{hyperref}
\hypersetup{%
  breaklinks,
  baseurl       = http://,%
  pdfborder     = 0 0 0,%
  pdfpagemode   = UseNone,%
  pdfstartpage  = 1}
\AtEndOfClass{%
  \AtBeginDocument{%
    \hypersetup{%
      pdfauthor     = \@firstname~\@familyname,%
      pdftitle      = \@title,%
      pdfsubject    = \@firstname~\@familyname,%
      pdfkeywords   = \@resumename~\@firstname~\@familyname}}}
\urlstyle{tt}
\RequirePackage{fancyhdr}
\fancypagestyle{plain}{%
  \renewcommand{\headrulewidth}{0pt}
  \renewcommand{\footrulewidth}{0pt}
  \fancyhf{}}
\pagestyle{plain}
\setlength\lineskip{1\p@}
\setlength\normallineskip{1\p@}
\renewcommand\baselinestretch{}
\setlength{\parindent}{0pt}
\setlength{\parskip}{0pt}
\setlength\columnsep{10\p@}
\setlength\columnseprule{0\p@}
\pagestyle{empty}
\pagenumbering{arabic}
\raggedbottom
\onecolumn
\providecommand*{\listitemsymbol}{\textbullet}
\providecommand*{\addresssymbol}{}
\providecommand*{\mobilesymbol}{\Mobilefone}
\providecommand*{\phonesymbol}{\Telefon}
\providecommand*{\faxsymbol}{\FAX}
```

```
\providecommand*{\emailsymbol}{\Letter}
\definecolor{firstnamecolor}{rgb}{0,0,0}
\def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}
\def\familynamecolour#1{\gdef\@familynamecolour{\addfontfeature{Color=#1}}}
\def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
\def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
\def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}
\def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}
\definecolor{sectionrectanglecolor}{rgb}{0,0,0}
\def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
\def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
\providecommand*{\firstnamefont}{}
\providecommand*{\familynamefont}{}
\providecommand*{\titlefont}{}
\providecommand*{\addressfont}{}
\providecommand*{\quotefont}{}
\providecommand*{\sectionfont}{}
\providecommand*{\subsectionfont}{}
\providecommand*{\hintfont}{\small}
\providecommand*{\firstnamestyle}[1]{{\firstnamefont\@firstnamecolour#1}}
\providecommand*{\familynamestyle}[1]{{\familynamefont\@familynamecolour#1}}
\providecommand*{\titlestyle}[1]{{\titlefont\@titlecolour#1}}
\providecommand*{\addressstyle}[1]{{\addressfont\@addresscolour#1}}
\providecommand*{\quotestyle}[1]{{\quotefont\@quotecolour#1}}
\providecommand*{\sectionstyle}[1]{{\sectionfont\@sectiontitlecolour#1}}
\providecommand*{\subsectionstyle}[1]{{\subsectionfont\@subsectioncolour#1}}
\providecommand*{\hintstyle}[1]{{\hintfont\@hintcolour#1}}
\newcommand*{\cvtheme}[2][]{
  \def\@cvtheme{#2}
  \def\@cvthemeoptions{#1}}
\cvtheme{bidi-casual}
\AtBeginDocument{\RequirePackage[\@cvthemeoptions]{cvtheme\@cvtheme}}
\newcommand*{\resumename}[1]{\def\@resumename{#1}}
\newcommand*{\firstname}[1]{\def\@firstname{#1}}
\newcommand*{\familyname}[1]{\def\@familyname{#1}}
\renewcommand*{\title}[1]{\def\@title{#1}}
\newcommand*{\address}[1]{\def\@address{#1}}
\newcommand*{\mobile}[1]{\def\@mobile{#1}}
\newcommand*{\phone}[1]{\def\@phone{#1}}
\renewcommand*{\fax}[1]{\def\@fax{#1}}
\newcommand*{\email}[1]{\def\@email{#1}}
\newcommand*{\extrainfo}[1]{\def\@extrainfo{#1}}
\def\@photowidth{0pt}
\newcommand*{\photo}[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}
\newcommand*{\quote}[1]{\def\@quote{#1}}
\newlength{\quotewidth}
\newlength{\hintscolumnwidth}
\newlength{\separatorcolumnwidth}
\setlength{\separatorcolumnwidth}{0.025\textwidth}
\newlength{\maincolumnwidth}
```

```
\newlength{\doubleitemmaincolumnwidth}
\newlength{\listitemsymbolwidth}
\settowidth{\listitemsymbolwidth}{\listitemsymbol{}~}
\newlength{\listitemmaincolumnwidth}
\newlength{\listdoubleitemmaincolumnwidth}
\newcommand*{\recomputethemelengths}{}
\newcommand*{\recomputelengths}{%
\setlength{\quotewidth}{0.65\textwidth}%
\setlength{\maincolumnwidth}{\textwidth}%
\addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
\addtolength{\maincolumnwidth}{-\hintscolumnwidth}%
\setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
\addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
\setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
\addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
\addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
\setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
\setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
\addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
\setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
\renewcommand{\headwidth}{\textwidth}%
\recomputethemelengths}
\setlength{\hintscolumnwidth}{0.15\textwidth}
\recomputelengths
\title{}
\renewcommand*{\maketitle}{}
\newcommand*{\section}[1]{%
\vspace*{2.5ex \@plus 1ex \@minus .2ex}%
  \phantomsection{}%
  \addcontentsline{toc}{part}{#1}%
  \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectangleco
  \hspace{\separatorcolumnwidth}%
  \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}}\\[1ex]}
\newcommand*{\subsection}[1]{%
  \cvline[0.45em]{}{\subsectionstyle{#1}}}
\newcommand*{\cvline}[3][.25em]{%
  \begin{tabular}{@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth}@
    \bidi@raggedleft\hintfont{#2} &{#3}%
  \end{tabular}\\[#1]}
\newcommand*{\cvdoubleitem}[4]{%
 \cvline{#1}{\begin{minipage}[t]{\doubleitemmaincolumnwidth}#2\end{minipage}%
 \hfill%
 \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hspace*{\se
\newcommand*{\cvlistitem}[2][\listitemsymbol{}]{%
  \cvline[0pt]{}{#1~\begin{minipage}[t]{\listitemmaincolumnwidth}#2\end{minipage}}}
\newcommand*{\cvlistdoubleitem}[3][\listitemsymbol{}]{%
  \cvline[0pt]{}{#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#2\end{minipage}%
  \hfill%
  \ifthenelse{\equal{#3}{}}%
    {}%
```

```
    {#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#3\end{minipage}}}}
\newcommand*{\cventry}[6]{%
  \cvline{#1}{%
    {\bfseries#2}%
    \ifx#3\else{, {\slshape#3}}\fi%
    \ifx#4\else{, #4}\fi%
    \ifx#5\else{, #5}\fi%
    .%
    \ifx#6\else{\newline{}\begin{minipage}[t]{\linewidth}\small#6\end{minipage}}\fi
    }}%
\newcommand*{\cvlanguage}[3]{%
  \cvline{#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{#2}\end{minipage}\hfill\begin{m
\newcommand*{\cvcomputer}[4]{%
  \cvdoubleitem{#1}{\small#2}{#3}{\small#4}}
\newcommand*{\link}[2][]{%
  \ifthenelse{\equal{#1}{}}%
    {\href{#2}{#2}}%
    {\href{#2}{#1}}}
\newcommand*{\httplink}[2][]{%
  \ifthenelse{\equal{#1}{}}%
    {\href{http://#2}{#2}}%
    {\href{http://#2}{#1}}}
\newcommand*{\emaillink}[2][]{%
  \ifthenelse{\equal{#1}{}}%
    {\href{mailto:#2}{#2}}%
    {\href{mailto:#2}{#1}}}
\newif\if@displaypagenumbers\@displaypagenumberstrue
\newcommand*{\nopagenumbers}{\@displaypagenumbersfalse}
\AtBeginDocument{%
  \if@displaypagenumbers%
    \@ifundefined{r@lastpage}{}{%
      \ifthenelse{\pageref{lastpage} > 1}{%
      \fancypagestyle{plain}{%
        \fancyfoot[r]{\beginL\addressfont\@quotecolour\footnotesize\thepage\beginL/\endL\pager
      \pagestyle{plain}}{}}%
  \AtEndDocument{\label{lastpage}}%
  \fi}
\newlength{\bibindent}
\setlength{\bibindent}{1.5em}
\newcommand*{\bibliographyitemlabel}{\includegraphics{bibitem.pdf}}
\newenvironment{thebibliography}[1]%
  {%
    \section{\refname}%
    \small%
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
    \bidi@@thebibliography@font@hook%
    \begin{list}{\bibliographyitemlabel}%
      {%
        \setlength{\topsep}{0pt}%
        \setlength{\labelwidth}{\hintscolumnwidth}%
```

```
        \setlength{\labelsep}{\separatorcolumnwidth}%
        \leftmargin\labelwidth%
        \advance\leftmargin\labelsep%
        \@openbib@code%
        \usecounter{enumiv}%
        \let\p@enumiv\@empty%
        \renewcommand\theenumiv{\@arabic\c@enumiv}}%
        \sloppy\clubpenalty4000\widowpenalty4000%
  }%
  {%
    \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
    \end{list}%
  }
\newcommand\newblock{\hskip .11em\@plus.33em\@minus.07em}
\let\@openbib@code\@empty
```

20 File biditools.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{biditools}[2018/02/22 v1.4 Programming tools for bidi package]
\providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\\\relax
  \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
  \ifx\@tempa\@tempb \global\let#2#1%
  \else
    \edef\@tempb{\meaning#2}%
    \ifx\@tempa\@tempb
    \else
      \@latex@error{Unable to properly define \string#2; primitive
      \noexpand#1no longer primitive}\@eha
    \fi
  \fi
  \endgroup}
\newtoks\@bidi@envbody
\newtoks\@bidi@emptytoks
\def\bidi@addto@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
\def\bidi@collect@body#1{%
  \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
  \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
  \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
  \begingroup
  \expandafter\let\csname\@currenvir\endcsname\bidi@collect@@body
  \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
  \bidi@process@envbody
}
\def\bidi@push@begins#1\begin#2{%
  \ifx\end#2\else b\expandafter\bidi@push@begins\fi
}
\def\bidi@collect@@body#1\end#2{%
  \edef\begin@bidi@stack{\bidi@push@begins#1\begin\end \expandafter\@gobble\begin@bidi@stack}%
  \ifx\@empty\begin@bidi@stack
```

```
    \endgroup
    \@checkend{#2}%
    \bidi@addto@envbody{#1}%
  \else
    \bidi@addto@envbody{#1\end{#2}}%
  \fi
  \bidi@process@envbody % A little tricky! Note the grouping
}
\long\def\bidi@addto@long@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
\long\def\bidi@collect@long@body#1{%
  \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
  \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
  \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
  \begingroup
  \expandafter\let\csname\@currenvir\endcsname\bidi@collect@long@@body
  \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
  \bidi@process@envbody
}
\long\def\bidi@push@long@begins#1\begin#2{%
  \ifx\end#2\else b\expandafter\bidi@push@long@begins\fi
}
\long\def\bidi@collect@long@@body#1\end#2{%
  \edef\begin@bidi@stack{\bidi@push@long@begins#1\begin\end \expandafter\@gobble\begin@bidi@st
  \ifx\@empty\begin@bidi@stack
    \endgroup
    \@checkend{#2}%
    \bidi@addto@long@envbody{#1}%
  \else
    \bidi@addto@long@envbody{#1\end{#2}}%
  \fi
  \bidi@process@envbody % A little tricky! Note the grouping
}
\long\def\bidi@new@ifnextchar#1#2#3{%
  \let\reserved@d= #1%
  \def\reserved@a{#2}\def\reserved@b{#3}%
  \futurelet\@let@token\bidi@new@ifnch
}
\def\bidi@new@ifnch{%
  \ifx\@let@token\reserved@d \let\reserved@b\reserved@a \fi
  \reserved@b
}
\def\bidi@matrix@check#1{%
  \expandafter\ifx\csname\@currenvir\endcsname#1%
  \else\bidi@matrix@error#1%
    \expandafter\@gobble
  \fi
}
\def\bidi@matrix@error#1{%
  \PackageError{biditools}{%
Old form `\string#1' should be \string\begin{\expandafter\@gobble\string#1}%
```

```
  }{%
`\string#1{...}' is old bidi package syntax whose use is
ill-advised in the old versions of bidi package.%
  }%
}
\def\@tagsextension{clo}
\def\@definitionfileextension{def}
\def\@texfileextension{tex}
\def\@iftagsloaded{\@ifl@aded\@tagsextension}
\def\@ifdefinitionfileloaded{\@ifl@aded\@definitionfileextension}
\def\@iftexfileloaded{\@ifl@aded\@texfileextension}
\def\eqnewif#1#2{%
  \count@\escapechar \escapechar\m@ne
    \let#1\iffalse
    \let#2\iffalse
    \eq@if#1#2\iftrue
    \eq@if#1#2\iffalse
  \escapechar\count@}
\def\eq@if#1#2#3{%
  \expandafter\def\csname\expandafter\@gobbletwo\string#1%
                      \expandafter\@gobbletwo\string#3\endcsname
                         {\let#1#3%
                         \let#2#3}%
  \expandafter\def\csname\expandafter\@gobbletwo\string#2%
                      \expandafter\@gobbletwo\string#3\endcsname
                         {\let#2#3%
                         \let#1#3}}
\newcommand*{\SetBoolean}[2]{%
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
    {\PackageError{biditools}%
       {You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{#1\@tempa}%
      {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
      {\csname#1\@tempa\endcsname}}}
\newcommand*{\GlobalSetBoolean}[2]{%
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
    {\PackageError{biditools}%
       {You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{#1\@tempa}%
      {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
      {\global\csname#1\@tempa\endcsname}}}
\newcommand*{\SetatBoolean}[2]{%
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
    {\PackageError{biditools}%
       {You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{@#1\@tempa}%
      {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
```

```
      {\csname @#1\@tempa\endcsname}}}
\newcommand*{\GlobalSetatBoolean}[2]{%
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
    {\PackageError{biditools}%
       {You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{@#1\@tempa}%
      {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
      {\global\csname @#1\@tempa\endcsname}}}
\def\@bidi@removefromreset#1#2{{%
  \expandafter\let\csname c@#1\endcsname\@bidi@removefromreset
  \def\@elt##1{%
    \expandafter\ifx\csname c@##1\endcsname\@bidi@removefromreset
    \else
      \noexpand\@elt{##1}%
    \fi}%
  \expandafter\xdef\csname cl@#2\endcsname{%
    \csname cl@#2\endcsname}}}
\newcommand*{\ifRtoL}{%
  \if@RTL
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\ifLtoR}{%
  \if@RTL
    \expandafter\@secondoftwo
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand*{\ifRtoLtable}{%
  \if@RTLtab
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\ifLtoRtable}{%
  \if@RTLtab
    \expandafter\@secondoftwo
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand*{\ifRtoLhboxconstruct}{%
  \if@hboxRconstruct
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\ifLtoRhboxconstruct}{%
  \if@hboxRconstruct
```

```
    \expandafter\@secondoftwo
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand*{\iflatin}{%
  \if@nonlatin
    \expandafter\@secondoftwo
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand*{\ifnonlatin}{%
  \if@nonlatin
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}

\newcommand*{\bidi@@convert@dimen@t@unit}[2]{%
    \strip@pt\dimexpr #1*65536/\dimexpr 1#2\relax #2}

\newcommand*{\bidi@@convert@dimen@t@pt}[1]{%
    \dimexpr #1*65536/\dimexpr 1pt\relax}

\newcommand*{\if@bidi@csdef}[1]{%
  \ifcsname#1\endcsname
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\if@bidi@csundef}[1]{%
  \ifcsname#1\endcsname
    \expandafter\ifx\csname#1\endcsname\relax
      \expandafter\expandafter
      \expandafter\@firstoftwo
    \else
      \expandafter\expandafter
      \expandafter\@secondoftwo
    \fi
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand{\if@bidi@def}[1]{%
  \ifdefined#1%
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand{\if@bidi@undef}[1]{%
  \ifdefined#1%
    \ifx#1\relax
```

```
      \expandafter\expandafter
      \expandafter\@firstoftwo
    \else
      \expandafter\expandafter
      \expandafter\@secondoftwo
    \fi
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand{\if@bidi@blank}[1]{% from url.sty
  \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
\long\def\bidi@ifblank@i#1#2&#3#4#5:{#4}
\newcommand{\bidi@notblank}[1]{%
  \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
\newcommand{\if@bidi@defmacro}{}
\long\edef\if@bidi@defmacro#1{%
  \noexpand\expandafter\noexpand\bidi@ifdefmacro
  \noexpand\meaning#1\detokenize{macro}:&}
\edef\bidi@ifdefmacro{%
  \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&}
\bidi@ifdefmacro{\bidi@notblank{#2}}
\newcommand*{\if@bidi@csmacro}[1]{%
  \if@bidi@csdef{#1}
    {\expandafter\if@bidi@defmacro\csname#1\endcsname}
    {\@secondoftwo}}
\newcommand{\if@bidi@defprimitive}[1]{%
  \ifprimitive#1%
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand{\if@bidi@csprimitive}[1]{%
 \begingroup\expandafter\expandafter\expandafter\endgroup%
  \expandafter\ifprimitive\csname#1\endcsname%
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\bidi@csdefcs}[2]{%
\expandafter\@ifdefinable  \csname#1\endcsname{%
\expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}}
\newcommand*{\bidi@csletcs}[2]{%
\expandafter\@ifdefinable  \csname#1\endcsname{%
\expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}
\newcommand*{\bidi@cslet}[2]{%
\expandafter\@ifdefinable  \csname#1\endcsname{%
\expandafter\let\csname#1\endcsname#2}}
\newcommand{\bidi@namelongdef}[1]{%
  \long\expandafter\def\csname #1\endcsname}
\def\bidi@ensure@newcommand{\@star@or@long\bidi@ensure@new@command}
```

```
\def\bidi@ensure@new@command#1{%
  \begingroup \escapechar\m@ne\xdef\@gtempa{{\string#1}}\endgroup
  \expandafter\if@bidi@csundef\@gtempa
     {\new@command#1}{\relax%
  \let\@ifdefinable\@rc@ifdefinable%
  \new@command#1}}
\def\bidi@ensure@newlength#1{\if@bidi@undef#1{\newskip#1}{}}

\protected\def\bidi@error{\PackageError{bidi}}
\protected\def\bidi@warning{\PackageWarning{bidi}}
\protected\def\bidi@info{\PackageInfo{bidi}}


\newcommand*{\setbaselineskip}[1]{%
    \linespread{\strip@pt\dimexpr\numexpr\dimexpr#1\relax*65536/\dimexpr\baselineskip\relax\re
    \selectfont
}


\newcommand*{\bidi@newrobustcmd}{}
\protected\def\bidi@newrobustcmd{\@star@or@long\bidi@new@command}

\def\bidi@new@command#1{\@testopt{\bidi@newcommand#1}0}

\def\bidi@newcommand#1[#2]{%
  \@ifnextchar[%]
    {\bidi@xargdef#1[#2]}
    {\ifx\l@ngrel@x\relax
       \let\l@ngrel@x\protected
     \else
       \protected\def\l@ngrel@x{\protected\long}%
     \fi
     \@argdef#1[#2]}}

\long\def\bidi@xargdef#1[#2][#3]#4{%
  \@ifdefinable#1{%
    \expandafter\protected
    \expandafter\def
    \expandafter#1%
    \expandafter{%
      \expandafter\@testopt
      \csname\string#1\endcsname{#3}}%
    \expandafter\@yargdef\csname\string#1\endcsname\tw@{#2}{#4}}}

\bidi@newrobustcmd*{\bidi@renewrobustcmd}{\@star@or@long\bidi@renew@command}

\def\bidi@renew@command#1{%
  \if@bidi@undef{#1}
     {\bidi@error{\string#1 undefined}\@ehc}
     {}%
```

```
  \let\@ifdefinable\@rc@ifdefinable
  \bidi@new@command#1}


\bidi@newrobustcmd*{\bidi@providerobustcmd}{\@star@or@long\bidi@provide@command}

\def\bidi@provide@command#1{%
  \if@bidi@undef{#1}
    {\def\reserved@a{\bidi@new@command#1}}
    {\def\reserved@a{\bidi@renew@command\reserved@a}}%
  \reserved@a}

\newcommand*{\bidi@csuse}[1]{%
  \ifcsname#1\endcsname
    \csname#1\expandafter\endcsname
  \fi}

\newcommand{\bidi@expandonce}[1]{%
  \unexpanded\expandafter{#1}}

\def\bidi@protected{%
  \let\@@protect\protect
  \let\protect\@unexpandable@protect
  \afterassignment\restore@protect}

\bidi@newrobustcmd{\bidi@appto}[2]{%
  \if@bidi@undef{#1}
    {\edef#1{\unexpanded{#2}}}
    {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
\bidi@newrobustcmd{\bidi@eappto}[2]{%
  \if@bidi@undef{#1}
    {\edef#1{#2}}
    {\edef#1{\bidi@expandonce#1#2}}}
\bidi@newrobustcmd{\bidi@gappto}[2]{%
  \if@bidi@undef{#1}
    {\xdef#1{\unexpanded{#2}}}
    {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
\bidi@newrobustcmd{\bidi@xappto}[2]{%
  \if@bidi@undef{#1}
    {\xdef#1{#2}}
    {\xdef#1{\bidi@expandonce#1#2}}}

\bidi@newrobustcmd*{\bidi@protected@eappto}{\bidi@protected\bidi@eappto}
\bidi@newrobustcmd*{\bidi@protected@xappto}{\bidi@protected\bidi@xappto}


\bidi@newrobustcmd{\bidi@preto}[2]{%
  \if@bidi@undef{#1}
```

```
    {\edef#1{\unexpanded{#2}}}
    {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}}
\bidi@newrobustcmd{\bidi@epreto}[2]{%
  \if@bidi@undef{#1}
    {\edef#1{#2}}
    {\edef#1{#2\bidi@expandonce#1}}}
\bidi@newrobustcmd{\bidi@gpreto}[2]{%
  \if@bidi@undef{#1}
    {\xdef#1{\unexpanded{#2}}}
    {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}}
\bidi@newrobustcmd{\bidi@xpreto}[2]{%
  \if@bidi@undef{#1}
    {\xdef#1{#2}}
    {\xdef#1{#2\bidi@expandonce#1}}}

\bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
\bidi@newrobustcmd*{\bidi@protected@xpreto}{\bidi@protected\bidi@xpreto}



\bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
\bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}



\bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
\bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}



\bidi@newrobustcmd{\if@bidi@patchable}{%
  \bidi@dbg@trce\if@bidi@patchable
  \begingroup
  \@makeother\#%
  \@ifstar\bidi@ifpatchable@i\bidi@ifpatchable}

\long\def\bidi@ifpatchable#1#2{%
  \endgroup
  \bidi@dbg@init#1%
  \if@bidi@undef{#1}
    {\bidi@dbg@fail{def}\@secondoftwo}
    {\bidi@dbg@info{def}%
```

```
    \if@bidi@defmacro{#1}
      {\bidi@dbg@info{mac}%
       \bidi@ifscanable{#1}
         {\bidi@ifhashcheck{#2}
            {\bidi@dbg@info{tok}%
             \bidi@ifpattern#1{#2}
                {\bidi@dbg@info{pat}%
                 \bidi@dbg@info{pos}\@firstoftwo}
                {\bidi@dbg@fail{pat}\@secondoftwo}}
            {\bidi@dbg@fail{hsh}\@secondoftwo}}
         {\bidi@dbg@fail{tok}\@secondoftwo}}
      {\bidi@dbg@fail{mac}\@secondoftwo}}}

\long\def\bidi@ifpatchable@i#1{%
  \endgroup
  \bidi@dbg@init#1%
  \if@bidi@undef{#1}
    {\bidi@dbg@fail{def}\@secondoftwo}
    {\bidi@dbg@info{def}%
     \if@bidi@defmacro{#1}
       {\bidi@dbg@info{mac}%
        \if@bidi@defparam{#1}
          {\bidi@dbg@info{prm}%
           \bidi@ifscanable{#1}
             {\bidi@dbg@info{tok}%
              \bidi@dbg@info{pos}\@firstoftwo}
             {\bidi@dbg@fail{tok}\@secondoftwo}}
          {\bidi@dbg@info{prl}%
           \if@bidi@defprotected{#1}
             {\bidi@dbg@info{pro}}
             {}%
           \bidi@dbg@info{pos}\@firstoftwo}}
       {\bidi@dbg@fail{mac}\@secondoftwo}}}

\bidi@newrobustcmd*{\bidi@patchcmd}{%
  \bidi@dbg@trce\bidi@patchcmd
  \begingroup
  \@makeother\#%
  \bidi@@patchcmd}

\newcommand{\bidi@@patchcmd}[4][########1]{%
  \bidi@ifpatchable#2{#3}
    {\bidi@dbg@succ{ret}%
     \begingroup
     \edef\bidi@resrvda{%
       \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
         #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
       \def\noexpand\bidi@resrvdb####1\detokenize{#3}####2&{%
         ####1\detokenize{#4}####2}%
       \edef\noexpand\bidi@resrvda{%
```

```
          \noexpand\bidi@resrvda\meaning#2&}}%
     \bidi@resrvda
     \bidi@patchcmd@scantoks\bidi@resrvda
     \let#2\bidi@resrvda
     \bidi@undef\bidi@resrvda
     \@firstoftwo}
    {\@secondoftwo}}

\def\bidi@patchcmd@scantoks#1{%
  \edef\bidi@resrvda{\endgroup
    \unexpanded{\makeatletter\scantokens}{#1}%
    \catcode\number`\@=\the\catcode`\@\relax}%
  \bidi@resrvda}

\newcommand\bidi@isloaded[2][]{
  \expandafter\ifx\csname if@bidi@#2loaded@\endcsname\relax
    \expandafter\newif\csname if@bidi@#2loaded@\endcsname
  \fi
  \@ifpackageloaded{#2}
    {\csname @bidi@#2loaded@true\endcsname #1}
    {\csname @bidi@#2loaded@false\endcsname}}

\protected\def\bidi@ifscanable#1{%
  \begingroup
  \edef\bidi@resrvda{%
    \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
      ####1\def\string\bidi@resrvda####2{####3}}%
    \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda\meaning#1&}}%
  \bidi@resrvda
  \makeatletter
  \scantokens\expandafter{\bidi@resrvda}%
  \expandafter\endgroup\ifx#1\bidi@resrvda
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}


\protected\long\def\bidi@ifhashcheck#1{%
  \begingroup
  \edef\bidi@resrvda{\detokenize{#1}}%
  \expandafter\endgroup
  \expandafter\bidi@ifhashcheck@i\meaning\bidi@resrvda&}

\edef\bidi@ifhashcheck@i#1&{%
  \noexpand\expandafter
  \noexpand\bidi@ifhashcheck@ii
  \noexpand\strip@prefix#1\string#\string#&}

\edef\bidi@ifhashcheck@ii{%
```

```
  \def\noexpand\bidi@ifhashcheck@ii##1\string#\string###2&}
\bidi@ifhashcheck@ii{\if@bidi@blank{#2}}


\protected\long\def\bidi@ifpattern#1#2{%
  \begingroup
  \edef\bidi@resrvda{%
    \def\noexpand\bidi@resrvda####1\detokenize{#2}####2&{%
      \endgroup\noexpand\noexpand\noexpand\if@bidi@blank{####2}}%
    \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda
      \expandafter\strip@prefix\meaning#1\detokenize{#2}&}%
    \noexpand\bidi@resrvda}
  \bidi@resrvda\@secondoftwo\@firstoftwo}


\newcommand{\if@bidi@defparam}{}
\long\edef\if@bidi@defparam#1{%
  \noexpand\expandafter\noexpand\bidi@ifdefparam
  \noexpand\meaning#1\detokenize{macro}:->&}
\edef\bidi@ifdefparam{%
  \def\noexpand\bidi@ifdefparam##1\detokenize{macro}:##2->##3&}
\bidi@ifdefparam{\bidi@notblank{#2}}


\newcommand{\if@bidi@defprotected}{}
\long\edef\if@bidi@defprotected#1{%
  \noexpand\expandafter\noexpand\bidi@ifdefprotected
  \noexpand\meaning#1\string\protected&}
\edef\bidi@ifdefprotected{%
  \def\noexpand\bidi@ifdefprotected##1\string\protected##2&}
\bidi@ifdefprotected{\bidi@notblank{#2}}


\bidi@newrobustcmd{\bidi@undef}[1]{\let#1\bidi@undefined}

\let\bidi@dbg@trce\@gobble
\let\bidi@dbg@init\@gobble
\let\bidi@dbg@info\@gobble
\let\bidi@dbg@succ\@gobble
\let\bidi@dbg@fail\@gobble


\bidi@newrobustcmd*{\bidi@apptocmd}{%
  \bidi@dbg@trce\bidi@apptocmd
  \begingroup
  \@makeother\#%
  \bidi@hooktocmd\bidi@append}

```

```
\bidi@newrobustcmd*{\bidi@pretocmd}{%
  \bidi@dbg@trce\bidi@pretocmd
  \begingroup
  \@makeother\#%
  \bidi@hooktocmd\bidi@prepend}

\long\def\bidi@hooktocmd#1#2#3{%
  \endgroup
  \bidi@dbg@init#2%
  \if@bidi@undef{#2}
    {\bidi@dbg@fail{def}\@secondoftwo}
    {\bidi@dbg@info{def}%
     \if@bidi@defmacro{#2}
       {\bidi@dbg@info{mac}%
        \if@bidi@defparam{#2}
          {\bidi@dbg@info{prm}%
           \bidi@ifscanable{#2}
             {\bidi@ifhashcheck{#3}
                {\bidi@dbg@info{tok}%
                 \bidi@dbg@succ{ret}%
                 \bidi@hooktocmd@i#1#2{#3}%
                 \@firstoftwo}
                {\bidi@dbg@fail{hsh}\@secondoftwo}}
             {\bidi@dbg@fail{tok}\@secondoftwo}}
          {\bidi@dbg@info{prl}%
           \if@bidi@defprotected{#2}
             {\bidi@dbg@info{pro}%
              \bidi@dbg@succ{red}%
              \protected}
             {\bidi@dbg@succ{red}}%
           \edef#2{#1{\bidi@expandonce#2}{\unexpanded{#3}}}%
           \@firstoftwo}}
       {\bidi@dbg@fail{mac}\@secondoftwo}}}

\long\def\bidi@hooktocmd@i#1#2#3{%
  \begingroup
  \edef\bidi@resrvda{%
    \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
      ####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}}%
    \edef\noexpand\bidi@resrvda{%
      \noexpand\bidi@resrvda\meaning#2&}}%
  \bidi@resrvda
  \bidi@patchcmd@scantoks\bidi@resrvda
  \let#2\bidi@resrvda
  \bidi@undef\bidi@resrvda}

\long\def\bidi@append#1#2{#1#2}
\long\def\bidi@prepend#1#2{#2#1}
```

```
\bidi@newrobustcmd*{\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}
\newcommand*{\bidi@endpreamblehook}{}

\bidi@newrobustcmd*{\bidi@BeforeOutputPageShipOut}{\bidi@gappto\bidi@beforeoutputpageshipouth
\newcommand*{\bidi@beforeoutputpageshipouthook}{}

\bidi@newrobustcmd*{\bidi@BeforeHeader}{\bidi@gappto\bidi@beforeheaderhook}
\newcommand*{\bidi@beforeheaderhook}{}

\bidi@newrobustcmd*{\bidi@BeforeOutputBoxOutputPage}{\bidi@gappto\bidi@beforeoutputboxoutputpa
\newcommand*{\bidi@beforeoutputboxoutputpagehook}{}

\bidi@newrobustcmd*{\bidi@AfterOutputBoxOutputPage}{\bidi@gappto\bidi@afteroutputboxoutputpage
\newcommand*{\bidi@afteroutputboxoutputpagehook}{}

\bidi@newrobustcmd*{\bidi@BeforeFooter}{\bidi@gappto\bidi@beforefooterhook}
\newcommand*{\bidi@beforefooterhook}{}

\bidi@newrobustcmd*{\bidi@AfterFooter}{\bidi@gappto\bidi@afterfooterhook}
\newcommand*{\bidi@afterfooterhook}{}


\bidi@newrobustcmd*{\bidi@AfterOutputPageShipOut}{\bidi@gappto\bidi@afteroutputpageshipouthook
\newcommand*{\bidi@afteroutputpageshipouthook}{}

\bidi@newrobustcmd*{\bidi@AtEndOutputPage}{\bidi@gappto\bidi@atendoutputpagehook}
\newcommand*{\bidi@atendoutputpagehook}{}

\bidi@preto\document{%
  \endgroup
  \let\bidi@AtEndPreamble\@firstofone
  \bidi@endpreamblehook
  \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
  \bidi@undef\bidi@endpreamblehook
  \begingroup}

\bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
\bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}

\bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
\newcommand*{\bidi@afterendpreamblehook}{}

\bidi@appto\document{%
  \let\bidi@AfterEndPreamble\@firstofone
  \bidi@afterendpreamblehook
  \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
  \bidi@undef\bidi@afterendpreamblehook
  \ignorespaces}

\AtEndDocument{\let\bidi@AfterEndPreamble\@gobble}
```

```
\bidi@newrobustcmd*{\bidi@AfterLastShipout}{\bidi@gappto\bidi@afterlastshipouthook}
\newcommand*{\bidi@afterlastshipouthook}{}

\bidi@patchcmd\enddocument
  {\clearpage}
  {\clearpage
   \let\bidi@AfterLastShipout\@firstofone
   \bidi@afterlastshipouthook}
  {}
  {\let\bidi@clearpage\clearpage
   \def\clearpage{%
     \bidi@clearpage
     \let\bidi@AfterLastShipout\@firstofone
     \bidi@afterlastshipouthook}}

\bidi@newrobustcmd*{\bidi@AfterEndDocument}{\bidi@gappto\bidi@afterenddocumenthook}
\newcommand*{\bidi@afterenddocumenthook}{}

\bidi@patchcmd\enddocument
  {\deadcycles}
  {\let\bidi@AfterEndDocument\@firstofone
   \bidi@afterenddocumenthook
   \deadcycles}
  {}
  {\let\bidi@@end\@@end
   \def\@@end{%
     \let\bidi@AfterEndDocument\@firstofone
     \bidi@afterenddocumenthook
     \bidi@@end}}

\bidi@newrobustcmd{\bidi@AtBeginEnvironment}[1]{%
  \bidi@csgappto{@bidi@begin@#1@hook}}

\bidi@patchcmd\begin
  {\csname #1\endcsname}
  {\bidi@csuse{@bidi@begin@#1@hook}%
   \csname #1\endcsname}
  {}
  {\bidi@warning{%
     Patching '\string\begin' failed!\MessageBreak
     '\string\bidi@AtBeginEnvironment' will not work\@gobble}}



\bidi@newrobustcmd{\bidi@AtEndEnvironment}[1]{%
  \bidi@csgappto{@bidi@end@#1@hook}}

\bidi@patchcmd\end
  {\csname end#1\endcsname}
```

```
  {\bidi@csuse{@bidi@end@#1@hook}%
   \csname end#1\endcsname}
  {}
  {\bidi@warning{%
     Patching '\string\end' failed!\MessageBreak
     '\string\bidi@AtEndEnvironment' will not work\@gobble}}


\bidi@newrobustcmd{\bidi@BeforeBeginEnvironment}[1]{%
  \bidi@csgappto{@bidi@beforebegin@#1@hook}}

\bidi@pretocmd\begin
  {\bidi@csuse{@bidi@beforebegin@#1@hook}}
  {}
  {\bidi@warning{%
     Patching '\string\begin' failed!\MessageBreak
     '\string\bidi@BeforeBeginEnvironment' will not work\@gobble}}


\bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
  \bidi@csgappto{@bidi@afterend@#1@hook}}

\bidi@patchcmd\end
  {\if@ignore}
  {\bidi@csuse{@bidi@afterend@#1@hook}%
   \if@ignore}
  {}
  {\bidi@warning{%
     Patching '\string\end' failed!\MessageBreak
     '\string\bidi@AfterEndEnvironment' will not work\@gobble}}

\chardef\bidi@backslash`\\
\def\bidics#1{\texttt{\char\bidi@backslash#1}}

% anonymous control sequences
\newcount\bidi@tempcountb
\newtoks\bidi@temptoksa
\newtoks\bidi@temptoksb

% Catcode (re)storing
%
\def\bidi@storecatcode#1%
   {\escapechar\m@ne
    \bidi@csarg\edef{bidi@restorecatcode\string#1}%
         {\catcode`\string#1=
               \the\catcode\expandafter`\string#1}%
    \catcode\expandafter`\string#1=12\relax
    \escapechar`\\\relax}
```

```
\def\bidi@restorecatcode#1%
   {\escapechar\m@ne
    \csname bidi@restorecatcode\string#1\endcsname
    \escapechar`\\\relax}

% Construct a control sequence inside \edef
%
\def\bidi@csname#1{\expandafter\noexpand\csname#1\endcsname}

% Construct a control sequence out of #2, and give it to #1
%
\def\bidi@csarg#1#2{\expandafter#1\csname#2\endcsname}

% Pick an escapecharacter
% this presumes that its argument is a character.
%
\def\bidi@pickescape#1{\ifnum`#1=\escapechar\else#1\fi}

% Equality of strings.
% the fast approach: does not work in expansion-only environment.
%
\def\bidi@EqualString#1#2{00\fi\def\bidi@eqs@a{#1}\def\bidi@eqs@b{#2}%
    \ifx\bidi@eqs@a\bidi@eqs@b}

% Test by expansion only
%
\def\bidi@EqualStringX#1#2{00\fi
    \csname if\@bidi@EqualStringX#1&$#2&$\endcsname}
\def\@bidi@EqualStringX#1#2$#3#4${\ifx#1#3%
        \ifx#1&true\else\bidi@hop@ES\@bidi@EqualStringX#2$#4$\fi
    \else false\fi}
\def\bidi@hop@ES#1\fi#2\fi{\fi\fi#1}

% Lexicographic ordering
% note the use of \def
% also note the characters 0,127,255 that are used,
% these are not supposed to appear in the strings
%
{\catcode0=12 \catcode255=12 \catcode127=12
\gdef\bidi@StringBeforeNC#1#2{00\fi
  \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
\gdef\bidi@CharsBeforeNC#1#2^^?#3#4^^?{%
  \ifcat#1\relax\def\bidi@next{\bidi@CharsBefore#2^^@^^?#3#4^^ff^^?}%
  \else\ifcat#3\relax\def\bidi@next{\bidi@CharsBefore#1#2^^@^^?#4^^ff^^?}%
       \else\ifnum\lccode`#1<\lccode`#3
              \def\bidi@next{\csname iftrue\endcsname}%
            \else\ifnum\lccode`#1>\lccode`#3
                   \def\bidi@next{\csname iffalse\endcsname}%
                 \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
  \fi  \fi  \fi  \fi
```

```
  \bidi@next}
\gdef\bidi@StringBefore#1#2{00\fi
  \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
\gdef\bidi@CharsBefore#1#2^^?#3#4^^?{%
  \ifnum`#1<`#3
       \def\bidi@next{\csname iftrue\endcsname}%
  \else\ifnum`#1>`#3
       \def\bidi@next{\csname iffalse\endcsname}%
       \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
  \fi\fi
  \bidi@next}
}

% Null argument test
%
\def\bidi@empty{}
\def\bidi@ifempty#1{00\fi\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@@null}
\def\bidi@ifEmptyX#1{\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@@null}
%\def\bidi@ifEmpty#1{\def\bidi@cs@a{#1}\ifx\bidi@cs@a\bidi@empty}
\def\bidi@IsEmptyList#1{00\fi\def\bidi@cs@a{#1}\ifx\cs@a\bidi@empty}

% Next character test
%
\def\bidi@NextChar#1#2#3{00\fi
    \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
    \futurelet\bidi@nxt@c\@bidi@ifnxtc}
\def\bidi@ifNextChar#1#2#3{%
    \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
    \futurelet\bidi@nxt@c\@bidi@ifnxtc}
\def\@bidi@ifnxtc{\ifx\bidi@nxt@ch\bidi@nxt@c \expandafter\bidi@nxt@a
    \else \expandafter\bidi@nxt@b \fi}

% Test for defined-ness of string as control sequence.
% works inside \edef
%
\def\bidi@undefinedcs#1{00\fi\bidi@csarg\ifx{#1}\relax}

% Define uniquely defined dummy macros,
% usually to serve as bumper blocks at the end of a list
%
\newcount\bidi@dummies
\def\DefNewDummy#1{
    \if\bidi@undefinedcs{#1}\bidi@csarg\edef{#1}{bidi@dum\the\bidi@dummies}
        \advance\bidi@dummies\@ne
    \else
        \bidi@error{Attempt at second definition of `#1'}
    \fi}

% string case statement
% use: \bidi@switch \iftest{...} in:
```

```
%       item1 action1
%       ...
%       itemn actionn
%       default defaultaction [optional]
%       \endbidi@switch
% inspired by Jonathan Fine: Some Basic Control Macros
% Tugboat 12 #4
%
\let\@bidi@fi\fi \let\endbidi@switch\relax \DefNewDummy{bidi@default}
\def\bidi@switch@exit #1 \@bidi@fi #2 \endbidi@switch {\fi #1}
\def\bidi@switch #1#2#3{\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
  #1{#2}\bidi@switch@exit #3 \@bidi@fi
  \bidi@switch {#1}
}
% this version puts the test object in {}
\def\bidi@oswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@f
  #1{#2}\bidi@switch@exit #3 \@bidi@fi
  \bidi@switch #1 in:
}
% this version assumes that the test object is just one character
\def\bidi@cswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@f
  #1#2\bidi@switch@exit #3 \@bidi@fi
  \bidi@cswitch #1 in:
}
% this version assumes that the test object can have an optional space
\def\bidi@bswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@f
  #1#2 \bidi@switch@exit #3 \@bidi@fi
  \bidi@bswitch #1 in:
}
% this version can cope with significant spaces at the start of #3;
% #2 is macro argument
\def\bidi@mswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@f
  #1{#2}\bidi@switch@exit #3 \@bidi@fi
  \bidi@mswitch #1 in:
}
% idem; #2 does not have to be enclosed in braces
\def\bidi@fswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@f
  #1#2 \bidi@switch@exit #3 \@bidi@fi
  \bidi@fswitch #1 in:
}

% Routines for taking the value of a string:
% if the string is defined as control sequence
% take the value of that, otherwise take the string itself

% String or value of control sequence
%
\def\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else \the\csname#1\endcsname\fi}

% String or control sequence
```

```
%
\def\@bidi@ww#1{\if\bidi@undefinedcs{#1}#1\else \csname#1\endcsname \fi}

% String or \noexpand-ed control sequence;
% for use in \edef
%
\newif\ifbidi@in@label
\def\@bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else
            \ifbidi@in@label\noexpand\protect\fi \bidi@csname{#1}\fi}
\newtoks\bidi@are@these@correct
\def\bidi@t@w@w#1{%
    \if\bidi@undefinedcs{#1}#1%
        \ifdefining\bidi@append@to@list\bidi@are@these@correct{#1 }\fi
    \else
        \ifin@label\noexpand\protect\fi \bidi@csname{#1}\fi}

% List Manipulation ................
% this assumes that #1 is a list of tokens, #2 is the name of a list
%
% Names of lists (and of items to pop into) are given as strings;
% not as control sequences.
%
\newtoks\bidi@toks@lista \newtoks\bidi@toks@listb
% basic append/prepend macro
\long\def\@bidi@append@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
  \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter#1\the\bidi@toks@
\long\def\@bidi@prepend@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
  \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@lista\
\def\@bidi@append@to@list{\bidi@csarg\@bidi@append@to@cslist}
% variations:
\long\def\bidi@append@to@list#1#2{\@bidi@append@to@list{#1}{}{#2}}
\def\bidi@append@list@to@list#1#2{%
  \@bidi@append@to@list{#1}{\expandafter\expandafter\expandafter}{\expandafter\the\csname#2\en
\def\bidi@append@cslist@to@cslist#1#2{%
  \@bidi@append@to@cslist{#1}\expandafter{\the#2}}
\def\bidi@append@toks@cs@to@list#1#2{\@bidi@append@to@list{#1}\expandafter{\the#2}}

\let\bidi@willbeunhskip\unhskip

% A few list macros for the user
\def\NewList:#1 {\bidi@csarg\newtoks{#1}\global\csname#1\endcsname{}}
\def\EmptyList:#1 {\global\csname#1\endcsname{}}
\long\def\AppendToList:#1=#2 {\@bidi@append@to@list{#1}{}{#2}}
\def\TheList:#1 {\let\bidi@oldwbuskip\bidi@willbeunhskip \let\bidi@willbeunhskip\@empty
    \if\bidi@undefinedcs{#1}\bidi@error{List <#1> undefined}
    \else\bidi@csarg\the{#1}\fi
    \let\bidi@willbeunhskip\bidi@oldwbuskip}

\def\bidi@del@tok@from@list#1#2{\begingroup
    \long\def\bidi@cs@liste##1#2##2\bidi@tok@SM
```

```
       {\bidi@toks@lista{##1}\bidi@toks@listb{##2}%
        \edef\bidi@cs@listb{\global\bidi@csname{#1}=
                {\the\bidi@toks@lista\the\bidi@toks@listb}}%
        \bidi@cs@listb}%
    \edef\bidi@cs@lista{\noexpand\bidi@cs@liste{}\expandafter\the\csname#1\endcsname\noexpand\
    \bidi@cs@lista \endgroup}
\def\bidi@in@front@of@list#1{\bidi@csarg{\let\expandafter\bidi@cs@lista}{#1}%
  \bidi@in@front@of@cslist\bidi@cs@lista}
\long\def\bidi@in@front@of@cslist#1#2{\begingroup\bidi@toks@lista={#2}%
  \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@lista
  \endgroup}
\long\def\bidi@local@in@front@of@list#1#2{\bidi@toks@lista={#2}%
    \csname#1\endcsname\expandafter\expandafter\expandafter\expandafter\expandafter\expandafte
                {\expandafter\expandafter\expandafter\the\expandafter\expandafter\expandafter\
                 \expandafter\the\csname#1\endcsname}%
    }
\def\bidi@set@list#1{\bidi@csarg{\let\expandafter\bidi@cs@lista}{#1}%
  \bidi@set@cslist\bidi@cs@lista}
\long\def\bidi@set@cslist#1#2{\begingroup\bidi@toks@lista={#2}%
   \global#1=\expandafter{\the\bidi@toks@lista}\endgroup}

%%%%%%%%%%%%%%% Stack macros
%
% push in terms of prepending of lists
\def\bidi@push@cs@onto@cs#1#2{\@bidi@prepend@to@cslist#1\expandafter{\expandafter\\\expandafte
\def\bidi@push@onto#1{\bidi@csarg\bidi@push@onto@cs{#1}}
\def\bidi@push@onto@cs#1#2{\@bidi@prepend@to@cslist#1{}{\\{#2}}}
\def\bidi@local@push@onto#1#2{\let\\=\relax
    \bidi@local@in@front@of@list{#1}{\\{#2}}}
% pop via auxiliary macro: #1 is result, #2 is stack
% two cs arguments
\def\bidi@pop@cs@into#1#2{\edef\bidi@cs@e
   {\noexpand\@@bidi@popinto\noexpand#1\noexpand#2\the#2\noexpand\@@bidi@pop}\bidi@cs@e}
% two string arguments
\def\bidi@pop@into#1#2{\edef\bidi@cs@e
   {\noexpand\@@bidi@popinto\bidi@csname{#1}\bidi@csname{#2}\bidi@csarg\the{#2}\noexpand\@@bid
\long\def\@@bidi@popinto#1#2\\#3#4\@@bidi@pop{#1{#3}#2{#4}}
\def\bidi@copy@stacktop#1#2{%
    \edef\bidi@cs@e{\noexpand\@bidi@copy@stacktop
                    {#1}\bidi@csarg\the{#2}\noexpand\@@bidi@pop}%
    \bidi@cs@e}
\def\@bidi@copy@stacktop#1\\#2#3\@@bidi@pop{\csname#1\endcsname#2\relax}
\newcount\bidi@stack@length \newtoks\bidi@empty@stack \bidi@empty@stack{\\{}}
\def\bidi@length@of@stack#1{\bidi@csarg\bidi@length@of@csstack{#1}}
\def\bidi@length@of@csstack#1{\def\\##1{\advance\bidi@stack@length\@ne}%
  \bidi@stack@length\m@ne \the#1}
% turn a stack upside down
\def\bidi@invert@csstack#1{\bidi@length@of@csstack{#1}%
  \bidi@tempcountb\z@ \bidi@temptoksa\bidi@empty@stack
  \loop\ifnum\bidi@tempcountb<\bidi@stack@length
```

```
    \bidi@pop@cs@into\bidi@temptoksb#1\advance\bidi@stack@length\m@ne
    \bidi@push@cs@onto@cs\bidi@temptoksa\bidi@temptoksb
%    \bidi@append@cslist@to@cslist\bidi@temptoksb\bidi@temptoksa% append a to b
%    \bidi@temptoksa\bidi@temptoksb
    \repeat% copy b to a
  #1\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
% invert a stack into a list
\def\bidi@x@stack@to@list#1{\bidi@length@of@stack{#1}%
  \bidi@tempcountb\z@ \bidi@temptoksa\bidi@empty@toks
  \loop\ifnum\bidi@tempcountb<\bidi@stack@length
    \bidi@pop@into{bidi@temptoksb}{#1}\advance\bidi@stack@length\m@ne
    \bidi@append@list@to@list{bidi@temptoksb}{bidi@temptoksa}\repeat
  \csname#1\endcsname\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}


% General loop macro:
% \looprepeat
%   \forvariable{<var>} \fromvalue{<start>} \bystep{<step>} \tovalue{<end>} \downtovalue{<end>
%               \untilcondition{<cond>} \whilecondition{<cond>}
%   \doloopbody { <loop body> }
% where all control sequences in between \looprepeat and \doloopbody are optional.
%
% var: characters to form a control sequence;
%    after \forvariable{index} you can access the loop counter as \index.
%    This is a count register; to print it use \number\index.
% start,step,end: integers with obvious relations to the loop counter;
%    start and step have a default value of 1
% cond: (sequence of commands ending in) any TeX \if... test.
%
% Count down instead of up with \downtovalue; the increment given in \bystep
% is always positive, and is added or subtracted accordingly.
%
% Tests: \untilcondition is evaluated at the end of the loop body; \whilecondition
% at the beginning of the loop body.
%
% Exit from middle of loop: \breaklooprepeat
% use this at any place in the loop; in case of a conditional use
%   \ifsomething ... \expandafter \breaklooprepeat \fi
%
% Note that the line ends do not cause spaces in the output.
%
% Technical details:
% The loop body is not executed in a group: the braces are those
% of a token list.
% The `forvariable' variable is \let to a \count register.


% Auxiliary stuff
\def\bidi@looprepeat@csarg#1#2{\expandafter#1\csname#2\endcsname}
```

```
\def\bidi@looprepeat@csromannumeral#1{\csname #1\romannumeral\bidi@looprepeat@depth\endcsname}
\def\bidi@looprepeat@csargromannumeral#1#2{\expandafter#1\csname#2\romannumeral\bidi@looprepeat@depth\endcsname}

\newcount\bidi@looprepeat@depth
\let\endlooprepeat\relax \def\bidi@csprotect{}
% Trace switches may later be defined by PAC_utils
\let\bidi@looprepeat@traceinit\relax \let\bidi@looprepeat@traceexit\relax

% Main repeatloop macro
% - go to next level and allocate unique counter/toks if this is the
%   first time we visit this level
% - setup: gather bounds and termination conditions
% - scoop up body in token list; after the assignment define and
%   execute body
\def\looprepeat#1\doloopbody{\bidi@looprepeat@traceinit % exit in \breakrepeatloop
  \advance\bidi@looprepeat@depth\@ne\relax
  \bidi@looprepeat@csargromannumeral\ifx{bidi@looprepeat@count}\relax
    \bidi@looprepeat@csargromannumeral{\csname newcount\expandafter\endcsname}{bidi@looprepeat
    \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{bidi@looprepeat@
    \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{bidi@looprepeat@
    \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{bidi@looprepeat@
  \fi \bidi@looprepeat@zero \def\bidi@looprepeat@sign{}\def\bidi@looprepeat@comp{>}\bidi@loopr
  \edef\bidi@looprepeat@tmp
     {\def\bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepeat@looprepeat}{\bidi@loopre
  \afterassignment\bidi@looprepeat@dxbody\bidi@looprepeat@csromannumeral{bidi@looprepeat@toks}

% Define and execute loop body
% This is done with an \edef to construct the actual sequence
\def\bidi@looprepeat@dxbody{\bidi@looprepeat@csargromannumeral\edef{bidi@looprepeat@body}{%
    \bidi@looprepeat@csargromannumeral\the{bidi@looprepeat@wtest}%
      \noexpand\the\bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepeat@toks}%
        \bidi@looprepeat@csargromannumeral\the{bidi@looprepeat@utest}%
    \global\bidi@looprepeat@csargromannumeral\advance{bidi@looprepeat@count} by \bidi@looprepe
    \noexpand\endlooprepeat
    \bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepeat@looprepeat}}%
  \bidi@looprepeat@csromannumeral{bidi@looprepeat@body}\ignorespaces}

% Stop test
%% In order to stop, issue a
% \breaklooprepeat which scoops up the rest of the body and exits
\def\breaklooprepeat#1\endlooprepeat{\bidi@looprepeat@zero\bidi@looprepeat@csargromannumeral\l
  \advance\bidi@looprepeat@depth\m@ne \bidi@looprepeat@traceexit
  }


% Setup
% gather bounds and termination conditions
\def\bidi@looprepeat@setup#1{%
  \begingroup
    \def\forvariable##1{%
```

```
      \edef\bidi@looprepeat@tmp{%
        \global\let\bidi@looprepeat@csarg\noexpand{##1}\bidi@looprepeat@csromannumeral{bidi@lo
      \bidi@looprepeat@tmp}%
    \def\fromvalue##1{\bidi@looprepeat@csargromannumeral\global{bidi@looprepeat@count}##1\igno
    \def\tovalue##1{%
      \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{bidi@loopre
       {\bidi@looprepeat@csargromannumeral\the{bidi@looprepeat@wtest}%
        \noexpand\ifnum\bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepeat@count}\bidi
          \noexpand\expandafter \noexpand\breaklooprepeat
        \noexpand\fi}\ignorespaces}%
      \bidi@looprepeat@tmp}%
    \def\downtovalue##1{%
      \gdef\bidi@looprepeat@sign{-}\gdef\bidi@looprepeat@comp{<}\tovalue{##1}\ignorespaces}%
    \def\bystep##1{\ifnum##1<0 \bidi@error{LOOPREPEAT: increment has to be a positive value}\@
                \bidi@looprepeat@csargromannumeral\gdef{bidi@looprepeat@inc}{-##1}\else
                \bidi@looprepeat@csargromannumeral\gdef{bidi@looprepeat@inc}{##1}\fi\ignorespac
    \def\untilcondition##1{%
      \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{bidi@loopre
         {\noexpand##1\relax
          \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
      \bidi@looprepeat@tmp}%
    \def\whilecondition##1{%
      \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{bidi@loopre
         {\noexpand##1\relax \noexpand\else
          \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
    \bidi@looprepeat@tmp}%
    \fromvalue{\@ne}\bystep{\@ne}#1%
  \endgroup}
\def\bidi@looprepeat@zero
   {\bidi@looprepeat@csromannumeral{bidi@looprepeat@toks}{}\bidi@looprepeat@csromannumeral{bid
    \bidi@looprepeat@csargromannumeral\def{bidi@looprepeat@body}{}}

%\tracingmacros2
%\newcount\tmpcount % used in some examples below

%\looprepeat \forvariable{i}
%        \bystep{2}
%  \doloopbody {%
%     \ifnum\i=13 \expandafter\breaklooprepeat \fi
%     \number\i{} %
%}%

%\looprepeat \forvariable{iii}
%        \tovalue{8}
%   \doloopbody {}
%After loop: \number\iii%

%\looprepeat \forvariable{i}
%        \fromvalue{10}
%        \bystep{2}
```

```
%        \downtovalue{0}
%   \doloopbody {\number\i{} }

%\looprepeat \forvariable{x} \whilecondition{\ifnum\x<7}
%   \doloopbody {\number\x{} }

%\looprepeat \tovalue{3} \doloopbody {Hello world! }

%\looprepeat \forvariable{j}
%        \untilcondition{\tmpcount\j \divide\tmpcount by 37 \noexpand\ifnum\tmpcount=1}
%  \doloopbody {\number\j{} }

%\looprepeat \forvariable{i} \bystep{2} \tovalue{10} \doloopbody
% {\looprepeat \forvariable{j} \fromvalue{\i} \bystep{3} \tovalue{18}
%  \doloopbody {(\number\i.\number\j) }
% }

% infinite loop
%\looprepeat \doloopbody {}

\CheckCommand{\InputIfFileExists}[2]{%
  \IfFileExists{#1}%
    {#2\@addtofilelist{#1}\@@input \@filef@und}}

\renewcommand{\InputIfFileExists}[2]{%
  \begingroup\expandafter\expandafter\expandafter\endgroup
  \expandafter\ifx\csname #1-@bidi@alias\endcsname\relax
    \expandafter\@secondoftwo
  \else
    \bidi@replacefile@msg{\csname #1-@bidi@alias\endcsname}{#1}%
    \expandafter\@firstoftwo
  \fi
  {%
    \expandafter\InputIfFileExists\expandafter{\csname
      #1-@bidi@alias\endcsname}{#2}%
  }%
  {\IfFileExists{#1}{%
      \bidi@load@hook{before}{#1}%
      #2\@addtofilelist{#1}%
      \@@input \@filef@und
      \bidi@load@hook{after}{#1}%
    }}%
}

\newcommand*{\bidi@@loadwithoptions}{}
\newcommand*{\bidi@loadwithoptions}{}
\let\bidi@loadwithoptions\@loadwithoptions

\renewcommand*{\@loadwithoptions}[3]{%
  \begingroup\expandafter\expandafter\expandafter\endgroup
```

```
  \expandafter\ifx\csname #3.#1-@bidi@aliasname\endcsname\relax
    \def\bidi@@loadwithoptions{\bidi@loadwithoptions{#1}{#2}{#3}}%
  \else
    \bidi@replacefile@msg{\csname #3.#1-@bidi@aliasname\endcsname.#1}{#3.#1}%
    \def\bidi@@loadwithoptions{%
      \@loadwithoptions{#1}{#2}{\csname #3.#1-@bidi@aliasname\endcsname}%
    }%
  \fi
  \bidi@@loadwithoptions
}

\newcommand*{\bidi@onefilewithoptions}{}
\let\bidi@onefilewithoptions\@onefilewithoptions
\def\@onefilewithoptions#1[#2][#3]#4{%
  \begingroup\expandafter\expandafter\expandafter\endgroup
  \expandafter\ifx\csname #1.#4-@bidi@aliasname\endcsname\relax
    \def\bidi@@onefilewithoptions{\bidi@onefilewithoptions{#1}}%
  \else
    \bidi@replacefile@msg{\csname #1.#4-@bidi@aliasname\endcsname.#4}{#1.#4}%
    \edef\bidi@@onefilewithoptions{%
      \noexpand\@onefilewithoptions{\csname #1.#4-@bidi@aliasname\endcsname}}%
  \fi
  \bidi@@onefilewithoptions[{#2}][{#3}]{#4}%
  \bidi@load@hook{lateafter}{#1.#4}%
}

\newcommand*{\bidi@ReplaceInput}[2]{%
  \expandafter\edef\csname #1-@bidi@alias\endcsname{#2}%
}

\newcommand*{\bidi@UnReplaceInput}[1]{%
  \ifcsname #1-@bidi@alias\endcsname
    \expandafter\let\csname #1-@bidi@alias\endcsname\relax
  \fi
}

\newcommand*{\@bidi@replacefilewithext}[3]{%
  \expandafter\edef\csname #1.#3-@bidi@aliasname\endcsname{#2}%
 }
\newcommand*{\bidi@ReplacePackage}[2]{%
  \@bidi@replacefilewithext{#1}{#2}\@pkgextension
}
\newcommand*{\bidi@ReplaceClass}[2]{%
  \@bidi@replacefilewithext{#1}{#2}\@clsextension
}
\newcommand*{\@bidi@unreplacefilewithext}[2]{%
  \ifcsname #1.#2-@bidi@aliasname\endcsname
    \expandafter\let\csname #1.#2-@bidi@aliasname\endcsname\relax
  \fi
}
```

```
\newcommand*{\bidi@UnReplacePackage}[1]{%
  \@bidi@unreplacefilewithext{#1}\@pkgextension
}
\newcommand*{\bidi@UnReplaceClass}[1]{%
  \@bidi@unreplacefilewithext{#1}\@clsextension
}
\newcommand*{\bidi@replacefile@msg}[2]{%
  \PackageInfo{biditools}{inputing `#1' instead of `#2'}%
}

\newcommand*{\bidi@load@hook}[2]{%
  \@ifundefined{#2-@#1}{}{%
    \@nameuse{#2-@#1}%
    \expandafter\let\csname #2-@#1\endcsname=\relax}}
\newcommand*{\bidi@set@load@hook}[2]{%
  \@ifundefined{#2-@#1}{\@namedef{#2-@#1}{}}{}%
  \expandafter\g@addto@macro\csname #2-@#1\endcsname}
\newcommand*{\bidi@BeforeFile}{\bidi@set@load@hook{before}}
\newcommand*{\bidi@AfterFile}{\bidi@set@load@hook{after}}
\newcommand*{\bidi@BeforeClass}[1]{%
  \bidi@set@load@hook{before}{#1.\@clsextension}}
\newcommand*{\bidi@AfterClass}{%
  \@ifstar {\@s@bidi@AfterClass}{%
    \@ifnextchar +\@@bidi@AfterClass{%
      \@ifnextchar !\@@@bidi@AfterClass\@bidi@AfterClass
    }%
  }%
}

\newcommand*{\@@@bidi@AfterClass}[2]{%
  \begingroup\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
    \aftergroup\@s@bidi@AfterClass
  \else
    \aftergroup\bidi@AfterAtEndOfClass
  \fi
  \endgroup{#2}%
}

\newcommand*{\bidi@AfterAtEndOfClass}[1]{%
  \bidi@set@load@hook{lateafter}{#1.\@clsextension}}
\newcommand*{\@@bidi@AfterClass}[2]{%
  \begingroup
    \expandafter\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
      \aftergroup\@s@bidi@AfterClass
    \else
      \aftergroup\@bidi@AfterClass
    \fi
  \endgroup{#2}%
}

```

```
\newcommand*{\@bidi@AfterClass}[1]{%
  \bidi@set@load@hook{after}{#1.\@clsextension}}
\newcommand*{\@s@bidi@AfterClass}[1]{%
  \begingroup
    \@ifclassloaded{#1}{%
      \aftergroup\@secondoftwo
    }{%
      \aftergroup\@bidi@AfterClass
    }%
  \endgroup
  {#1}%
}


\newcommand*{\bidi@BeforePackage}[1]{%
  \bidi@set@load@hook{before}{#1.\@pkgextension}}
\newcommand*{\bidi@AfterPackage}{%
  \@ifstar {\@s@bidi@AfterPackage}{%
    \@ifnextchar +\@@bidi@AfterPackage{%
      \@ifnextchar !\@@@bidi@AfterPackage\@bidi@AfterPackage
    }%
  }%
}
\newcommand*{\@@@bidi@AfterPackage}[2]{%
  \begingroup\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
    \aftergroup\@s@bidi@AfterPackage
  \else
    \aftergroup\bidi@AfterAtEndOfPackage
  \fi
  \endgroup{#2}%
}
\newcommand*{\bidi@AfterAtEndOfPackage}[1]{%
  \bidi@set@load@hook{lateafter}{#1.\@pkgextension}}
\newcommand*{\@@bidi@AfterPackage}[2]{%
  \begingroup
    \expandafter\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
      \aftergroup\@s@bidi@AfterPackage
    \else
      \aftergroup\@bidi@AfterPackage
    \fi
  \endgroup{#2}%
}
\newcommand*{\@bidi@AfterPackage}[1]{%
  \bidi@set@load@hook{after}{#1.\@pkgextension}}
\newcommand*{\@s@bidi@AfterPackage}[1]{%
  \begingroup
    \@ifpackageloaded{#1}{%
      \aftergroup\@secondoftwo
    }{%
      \aftergroup\@bidi@AfterPackage
```

```
    }%
  \endgroup
  {#1}%
}

\newcommand*{\bidi@excludedpackages}{}
\let\bidi@excludedpackages\@empty
\newcommand*{\bidi@saved@RequirePackage}{}
\newcommand*{\bidi@PreventPackageFromLoading}{%
  \@ifstar{\@bidi@PreventPackageFromLoading\PackageInfo}%
          {\@bidi@PreventPackageFromLoading\PackageWarning}%
}
\newcommand*{\@bidi@PreventPackageFromLoading}[1]{%
  \@ifnextchar [%]
    {\@@bidi@PreventPackageFromLoading#1}{\@@bidi@PreventPackageFromLoading#1[]}%
}
\newcommand*{\@@bidi@PreventPackageFromLoading}{}

\def\@@bidi@PreventPackageFromLoading#1[#2]#3{%
  \edef\reserved@b{\zap@space#3 \@empty}%
  \ifx \reserved@b\@empty
    #1{biditools}{%
      \string\bidi@PreventPackageFromLoading\space with empty packages\MessageBreak
      argument ignored%
    }%
  \else
    \ifx\bidi@excludedpackages\@empty
      \let\bidi@saved@RequirePackage\RequirePackage
      \let\RequirePackage\bidi@RequirePackage
      \def\reserved@a##1##{%
        \@latex@error
        {\noexpand \usepackage before \string\documentclass}%
        {\noexpand \usepackage may only appear in the document
          preamble, i.e.,\MessageBreak
          between \noexpand\documentclass and
          \string\begin{document}.}%
        \@gobble}%
      \ifx\reserved@a\usepackage\else
        \ifx\usepackage\bidi@saved@RequirePackage\else
          \PackageWarning{biditools}{%
            Maybe serious problem: unexpected definition of\MessageBreak
            \string\usepackage
          }%
        \fi
        \let\usepackage\RequirePackage
      \fi
    \fi
    \expandafter\@for \expandafter\reserved@a\expandafter:\expandafter=%
    \reserved@b\do {%
      \ifx\reserved@a\@empty
```

```
        #1{biditools}{%
          empty package argument for
          \string\bidi@PreventPackageFromLoading\MessageBreak
          ignored%
        }%
      \else
        \expandafter\@ifpackageloaded\expandafter{\reserved@a}{%
          #1{biditools}{%
            package `\reserved@a' already loaded.\MessageBreak
            Cannot prevent it from beeing loaded%
          }%
        }{%
          \edef\bidi@excludedpackages{\bidi@excludedpackages,%
            \reserved@a}%
          \if\relax\detokenize{#2}\relax\else
            \@ifundefined{bidi@exclude@package@\reserved@a @do}{%
              \@namedef{bidi@exclude@package@\reserved@a @do}{}%
            }{}%
            \expandafter\def
            \csname bidi@exclude@package@\reserved@a
                    @do\expandafter\expandafter\expandafter\endcsname
            \expandafter\expandafter\expandafter{%
              \csname bidi@exclude@package@\reserved@a @do\endcsname
              #2%
            }%
          \fi
        }%
      \fi
    }%
    \ifx\bidi@excludedpackages\@empty
      \bidi@ResetPreventPackageFromLoading
    \fi
  \fi
}

\@onlypreamble\bidi@PreventPackageFromLoading
\newcommand*{\bidi@ResetPreventPackageFromLoading}{%
  \let\bidi@excludedpackages\@empty
  \ifx\RequirePackage\bidi@RequirePackage
    \ifx\usepackage\RequirePackage
      \let\usepackage\bidi@saved@RequirePackage
    \fi
    \let\RequirePackage\bidi@saved@RequirePackage
  \fi
}
\@onlypreamble\bidi@ResetPreventPackageFromLoading
\newcommand*{\bidi@StorePreventPackageFromLoading}[1]{%
  \let#1\bidi@excludedpackages
}
\@onlypreamble\bidi@StorePreventPackageFromLoading
```

```
\newcommand*{\bidi@UnPreventPackageFromLoading}{%
  \@ifstar {\@tempswatrue\@bidi@UnPreventPackageFromLoading}%
           {\@tempswafalse\@bidi@UnPreventPackageFromLoading}%
}

\newcommand*{\@bidi@UnPreventPackageFromLoading}[1]{%
  \edef\reserved@b{\zap@space#1 \@empty}%
  \if@tempswa
    \@for\reserved@a:=\reserved@b\do {%
      \ifx\reserved@a\@empty \else
        \ifcsname bidi@exclude@package@\reserved@a @do\endcsname
          \expandafter\let
          \csname bidi@exclude@package@\reserved@a @do\endcsname
          \undefined
        \fi
      \fi
    }%
  \fi
  \ifcsname bidi@excludedpackages\endcsname
    \let\reserved@a\bidi@excludedpackages
    \let\bidi@excludedpackages\@empty
    \expandafter\@for\expandafter\reserved@c
    \expandafter:\expandafter=\reserved@a
    \do{%
      \ifx\reserved@c\@empty\else
        \@expandtwoargs\in@{,\reserved@c,}{,\reserved@b,}%
        \ifin@
        \else
          \edef\bidi@excludedpackages{%
            \bidi@excludedpackages,\reserved@c
          }%
        \fi
      \fi
    }%
    \ifx\bidi@excludedpackages\@empty\bidi@ResetPreventPackageFromLoading\fi
  \fi
}


\newcommand*{\bidi@RequirePackage}[2][]{%
  \let\reserved@c\@empty
  \let\reserved@d\@empty
  \edef\reserved@b{\zap@space#2 \@empty}%
  \expandafter\@for\expandafter\reserved@b\expandafter:\expandafter=\reserved@b
  \do {%
    \begingroup
      \@tempswatrue
      \@for\reserved@a:=\bidi@excludedpackages\do {%
        \ifx\reserved@a\reserved@b
          \@tempswafalse
```

```
        \fi
      }%
      \if@tempswa
        \xdef\reserved@c{\reserved@c,\reserved@b}%
      \else
        \ifx\reserved@b\@empty\else
          \PackageInfo{biditools}{Excluding package `\reserved@b'\MessageBreak
            from loading}%
          \@ifundefined{bidi@exclude@package@\reserved@b @do}{%
          }{%
            \expandafter\g@addto@macro\expandafter\reserved@d
            \csname bidi@exclude@package@\reserved@b @do\endcsname
          }%
        \fi
      \fi
    \endgroup
  }%
  \ifx\reserved@c\@empty
    \let\reserved@a\bidi@gobbleopt
  \else
    \edef\reserved@a{\noexpand\bidi@saved@RequirePackage[#1]{%
        \expandafter\@gobble\reserved@c\@empty}}%
  \fi
  \expandafter\reserved@d
  \reserved@a
}

\newcommand{\bidi@gobbleopt}[1][]{}
\AtEndDocument{%
  \let\bidi@saved@checkend=\@checkend
  \renewcommand*{\@checkend}[1]{%
    \def\reserved@a{#1}\def\reserved@b{document}%
    \bidi@saved@checkend{#1}%
    \ifx\reserved@a\reserved@b
      \let\bidi@saved@clearpage=\clearpage
      \renewcommand*{\clearpage}{\bidi@saved@clearpage
        \bidi@hook@bcma
        \bidi@restore@newpage
        \let\clearpage=\bidi@saved@clearpage}%
    \fi%
    \let\bidi@saved@dofilelist\@dofilelist
    \def\@dofilelist{%
      \bidi@hook@acma
      \let\@dofilelist\bidi@saved@dofilelist
      \bidi@saved@dofilelist
    }%
  }%
}
```

```
\newcommand*{\bidi@saved@checkend}{}
\newcommand*{\bidi@saved@dofilelist}{}
\newcommand*{\bidi@redefine@newpage}{%
  \let\bidi@saved@newpage\newpage
  \def\bidi@restore@newpage{%
    \renewcommand*{\newpage}{%
      \PackageWarningNoLine{%
        biditools%
      }{%
        \string\newpage\space at main aux file!\MessageBreak
        You have output material at the main aux file.\MessageBreak
        Note, that the \string\bidi@BeforeClosingMainAux\space commands\MessageBreak
        are processed before the output from aux file%
      }%
      \let\newpage\bidi@saved@newpage
      \newpage
    }%
  }%
  \renewcommand*{\newpage}{%
    \PackageError{%
      biditools%
    }{%
      \string\newpage\space at \string\bidi@BeforeClosingMainAux
    }{%
      You should never use \string\newpage\space or
      \string\clear(double)page or other output material at the\MessageBreak
      argument of \string\bidi@BeforeClosingMainAux!\MessageBreak
      If you'll continue, the \string\newpage\space will be ignored to
      avoid corruption of\MessageBreak
      every prior use of \string\bidi@BeforeClosingMainAux.
    }%
  }%
}

\newcommand*{\bidi@restore@newpage}{}
\newcommand*{\bidi@hook@bcma}{}
\newcommand*{\bidi@hook@acma}{}
\newcommand*{\bidi@BeforeClosingMainAux}{%
  \ifx\bidi@hook@bcma\@empty
    \gdef\bidi@hook@bcma{%
      \renewcommand*{\bidi@BeforeClosingMainAux}[1]{####1}%
      \let\protected@write\bidi@protected@immediate@write
      \bidi@redefine@newpage
    }%
  \fi
  \g@addto@macro\bidi@hook@bcma%
}

\newcommand*{\bidi@AfterReadingMainAux}{%
  \ifx\bidi@hook@acma\@empty
```

```
    \gdef\bidi@hook@acma{%
      \renewcommand*{\bidi@AfterReadingMainAux}[1]{####1}%
      \let\protected@write\bidi@protected@immediate@write
    }%
  \fi
  \g@addto@macro\bidi@hook@acma%
}

\long\def\bidi@protected@immediate@write#1#2#3{%
  \begingroup
    #2%
    \let\protect\@unexpandable@protect
    \edef\reserved@a{\immediate\write#1{#3}}%
    \reserved@a
  \endgroup
  \if@nobreak\ifvmode\nobreak\fi\fi
}

\def\bidi@patch@counter{0}%
\if@bidi@csundef{numexpr}{%
  \def\bidi@patch@stepcounter{%
    \begingroup
      \count@\bidi@patch@counter\relax
      \advance\count@\@ne\relax
    \edef\x{\endgroup
      \noexpand\def\noexpand\bidi@patch@counter{\the\count@}%
    }%
    \x
  }%
}{%
  \def\bidi@patch@stepcounter{%
    \edef\bidi@patch@counter{%
      \the\numexpr\bidi@patch@counter+\@ne\relax
    }%
  }%
}
\def\bidi@patch@list{}
\def\bidi@patch@Add{%
  \bidi@appto\bidi@patch@list
}
\def\bidi@patch@AfterPackage#1{%
  \@ifpackageloaded{#1}{%
    \@firstofone
  }{%
    \@bidi@patch@AfterPackage{#1}%
  }%
}
\def\@bidi@patch@AfterPackage#1{%
  \edef\bidi@patch@temp{#1}%
  \bidi@patch@stepcounter
```

```
  \expandafter\bidi@patch@@AfterPackage
  \csname @bidi@patch@\bidi@patch@counter\expandafter\endcsname{%
    \bidi@patch@temp
  }%
}
\def\bidi@patch@@AfterPackage#1#2#3{%
  \begingroup
    \toks@{#3}%
    \xdef\bidi@patch@gtemp{%
      \noexpand\@ifpackageloaded{#2}{%
        \noexpand\let\noexpand#1\noexpand\relax
        \the\toks@
      }{}%
    }%
  \endgroup
  \let#1\bidi@patch@gtemp
  \bidi@patch@Add#1%
  \bidi@patch@try{bidi@AfterPackage}{#2}#1%
}

\def\bidi@patch@try#1#2#3{%
  \if@bidi@csundef{#1}{}{%
    \csname #1\endcsname{#2}{#3}%
  }%
}

\AtBeginDocument{\bidi@patch@list}

\bidi@AtEndPreamble{\bidi@patch@list}%

\bidi@AfterEndPreamble{%
  \let\bidi@patch@OrgIfPackageLoaded\@ifpackageloaded
  \let\bidi@patch@OrgIfPackageLater\@ifpackagelater
  \let\bidi@patch@OrgIfClassLoaded\@ifclassloaded
  \let\bidi@patch@OrgIfClassLater\@ifclasslater
  \bidi@patch@list
  \let\@ifpackageloaded\bidi@patch@OrgIfPackageLoaded
  \let\@ifpackagelater\bidi@patch@OrgIfPackageLater
  \let\@ifclassloaded\bidi@patch@OrgIfClassLoaded
  \let\@ifclasslater\bidi@patch@OrgIfClassLater
}%
```

21 File bidituftefloat.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftefloat}[2017/05/19 v0.2
bidi implementation of tufte float]
\RequirePackage{xifthen}
\newcommand{\@bidituftefloat@pkgname}{bidituftefloat}
\newcommand{\bidituftefloatError}[2]{\PackageError{\@bidituftefloat@pkgname}{#1}{#2}}
```

```
\newcommand{\bidituftefloatDebugInfoNL}[1]{\ifthenelse{\boolean{@bidituftefloat@debug}}{\bidit
\newcommand{\bidituftefloatInfoNL}[1]{\PackageInfo{\@bidituftefloat@pkgname}{#1\@gobble}}
\newboolean{@bidituftefloat@reversegeometry}
\setboolean{@bidituftefloat@reversegeometry}{false}
\DeclareOption{reversegeometry}{\setboolean{@bidituftefloat@reversegeometry}{true}}
\newboolean{@bidituftefloat@afourpaper}
\DeclareOption{a4paper}{\setboolean{@bidituftefloat@afourpaper}{true}}
\newboolean{@bidituftefloat@bfivepaper}
\DeclareOption{b5paper}{\setboolean{@bidituftefloat@bfivepaper}{true}}
\newboolean{@bidituftefloat@symmetric}
\newboolean{@bidituftefloat@twoside}
\DeclareOption{twoside}{%
\@twosidetrue  \@mparswitchtrue%
\setboolean{@bidituftefloat@twoside}{true}%
\setboolean{@bidituftefloat@symmetric}{true}%
}
\DeclareOption{oneside}{%
\@twosidefalse  \@mparswitchfalse%
\setboolean{@bidituftefloat@twoside}{false}%
\setboolean{@bidituftefloat@symmetric}{false}%
}
\@ifclassloaded{book}{\ExecuteOptions{twoside}}{}
\newboolean{@bidituftefloat@debug}
\newcommand*{\@bidituftefloat@caption@justification}{\@bidituftefloat@justification@autodetect
\ProcessOptions
%% Globally sets the length
\newcommand*{\gsetlength}[2]{%
  \setlength{#1}{#2}%
  \global#1=#1\relax%
}

%% Set the font sizes and baselines to match bidituftefloat's books
\renewcommand\normalsize{%
   \@setfontsize\normalsize\@xpt{14}%
   \abovedisplayskip 10\p@ \@plus2\p@ \@minus5\p@
   \abovedisplayshortskip \z@ \@plus3\p@
   \belowdisplayshortskip 6\p@ \@plus3\p@ \@minus3\p@
   \belowdisplayskip \abovedisplayskip
   \let\@listi\@listI}
\normalbaselineskip=14pt
\normalsize
\renewcommand\footnotesize{%
   \@setfontsize\footnotesize\@viiipt{10}%
   \abovedisplayskip 6\p@ \@plus2\p@ \@minus4\p@
   \abovedisplayshortskip \z@ \@plus\p@
   \belowdisplayshortskip 3\p@ \@plus\p@ \@minus2\p@
   \def\@listi{\leftmargin\leftmargini
               \topsep 3\p@ \@plus\p@ \@minus\p@
               \parsep 2\p@ \@plus\p@ \@minus\p@
               \itemsep \parsep}%
```

```
  \belowdisplayskip \abovedisplayskip
}
%% Paragraph indentation and separation for marginal text
\newcommand{\@bidituftefloat@margin@par}{%
  \setlength{\RaggedRightParindent}{0.5pc}%
  \setlength{\JustifyingParindent}{0.5pc}%
  \setlength{\parindent}{0.5pc}%
  \setlength{\parskip}{0pt}%
}
\RequirePackage{ragged2e}
\ifthenelse{\boolean{@bidituftefloat@reversegeometry}}{%
\RequirePackage[letterpaper,right=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginpars
\ifthenelse{\boolean{@bidituftefloat@afourpaper}}
  {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginpars
  {}
\ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
  {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm,textwidth=102.66mm,m
  {}}{%
\RequirePackage[letterpaper,left=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginparse
\ifthenelse{\boolean{@bidituftefloat@afourpaper}}
  {\geometry{a4paper,left=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginparse
  {}
\ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
  {\geometry{paperwidth=176mm,paperheight=250mm,left=14.66mm,top=13.88mm,textwidth=102.66mm,ma
  {}}
\ifthenelse{\boolean{@bidituftefloat@symmetric}}
  {}
  {\geometry{asymmetric}}% forces internal LaTeX `twoside'
\setlength\marginparpush{10pt}
%% Font for margin items
\newcommand{\@bidituftefloat@marginfont}{\normalfont\footnotesize}
\newcommand*{\@bidituftefloat@caption@font}{\@bidituftefloat@marginfont}
\newcommand*{\setcaptionfont}[1]{\renewcommand*{\@bidituftefloat@caption@font}{#1}}
\newcommand{\@bidituftefloat@justification}{\justifying}%
\setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
\setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
\newboolean{@bidituftefloat@changepage}
\IfFileExists{changepage.sty}{%
  \bidituftefloatDebugInfoNL{Found changepage.sty}
  \RequirePackage[strict]{changepage}
  \setboolean{@bidituftefloat@changepage}{true}
}{%
  \bidituftefloatDebugInfoNL{Found chngpage.sty}
  \RequirePackage[strict]{chngpage}
  \setboolean{@bidituftefloat@changepage}{false}
}
\newboolean{@bidituftefloat@odd@page}
\setboolean{@bidituftefloat@odd@page}{true}
\newcommand*{\@bidituftefloat@checkoddpage}{%
  \checkoddpage%
```

```
  \ifthenelse{\boolean{@bidituftefloat@changepage}}{%
    \ifoddpage%
      \setboolean{@bidituftefloat@odd@page}{true}%
    \else%
      \setboolean{@bidituftefloat@odd@page}{false}%
    \fi%
  }{%
    \ifcpoddpage%
      \setboolean{@bidituftefloat@odd@page}{true}%
    \else%
      \setboolean{@bidituftefloat@odd@page}{false}%
    \fi%
  }%
}
\newlength{\@bidituftefloat@overhang}% used by the fullwidth environment and the running heads
\newlength{\@bidituftefloat@fullwidth}
\newlength{\@bidituftefloat@caption@fill}
\newcommand{\bidituftefloatRecalculate}{%
  \setlength{\@bidituftefloat@overhang}{\marginparwidth}
  \addtolength{\@bidituftefloat@overhang}{\marginparsep}

  \setlength{\@bidituftefloat@fullwidth}{\textwidth}
  \addtolength{\@bidituftefloat@fullwidth}{\marginparsep}
  \addtolength{\@bidituftefloat@fullwidth}{\marginparwidth}

  \setlength{\@bidituftefloat@caption@fill}{\textwidth}
  \addtolength{\@bidituftefloat@caption@fill}{\marginparsep}
}
\AtBeginDocument{\bidituftefloatRecalculate}
\RequirePackage{optparams}%  provides multiple optional arguments for commands
\RequirePackage{placeins}
\newsavebox{\@bidituftefloat@margin@floatbox}
\newenvironment{@bidituftefloat@margin@float}[2][-1.2ex]%
  {\FloatBarrier% process all floats before this point so the figure/table numbers stay in orc
  \begin{lrbox}{\@bidituftefloat@margin@floatbox}%
  \begin{minipage}{\marginparwidth}%
    \@bidituftefloat@caption@font%
    \def\@captype{#2}%
    \hbox{}\vspace*{#1}%
    \@bidituftefloat@caption@justification%
    \@bidituftefloat@margin@par%
    \noindent%
  }
  {\end{minipage}%
  \end{lrbox}%
  \marginpar{\usebox{\@bidituftefloat@margin@floatbox}}%
  }
\newenvironment{marginfigure}[1][-1.2ex]%
  {\begin{@bidituftefloat@margin@float}[#1]{figure}}
  {\end{@bidituftefloat@margin@float}}
```

```
\newenvironment{margintable}[1][-1.2ex]%
  {\begin{@bidituftefloat@margin@float}[#1]{table}}
  {\end{@bidituftefloat@margin@float}}
\newcommand*{\@bidituftefloat@justification@autodetect}{\justifying}%

\newcommand{\@bidituftefloat@float@debug@info}{}% contains debug info generated as the float i
\newcommand{\@bidituftefloat@float@debug}[1]{% adds debug info to the queue for output
  \ifthenelse{\equal{\@bidituftefloat@float@debug@info}{}}%
    {\def\@bidituftefloat@float@debug@info{#1}}%
    {\g@addto@macro\@bidituftefloat@float@debug@info{\MessageBreak#1}}%
}
\newcommand{\floatalignment}{x}% holds the current float alignment (t, b, h, p)
\newcommand{\setfloatalignment}[1]{\global\def\floatalignment{#1}\@bidituftefloat@float@debug
\newboolean{@bidituftefloat@float@recto}
\newcommand{\forcerectofloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{true}\@bidituftef
\newcommand{\forceversofloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{false}\@bidituftef
\newsavebox{\@bidituftefloat@figure@box}
\newsavebox{\@bidituftefloat@caption@box}
\let\@bidituftefloat@orig@float\@float
\let\@bidituftefloat@orig@endfloat\end@float
\newlength{\@bidituftefloat@caption@vertical@offset}
\setlength{\@bidituftefloat@caption@vertical@offset}{0pt}
\newcommand{\@bidituftefloat@stored@shortcaption}{}
\newcommand{\@bidituftefloat@stored@caption}{}
\newcommand{\@bidituftefloat@stored@label}{}
\long\def\@bidituftefloat@caption[#1][#2]#3{%
  \ifthenelse{\isempty{#1}}%
    {\gdef\@bidituftefloat@stored@shortcaption{#3}}%
    {\gdef\@bidituftefloat@stored@shortcaption{#1}}%
  \gsetlength{\@bidituftefloat@caption@vertical@offset}{-#2}% we want a positive offset to low
  \gdef\@bidituftefloat@stored@caption{#3}%
}
\newcommand{\@bidituftefloat@label}[1]{%
  \gdef\@bidituftefloat@stored@label{#1}%
}
\newcommand{\@bidituftefloat@fps}{}
\newboolean{@bidituftefloat@float@star}
\newlength{\@bidituftefloat@float@contents@width}
\newenvironment{@bidituftefloat@float}[3][htbp]%
  {% begin @bidituftefloat@float
    % Should this float be full-width or just text-width?
    \ifthenelse{\equal{#3}{star}}%
      {\GlobalSetBoolean{@bidituftefloat@float@star}{true}}%
      {\GlobalSetBoolean{@bidituftefloat@float@star}{false}}%
    % Check page side (recto/verso) and store detected value -- can be overriden in environmen
    \@bidituftefloat@checkoddpage%
    \ifthenelse{\boolean{@bidituftefloat@odd@page}}%
      {\GlobalSetBoolean{@bidituftefloat@float@recto}{true}\@bidituftefloat@float@debug{Detect
      {\GlobalSetBoolean{@bidituftefloat@float@recto}{false}\@bidituftefloat@float@debug{Detec
    % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages,
```

```
4440    \renewcommand{\@bidituftefloat@fps}{#1}%
4441    \@bidituftefloat@float@debug{Allowed positions: [#1]}%
4442    \ifthenelse{\equal{#1}{b}\OR\equal{#1}{B}}%
4443      {\renewcommand{\floatalignment}{b}\@bidituftefloat@float@debug{Presumed position: [botto
4444      {\renewcommand{\floatalignment}{t}\@bidituftefloat@float@debug{Presumed position: [top]}
4445    % Capture the contents of the \caption and \label commands to use later
4446    \global\let\@bidituftefloat@orig@caption\caption%
4447    \global\let\@bidituftefloat@orig@label\label%
4448    \renewcommand{\caption}{\optparams{\@bidituftefloat@caption}{[][Opt]}}%
4449    \renewcommand{\label}[1]{\@bidituftefloat@label{##1}}%
4450    % Handle subfigure package compatibility
4451    \ifthenelse{\boolean{@bidituftefloat@packages@subfigure}}{%
4452      \bidi@patchcmd{\subfigure}{%
4453      \let\subfig@oldlabel=\label
4454      }{%
4455      \let\subfig@oldlabel=\@bidituftefloat@orig@label
4456      }
4457      {}
4458      {}
4459      \let\subtable=\subfigure
4460    }{}% subfigure package is not loaded
4461    \@bidituftefloat@orig@float{#2}[#1]%
4462    \ifthenelse{\boolean{@bidituftefloat@float@star}}%
4463      {\setlength{\@bidituftefloat@float@contents@width}{\@bidituftefloat@fullwidth}}%
4464      {\setlength{\@bidituftefloat@float@contents@width}{\textwidth}}%
4465    \begin{lrbox}{\@bidituftefloat@figure@box}%
4466      \begin{minipage}[\floatalignment]{\@bidituftefloat@float@contents@width}\hbox{}%
4467  }{% end @bidituftefloat@float
4468      \par\hbox{}\vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{}% ali
4469      \end{minipage}%
4470    \end{lrbox}%
4471    % build the caption box
4472    \begin{lrbox}{\@bidituftefloat@caption@box}%
4473      \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
4474        \ifthenelse{\NOT\equal{\@bidituftefloat@stored@caption}{}}{\@bidituftefloat@orig@capti
4475        \ifthenelse{\NOT\equal{\@bidituftefloat@stored@label}{}}{\@bidituftefloat@orig@label{\
4476        \par\vspace{-\prevdepth}%% TODO: DOUBLE-CHECK FOR SAFETY
4477      \end{minipage}%
4478    \end{lrbox}%
4479    % now typeset the stored boxes
4480    \begin{fullwidth}%
4481      \begin{minipage}[\floatalignment]{\linewidth}%
4482        \ifthenelse{\boolean{@bidituftefloat@float@star}}%
4483          {\@bidituftefloat@float@fullwidth[\@bidituftefloat@caption@vertical@offset]{\@biditu
4484          {\@bidituftefloat@float@textwidth[\@bidituftefloat@caption@vertical@offset]{\@biditu
4485      \end{minipage}%
4486    \end{fullwidth}%
4487    \@bidituftefloat@orig@endfloat% end original LaTeX float environment
4488    % output debug info
4489    \ifthenelse{\boolean{@bidituftefloat@debug}}{%
```

```
      \typeout{^^J^^J----------- bidituftefloat package float information ----------}%
      \ifthenelse{\equal{\@bidituftefloat@stored@label}{}}%
        {\typeout{Warning: Float unlabeled!}}%
        {\typeout{Float label: [\@bidituftefloat@stored@label]}}%
      \typeout{Page number: [\thepage]}%
      \def\MessageBreak{^^J}%
      \typeout{\@bidituftefloat@float@debug@info}%
      \ifthenelse{\boolean{@bidituftefloat@symmetric}}%
        {\typeout{Symmetric: [true]}}%
        {\typeout{Symmetric: [false]}}%
      \typeout{-------------------------------------------------^^J^^J}%
    }{}%
    % reset commands and temp boxes and captions
    \gdef\@bidituftefloat@float@debug@info{}%
    \let\caption\@bidituftefloat@orig@caption%
    \let\label\@bidituftefloat@orig@label%
    \begin{lrbox}{\@bidituftefloat@figure@box}\hbox{}\end{lrbox}%
    \begin{lrbox}{\@bidituftefloat@caption@box}\hbox{}\end{lrbox}%
    \gdef\@bidituftefloat@stored@shortcaption{}%
    \gdef\@bidituftefloat@stored@caption{}%
    \gdef\@bidituftefloat@stored@label{}%
    \gsetlength{\@bidituftefloat@caption@vertical@offset}{0pt}% reset caption offset
  }
\newcommand{\@bidituftefloat@float@textwidth}[3][0pt]{%
  \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@recto}}
    % asymmetric or page is odd, so caption is on the right
    \hbox{%
      \usebox{#2}%
      \hspace{\marginparsep}%
      \smash{\raisebox{#1}{\usebox{#3}}}%
    }
    \@bidituftefloat@float@debug{Caption position: [right]}%
  }{% symmetric pages and page is even, so caption is on the left
    \hbox{%
      \smash{\raisebox{#1}{\usebox{#3}}}%
      \hspace{\marginparsep}%
      \usebox{#2}%
    }
    \@bidituftefloat@float@debug{Caption position: [left]}%
  }%
}
\newcommand{\@bidituftefloat@float@fullwidth}[3][0pt]{%
  \ifthenelse{\equal{\floatalignment}{b}}%
    {% place caption above figure
      \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@rec
        {\hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\@bidituftefloat@float@debug{C
        {\smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@bidituftefloat@float@debug{C
    }{% place caption below figure
      \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@rec
        {\usebox{#2}\par\hfill\smash{\raisebox{#1}{\usebox{#3}}}\@bidituftefloat@float@debug{C
```

```
        {\usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\@bidituftefloat@float@debug{(
    }%
}
\renewenvironment{figure}[1][htbp]%
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{figure}{}}
  {\end{@bidituftefloat@float}}
\renewenvironment{table}[1][htbp]
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{table}{}}
  {\end{@bidituftefloat@float}}
\renewenvironment{figure*}[1][htbp]%
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{figure}{star}}
  {\end{@bidituftefloat@float}}
\renewenvironment{table*}[1][htbp]%
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{table}{star}}
  {\end{@bidituftefloat@float}}
\newenvironment{fullwidth}
  {\ifthenelse{\boolean{@bidituftefloat@symmetric}}%
     {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\begin{adjustwidth*}{}{-\@bidituftefloa
     {\begin{adjustwidth}{}{-\@bidituftefloat@overhang}}%
  }%
  {\ifthenelse{\boolean{@bidituftefloat@symmetric}}%
    {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\end{adjustwidth*}}{\end{adjustwidth}}
    {\end{adjustwidth}}%
  }
\long\def\@caption#1[#2]#3{%
  \par%
  \addcontentsline{\csname ext@#1\endcsname}{#1}%
    {\protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}}%
  \begingroup%
    \@parboxrestore%
    \if@minipage%
      \@setminipage%
    \fi%
    \@bidituftefloat@caption@font\@bidituftefloat@caption@justification%
    \noindent\csname fnum@#1\endcsname: \ignorespaces#3\par%
    %\@makecaption{\csname fnum@#1\endcsname}{\ignorespaces #3}\par
  \endgroup}
%%
% Turns newlines into spaces.  Based on code from the `titlesec' package.
\DeclareRobustCommand{\@bidituftefheading@newlinetospace}{%
  \@ifstar{\@bidituftefheading@newlinetospace@i}{\@bidituftefheading@newlinetospace@i}%
}
\def\@bidituftefheading@newlinetospace@i{%
  \ifdim\lastskip>\z@\else\space\fi
  \ignorespaces%
}
\DeclareRobustCommand{\newlinetospace}[1]{%
  \let\@bidituftefheading@orig@cr\\% save the original meaning of \\
  \def\\{\@bidituftefheading@newlinetospace}% turn \\ and \\* into \space
  \let\newline\\% turn \newline into \space
```

```
  #1%
  \let\\\@bidituftеheading@orig@cr% revert to original meaning of \\
}
\RequirePackage{fancyhdr}
\pagestyle{fancy}
\AtBeginDocument{%
  \ifthenelse{\boolean{@bidituftefloat@symmetric}}
    {\fancyhfoffset[LE,RO]{\@bidituftefloat@overhang}}
    {\fancyhfoffset[RE,RO]{\@bidituftefloat@overhang}}
}
% The running heads/feet don't have rules
\renewcommand{\headrulewidth}{0pt}
\renewcommand{\footrulewidth}{0pt}
% The 'fancy' page style is the default style for all pages.
\fancyhf{} % clear header and footer fields
    \ifthenelse{\boolean{@bidituftefloat@symmetric}}
    {\fancyhead[LE]{\thepage\quad\textsl{\newlinetospace{\plainauthor}}}%
    \fancyhead[RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
    {\fancyhead[RE,RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
% The `plain' page style is used on chapter opening pages.
% In Tufte's /Beautiful Evidence/ he never puts page numbers at the
% bottom of pages -- the folios are unexpressed.
\fancypagestyle{plain}{
  \fancyhf{} % clear header and footer fields
  % Uncomment the following five lines of code if you want the opening page
  % of the chapter to express the folio in the lower outside corner.
  %  \ifthenelse{\boolean{@bidituftefloat@symmetric}}
  %  {\fancyfoot[LE,RO]{\thepage}}
  %  {\fancyfoot[RE,RO]{\thepage}}
}
% The `empty' page style suppresses all headers and footers.
% It's used on title pages and `intentionally blank' pages.
\fancypagestyle{empty}{
  \fancyhf{} % clear header and footer fields
}
\def\morefloats{% provides a total of 52 floats
  \ifthenelse{\isundefined{\bx@S}}{%
    \bidituftefloatDebugInfoNL{Adding 34 more float slots.}
    \newinsert\bx@S
    \newinsert\bx@T
    \newinsert\bx@U
    \newinsert\bx@V
    \newinsert\bx@W
    \newinsert\bx@X
    \newinsert\bx@Y
    \newinsert\bx@Z
    \newinsert\bx@a
    \newinsert\bx@b
    \newinsert\bx@c
    \newinsert\bx@d
```

```
    \newinsert\bx@e
    \newinsert\bx@f
    \newinsert\bx@g
    \newinsert\bx@h
    \newinsert\bx@i
    \newinsert\bx@j
    \newinsert\bx@k
    \newinsert\bx@l
    \newinsert\bx@m
    \newinsert\bx@n
    \newinsert\bx@o
    \newinsert\bx@p
    \newinsert\bx@q
    \newinsert\bx@r
    \newinsert\bx@s
    \newinsert\bx@t
    \newinsert\bx@u
    \newinsert\bx@v
    \newinsert\bx@w
    \newinsert\bx@x
    \newinsert\bx@y
    \newinsert\bx@z
    \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
                    \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
                    \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
                    \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
                    \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
                    \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
                    \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
                    \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
                    \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
                    \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
                    \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
                    \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z}%
}{% we've already added another 34 floats, so we'll add 26 more, but that's it!
  \ifthenelse{\isundefined{\bx@AA}}{%
    \bidituftefloatDebugInfoNL{Adding 26 more float slots.}
    \newinsert\bx@AA
    \newinsert\bx@BB
    \newinsert\bx@CC
    \newinsert\bx@DD
    \newinsert\bx@EE
    \newinsert\bx@FF
    \newinsert\bx@GG
    \newinsert\bx@HH
    \newinsert\bx@II
    \newinsert\bx@JJ
    \newinsert\bx@KK
    \newinsert\bx@LL
    \newinsert\bx@MM
```

```
      \newinsert\bx@NN
      \newinsert\bx@OO
      \newinsert\bx@PP
      \newinsert\bx@QQ
      \newinsert\bx@RR
      \newinsert\bx@SS
      \newinsert\bx@TT
      \newinsert\bx@UU
      \newinsert\bx@VV
      \newinsert\bx@WW
      \newinsert\bx@XX
      \newinsert\bx@YY
      \newinsert\bx@ZZ
      \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
                      \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
                      \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
                      \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
                      \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
                      \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
                      \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
                      \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
                      \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
                      \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
                      \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
                      \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
                      \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
                      \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
                      \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
                      \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
                      \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
                      \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%
    }{%
      \bidituftefloatError{You may only call \string\morefloats\space twice. See the\MessageBr
        {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or\N
    }%
  }%
}
\newboolean{@bidituftefloat@packages@subfigure}
\setboolean{@bidituftefloat@packages@subfigure}{false}
\AtBeginDocument{%
  \@ifpackageloaded{subfigure}
    {\GlobalSetBoolean{@bidituftefloat@packages@subfigure}{true}}
    {\GlobalSetBoolean{@bidituftefloat@packages@subfigure}{false}}%
}
\AtBeginDocument{%
  \@ifpackageloaded{float}{%
    % Save the redefined float environment (instead of the LaTeX float environment)
    \let\@bidituftefloat@orig@float\@float
    \let\@bidituftefloat@orig@endfloat\end@float
```

```
  % Define Tuftian float styles (with the caption in the margin)
  \newcommand{\floatc@bidituftefloatplain}[2]{%
    \begin{lrbox}{\@bidituftefloat@caption@box}%
      \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
        \@bidituftefloat@caption@font{\@fs@cfont #1:} #2\par%
      \end{minipage}%
    \end{lrbox}%
    \smash{\hspace{\@bidituftefloat@caption@fill}\usebox{\@bidituftefloat@caption@box}}%
  }
  \newcommand{\fs@bidituftefloatplain}{%
    \def\@fs@cfont{\@bidituftefloat@caption@font}%
    \let\@fs@capt\floatc@bidituftefloatplain%
    \def\@fs@pre{}%
    \def\@fs@post{}%
    \def\@fs@mid{}%
    \let\@fs@iftopcapt\iftrue%
  }
  \let\fs@bidituftefloatplaintop=\fs@bidituftefloatplain
  \let\floatc@bidituftefloatplaintop=\floatc@bidituftefloatplain
  \newcommand\floatc@bidituftefloatruled[2]{%
    {\@fs@cfont #1} #2\par%
  }
  \newcommand\fs@bidituftefloatruled{%
    \def\@fs@cfont{\@bidituftefloat@caption@font}%
    \let\@fs@capt\floatc@bidituftefloatplain%
    \def\@fs@pre{\hrule height.8pt depth0pt width\textwidth \kern2pt}%
    \def\@fs@post{\kern2pt\hrule width\textwidth\relax}%
    \def\@fs@mid{}%
    \let\@fs@iftopcapt\iftrue%
  }
  \newcommand\fs@bidituftefloatboxed{%
    \def\@fs@cfont{}%
    \let\@fs@capt\floatc@bidituftefloatplain%
    \def\@fs@pre{%
      \setbox\@currbox\vbox{\hbadness10000
      \moveleft3.4pt\vbox{\advance\hsize by6.8pt
        \hrule \hbox to\hsize{\vrule\kern3pt
          \vbox{\kern3pt\box\@currbox\kern3pt}\kern3pt\vrule}\hrule}}
    }%
    \def\@fs@mid{\kern2pt}%
    \def\@fs@post{}%
    \let\@fs@iftopcapt\iftrue%
  }
 }{%
  % Nothing to do
 }
}
\AtBeginDocument{%
 \@ifpackageloaded{algorithm}{%
  % Set the float style to the Tuftian version
```

```
    \ifthenelse{\equal{\ALG@floatstyle}{plain}\OR\equal{\ALG@floatstyle}{ruled}\OR\equal{\ALG@
      \bidituftefloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBreak
      \floatstyle{bidituftefloat\ALG@floatstyle}%
      \restylefloat{algorithm}%
    }{}%
  }{%
    % Nothing to do
  }
}
\PassOptionsToPackage{caption=false}{subfig}
```

22 File bidituftesidenote.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftesidenote}[2017/08/09 v0.4
bidi implementation of tufte sidenote]
\RequirePackage{xifthen}
\RequirePackage{ragged2e}
\RequirePackage{setspace}
\RequirePackage{biditools}
\def\bidituftesidenotemarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@bidituftesidenotexmpar\@bidituftesidenoteympar}
\long\def\@bidituftesidenotexmpar[#1]#2{%
  \@bidituftesidenotesavemarbox\@marbox{#1}%
  \@bidituftesidenotesavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@bidituftesidenoteympar#1{%
  \@bidituftesidenotesavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@bidituftesidenotesavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
```

```
        \@parboxrestore
        \@bidituftesidenotemarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@bidituftesidenotemarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\if@RTL@footnote\beginR\else\beginL\fi}%
}
\def\LTRbidituftesidenotemarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@LTRbidituftesidenotexmpar\@LTRbidituftesidenoteympar}
\long\def\@LTRbidituftesidenotexmpar[#1]#2{%
  \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
  \@LTRbidituftesidenotesavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@LTRbidituftesidenoteympar#1{%
  \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@LTRbidituftesidenotesavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@LTRbidituftesidenotemarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
```

```
    \color@endbox
}
\def \@LTRbidituftesidenotemarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\beginL}%
}
\def\RTLbidituftesidenotemarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@RTLbidituftesidenotexmpar\@RTLbidituftesidenoteympar}
\long\def\@RTLbidituftesidenotexmpar[#1]#2{%
  \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
  \@RTLbidituftesidenotesavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@RTLbidituftesidenoteympar#1{%
  \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@RTLbidituftesidenotesavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@RTLbidituftesidenotemarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@RTLbidituftesidenotemarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
```

```
        \everypar{\@minipagefalse\everypar{}\beginR}%
}
\newcommand*{\@bidituftesidenote@marginfont}{\normalfont\footnotesize}
\newcommand*{\@bidituftesidenote@LTRmarginfont}{\normalfont\footnotesize}
\newcommand*{\@bidituftesidenote@RTLmarginfont}{\normalfont\footnotesize}
\newcommand*{\@bidituftesidenote@sidenote@font}{\@bidituftesidenote@marginfont}
\newcommand*{\@bidituftesidenote@LTRsidenote@font}{\@bidituftesidenote@LTRmarginfont}
\newcommand*{\@bidituftesidenote@RTLsidenote@font}{\@bidituftesidenote@RTLmarginfont}
\newcommand*{\@bidituftesidenote@marginnote@font}{\@bidituftesidenote@marginfont}
\newcommand*{\@bidituftesidenote@LTRmarginnote@font}{\@bidituftesidenote@LTRmarginfont}
\newcommand*{\@bidituftesidenote@RTLmarginnote@font}{\@bidituftesidenote@RTLmarginfont}
\newcommand*{\@bidituftesidenote@citation@font}{\@bidituftesidenote@marginfont}
\newcommand*{\@bidituftesidenote@LTRcitation@font}{\@bidituftesidenote@LTRmarginfont}
\newcommand*{\@bidituftesidenote@RTLcitation@font}{\@bidituftesidenote@RTLmarginfont}
\newcommand*{\setsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@sidenote@font}{#1}}
\newcommand*{\setLTRsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@LTRsidenote@font}{#1}}
\newcommand*{\setRTLsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@RTLsidenote@font}{#1}}
\newcommand*{\setmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@marginnote@font}{#1}}
\newcommand*{\setLTRmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@LTRmarginnote@font}{
\newcommand*{\setRTLmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@RTLmarginnote@font}{
\newcommand*{\setcitationfont}[1]{\renewcommand*{\@bidituftesidenote@citation@font}{#1}}
\newcommand*{\setLTRcitationfont}[1]{\renewcommand*{\@bidituftesidenote@LTRcitation@font}{#1}}
\newcommand*{\setRTLcitationfont}[1]{\renewcommand*{\@bidituftesidenote@RTLcitation@font}{#1}}
\newcommand*{\@bidituftesidenote@sidenote@justification}{\@bidituftesidenote@justification@aut
\newcommand*{\@bidituftesidenote@marginnote@justification}{\@bidituftesidenote@justification@a
\newcommand*{\@bidituftesidenote@citation@justification}{\@bidituftesidenote@justification@aut
\newcommand*{\@bidituftesidenote@justification@autodetect}{\justifying}%
\newcommand{\@bidituftesidenote@margin@par}{%
  \setlength{\RaggedRightParindent}{0.5pc}%
  \setlength{\JustifyingParindent}{0.5pc}%
  \setlength{\parindent}{0.5pc}%
  \setlength{\parskip}{0pt}%
}
%%
% Globally sets the length
\@ifundefined{gsetlength}{%
\newcommand*{\gsetlength}[2]{%
  \setlength{#1}{#2}%
  \global#1=#1\relax%
}%
}{}

%%
% A function that removes leading and trailling spaces from the supplied macro.
% Based on code written by Michael Downes (See ``Around the Bend'', #15.)
% Executing \@bidituftesidenote@trim@spaces\xyzzy will result in the contents of \xyzzy
% being trimmed of leading and trailing white space.
\catcode`\Q=3
\def\@bidituftesidenote@trim@spaces#1{%
  % Use grouping to emulate a multi-token afterassignment queue
```

```
  \begingroup%
  % Put `\toks 0 {' into the afterassignment queue
  \aftergroup\toks\aftergroup0\aftergroup{%
  % Apply \trimb to the replacement text of #1, adding a leading
  % \noexpand to prevent brace stripping and to serve another purpose
  % later.
  \expandafter\@bidituftesidenote@trim@b\expandafter\noexpand#1Q Q}%
  % Transfer the trimmed text back into #1.
  \edef#1{\the\toks0}%
}
% \trimb removes a trailing space if present, then calls \@bidituftesidenote@trim@c to
% clean up any leftover bizarre Qs, and trim a leading space. In
% order for \trimc to work properly we need to put back a Q first.
\def\@bidituftesidenote@trim@b#1 Q{\@bidituftesidenote@trim@c#1Q}
% Execute \vfuzz assignment to remove leading space; the \noexpand
% will now prevent unwanted expansion of a macro or other expandable
% token at the beginning of the trimmed text. The \endgroup will feed
% in the \aftergroup tokens after the \vfuzz assignment is completed.
\def\@bidituftesidenote@trim@c#1Q#2{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
\catcode`\Q=11
%%
% Citations should go in the margin as sidenotes

\RequirePackage{natbib}
\RequirePackage{bibentry}        % allows bibitems to be typeset outside thebibliography envi
% Redefine the \BR@b@bibitem command to fix a bug with bibentry+chicago style
\renewcommand\BR@b@bibitem[2][]{%
  \ifthenelse{\isempty{#1}}%
    {\BR@bibitem{#2}}%
    {\BR@bibitem[#1]{#2}}%
  \BR@c@bibitem{#2}%
}
\bidi@AtEndPreamble{\nobibliography*}               % pre-loads the bibliography keys
%%
% Normal \cite behavior
\newcounter{@bidituftesidenote@num@bibkeys}%
\newcommand{\@bidituftesidenote@normal@cite}[2][0pt]{%
  % Snag the last bibentry in the list for later comparison
  \let\@temp@last@bibkey\@empty%
  \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
  \sidenote[][#1]{%
    % Loop through all the bibentries, separating them with semicolons and spaces
    \normalsize\normalfont\@bidituftesidenote@citation@font%
    \setcounter{@bidituftesidenote@num@bibkeys}{0}%
    \@for\@temp@bibkeyx:=#2\do{%
      \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
        {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx}}%
        {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
```

```
5037          \bibentry{\@temp@bibkeyx};\ }%
5038        \stepcounter{@bidituftesidenote@num@bibkeys}%
5039      }%
5040    }%
5041 }
5042 \newcommand{\@biditufteLTRsidenote@normal@cite}[2][0pt]{%
5043   % Snag the last bibentry in the list for later comparison
5044   \let\@temp@last@bibkey\@empty%
5045   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
5046   \LTRsidenote[][#1]{%
5047     % Loop through all the bibentries, separating them with semicolons and spaces
5048     \normalsize\normalfont\@bidituftesidenote@LTRcitation@font%
5049     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
5050     \@for\@temp@bibkeyx:=#2\do{%
5051       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
5052         {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
5053          \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5054          \bibentry{\@temp@bibkeyx}}%
5055         {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5056          \bibentry{\@temp@bibkeyx};\ }%
5057       \stepcounter{@bidituftesidenote@num@bibkeys}%
5058     }%
5059   }%
5060 }
5061 \newcommand{\@biditufteRTLsidenote@normal@cite}[2][0pt]{%
5062   % Snag the last bibentry in the list for later comparison
5063   \let\@temp@last@bibkey\@empty%
5064   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
5065   \RTLsidenote[][#1]{%
5066     % Loop through all the bibentries, separating them with semicolons and spaces
5067     \normalsize\normalfont\@bidituftesidenote@citation@font%
5068     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
5069     \@for\@temp@bibkeyx:=#2\do{%
5070       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
5071         {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
5072          \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5073          \bibentry{\@temp@bibkeyx}}%
5074         {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5075          \bibentry{\@temp@bibkeyx};\ }%
5076       \stepcounter{@bidituftesidenote@num@bibkeys}%
5077     }%
5078   }%
5079 }
5080 %%
5081 % Macros for holding the list of cite keys until after the \sidenote
5082 \gdef\@bidituftesidenote@citations{}% list of cite keys
5083 \newcommand\@bidituftesidenote@add@citation[1]{\relax% adds a new bibkey to the list of cite k
5084   \ifx\@bidituftesidenote@citations\@empty\else
5085     \g@addto@macro\@bidituftesidenote@citations{,}% separate by commas
5086   \fi
```

```
  \g@addto@macro\@bidituftesidenote@citations{#1}
}
\newcommand{\@bidituftesidenote@print@citations}[1][Opt]{% puts the citations in a margin note
  % Snag the last bibentry in the list for later comparison
  \let\@temp@last@bibkey\@empty%
  \@for\@temp@bibkey:=\@bidituftesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
  \marginpar{%
    \hbox{}\vspace*{#1}%
    \@bidituftesidenote@citation@font%
    \@bidituftesidenote@citation@justification%
    \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}%
    % Loop through all the bibentries, separating them with semicolons and spaces
    \setcounter{@bidituftesidenote@num@bibkeys}{0}%
    \@for\@temp@bibkeyx:=\@bidituftesidenote@citations\do{%
      \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
        {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx}}%
        {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx};\ }%
      \stepcounter{@bidituftesidenote@num@bibkeys}%
    }%
  }%
}
%%
% \cite behavior when executed within a sidenote
\newcommand{\@bidituftesidenote@sidenote@citations}{}% contains list of \cites in sidenote
\newcommand{\@bidituftesidenote@infootnote@cite}[1]{%
  \@bidituftesidenote@add@citation{#1}
}
%%
% Set the default \cite style.  This is set and reset by the \sidenote command.
\let\cite\@bidituftesidenote@normal@cite
\let\LTRcite\@biditufteLTRsidenote@normal@cite
\let\RTLcite\@biditufteRTLsidenote@normal@cite
%%
% Transform existing \footnotes into \sidenotes
% Sidenote: ``Where God meant footnotes to go.'' ---bidituftesidenote
\RequirePackage{optparams}% for our new sidenote commands -- provides multiple optional argume
\providecommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenote
\renewcommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenote@
% Override footmisc's definition to set the sidenote marks (numbers) inside the
% sidenote's text block.
\bidi@patch@AfterPackage{bidi}{\long\def\@makefntext#1{\@textsuperscript{\@bidituftesidenote@s
% Set the in-text footnote mark in the same typeface as the body text itself.
\bidi@patch@AfterPackage{bidi}{\def\@makefnmark{\hbox{\@textsuperscript{\normalfont\footnotesi
\providecommand*{\multiplefootnotemarker}{3sp}
\providecommand*{\multfootsep}{,}
\bidi@patch@AfterPackage{bidi}{%
```

```
\renewcommand{\@footnotemark}{%
  \leavevmode%
  \ifhmode%
    \edef\@x@sf{\the\spacefactor}%
    \@bidituftesidenote@check@multiple@sidenotes%
    \nobreak%
  \fi%
  \@makefnmark%
  \ifhmode\spacefactor\@x@sf\fi%
  \relax%
}%
}
\newcommand{\@bidituftesidenote@check@multiple@sidenotes}{%
  \ifdim\lastkern=\multiplefootnotemarker\relax%
    \edef\@x@sf{\the\spacefactor}%
    \unkern%
    \textsuperscript{\multfootsep}%
    \spacefactor\@x@sf\relax%
  \fi
}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand\@footnotetext[2][Opt]{%
  \bidituftesidenotemarginpar{%
    \hbox{}\vspace*{#1}%
    \def\baselinestretch {\setspace@singlespace}%
    \reset@font%
    \bidi@@footnotetext@font% \reset@font\footnotesize%
    \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}\noindent%
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark%
    }%
    \color@begingroup%
       \@makefntext{%
         \ignorespaces#2%
       }%
    \color@endgroup%
  }%
}%
\renewcommand\@LTRfootnotetext[2][Opt]{%
  \LTRbidituftesidenotemarginpar{%
    \hbox{}\vspace*{#1}%
    \def\baselinestretch {\setspace@singlespace}%
    \reset@font%
    \bidi@@LTRfootnotetext@font% \reset@font\footnotesize%
    \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}\noindent%
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark%
    }%
```

```
    \color@begingroup%
       \@makefntext{%
         \ignorespaces#2%
       }%
    \color@endgroup%
  }%
}%
\renewcommand\@RTLfootnotetext[2][0pt]{%
  \RTLbidituftesidenotemarginpar{%
    \hbox{}\vspace*{#1}%
    \def\baselinestretch {\setspace@singlespace}%
    \reset@font%
    \bidi@@RTLfootnotetext@font% \reset@font\footnotesize%
    \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}\noindent%
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark%
    }%
    \color@begingroup%
       \@makefntext{%
         \ignorespaces#2%
       }%
    \color@endgroup%
  }%
}%
}
%
% Define \sidenote command.  Can handle \cite.
\newlength{\@bidituftesidenote@sidenote@vertical@offset}
\setlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}
% #1 = footnote num, #2 = vertical offset, #3 = footnote text
\long\def\@bidituftesidenote@sidenote[#1][#2]#3{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \ifthenelse{\NOT\isempty{#2}}{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
  }{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
  }%
  \ifthenelse{\isempty{#1}}{%
    % no specific footnote number provided
    \stepcounter\@mpfn%
    \protected@xdef\@thefnmark{\thempfn}%
    \@footnotemark\@footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }{%
    % specific footnote number provided
    \begingroup%
      \csname c@\@mpfn\endcsname #1\relax%
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup%
```

```
    \@footnotemark\@footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }%
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTRci
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTLci
  \unskip\ignorespaces%               remove extra white space
  \kern-\multiplefootnotemarker%      remove \kern left behind by sidenote
  \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
}
\long\def\@LTRbidituftesidenote@sidenote[#1][#2]#3{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \ifthenelse{\NOT\isempty{#2}}{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
  }{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
  }%
  \ifthenelse{\isempty{#1}}{%
    % no specific footnote number provided
    \stepcounter\@mpfn%
    \protected@xdef\@thefnmark{\thempfn}%
    \@footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }{%
    % specific footnote number provided
    \begingroup%
      \csname c@\@mpfn\endcsname #1\relax%
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup%
    \@footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }%
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTRci
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTLci
  \unskip\ignorespaces%               remove extra white space
  \kern-\multiplefootnotemarker%      remove \kern left behind by sidenote
  \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
}
\long\def\@RTLbidituftesidenote@sidenote[#1][#2]#3{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \ifthenelse{\NOT\isempty{#2}}{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
  }{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
  }%
  \ifthenelse{\isempty{#1}}{%
    % no specific footnote number provided
    \stepcounter\@mpfn%
```

```
    \protected@xdef\@thefnmark{\thempfn}%
    \@footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }{%
    % specific footnote number provided
    \begingroup%
      \csname c@\@mpfn\endcsname #1\relax%
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup%
    \@footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }%
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTRci
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTLci
  \unskip\ignorespaces%               remove extra white space
  \kern-\multiplefootnotemarker%      remove \kern left behind by sidenote
  \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
}
\newcommand{\sidenote}{\optparams{\@bidituftesidenote@sidenote}{[][0pt]}}
\newcommand{\LTRsidenote}{\optparams{\@LTRbidituftesidenote@sidenote}{[][0pt]}}
\newcommand{\RTLsidenote}{\optparams{\@RTLbidituftesidenote@sidenote}{[][0pt]}}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand{\footnote}{\optparams{\@bidituftesidenote@sidenote}{[][0pt]}}%
\renewcommand{\LTRfootnote}{\optparams{\@LTRbidituftesidenote@sidenote}{[][0pt]}}%
\renewcommand{\RTLfootnote}{\optparams{\@RTLbidituftesidenote@sidenote}{[][0pt]}}%
}
%%
% Sidenote without the footnote mark
\newcommand\marginnote[2][0pt]{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \bidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@marginnote@font\@bidituft
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTRci
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTLci
}
\newcommand\LTRmarginnote[2][0pt]{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \LTRbidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@LTRmarginnote@font\@bi
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTRci
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTLci
}
\newcommand\RTLmarginnote[2][0pt]{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \RTLbidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@RTLmarginnote@font\@bi
```

```
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTRc
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTLc
}
```

23 File bidituftetoc.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftetoc}[2011/06/17 v0.1
bidi implementation of tufte toc]
\RequirePackage{titlesec,titletoc,xifthen,biditools}
\newcommand{\@bidituftetoc@pkgname}{bidituftetoc}
\newcommand{\bidituftetocError}[2]{\PackageError{\@bidituftetoc@pkgname}{#1}{#2}}
%%
% Turn off section numbering
\setcounter{secnumdepth}{-1}
\newboolean{@bidituftetoc@toc}
\setboolean{@bidituftetoc@toc}{true}
\DeclareOption{notoc}{\setboolean{@bidituftetoc@toc}{false}}
\DeclareOption{toc}{\setboolean{@bidituftetoc@toc}{true}}
\ProcessOptions
%%
% Make Tuftian-style section headings and TOC formatting
\bidi@patch@AfterPackage{bidi}{%
\titleformat{\chapter}%
  [display]% shape
  {\relax\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\begin{fullwidth}}{}}% format ap
  {\itshape\huge\thechapter}% label
  {0pt}% horizontal separation between label and title body
  {\huge\rmfamily\itshape}% before the title body
  [\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\end{fullwidth}}{}]% after the title b
\titleformat{\section}%
  [hang]% shape
  {\normalfont\Large\itshape}% format applied to label+text
  {\thesection}% label
  {1em}% horizontal separation between label and title body
  {}% before the title body
  []% after the title body
\titleformat{\subsection}%
  [hang]% shape
  {\normalfont\large\itshape}% format applied to label+text
  {\thesubsection}% label
  {1em}% horizontal separation between label and title body
  {}% before the title body
  []% after the title body
\titleformat{\paragraph}%
  [runin]% shape
  {\normalfont\itshape}% format applied to label+text
  {\theparagraph}% label
```

```
  {1em}% horizontal separation between label and title body
  {}% before the title body
  []% after the title body
\titlespacing*{\chapter}{0pt}{50pt}{40pt}
\titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
\titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus.2ex}
}
% Subsubsection and following section headings shouldn't be used.
% See Bringhurst's _The Elements of Typography_, section 4.2.2.
\renewcommand\subsubsection{%
  \bidituftetocError{\noexpand\subsubsection is undefined by this class.%
    \MessageBreak See Robert Bringhurst's _The Elements of
    \MessageBreak Typographic Style_, section 4.2.2.
    \MessageBreak \noexpand\subsubsection was used}
    {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
    \MessageBreak many levels of headings as you need, no more and no fewer.  Also see the mar
    \MessageBreak related threads on Ask E.T. at http://www.edwardbidituftetoc.com/.}
}
\renewcommand\subparagraph{%
  \bidituftetocError{\noexpand\subparagraph is undefined by this class.%
    \MessageBreak See Robert Bringhurst's _The Elements of
    \MessageBreak Typographic Style_, section 4.2.2.
    \MessageBreak \noexpand\subparagraph was used}
    {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
    \MessageBreak many levels of headings as you need, no more and no fewer.  Also see the mar
    \MessageBreak related threads on Ask E.T. at http://www.edwardbidituftetoc.com/.}
}
% Formatting for main TOC (printed in front matter)
% {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
\ifthenelse{\boolean{@bidituftetoc@toc}}{%
 \bidi@patch@AfterPackage{bidi}{%
 \titlecontents{part}% FIXME
    [0em] % distance from left margin
    {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global format
    {\contentslabel{2em}} % before w/label (label = ``II'')
    {} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
  \titlecontents{chapter}%
    [0em] % distance from left margin
    {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global format
    {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2'')
    {\hspace*{0em}} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
  \titlecontents{section}% FIXME
    [0em] % distance from left margin
    {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global formatti
    {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ``2.6'')
    {\hspace*{2em}} % before w/o label
```

```
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
  \titlecontents{subsection}% FIXME
    [0em] % distance from left margin
    {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global formatti
    {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ``2.6.1'')
    {\hspace*{4em}} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
  \titlecontents{paragraph}% FIXME
    [0em] % distance from left margin
    {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global for
    {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ``2.6.0.0.1'')
    {\hspace*{6em}} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
}%
}{}
%%
% Format lists of figures/tables
\renewcommand\listoffigures{%
  \@ifundefined{chapter}%
    {\section*{\listfigurename}}%
    {\chapter*{\listfigurename}}%
%  \begin{fullwidth}%
    \@starttoc{lof}%
%  \end{fullwidth}%
}
\renewcommand\listoftables{%
  \@ifundefined{chapter}%
    {\section*{\listtablename}}%
    {\chapter*{\listtablename}}%
%  \begin{fullwidth}%
    \@starttoc{lot}%
%  \end{fullwidth}%
}
\newcommand{\@bidituftetoc@lof@line}[2]{%
  % #1 is the figure/table number and its caption text
  % #2 is the page number on which the figure/table appears
  \leftskip 0.0em
  \rightskip 0em
  \parfillskip 0em plus 1fil
  \parindent 0.0em
  \@afterindenttrue
  \interlinepenalty\@M
  \leavevmode
  \@tempdima 2.0em
  \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
  \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
  {#1}\nobreak\qquad\nobreak#2%
```

```
  \par%
}
\renewcommand*\l@figure{\@bidituftetoc@lof@line}
\let\l@table\l@figure
```

24 File bidituftegeneralstructure.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftegeneralstructure}[2011/06/18 v0.1
bidi implementation of tufte general structure]
\renewcommand\small{%
   \@setfontsize\small\@ixpt{12}%
   \abovedisplayskip 8.5\p@ \@plus3\p@ \@minus4\p@
   \abovedisplayshortskip \z@ \@plus2\p@
   \belowdisplayshortskip 4\p@ \@plus2\p@ \@minus2\p@
   \def\@listi{\leftmargin\leftmargini
               \topsep 4\p@ \@plus2\p@ \@minus2\p@
               \parsep 2\p@ \@plus\p@ \@minus\p@
               \itemsep \parsep}%
   \belowdisplayskip \abovedisplayskip
}
\renewcommand\scriptsize{\@setfontsize\scriptsize\@viipt\@viiipt}
\renewcommand\tiny{\@setfontsize\tiny\@vpt\@vipt}
\renewcommand\large{\@setfontsize\large\@xipt{15}}
\renewcommand\Large{\@setfontsize\Large\@xiipt{16}}
\renewcommand\LARGE{\@setfontsize\LARGE\@xivpt{18}}
\renewcommand\huge{\@setfontsize\huge\@xxpt{30}}
\renewcommand\Huge{\@setfontsize\Huge{24}{36}}
\setlength\leftmargini   {1pc}
\setlength\leftmarginii  {1pc}
\setlength\leftmariniii {1pc}
\setlength\leftmarginiv  {1pc}
\setlength\leftmarginv   {1pc}
\setlength\leftmarginvi  {1pc}
\setlength\labelsep      {.5pc}
\setlength\labelwidth    {\leftmargini}
\addtolength\labelwidth{-\labelsep}
\setlength{\parindent}{1.0pc}%
\setlength{\parskip}{0pt}%
\RequirePackage{ragged2e}
\setlength{\RaggedRightRightskip}{\z@ plus 0.08\hsize}
% Paragraph indentation and separation for normal text
\newcommand{\@bidituftegeneralstructure@reset@par}{%
  \setlength{\RaggedRightParindent}{1.0pc}%
  \setlength{\JustifyingParindent}{1.0pc}%
  \setlength{\parindent}{1pc}%
  \setlength{\parskip}{0pt}%
}
\@bidituftegeneralstructure@reset@par
% Require paralist package for tighter lists
```

```
\RequirePackage{paralist}
% Add rightmargin to compactenum
\def\@compactenum@{%
  \expandafter\list\csname label\@enumctr\endcsname{%
    \usecounter{\@enumctr}%
    \rightmargin=2em% added this
    \parsep\plparsep
    \itemsep\plitemsep
    \topsep\pltopsep
    \partopsep\plpartopsep
    \def\makelabel##1{\hss\llap{##1}}}}
%%
% An environment for paragraph-style section
\providecommand\newthought[1]{%
   \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
   \noindent\textbf{#1}%
}
%%
% Redefine the display environments (quote, quotation, etc.)
\renewenvironment{verse}
               {\let\\\@centercr
                \list{}{\itemsep      \z@
                        \itemindent   -1pc%
                        \listparindent\itemindent
                        \rightmargin  \leftmargin
                        \advance\leftmargin 1pc}%
                \small%
                \item\relax}
               {\endlist}
\renewenvironment{quotation}
               {\list{}{\listparindent 1pc%
                        \itemindent    \listparindent
                        \rightmargin   \leftmargin
                        \parsep        \z@ \@plus\p@}%
                \small%
                \item\relax\noindent\ignorespaces}
               {\endlist}
\renewenvironment{quote}
               {\list{}{\rightmargin\leftmargin}%
                \small%
                \item\relax}
               {\endlist}
% Italicize description run-in headings (instead of the default bold)
\renewcommand*\descriptionlabel[1]{\hspace\labelsep\normalfont\em #1}
%%
% Redefine \bibsection to not mark the running heads.
% (Code modified from natbib.sty.)
\@ifundefined{chapter}%
  {\renewcommand\bibsection{\section*{\refname}}}
  {\@ifundefined{NAT@sectionbib}%
```

```
    {\renewcommand\bibsection{\chapter{\bibname}}}
    {\renewcommand\bibsection{\section*{\bibname}}}}
\RequirePackage{multicol}
\renewenvironment{theindex}{%
\@ifundefined{chapter}%
    {\section*{\indexname}}%
    {\chapter{\indexname}}%
  \begin{fullwidth}%
  \small%
  \parskip0pt%
  \parindent0pt%
  \let\item\@idxitem%
  \begin{multicols}{3}%
}{%
  \end{multicols}%
  \end{fullwidth}%
}
\AtBeginDocument{%
\renewcommand\@idxitem{\par\hangindent \if@RTL-\fi2em}%
\renewcommand\subitem{\par\hangindent \if@RTL-\fi3em\hspace*{1em}}%
\renewcommand\subsubitem{\par\hangindent \if@RTL-\fi4em\hspace*{2em}}}
\renewcommand\indexspace{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
\newcommand{\lettergroup}[1]{}% swallow the letter heading in the index
```

25 File bidituftehyperref.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftehyperref}[2011/06/18 v0.1
bidi implementation of tufte hyperref]
%%
% Color
\RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
\newboolean{@bidituftehyperref@loadhyper}
\setboolean{@bidituftehyperref@loadhyper}{true}
\DeclareOption{hyper}{\setboolean{@bidituftehyperref@loadhyper}{true}}
\DeclareOption{nohyper}{\setboolean{@bidituftehyperref@loadhyper}{false}}
\ProcessOptions
%% Loads the hyperref package and sets some default options.
\newcommand{\bidituftehyperrefLoadHyperref}{%
\RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
  \hypersetup{%
    bookmarksdepth = section,
    citecolor = DarkGreen,
    linkcolor = DarkBlue,
%    pagecolor = DarkBlue,
    urlcolor = DarkGreen,
  }%
}
\ifthenelse{\boolean{@bidituftehyperref@loadhyper}}{%
  \bidituftehyperrefLoadHyperref%
```

```
}{% hyperfootnotes override our modifications to the \footnote* and \@footnote* commands.
  \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
}
```

26 File bidituftetitle.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftetitle}[2011/06/18 v0.1
bidi implementation of tufte title]
\RequirePackage{biditools}
%%
% `titlepage' option -- creates a full title page with \maketitle
\newboolean{@bidituftetitle@titlepage}
\DeclareOption{titlepage}{\setboolean{@bidituftetitle@titlepage}{true}}
\DeclareOption{notitlepage}{\setboolean{@bidituftetitle@titlepage}{false}}
% Default `book' and `handout' options
\@ifclassloaded{book}{%
\ExecuteOptions{titlepage}}{%
\@ifclassloaded{article}{%
\ExecuteOptions{notitlepage}}%
{}}
\ProcessOptions
%%
% Modified \title, \author, and \date commands.  These store the
% (footnote-less) values in \plaintitle, \plainauthor, and \thedate, respectively.
\newcommand{\plaintitle}{}%     plain-text-only title
\newcommand{\plainauthor}{}%    plain-text-only author
\newcommand{\plainpublisher}{}% plain-text-only publisher
\newcommand{\thanklesstitle}{}%     full title text minus \thanks{}
\newcommand{\thanklessauthor}{}%    full author text minus \thanks{}
\newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}
\newcommand{\@publisher}{}% full publisher with \thanks{}
\newcommand{\thedate}{\today}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand{\thanks}[1]{\footnote{#1}}
\renewcommand{\LTRthanks}[1]{\LTRfootnote{#1}}
\renewcommand{\RTLthanks}[1]{\RTLfootnote{#1}}
}
\renewcommand{\title}[2][]{%
  \gdef\@title{#2}%
  \begingroup%
    % TODO store contents of \thanks command
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thanklesstitle{#2}%
  \endgroup%
  \ifthenelse{\isempty{#1}}%
    {\renewcommand{\plaintitle}{\thanklesstitle}}% use thankless title
    {\renewcommand{\plaintitle}{#1}}% use provided plain-text title
```

```
  \@ifundefined{hypersetup}%
    {}% hyperref is not loaded; do nothing
    {\hypersetup{pdftitle={\plaintitle}}}% set the PDF metadata title
}
\let\@author\@empty% suppress default latex.ltx ``no author'' warning
\renewcommand{\author}[2][]{%
  \ifthenelse{\isempty{#2}}{}{\gdef\@author{#2}}%
  \begingroup%
    % TODO store contents of \thanks command
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thanklessauthor{#2}%
  \endgroup%
  \ifthenelse{\isempty{#1}}%
    {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
    {\renewcommand{\plainauthor}{#1}}% use provided plain-text author
  \@ifundefined{hypersetup}%
    {}% hyperref is not loaded; do nothing
    {\hypersetup{pdfauthor={\plainauthor}}}% set the PDF metadata author
}
\renewcommand{\date}[1]{%
  \gdef\@date{#1}%
  \begingroup%
    % TODO store contents of \thanks command
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thedate{#1}%
  \endgroup%
}
%%
% Provides a \publisher command to set the publisher
\newcommand{\publisher}[2][]{%
  \gdef\@publisher{#2}%
  \begingroup%
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thanklesspublisher{#2}%
  \endgroup%
  \ifthenelse{\isempty{#1}}
    {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
    {\renewcommand{\plainpublisher}{#1}}% use provided plain-text publisher
}
%%
% Produces a full title page
\newcommand{\maketitlepage}[0]{%
  \cleardoublepage%
  {%
```

```
  \bfseries%
  \begin{fullwidth}%
  \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
  \vspace{11.5pc}%
  \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
  \vfill%
  \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
  \end{fullwidth}%
  }
  \thispagestyle{empty}%
  \clearpage%
}
%%
% Title block
\bidi@AfterEndPreamble{%
\renewcommand{\maketitle}{%
  \newpage%
  \global\@topnum\z@% prevent floats from being placed at the top of the page
  \begingroup%
    \setlength{\parindent}{0pt}%
    \setlength{\parskip}{4pt}%
    \let\@@title\@empty%
    \let\@@author\@empty%
    \let\@@date\@empty%
      \gdef\@@title{\LARGE\itshape\@title\par}%
      \gdef\@@author{\Large\itshape\@author\par}%
      \gdef\@@date{\Large\itshape\@date\par}%
    \@@title%
    \@@author%
    \@@date%
  \endgroup%
  \thispagestyle{plain}% suppress the running head
}%
}
%%
% Title page (if the `titlepage' option was passed to the bidituftetitle-handout
% class.)
\bidi@AfterEndPreamble{%
\ifthenelse{\boolean{@bidituftetitle@titlepage}}
  {\renewcommand{\maketitle}{\maketitlepage}}
  {}
}
%%
% When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
% without headers and footers
\def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
  \hbox{}
  %\vspace*{\fill}
  %\begin{center}
  %  This page intentionally contains only this sentence.
```

```
  %\end{center}
  %\vspace{\fill}
  \thispagestyle{empty}
  \newpage
  \if@twocolumn\hbox{}\newpage\fi\fi\fi}
```

27 File biditufte-handout.cls

```
\NeedsTeXFormat{LaTeX2e}[1994/06/01]
\ProvidesClass{biditufte-handout}[2011/06/18 v0.1 biditufte-handout class]
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
\ProcessOptions\relax
\LoadClass{article}
\RequirePackage{bidituftefloat}
\RequirePackage{bidituftesidenote}
\RequirePackage{bidituftetoc}
\RequirePackage{bidituftegeneralstructure}
\RequirePackage{bidituftehyperref}
\RequirePackage{bidituftetitle}
\renewenvironment{abstract}
  {\begin{quotation}}
  {\end{quotation}}
\AtBeginDocument{%
\IfFileExists{biditufte-handout.cfg}
  {\input{biditufte-handout.cfg}
   \ClassInfo{biditufte-handout}{Loading biditufte-handout configuration file \@gobble}}
  {}%
}
```

28 File biditufte-book.cls

```
\NeedsTeXFormat{LaTeX2e}[1994/06/01]
\ProvidesClass{biditufte-book}[2011/06/18 v0.1 biditufte-book class]
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
\ProcessOptions\relax
\LoadClass{book}
\RequirePackage{bidituftefloat}
\RequirePackage{bidituftesidenote}
\RequirePackage{bidituftetoc}
\RequirePackage{bidituftegeneralstructure}
\RequirePackage{bidituftehyperref}
\RequirePackage{bidituftetitle}
```

```
%%
% Set up any book-specific stuff now
%%
% The front matter in Tufte's /Beautiful Evidence/ contains everything up
% to the opening page of Chapter 1.  The running heads, when they appear,
% contain only the (arabic) page number in the outside corner.
%\newif\if@mainmatter \@mainmattertrue
\renewcommand\frontmatter{%
  \cleardoublepage%
  \@mainmatterfalse%
  \pagenumbering{arabic}%
  %\pagestyle{plain}%
  \fancyhf{}%
    \ifthenelse{\boolean{@bidituftefloat@twoside}}%
    {\fancyhead[LE,RO]{\thepage}}%
    {\fancyhead[RE,RO]{\thepage}}%
}
%%
% The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
% numbering---it continues where it left off in the front matter.
\renewcommand\mainmatter{%
  \cleardoublepage%
  \@mainmattertrue%
  \fancyhf{}%
  \ifthenelse{\boolean{@bidituftefloat@twoside}}%
      {\renewcommand{\chaptermark}[1]{\markboth{##1}{}}%
      \fancyhead[LE]{\thepage\quad\smallcaps{\newlinetospace{\plaintitle}}}% book title
      \fancyhead[RO]{\smallcaps{\newlinetospace{\leftmark}}\quad\thepage}}% chapter title
      {\fancyhead[RE,RO]{\smallcaps{\newlinetospace{\plaintitle}}\quad\thepage}}% book title
}
%%
% The back matter contains appendices, indices, glossaries, endnotes,
% biliographies, list of contributors, illustration credits, etc.
\renewcommand\backmatter{%
  \if@openright%
    \cleardoublepage%
  \else%
    \clearpage%
  \fi%
  \@mainmatterfalse%
}
%%
% Only show the chapter titles in the table of contents
\setcounter{tocdepth}{0}
\AtBeginDocument{%
\IfFileExists{biditufte-book.cfg}
  {\input{biditufte-book.cfg}
   \ClassInfo{biditufte-book}{Loading biditufte-book configuration file \@gobble}}
  {}%
}
```

29 File bidipoem.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidipoem}%
[2014/04/27 v0.9 Environments for typesetting Persian traditional and modern poems]

% Usage:
%
% \Setversedim #1#2  % define the layout (within a group):
% #1 = length of both half-verses
% #2 = separation distance = length of a connection, if present
%  Variant:
% \Setversedim #1[#2]#3  % for half-verses of unequal length
% #1 = length of first (=right) half-verse
% #2 = length of second (=left) half-verse
% #3 = separation distance = length of a connection, if present
%
% \traditionalhalfverses #1#2 % typeset two separated half-verses
% #1 = text of first (=right) half-verse
% #2 = text of second (=left) half-verse
%  Variant:
% \traditionalhalfverses #1[#2]#3 % typeset two connected half-verses
% #1 = text of first (=right) half-verse
% #2 = text of connection
% #3 = text of second (=left) half-verse
%
% Alternative (if preferred):
%
% \traditionalconnverses #1#2#3 % = \traditionalhalfverses #1[#2]#3


\newcommand*{\bidipoem@spreadbox}[2]{\hbox to #1{#2}}

% define the layout, verses will be centered

\newdimen \bidipoem@hvlen \newdimen \bidipoem@hvsep
\newdimen \bidipoem@hvind \newdimen \bidipoem@@hvlen

\newcommand*{\Setversedim}[2]{% set lengths of half-verse, [separation]
\bidipoem@hvind \textwidth
\bidipoem@hvlen #1\relax \advance \bidipoem@hvind -\bidipoem@hvlen
\ifx [#2\def \bidipoem@next {\bidipoem@set@verseI [}\else
\bidipoem@@hvlen \bidipoem@hvlen \def \bidipoem@next {\bidipoem@set@@verse {#2}}\fi \bidipoem@

\def \bidipoem@set@verseI [#1]{% optional parameter
\bidipoem@@hvlen #1\relax \bidipoem@set@@verse }

\newcommand*{\bidipoem@set@@verse}[1]{% separation
\advance \bidipoem@hvind -\bidipoem@@hvlen \bidipoem@hvsep #1\relax
\advance \bidipoem@hvind -\bidipoem@hvsep  \divide \bidipoem@hvind 2 }
```

```
5917
5918 \newcommand*{\traditionalconnverses}[3]{% first half-verse, connection, second half-verse
5919 \ifdim 0pt > \bidipoem@hvind %
5920 \bidipoem@spreadbox \bidipoem@hvlen {#1}\\ \hfill % first block
5921 \else
5922 \noindent \hskip \bidipoem@hvind \relax \bidipoem@spreadbox \bidipoem@hvlen {#1}\fi
5923 \bidipoem@spreadbox \bidipoem@hvsep {#2}% separator
5924 \bidipoem@spreadbox \bidipoem@@hvlen {#3}% second block
5925 \par }
5926
5927 % macro for two half verses
5928 \newcommand*{\traditionalhalfverses}[2]{% optional parameter?
5929 \ifx [#2\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[]%
5930 \else\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[\hfill]{#2}}\fi%
5931 \bidipoem@half@verses@next}
5932
5933 \def \bidipoem@half@verses #1[#2]#3{% first[mid]second
5934 \traditionalconnverses {#1}{#2}{#3}}
5935
5936
5937 {\catcode`\^^M=\active % these lines must end with %
5938   \gdef\traditionalpoem@obeylines{\catcode`\^^M\active \let^^M\traditionalpoem@par}%
5939   \global\let^^M\traditionalpoem@par} % this is in case ^^M appears in a \write
5940 {\catcode`\^^M=\active % these lines must end with %
5941   \gdef\modernpoem@obeylines{\catcode`\^^M\active \let^^M\modernpoem@par}%
5942   \global\let^^M\modernpoem@par} % this is in case ^^M appears in a \write
5943 \def\poemcolsepskip{.1\versewidth plus .1\versewidth minus .05\versewidth}
5944 \def\poemmarginskip{1em plus 1fil minus 1em}
5945 \def\poemextrabaselineskip{0\baselineskip}
5946 \def\poemskip{\medskip}
5947 \newcommand{\bidipoem@openbox}{\leavevmode
5948   \hbox to.77778em{%
5949   \hfil\vrule
5950   \vbox to.675em{\hrule width.6em\vfil\hrule}%
5951   \vrule\hfil}}
5952 \def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
5953 \newdimen\versewidth
5954 \newtoks\bidipoem@p@ftn
5955 \def\poem@verse#1{%
5956 \ifdim\wd#1>\new@poem@width
5957 \xdef\new@poem@width{\the\wd#1}%
5958 \ifdim\new@poem@width>\poem@width
5959 \xdef\poem@width{\new@poem@width}%
5960 \global\let\poem@needrun\relax
5961 \fi
5962 \fi
5963 \hbox to\poem@width{\unhbox#1}%
5964 \global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn%
5965 }
5966 \def\poem@linebegin{\vadjust{}\hskip\@flushglue\hskip\poemmarginskip\relax}
```

```
\def\poem@lineend{\nobreak\hskip\poemmarginskip\hskip\@flushglue\vadjust{}}
\def\poem@lineversesep{%
\nobreak
\hskip\z@ plus 1filll%
\penalty600%
\hskip\poemcolsepskip
\hskip\z@ plus -2filll%
\vadjust{}%
\nobreak
\hskip\z@ plus 1filll%
}
\def\poem@lineparsebegin{%
\halign\bgroup
\global\setbox\verse@i=\hbox{%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\ignorespaces##\unskip}&&
\global\setbox\verse@ii=\hbox{%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\ignorespaces##\unskip}
\cr
}
\def\poem@lineparseend{%
\crcr\egroup
\vskip-\baselineskip
}
\def\traditionalpoem@cr{%
  \cr\poem@line
}
\newbox\verse@i
\newbox\verse@ii
\newif\ifpoem@started

\def\poem@line{%
\poem@lineparseend
```

```
\ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
\ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
\ifpoem@started
  \ifdim\wd\verse@ii>\z@\else
  \nopagebreak[3]
  \fi
  \leavevmode
  \poem@linebegin
  \poem@verse\verse@i
  \ifdim\wd\verse@ii>\z@
  \poem@lineversesep
  \poem@verse\verse@ii
  \fi
  \poem@lineend
%  \nopagebreak
  \par
  \vskip\poemextrabaselineskip
\fi
\poem@lineparsebegin
}
\def\@traditionalpoem{%
\stepcounter{poem@no}
        \ifnum\max@poem@no<\number\c@poem@no%
\xdef\poem@width{\z@}%
        \else
\xdef\poem@width{\poem@prop{poem@width}}%
\fi
\xdef\new@poem@width{\z@}%
\global\versewidth=\poem@width
\poemskip\par
\begingroup
\tabskip=\z@
\parskip=\z@
\parindent=\z@
\parfillskip=\z@
\rightskip=\z@
\leftskip=\z@
\widowpenalty=10000% No break between verses of the same line.
\clubpenalty=10000% Same as above.  Not really needed.
\def\newblock{\hfil\poemblocksep\hfil\null}%
\def\traditionalpoem@par{\traditionalpoem@cr}% Redefine \par for possible \obeylines
\def\\{\global\poem@startedtrue\traditionalpoem@cr}%
\global\poem@startedfalse
\csname poem@obeylines\endcsname
\let\poem@obeylines\relax
\poem@lineparsebegin
}
\def\@endtraditionalpoem{%
\cr
\ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
```

```
\noalign{%
\skip0=\poemextrabaselineskip
\vskip-\skip0
\vskip-\baselineskip
}%
\fi\fi
\poem@lineparseend
\endgroup
\par
\vskip\baselineskip
\poemskip
  \if@noparlist \else
    \ifdim\lastskip >\z@
      \@tempskipa\lastskip \vskip -\lastskip
      \advance\@tempskipa\parskip \advance\@tempskipa -\@outerparskip
      \vskip\@tempskipa
    \fi
    \@endparenv
  \fi
\ifdim\new@poem@width<\poem@width
\global\let\poem@needrun\relax
\fi
        \poem@write@aux{poem@width@\romannumeral\c@poem@no}{\new@poem@width}%
\ifx\AtEndDocument\undefined\poem@finish\fi
}


\long\def\bidipoem@p@ftntext#1{%
  \edef\@tempx{\the\bidipoem@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidipoem@p@ftn\expandafter{\@tempx{#1}}}%
\long\def\bidipoem@p@LTRftntext#1{%
  \edef\@tempxi{\the\bidipoem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidipoem@p@ftn\expandafter{\@tempxi{#1}}}%
\long\def\bidipoem@p@RTLftntext#1{%
  \edef\@tempxii{\the\bidipoem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]
  \global\bidipoem@p@ftn\expandafter{\@tempxii{#1}}}%

\long\def\bidipoem@p@xftntext[#1]#2{%
  \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\footnotetext[#1]{#2}}}

\long\def\bidipoem@p@xLTRftntext[#1]#2{%
  \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\LTRfootnotetext[#1]{#2}}}

\long\def\bidipoem@p@xRTLftntext[#1]#2{%
  \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\RTLfootnotetext[#1]{#2}}}

\def\bidipoem@p@xfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
```

```
    \endgroup
    \@footnotemark\bidipoem@p@xftntext[#1]}

\def\bidipoem@p@xLTRfootnote[#1]{%
    \begingroup
      \csname c@\@mpfn\endcsname #1\relax
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup
    \@footnotemark\bidipoem@p@xLTRftntext[#1]}

\def\bidipoem@p@xRTLfootnote[#1]{%
    \begingroup
      \csname c@\@mpfn\endcsname #1\relax
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup
    \@footnotemark\bidipoem@p@xRTLftntext[#1]}



\newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}
\expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obeyli
\expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
\def\poem@finish{%
\poem@write@aux{max@poem@no}{\number\c@poem@no}%
\ifx\poem@needrun\relax
\PackageWarning{bidipoem}{Unjustified poem.  Rerun XeLaTeX to get poem right}%
\global\let\poem@needrun\undefined
\fi
}
\ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
\newcounter{poem@no}\setcounter{poem@no}{\z@}
\ifx\max@poem@no\undefined
        \def\max@poem@no{0}%
\fi
\newcommand{\poem@prop}[1]{\@nameuse{#1@\romannumeral\c@poem@no}}
\newcommand{\poem@write@aux}[2]{%
        \def\@x{\immediate\write\@auxout{\global\noexpand\@namedef{#1}{#2}}}%
        \@x
}
\def\@modernpoem{%
\par
\begingroup
\parskip=\z@
\parindent=\z@
\def\[{\@settab\@tabplus\ignorespaces}%
\def\]{\@tabminus\ignorespaces}%
\def\newblock{\poemblocksep}%
\let\newpoem@tabcr\@tabcr
\def\modernpoem@par{% Redefine \par for possible \obeylines
  \ifpoem@started\else
```

```
    \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
      \@stopfield
      \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
      \@contfield
    \fi
  \fi
  \ifpoem@started\newpoem@tabcr\fi}%
\def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
\global\poem@startedfalse
\csname poem@obeylines\endcsname
\let\poem@obeylines\relax
\begin{tabbing}%
}
\def\@endmodernpoem{%
\global\poem@startedfalse
\ifdim\wd\@curline>\z@\global\poem@startedtrue\else
  \@stopfield
  \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
  \@contfield
\fi
\ifpoem@started\else\let\@stopline\@stopfield\fi
\end{tabbing}%
\endgroup
\par
  \if@noparlist \else
    \ifdim\lastskip >\z@
      \@tempskipa\lastskip \vskip -\lastskip
      \advance\@tempskipa\parskip \advance\@tempskipa -\@outerparskip
      \vskip\@tempskipa
    \fi
    \@endparenv
  \fi
}
\newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
\expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\moderr
\expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
\gdef\@startfield{%
\global\setbox\@curfield\hbox\bgroup%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\color@begingroup}
\gdef\@stopfield{%
  \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}
```

```
\gdef\@contfield{%
\global\setbox\@curfield\hbox\bgroup%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\color@begingroup\unhbox\@curfield}
```

30 File boek3-xetex-bidi.def

```
\ProvidesFile{boek3-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek3 class for XeTe
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
```

```
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty{-\@highpenalty}%
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\if@oldtoc
\renewcommand*\l@chapter[2]{%
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup}
\else
  \renewcommand*\l@chapter{\@regtocline{0}}
\fi
\renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont \abstractname}
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
```

```
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
```

```
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
```

31 File boek-xetex-bidi.def

```
\ProvidesFile{boek-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek class for XeTeX e
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
```

```
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\else
  \renewcommand*\l@part{%
    \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
```

```
      \addvspace{2.25em \@plus \p@}%
      \@regtocline{0}%
    \fi}
\fi
\if@oldtoc
\renewcommand*\l@chapter[2]{%
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup}
\else
  \renewcommand*\l@chapter{\@regtocline{0}}
\fi
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont \abstractname}
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
```

```
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
```

```
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
```

32 File bookest-xetex-bidi.def

```
\ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for X
\def\@makechapterhead#1{%
  \vspace*{20\p@}
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
      \if@mainmatter
        {\colorA\huge\scshape \@chapapp\space \thechapter}
        \par\nobreak
        \vskip 10\p@
      \fi
    \fi
    \interlinepenalty\@M
  {\colorB\hrule}
  \vskip 15\p@
   \if@RTL\begin{flushleft}\else\begin{flushright}\fi
     {\colorA\Huge \bfseries #1}\par\nobreak
   \if@RTL\end{flushleft}\else\end{flushright}\fi
  \vskip 5\p@
  {\colorB\hrule}
  \vskip 30\p@
  }}
\def\@makeschapterhead#1{%
  \vspace*{20\p@}
  {\parindent \z@ \raggedright \normalfont
  {\colorB\hrule}
```

```
  \vskip 15\p@
   \begin{center}
     {\colorA\Huge \bfseries #1}\par\nobreak
   \end{center}
  \vskip 5\p@
  {\colorB\hrule}
  \vskip 30\p@
  }}
```

33 File book-xetex-bidi.def

```
\ProvidesFile{book-xetex-bidi.def}[2017/06/09 v1.0 bidi adaptations for standard book class fo
\renewenvironment{theindex}
                {\if@twocolumn
                   \@restonecolfalse
                 \else
                   \@restonecoltrue
                 \fi
                 \columnseprule \z@
                 \columnsep 35\p@
                 \twocolumn[\@makeschapterhead{\indexname}]%
                 \@mkboth{\MakeUppercase\indexname}%
                         {\MakeUppercase\indexname}%
                 \thispagestyle{plain}\parindent\z@
                 \parskip\z@ \@plus .3\p@\relax
                 \let\item\@idxitem}
                {\if@restonecol\onecolumn\else\clearpage\fi}
\@ifclassloaded{bookest}{}{%
  \if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
```

```
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
```

```
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi}
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \setlength\@tempdima{3em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\renewcommand*\l@chapter[2]{%
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
```

```
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
      \penalty\@highpenalty
    \endgroup
  \fi}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\def\@makechapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
      \if@mainmatter
        \huge\bfseries \@chapapp\space \thechapter
        \par\nobreak
        \vskip 20\p@
      \fi
    \fi
    \interlinepenalty\@M
    \Huge \bfseries #1\par\nobreak
    \vskip 40\p@
  }}
\def\@makeschapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
    \Huge \bfseries  #1\par\nobreak
    \vskip 40\p@
  }}
\renewcommand\backmatter{%
  \if@openright
    \cleardoublepage
  \else
```

```
    \clearpage
  \fi
  \@mainmatterfalse}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
      \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy
      \clubpenalty4000
      \@clubpenalty \clubpenalty
      \widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

34 File breqn-xetex-bidi.def

```
\ProvidesFile{breqn-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for breqn package for XeT
\def\@dmath[#1]{\if@RTL\@RTLfalse\fi%
  \everydisplay\expandafter{\the\everydisplay \display@setup}%
  \if@noskipsec \leavevmode \fi
  \if@inlabel \leavevmode \global\@inlabelfalse \fi
  \if\eq@group\else\eq@prelim\fi
  \setkeys{breqn}{#1}%
  \the\eqstyle
  \eq@setnumber
  \begingroup
  \eq@setup@a
  \eq@startup
}
\def\@dgroup[#1]{\if@RTL\@RTLfalse\fi%
  \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
  \global\GRP@queue\@emptytoks \global\setbox\GRP@box\box\voidb@x
  \global\let\GRP@label\@empty
  \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
  \global\grp@linewidth\z@\global\grp@wdNum\z@
  \global\let\grp@eqs@numbered\@False
  \global\let\grp@aligned\@True
  \global\let\grp@shiftnumber\@False
  \eq@prelim
```

```
  \setkeys{breqn}{#1}%
  \if\grp@hasNumber \grp@setnumber \fi
}
\def\@dseries[#1]{\if@RTL\@RTLfalse\fi%
  \let\display@setup\dseries@display@setup
  % Question: should this be the default for dseries???
  \global\eq@wdCond\z@
  \@dmath[layout={M},#1]%
  \mathsurround\z@\@@math \penalty\@Mi
  \let\endmath\ends@math
  \def\premath{%
    \ifdim\lastskip<.3em \unskip
    \else\ifnum\lastpenalty<\@M \dquad\fi\fi
}%
  \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
\ignorespaces
}
\def\eqnumform#1{\if@nonlatin\beginR\@RTLtrue\fi(#1\@@italiccorr)\if@nonlatin\endR\fi}
\renewenvironment{dsuspend}{%
  \global\setbox\EQ@box\vbox\bgroup\if@nonlatin\@RTLtrue\fi \@parboxrestore
    \parshape 1 \displayindent \displaywidth\relax
    \hsize=\columnwidth \noindent\ignorespaces
}{%
  \par\egroup
  \global\setbox\GRP@box\vbox{%
    \hbox{\copy\EQ@box\vtop{\unvbox\EQ@box}}%
    \unvbox\GRP@box
  }%
  \global\GRP@queue\@xp{\the\GRP@queue
     \@elt{\let\eq@isIntertext\@True}%
  }%
}
```

35 File cals-xetex-bidi.def

```
\ProvidesFile{cals-xetex-bidi.def}[2016/11/30 v0.4 bidi adaptations for cals package for XeTeX
\renewcommand\cals@setup@alignment[1]{%
\if c#1\relax \cals@vfillAdd \leftskip \cals@vfillAdd \rightskip \fi
\if l#1\relax \cals@vfillDrop\leftskip \cals@vfillDrop\rightskip \fi
\if r#1\relax \cals@vfillAdd \leftskip \cals@vfillDrop\rightskip \fi
}
\renewcommand\cals@table@alignment{\if@RTLtab r\else l\fi}
\renewenvironment{calstable}[1][\cals@table@alignment]{%
\if@RTLtab\cals@activate@rtl\fi
\let\cals@thead@tokens=\relax
\let\cals@tfoot@tokens=\relax
\let\cals@tbreak@tokens=\relax
\cals@tfoot@height=0pt \relax
\let\cals@last@context=n%
\let\cals@current@context=b%
```

```
\parindent=0pt \relax%
\cals@setup@alignment{#1}%
\cals@setpadding{Ag}\cals@setcellprevdepth{Al}\cals@set@tohsize%
%% Alignment inside is independent on center/flushright outside
\parfillskip=0pt plus1fil\relax
\let\cals@borderL=\relax
\let\cals@borderR=\relax
\let\cals@borderT=\relax
\let\cals@borderB=\relax
\setbox\cals@backup@row=\box\voidb@x\relax
\cals@AtBeginTable
}{% End of the table
\cals@tfoot@tokens\lastrule\cals@AtEndTable}
\renewcommand\alignL{%
\if@RTLtab
  \cals@vfillAdd\cals@paddingL
\else
  \cals@vfillDrop\cals@paddingL
\fi
\cals@vfillDrop\cals@paddingR}
\renewcommand\alignR{%
\if@RTLtab
  \cals@vfillDrop\cals@paddingL
\else
  \cals@vfillAdd\cals@paddingL
\fi
\cals@vfillDrop\cals@paddingR}
```

36 File caption-xetex-bidi.def

```
\ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package for
\let\@makecaption\caption@makecaption
```

37 File caption3-xetex-bidi.def

```
\ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package f
\renewcommand*\caption@@par{%
  \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%
```

38 File colortbl-xetex-bidi.def

```
\ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package f
\def\CT@setup{%
  \@tempdimb\col@sep
  \@tempdimc\col@sep
  \def\CT@color{%
    \global\let\CT@do@color\CT@@do@color
    \bidicolor}}
\def\@classz{\@classx
   \@tempcnta \count@
```

```
    \prepnext@tok
\expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
    \@addtopreamble{\if@RTLtab\beginL\fi%
     \setbox\z@\hbox\bgroup\bgroup\if@RTLtab\beginR\fi
       \ifcase \@chnum
       \hskip\stretch{.5}\kern\z@
       \d@llarbegin
       \insert@column
       \d@llarend\hskip\stretch{.5}\or
       \d@llarbegin \insert@column \d@llarend \hfill \or
       \hfill\kern\z@ \d@llarbegin \insert@column \d@llarend \or
    $\vcenter
    \@startpbox{\@nextchar}\insert@column \@endpbox $\or
    \vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
    \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
  \fi
 \if@RTLtab\endR\fi\egroup\egroup
\begingroup
  \CT@setup
  \CT@column@color
  \CT@row@color
  \CT@cell@color
  \CT@do@color
\endgroup
        \@tempdima\ht\z@
        \advance\@tempdima\minrowclearance
        \vrule\@height\@tempdima\@width\z@
        \unhbox\z@\if@RTLtab\endL\fi}%
  \prepnext@tok}
```

39 File color-xetex-bidi.def

```
\ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for XeT
\long\def\color@b@x#1#2#3{%
 \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
 \setbox\z@\hbox{\kern\fboxsep{\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
 \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
 \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
 {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}%
       \box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
\def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\
\DeclareRobustCommand\color{%
  \ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}
\def\@declaredcolor#1{%
  \@ifundefined{\string\color @#1}%
    {\c@lor@error{`#1'}}%
    {\expandafter\let\expandafter\current@color
     \csname\string\color @#1\endcsname
     \set@color}%
  \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
```

```
\def\@undeclaredcolor[#1]#2{%
  \@ifundefined{color@#1}%
    {\c@lor@error{model `#1'}}%
    {\csname color@#1\endcsname\current@color{#2}%
     \set@color}%
  \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\DeclareRobustCommand\bidicolor{%
  \@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
\def\@bidiundeclaredcolor[#1]#2{%
  \@ifundefined{color@#1}%
    {\c@lor@error{model `#1'}}%
    {\csname color@#1\endcsname\current@color{#2}%
     \set@color}%
  \ignorespaces}
\def\@bidideclaredcolor#1{%
  \@ifundefined{\string\color @#1}%
    {\c@lor@error{`#1'}}%
    {\expandafter\let\expandafter\current@color
     \csname\string\color @#1\endcsname
     \set@color}%
  \ignorespaces}
\def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
\def\color@fbox#1#2#3{%
  \color@b@x{\fboxsep\z@\bidicolor#1{#2}\fbox}{\bidicolor#1{#3}}}
\def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode\
```

40 File combine-xetex-bidi.def

```
\ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for X
\renewcommand{\c@ll@chapsecii}[2]{%
  \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
  \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
  #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
}
\renewcommand{\c@ll@chapseci}{%
  \setlength\@tempdima{0em}%
  \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode
}
\renewenvironment{tocindent}[1]{%
  \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{}
```

41 File crop-xetex-bidi.def

```
\ProvidesFile{crop-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for crop package for XeTeX
\renewcommand*\CROP@@ulc{%
   \if@RTLmain%
       \begin{picture}(0,0)
```

```
        \unitlength\p@\thinlines
        \put(-40,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
        \put(-35,0){\line(1,0){30}}
        \put(-10,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
   \else%
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(-30,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
        \put(-35,0){\line(1,0){30}}
        \put(0,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
    \fi%
}
\renewcommand*\CROP@@urc{%
   \if@RTLmain%
       \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(20,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(-10,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
   \else%
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(30,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(0,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
    \fi%
}
\renewcommand*\CROP@@llc{%
   \if@RTLmain%
       \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(-40,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
        \put(-35,0){\line(1,0){30}}
```

```
        \put(-10,-30){\circle{10}}
        \put(-5,-30){\line(1,0){10}}
        \put(0,-35){\line(0,1){30}}
    \end{picture}%
  \else%
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(-30,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
        \put(-35,0){\line(1,0){30}}
        \put(0,-30){\circle{10}}
        \put(-5,-30){\line(1,0){10}}
        \put(0,-35){\line(0,1){30}}
    \end{picture}%
    \fi%
}
\renewcommand*\CROP@@lrc{%
    \if@RTLmain%
        \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(20,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(-10,-30){\circle{10}}
        \put(-5,-30){\line(1,0){10}}
        \put(0,-35){\line(0,1){30}}
    \end{picture}%
    \else%
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(30,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(0,-30){\circle{10}}
        \put(-5,-30){\line(1,0){10}}
        \put(0,-35){\line(0,1){30}}
    \end{picture}%
    \fi%
}
\@ifpackagewith{crop}{cam}{%
\CROP@execopt{cam}%
}{}
```

42 File cutwin-xetex-bidi.def

```
\ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for X
\renewcommand*{\c@twcompctr}[2]{%
  \def\c@twfirst{1}
  \loop\advance\c@twwinlines\m@ne
  \setbox\c@twslicea=\vsplit#1 to\baselineskip
```

```
  \setbox\c@twsliceb=\vsplit#1 to\baselineskip
  \c@twprune{\c@twslicea}{\c@twlftside}%
  \c@twprune{\c@twsliceb}{\c@twrtside}%
  \ifnum\c@twfirst=\@ne
    \setbox#2=\vbox{\unvbox#2\hbox
    to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@twsl
  \else
    \setbox#2=\vbox{\unvbox#2\hbox
    to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box
  \fi
  \def\c@twfirst{2}
  \ifnum\c@twwinlines>\z@\repeat}
\renewcommand*{\c@twcompoddctr}[2]{%
  \def\c@twrounds{1}
  \def\c@twfirst{1}
  \@for\c@twlspec:=\c@twb\do{%
    \ifnum\c@twrounds=1
      \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
      \c@twprune{\c@twslicea}{\c@twlspec}%
      \def\c@twrounds{2}
    \else
      \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
      \c@twprune{\c@twsliceb}{\c@twlspec}%
      \ifnum\c@twfirst=1
        \setbox#2=\vbox{\unvbox#2\hbox
        to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\bo
        \def\c@twfirst{2}
      \else
        \setbox#2=\vbox{\unvbox#2\hbox
        to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else
      \fi
      \def\c@twrounds{1}
    \fi}}
```

43 File cuted-xetex-bidi.def

```
\ProvidesFile{cuted-xetex-bidi.def}[2017/05/06 v0.6 bidi adaptations for cuted package for XeT

\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
```

```
  \ifx\@firstcolfirstmark\@empty
    \global\let\@setmarks\relax
  \else
    \gdef\@setmarks{%
      \let\firstmark\@firstcolfirstmark
      \let\topmark\@firstcoltopmark}%
  \fi
\else
  \global\@firstcolumntrue
  \setbox\@outputbox\vbox{%
   \hb@xt@\textwidth{%
     \hskip \columnwidth
     \hfil
     {\normalcolor\vrule \@width\columnseprule}%
     \hfil
      \hb@xt@\columnwidth{%
      \bidi@firstcolumn@status@write%
      \box\@leftcolumn \hss}%
      \hskip -\textwidth
     \hb@xt@\columnwidth{%
     \bidi@lastcolumn@status@write%
     \box\@outputbox \hss}%
     \hskip \columnsep
    \hskip \columnwidth }}%
  \ifvoid\hold@viper
  \else
    \setbox\@outputbox \vbox to\textheight{%
                           \box\hold@viper
                           \box\@outputbox
                           \vss
                           }%
  \fi
\@combinedblfloats
  \@setmarks
  \@outputpage
  \begingroup
    \@dblfloatplacement
    \@startdblcolumn
    \@whilesw\if@fcolmade \fi{\@outputpage
   \@startdblcolumn}%
    \ifvoid\@viper
    \else
      \global\setbox\@viper\vbox{%
                 \vskip-\stripsep
                 \unvbox\@viper
                 }%
      \@viperoutput
    \fi
  \endgroup
\fi}%
```

```
\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hfil
        {\normalcolor\vrule \@width\columnseprule}%
        \hfil
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
       \box\@outputbox \hss}}}%
    \ifvoid\hold@viper
    \else
      \setbox\@outputbox \vbox to\textheight{%
                              \box\hold@viper
                              \box\@outputbox
                              \vss
                              }%
    \fi
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
      \ifvoid\@viper
```

```
      \else
        \global\setbox\@viper\vbox{%
                  \vskip-\stripsep
                  \unvbox\@viper
                  }%
        \@viperoutput
      \fi
    \endgroup
  \fi}%


\def \@addviper {%
   \if@firstcolumn
     \@insertfalse
     \@reqcolroom .5\@pageht
     \ht@viper\@reqcolroom
     \advance \@reqcolroom \ht\@viper
     \advance \@reqcolroom \stripsep
     \ifvoid\hold@viper\@tempdima=\z@\else\@tempdima\ht\hold@viper\fi
%%
     \@tempdimb \ht@viper
     \loop
     \setbox\v@aaa\copy\@holdpg
     \setbox\v@ccc\vbox to\@tempdimb{%
               \vsplit\v@aaa to\@tempdimb\vss\vsplit\v@aaa to\@tempdimb}%
     \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
     \ifvoid\v@aaa \else \advance\@tempdimb 1pt \repeat
     \loop
     \setbox\v@aaa\copy\@holdpg
     \setbox\v@ccc\vbox to\@tempdimb{%
               \vsplit\v@aaa to\@tempdimb\vss}%
     \wlog{(2)Left:\the\ht\v@ccc\space Right:\the\ht\v@aaa\space Output:\the\@tempdimb}%
     \ifdim \ht\v@ccc<\ht\v@aaa \@tempdimb \the\ht\v@aaa \repeat
     \wlog{- LAST -^^JLeft:\the\ht\v@ccc^^JRight:\the\ht\v@aaa^^JOutput:\the\@tempdimb}%
     \setbox\v@ccc\vbox to\@tempdimb{%
               \vsplit\@holdpg to\@tempdimb\vss}%
%%
     \setbox\@tempboxa \vbox {%
        \hb@xt@\textwidth {%
          \if@RTLmain%
          \hskip \columnwidth
           \hfil \vrule width\columnseprule \hfil
            \hb@xt@\columnwidth {%
                    \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
             \hskip -\textwidth
             \hb@xt@\columnwidth {%
                    \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
              \hskip \columnsep
              \hskip \columnwidth
               \else%
```

```
7325                \hb@xt@\columnwidth {%
7326                    \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7327                    \hfil
7328                    \vrule \@width\columnseprule
7329                    \hfil
7330                    \hb@xt@\columnwidth {%
7331                    \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
7332                          \fi}%
7333                       }%
7334    \ifvoid\hold@viper
7335       \global\setbox\hold@viper \vbox {%
7336                \unvbox\@tempboxa
7337                \penalty\interlinepenalty
7338                \vskip\stripsep
7339                \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7340                \outputpenalty \z@
7341                        }%
7342    \else
7343       \global\setbox\hold@viper \vbox {%
7344                \unvbox\hold@viper
7345                \unvbox\@tempboxa
7346                \penalty\interlinepenalty
7347                \vskip\stripsep
7348                \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7349                \outputpenalty \z@
7350                        }%
7351    \fi
7352    \ifdim \@colroom>\@reqcolroom
7353       \global\setbox\hold@viper \vbox {%
7354                \unvbox\hold@viper
7355                \box\@viper
7356                \penalty\interlinepenalty
7357                \vskip\stripsep
7358                \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7359                \outputpenalty \z@
7360                        }%
7361       \@inserttrue
7362       \advance\@tempdima by-\ht\hold@viper
7363       \global \advance \@colht \@tempdima
7364       \ifdim \@colht<2.5\baselineskip
7365          \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
7366               too tall on page \thepage (1 stulpelis)}%
7367          \@emptycol
7368          \if@firstcolumn
7369          \else
7370            \@emptycol
7371          \fi
7372          \global\@lastvipertrue
7373       \else
7374          \global \vsize \@colht
```

```
          \global \@colroom \@colht
          \check@floats
          \ifdim\@tempdima>\z@
                  \global\advance\@colroom by-\@tempdima
          \fi
          \ifdim\@colroom<\z@
                  \global\@colroom 1pt
                  \ifdim\@tempdima>\@colht
                     \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
                                netelpa lape \thepage (1 stulpelis)}%
                  \fi
                  \@emptycol
                  \if@firstcolumn
                  \else
                    \@emptycol
                  \fi
                  \global\@lastvipertrue
          \fi
        \fi
    \fi
  \else
    \@insertfalse
    \@reqcolroom\@colht
    \advance\@reqcolroom \@pageht
    \ht@viper.5\@reqcolroom
    \@reqcolroom\ht@viper
    \advance \@reqcolroom \ht\@viper
    \advance \@reqcolroom \stripsep
     \if@flushend@auto@baselineskip
       \setbox\@tempboxa\vbox{\unvcopy\@leftcolumn
         \global\lastskip@d\lastskip
         \global\lastskip@b\lastskip
         \loop
           \global\lastskip@a\lastskip@b
           \unskip\unpenalty
           \global\lastskip@b\lastskip
           \global\advance\lastskip@d by\lastskip
         \ifdim\lastskip@b=-\lastskip@a
           \global\advance\lastskip@d by-\lastskip
         \else
         \repeat
         \ifdim\lastskip@b=-\lastskip@a
           \ifdim\lastskip@b=\z@
             \setbox\lastbox@a\lastbox
             \global\advance\lastskip@d by\ht\lastbox@a
             \global\advance\lastskip@d by\lastskip
             \unskip\unpenalty
             \setbox\lastbox@a\lastbox
             \global\advance\lastskip@d by\dp\lastbox@a
           \else
```

```
            \global\lastskip@d\lastskip
            \global\advance\lastskip@d by\topskip
          \fi
        \fi
        \global\advance\lastskip@d by-\topskip
        }%
      \ifdim\ht\@holdpg>\@colht
        \global\setbox\@holdpg\vbox{\unvbox\@leftcolumn\unskip\unpenalty
          \par\eject
          \vbox to \@colht{\unvbox\@holdpg\unskip}%
          }%
      \else
        \global\setbox\@holdpg\vbox{%
          \unvbox\@leftcolumn\unskip\unpenalty
          \vskip\lastskip@d
          \the\At@ViperColsBreak
          \unvbox\@holdpg
          \unskip
          }%
      \fi
    \else
      \global\setbox\@holdpg\vbox{%
               \unvbox\@leftcolumn
               \setbox\@tempboxa\lastbox
               \on@stripcols@break
               \the\At@ViperColsBreak
               \unvbox\@holdpg
               }%
    \fi
    \global\At@ViperColsBreak{}%
    \ht@viper .5\ht\@holdpg
    \ifdim \ht@viper>\@colht
       \ht@viper \@colht
    \fi
    \ifvoid\hold@viper\@tempdima=\z@\else\@tempdima\ht\hold@viper\fi
%%
    \@tempdimb \ht@viper
    \loop
      \setbox\v@aaa\copy\@holdpg
      \setbox\v@ccc\vbox to\@tempdimb{%
               \vsplit\v@aaa to\@tempdimb
               \vss
               \vsplit\v@aaa to\@tempdimb
               }%
      \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
    \ifvoid\v@aaa
    \else
      \advance\@tempdimb 1\p@
    \repeat
    \loop
```

```
  \setbox\v@aaa\copy\@holdpg
  \setbox\v@ccc\vbox to\@tempdimb{\vsplit\v@aaa to\@tempdimb\vss}%
  \wlog{(2)Left:\the\ht\v@ccc\space
          Right:\the\ht\v@aaa\space
         Output:\the\@tempdimb
       }%
\ifdim\ht\v@ccc<\ht\v@aaa
  \@tempdimb \the\ht\v@aaa
\repeat
\wlog{- LAST -^^JLeft:\the\ht\v@ccc
            ^^JRight:\the\ht\v@aaa
           ^^JOutput:\the\@tempdimb
     }%
\setbox\v@ccc\vbox to\@tempdimb{\vsplit\@holdpg to\@tempdimb\vss}%
\setbox\@tempboxa\vbox{%
   \hb@xt@\textwidth {%
      \if@RTLmain%
      \hskip \columnwidth
      \hfil \vrule width\columnseprule \hfil
      \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
      \hskip -\textwidth
      \hb@xt@\columnwidth {\vbox to\ht@viper{\box\@holdpg\vss} \hss}%
      \hskip \columnsep
      \hskip \columnwidth
      \else
       \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
       \hfil
       \vrule \@width\columnseprule
       \hfil
       \hb@xt@\columnwidth {\vbox to\ht@viper{\box\@holdpg\vss} \hss}%
      \fi%
       }%
   }%
\ifvoid\hold@viper
   \global\setbox\hold@viper \vbox {%
           \unvbox\@tempboxa
           \penalty\interlinepenalty
           \vskip\stripsep
           \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
           \outputpenalty \z@
                   }%
\else
   \global\setbox\hold@viper \vbox {%
           \unvbox\hold@viper
           \unvbox\@tempboxa
           \penalty\interlinepenalty
           \vskip\stripsep
           \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
           \outputpenalty \z@
                   }%
```

```
    \fi
    \ifdim \@colht>\@reqcolroom
       \global\setbox\hold@viper \vbox {%
               \unvbox\hold@viper
               \box\@viper
               \penalty\interlinepenalty
               \vskip\stripsep
               \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
               \outputpenalty \z@
                       }%
       \@inserttrue
       \global\@firstcolumntrue
       \advance\@tempdima by-\ht\hold@viper
       \global \advance \@colht \@tempdima
       \ifdim \@colht<2.5\baselineskip
           \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
                                    too tall on page \thepage (2 stulpelis)}%
           \@emptycol
           \if@firstcolumn
           \else
               \@emptycol
           \fi
           \global\@lastvipertrue
       \else
           \global \vsize \@colht
           \global \@colroom \@colht
           \check@floats
           \ifdim\@tempdima>\z@
               \global\advance\@colroom by-\@tempdima
           \fi
           \ifdim\@colroom<\z@
               \global\@colroom 1pt
               \ifdim\@tempdima>\@colht
               \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
                                netelpa lape \thepage (2 stulpelis)}%
               \fi
               \@emptycol
               \if@firstcolumn
               \else
                   \@emptycol
               \fi
               \global\@lastvipertrue
           \fi
       \fi
    \fi
\fi
\if@insert
\else
    \advance\@tempdima by-\ht\hold@viper
    \global \advance \@colht \@tempdima
```

```
      \global\setbox\hold@viper \vbox {%
                                        \unvbox\hold@viper
                                        \csname viper@top@hook\endcsname
                                        \vsplit\@viper to \@colht
                                        \vss
                                       }%
      \vbox{}%
      \global\@firstcolumnfalse
      \newpage
  \fi
  }
```

44 File cvthemebidicasual.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{cvthemebidicasual}
\DeclareOption{blue}{}
\newif\if@colourorange\@colourorangefalse
\DeclareOption{orange}{\@colourorangetrue}
\newif\if@colourgreen\@colourgreenfalse
\DeclareOption{green}{\@colourgreentrue}
\newif\if@colourred\@colourredfalse
\DeclareOption{red}{\@colourredtrue}
\newif\if@colourgrey\@colourgreyfalse
\DeclareOption{grey}{\@colourgreytrue}
\DeclareOption*{
  \PackageWarning{cvthemebidicasual}{Unknown option `\CurrentOption'}}
\ExecuteOptions{colour}
\ProcessOptions\relax
\renewcommand*{\listitemsymbol}{\textbullet}
\definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
\familynamecolour{808080}
\firstnamecolour{A9A9A9}
\quotecolour{696969}
\addresscolour{696969}
\definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
\sectiontitlecolour{1E90FF}
\subsectioncolour{4682B4}
\definecolor{rulecolour}{gray}{0.6}
\definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
\definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
\if@colourorange
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
  \sectiontitlecolour{FF8C00}
  \subsectioncolour{FF8C00}
  \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
  \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
\if@colourgreen
  \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
```

```
  \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
  \sectiontitlecolour{008000}
  \subsectioncolour{008000}
  \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
  \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
\if@colourred
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
  \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
  \sectiontitlecolour{FF0000}
  \subsectioncolour{FF0000}
  \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
  \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
\if@colourgrey
  \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
  \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
  \sectiontitlecolour{808080}
  \subsectioncolour{808080}
  \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
  \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
\renewcommand*{\ttdefault}{pcr}
\renewcommand*{\firstnamefont}{\fontsize{38}{40}\mdseries\upshape}
\renewcommand*{\familynamefont}{\firstnamefont}
\renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
\renewcommand*{\quotefont}{\large\slshape}
\renewcommand*{\sectionfont}{\Large\mdseries\upshape}
\renewcommand*{\subsectionfont}{\large\mdseries\upshape}
\renewcommand*{\maketitle}{%
  {%
    \ifthenelse{\isundefined{\@photo}}%
      {}%
      {{\color{firstnamecolor}\framebox{\includegraphics[width=\@photowidth]{\@photo}}}}%
    \hfill%
    \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}}\\[-.35em]}%
   {\color{firstnamecolor}\rule{\textwidth}{.25ex}\\[2.5em]}%
  \ifthenelse{\isundefined{\@quote}}%
    {}%
    {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\\[2
  }%
\newif\if@firstfooterelement\@firstfooterelementtrue
\providecommand*{\footersymbol}{}
\renewcommand*{\footersymbol}{%
  \if@firstfooterelement%
  \else%
    { ~~\color{footersymbolcolor}\textbullet~~~}\fi}
\providecommand*{\makefooter}{}
\renewcommand*{\makefooter}{%
  \fancypagestyle{plain}{%
    \fancyfoot[c]{%
      \parbox{0.8\textwidth}{%
      \centering%
```

```
      \addressfont\@addresscolour%
      \ifthenelse{\isundefined{\@address}}{}{%
        \addresssymbol~\@address\\%
        \@firstfooterelementfalse}%
      \ifthenelse{\isundefined{\@mobile}}{}{\mobilesymbol~\@mobile\@firstfooterelementfalse}%
      \ifthenelse{\isundefined{\@phone}}{}{\footersymbol\phonesymbol~\@phone\@firstfootereleme
      \ifthenelse{\isundefined{\@fax}}{}{\footersymbol\faxsymbol~\@fax\@firstfooterelementfals
      \ifthenelse{\isundefined{\@email}}{}{\footersymbol\emailsymbol~\emaillink{\@email}\@firs
      \ifthenelse{\isundefined{\@extrainfo}}{}{\footersymbol\@extrainfo\@firstfooterelementfal
  }%
  \pagestyle{plain}}
\AtBeginDocument{\makefooter}
```

45 File cvthemebidiclassic.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{cvthemebidiclassic}
\DeclareOption{blue}{}
\newif\if@colourorange\@colourorangefalse
\DeclareOption{orange}{\@colourorangetrue}
\newif\if@colourgreen\@colourgreenfalse
\DeclareOption{green}{\@colourgreentrue}
\newif\if@colourred\@colourredfalse
\DeclareOption{red}{\@colourredtrue}
\newif\if@colourgrey\@colourgreyfalse
\DeclareOption{grey}{\@colourgreytrue}
\DeclareOption*{
  \PackageWarning{cvthemebidiclassic}{Unknown option `\CurrentOption'}}
\ExecuteOptions{colour}
\ProcessOptions\relax
\renewcommand*{\listitemsymbol}{\textbullet}
\firstnamecolour{}
\familynamecolour{}
\titlecolour{808080}
\quotecolour{696969}
\addresscolour{696969}
\definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}
\definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
\sectiontitlecolour{1E90FF}
\subsectioncolour{4682B4}
\if@colourorange
  \addresscolour{FF8C00}
  \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
  \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
  \sectiontitlecolour{FF8C00}
  \subsectioncolour{FF8C00}\fi
\if@colourgreen
  \addresscolour{008000}
  \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
  \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
```

```
  \sectiontitlecolour{008000}
  \subsectioncolour{008000}\fi
\if@colourred
  \addresscolour{FF0000}
  \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
  \sectiontitlecolour{FF0000}
  \subsectioncolour{FF0000}\fi
\if@colourgrey
  \addresscolour{808080}
  \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
  \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
  \sectiontitlecolour{808080}
  \subsectioncolour{808080}\fi
\renewcommand*{\ttdefault}{pcr}
\renewcommand*{\firstnamefont}{\fontsize{34}{36}\mdseries\upshape}
\renewcommand*{\titlefont}{\LARGE\mdseries\slshape}
\renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
\renewcommand*{\familynamefont}{\firstnamefont}
\renewcommand*{\quotefont}{\large\slshape}
\renewcommand*{\sectionfont}{\Large\mdseries\upshape}
\renewcommand*{\subsectionfont}{\large\mdseries\upshape}
\newlength{\maketitlenamemaxwidth}
\setlength{\maketitlenamemaxwidth}{.525\textwidth}
\newlength{\maketitlenamefullwidth}
\settowidth{\maketitlenamefullwidth}{\firstnamestyle{\@firstname~}\familynamestyle{\@familynar
\newlength{\maketitlenamewidth}
\ifnum\maketitlenamemaxwidth<\maketitlenamefullwidth\setlength{\maketitlenamewidth}{\maketitle
\newlength{\maketitlepicturewidth}
\setlength{\maketitlepicturewidth}{\@photowidth}
\newlength{\maketitledetailswidth}
\renewcommand*{\recomputethemelengths}{%
  \setlength{\maketitledetailswidth}{\textwidth}%
  \addtolength{\maketitledetailswidth}{-\maketitlenamewidth}%
  \addtolength{\maketitledetailswidth}{-\separatorcolumnwidth}%
  \addtolength{\maketitledetailswidth}{-\maketitlepicturewidth}}
\recomputethemelengths
\newif\if@firstdetailselement\@firstdetailselementtrue
\newcommand*{\maketitledetailsnewline}{
  \if@firstdetailselement%
    \@firstdetailselementfalse%
  \else%
    \\[.2em]\fi}
\renewcommand*{\maketitle}{%
  % name and title
  \begin{minipage}[b]{\maketitlenamewidth}%
    \firstnamestyle{\@firstname~}\familynamestyle{\@familyname}%
    \ifthenelse{\equal{\@title}{}}{}{\\[1.25em]\titlestyle{\@title}}%
  \end{minipage}%
  % optional data
```

```
\begin{minipage}[b]{\maketitledetailswidth}%
  \bidi@raggedleft\addressfont\@addresscolour%
 \ifthenelse{\isundefined{\@address}}{}{%
    \maketitledetailsnewline%
    \addresssymbol~\\\@address}%
  \ifthenelse{\isundefined{\@mobile}}{}{\maketitledetailsnewline\mobilesymbol~\@mobile}%
  \ifthenelse{\isundefined{\@phone}}{}{\maketitledetailsnewline\phonesymbol~\@phone}%
  \ifthenelse{\isundefined{\@fax}}{}{\maketitledetailsnewline\faxsymbol~\@fax}%
  \ifthenelse{\isundefined{\@email}}{}{\maketitledetailsnewline\emailsymbol~\emaillink{\@ema
  \ifthenelse{\isundefined{\@extrainfo}}{}{\maketitledetailsnewline\@extrainfo}%
\end{minipage}%
% optional photo
\ifthenelse{\isundefined{\@photo}}%
  {}%
  {\hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=\ma
% optional quote
\ifthenelse{\isundefined{\@quote}}%
  {}%
  {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\\[2
}
```

46 File dblfnote-xetex-bidi.def

```
\ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package f
\let\autofootnoterule\relax
\let\rightfootnoterule\relax
\let\leftfootnoterule\relax
\let\textwidthfootnoterule\relax
\let\LRfootnoterule\relax
\def\footnoterule{\kern-3\p@
  \hrule \@width  \DFNcolumnwidth \kern 2.6\p@}%
\AtBeginDocument{\let\dfn@latex@footnotetext\@footnotetext
\let\@footnotetext\dfn@footnotetext}
\long\def\dfn@LTRfootnotetext#1{{\setbox\dfn@boxa\vbox{
        \let\insert\dfn@gobble
        \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
        \def\@makefnmark{\smash{\dfn@makefnmark}}
        \dfn@latex@LTRfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
        \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
        \ifdim\dfn@dima>\z@\else
                \dfn@dima1sp\relax
                \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
        \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
                \ifvoid\dfn@ins\else
                        \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
                \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
        \setbox\dfn@boxa\copy\dfn@ins
        \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
        \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
```

```
        \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
        \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
\AtBeginDocument{\let\dfn@latex@LTRfootnotetext\@LTRfootnotetext
\let\@LTRfootnotetext\dfn@LTRfootnotetext}
\long\def\dfn@RTLfootnotetext#1{{\setbox\dfn@boxa\vbox{
        \let\insert\dfn@gobble
        \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
        \def\@makefnmark{\smash{\dfn@makefnmark}}
        \dfn@latex@RTLfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
        \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
        \ifdim\dfn@dima>\z@\else
                \dfn@dima1sp\relax
                \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
        \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
                \ifvoid\dfn@ins\else
                        \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
                \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
        \setbox\dfn@boxa\copy\dfn@ins
        \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
        \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
        \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
        \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
\AtBeginDocument{\let\dfn@latex@RTLfootnotetext\@RTLfootnotetext
\let\@RTLfootnotetext\dfn@RTLfootnotetext}
\def\dfn@RTLmakecol{{\ifvoid\footins\else
        \dfn@dima\ht\footins
        \@tempcnta\z@ \dfn@countins
        \@tempdima\z@ \let\@elt\dfn@elt@getht
        \dfn@list\@nil
        \ifdim\@tempdima=\z@\else
        \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
        \global\setbox\dfn@ins\box\dfn@ins
        \@tempswatrue
        \ifdfn@trysingle
                \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
                \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
                \advance\@tempdima-\skip\footins
                \advance\@tempdima-\ht\dfn@boxa
                \ifdim\@tempdima<\z@\else \@tempswafalse
                        \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
                                \footnoterule \unvbox\dfn@boxa}\fi\fi
        \if@tempswa
        \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \global\setbox\footins\vbox{\hbox{%
                 \hskip \DFNcolumnwidth
                 \hskip\DFNcolumnsep
                \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
                        \unvbox\dfn@boxb\vss}\hss}
                \hskip -\textwidth
```

```
                \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
                        \vbox to\@tempdima{
                                \setbox\@tempboxa\vbox{\footnoterule}
                                \ifdfn@ruleboth \unvbox\@tempboxa
                                \else \@tempdima\ht\@tempboxa
                                        \advance\@tempdima\dp\@tempboxa
                                        \vskip\@tempdima
                                        \prevdepth\dp\@tempboxa \fi
                                \unvbox\dfn@boxa\vss}\fi\hss}
                                 \hskip \DFNcolumnsep
                                 \hskip \DFNcolumnwidth}}\fi\fi
        \global\dfn@fnht\z@
        \ifx\dfn@list\@empty\else
                \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
                \dfn@list \global\advance\dfn@fnht\dfn@dimb
                \let\@elt\relax
                \ifdim\dfn@dimb>\z@
                        \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
                        \insert\footins{\floatingpenalty\@MM
                                \vbox to\dfn@dimb{}}\fi
                \ifdim\dfn@fnht>\@tempdima
                        \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
                        \global\dfn@fnht\@tempdima
                        \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
                        \xdef\dfn@afteroutput{\insert\footins{
                                        \floatingpenalty\@MM
                                        \vbox to\number\@tempdimb sp{}}%
                                \global\let\noexpand\dfn@afteroutput\relax}%
                \fi\fi
        \fi}%
        \let\footnoterule\relax \dfn@latex@makecol
        \let\footnoterule\dfn@footnoterule}
\def\dfn@LTRmakecol{{\ifvoid\footins\else
        \dfn@dima\ht\footins
        \@tempcnta\z@ \dfn@countins
        \@tempdima\z@ \let\@elt\dfn@elt@getht
        \dfn@list\@nil
        \ifdim\@tempdima=\z@\else
        \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
        \global\setbox\dfn@ins\box\dfn@ins
        \@tempswatrue
        \ifdfn@trysingle
                \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
                \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
                \advance\@tempdima-\skip\footins
                \advance\@tempdima-\ht\dfn@boxa
                \ifdim\@tempdima<\z@\else \@tempswafalse
                        \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
                                \footnoterule \unvbox\dfn@boxa}\fi\fi
        \if@tempswa
```

```
        \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \global\setbox\footins\vbox{\hbox{%
                \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
                        \unvbox\dfn@boxb\vss}\hss}\hskip\DFNcolumnsep
                \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
                        \vbox to\@tempdima{
                                \setbox\@tempboxa\vbox{\footnoterule}
                                \ifdfn@ruleboth \unvbox\@tempboxa
                                \else \@tempdima\ht\@tempboxa
                                        \advance\@tempdima\dp\@tempboxa
                                        \vskip\@tempdima
                                        \prevdepth\dp\@tempboxa \fi
                                \unvbox\dfn@boxa\vss}\fi\hss}}}\fi\fi
        \global\dfn@fnht\z@
        \ifx\dfn@list\@empty\else
                \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
                \dfn@list \global\advance\dfn@fnht\dfn@dimb
                \let\@elt\relax
                \ifdim\dfn@dimb>\z@
                        \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
                        \insert\footins{\floatingpenalty\@MM
                                \vbox to\dfn@dimb{}}\fi
                \ifdim\dfn@fnht>\@tempdima
                        \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
                        \global\dfn@fnht\@tempdima
                        \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
                        \xdef\dfn@afteroutput{\insert\footins{
                                        \floatingpenalty\@MM
                                        \vbox to\number\@tempdimb sp{}}%
                                \global\let\noexpand\dfn@afteroutput\relax}%
                \fi\fi
        \fi}%
        \let\footnoterule\relax \dfn@latex@makecol
        \let\footnoterule\dfn@footnoterule}
\renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
\newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
\newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
\DFNalwaysdouble
```

47 File diagbox-xetex-bidi.def

```
\ProvidesFile{diagbox-xetex-bidi.def}[2017/12/30 v0.2 bidi adaptations for diagbox package for
\bidi@patchcmd{\diagbox@double}{%
    \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
}{\bidi@@diagbox@double@ii}{}{}
\bidi@patchcmd{\diagbox@double}{%
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}
}{\bidi@@diagbox@double@iii}{}{}
\newcommand*{\bidi@@diagbox@double@ii}{%
  \if@RTL
```

```
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepl}}}
  \else
    \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
  \fi
}
\newcommand*{\bidi@@diagbox@double@iii}{%
  \if@RTL
    \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}
  \else
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}
  \fi
}
\bidi@patchcmd{\diagbox@triple@setbox@NW}{%
    \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
}{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{}{}
\bidi@patchcmd{\diagbox@triple@setbox@NW}{%
    \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
}{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{}{}
\bidi@patchcmd{\diagbox@triple@setbox@NW}{%
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}
}{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{}{}
\newcommand*{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{%
  \if@RTL
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepl}}}
  \else
    \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
  \fi}
\newcommand*{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{%
  \if@RTL
    \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}
  \else
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}
  \fi}
\let\diagbox@triple@setbox@SW\diagbox@triple@setbox@NW
\bidi@patchcmd{\diagbox@triple@setbox@SE}{%
    \begin{tabular}{@{\hspace{\diagbox@insepl}}l@{}}%
}{\bidi@@diagbox@triple@setbox@SE@tabular@i}{}{}
\bidi@patchcmd{\diagbox@triple@setbox@SE}{%
    \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}%
}{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{}{}
\bidi@patchcmd{\diagbox@triple@setbox@SE}{%
    \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}%
}{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{}{}
\newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@i}{%
  \if@RTL
    \begin{tabular}{@{}r@{\hspace{\diagbox@insepl}}}
  \else
    \begin{tabular}{@{\hspace{\diagbox@insepl}}l@{}}
  \fi
}
```

```
\newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{%
  \if@RTL
    \begin{tabular}{@{\hspace{\diagbox@insepr}}l@{}}
  \else
    \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}
  \fi
}
\let\diagbox@triple@setbox@NE\diagbox@triple@setbox@SE
\bidi@patchcmd{\diagbox@double@pict@SE}{%
  \diagbox@setlinecolor
  \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)%
}{%
  {\diagbox@setlinecolor
  \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)}%
}{}{}
\let\diagbox@double@pict@NW\diagbox@double@pict@SE
\bidi@patchcmd{\diagbox@double@pict@NE}{%
  \diagbox@setlinecolor
  \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)%
}{%
  {\diagbox@setlinecolor
  \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)}%
}{}{}
\let\diagbox@double@pict@SW\diagbox@double@pict@NE
\bidi@patchcmd{\diagbox@triple@pict@NW}{%
  \diagbox@setlinecolor
  \Line(0,\yym)(\x,0)
  \Line(\xm,\y)(\x,0)%
}{%
  {\diagbox@setlinecolor
  \Line(0,\yym)(\x,0)
  \Line(\xm,\y)(\x,0)}%
}{}{}
\bidi@patchcmd{\diagbox@triple@pict@NE}{%
  \diagbox@setlinecolor
  \Line(0,0)(\xxm,\y)
  \Line(0,0)(\x,\yym)%
}{%
  {\diagbox@setlinecolor
  \Line(0,0)(\xxm,\y)
  \Line(0,0)(\x,\yym)}%
}{}{}
\bidi@patchcmd{\diagbox@triple@pict@SW}{%
  \diagbox@setlinecolor
  \Line(0,\ym)(\x,\y)
  \Line(\xm,0)(\x,\y)%
}{%
  {\diagbox@setlinecolor
  \Line(0,\ym)(\x,\y)
  \Line(\xm,0)(\x,\y)}%
```

```
}{}{}
\bidi@patchcmd{\diagbox@triple@pict@SE}{%
  \diagbox@setlinecolor
  \Line(0,\y)(\xxm,0)
  \Line(0,\y)(\x,\ym)%
}{%
  {\diagbox@setlinecolor
  \Line(0,\y)(\xxm,0)
  \Line(0,\y)(\x,\ym)}%
}{}{}
```

48 File draftwatermark-xetex-bidi.def

```
\ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwaterma
\renewcommand\SetWatermarkText[1]{%
  \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}
```

49 File eso-pic-xetex-bidi.def

```
\ProvidesFile{eso-pic-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for eso-pic package for
\renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
  \put(\LenToUnit{\if@RTLmain\paperwidth\else0pt\fi},\LenToUnit{-\paperheight}){#1}}}

\ESO@isMEMOIR{%
  \renewcommand\AtTextUpperLeft[1]{%
    \begingroup
      \ifodd\c@page
        \@tempdima=\spinemargin
      \else
        \@tempdima=\paperwidth
        \advance\@tempdima-\textwidth
        \advance\@tempdima-\spinemargin
      \fi
      \@tempdimb=-\uppermargin
      \AtPageUpperLeft{%
        \put(\LenToUnit{\if@RTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
      }%
    \endgroup
  }
}{%
  \renewcommand\AtTextUpperLeft[1]{%
    \begingroup
      \@tempdima=1in\relax
      \ifodd\c@page
        \advance\@tempdima\oddsidemargin
      \else
        \advance\@tempdima\evensidemargin
      \fi
      \@tempdimb=-1in\relax
      \advance\@tempdimb-\topmargin
```

```
      \advance\@tempdimb-\headheight
      \advance\@tempdimb-\headsep
      \AtPageUpperLeft{%
        \put(\LenToUnit{\if@RTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
      }%
    \endgroup
  }
}
```

50 File empheq-xetex-bidi.def

```
\ProvidesFile{empheq-xetex-bidi.def}[2018/01/08 v0.2 bidi adaptations for empheq package for X
\MHInternalSyntaxOn
\def\EQ_tag_plus_endmark:{%
  \iftagsleft@
    \gdef\maketag@@@##1{%
      \hfuzz\displaywidth
      \if@RTL\makebox[\widthof{##1}][r]{%
        \hbox to \displaywidth{\m@th\normalfont##1\hss
          \raisebox{-\dp\EQ_mathdisplay_box
                    -\depthof{\EQ_outerbox:{}}}
                   {\PotEndMark{\hss}}}}
      \else\makebox[\widthof{##1}][l]{%
        \hbox to \displaywidth{\m@th\normalfont##1\hss
          \raisebox{-\dp\EQ_mathdisplay_box
                    -\depthof{\EQ_outerbox:{}}}
                   {\PotEndMark{\hss}}}}\fi}%
  \MH_else:
    \gdef\maketag@@@##1{%
      \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{%
        \settoheight{\@tempdima}{\@nameuse{\InTheoType Symbol}}%
        \MH_addtolength:dn \@tempdima
          {\g_EQ_bottomtag_depth_dim+\mintagvsep}
        \setlength{\@tempdimb}
          {\g_EQ_bottomrow_depth_dim+\depthof{\EQ_outerbox:{}}
            +\depthof{\EQ_innerbox:{}}}
        \MH_if_dim:w \@tempdima>\@tempdimb
          \MH_setlength:dn \@tempdima{-\dp\EQ_mathdisplay_box
            -\@tempdima+\g_EQ_bottomrow_depth_dim}
          \addtolength{\@tempdima}{\depthof{\EQ_innerbox:{}}}%
          \def\EQ_next:{\raisebox{\@tempdima}}%
        \MH_else:
          \def\EQ_next:{
            \raisebox{-\dp\EQ_mathdisplay_box
                      -\depthof{\EQ_outerbox:{}}}}%
        \MH_fi:\EQ_next:}}}%
  \MH_fi:}
\def\EQ_post_process:{%
  \EQ_initialize:
  \EQ_begin_equation:
```

```
\MH_if_boolean:nT {outer_mult}{
  \setkeys{\MT_options_name:}{
    firstline-afterskip=0pt,
    lastline-preskip=0pt,
    multlined-width=0pt,
  }
  \ifodd \l_EQ_alignmentmode_int
    \setkeys{\MT_options_name:}{multlined-pos=b}
  \MH_else:
    \setkeys{\MT_options_name:}{multlined-pos=t}
  \MH_fi:
    \g@addto@macro\EQ_complete_mathdisplay:{
      \begin{MTmultlined}\relax}
}
\g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
\MH_if_boolean:nT {outer_mult}{
  \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
}
\EQ_end_equation:
\edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
\savecounters@
\EQ_typeset_tags:
\edef\l_EQ_equation_fint{\number\c@equation}
\restorecounters@
\Hy@linkcounter=\EQ_hyperref_link_fint
\settowidth\l_EQ_totalwidth_dim{%
  $\EQ_left_side:\EQ_innerbox:{}\EQ_right_side:$}%
\MH_if_boolean:nTF {outer_mult}
  { \def\EQ_next:{_mult} }
  { \def\EQ_next:{} }
\@nameuse{EQ_modify_linewidth_
          \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
\EQ_typeset_display:
\@nameuse{EQ_find_displaywidth_
         \romannumeral\l_EQ_equationtype_int\EQ_next: :}
\MH_addtolength:dn
  \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}
\savebox\EQ_mathdisplay_box[\l_EQ_totalwidth_dim][c]{%
  $\EQ_left_side:
  \EQ_innerbox:{%
    \MH_if_case:w \l_EQ_alignmentmode_int\MH_or:
      \makebox[\l_EQ_displaywidth_dim][c]
        {\usebox{\EQ_mathdisplay_box}}%
    \MH_or:
      \makebox[\l_EQ_displaywidth_dim][c]
        {\usebox{\EQ_mathdisplay_box}}%
    \MH_or:
      \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
        \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
          \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
```

```
              \kern-\@mathmargin
            \MH_fi:
          \MH_fi:
          \usebox{\EQ_mathdisplay_box}}%
        \else\makebox[\l_EQ_displaywidth_dim][l]{%
          \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
            \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
              \kern-\@mathmargin
            \MH_fi:
          \MH_fi:
          \usebox{\EQ_mathdisplay_box}}\fi%
      \MH_or:
        \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
          \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
            \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
              \kern-\@mathmargin
            \MH_fi:
          \MH_fi:
          \usebox{\EQ_mathdisplay_box}}
        \else\makebox[\l_EQ_displaywidth_dim][l]{%
          \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
            \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
              \kern-\@mathmargin
            \MH_fi:
          \MH_fi:
          \usebox{\EQ_mathdisplay_box}}\fi%
      \MH_fi:}%
    \EQ_right_side:$}%
  \begin{AmSequation*}
  \@nameuse{EQ_place_display_
           \romannumeral\l_EQ_equationtype_int\EQ_next: :}
  \MH_if_dim:w \g_EQ_widesttag_dim>\z@
  \MH_set_boolean_T:n {show_manual_tags}
    \MH_if_case:w \l_EQ_alignmentmode_int
    \MH_or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#1
    \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#2
    \MH_or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#3
    \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#4
    \MH_fi:
  \MH_fi:
  \end{AmSequation*}
  \global\c@equation=\l_EQ_equation_fint\relax
}
\AtBeginDocument{%
  \@ifpackageloaded{fancybox}{%
    \@ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}%
    {\renewcommand*\textcolor[2]{\normalcolor{#2}}}%
    \renewcommand*\shadowbox{%
      \@ifstar{\MH_set_boolean_T:n {shadowbox_star}
               \VerbBox\EQ_shadowbox:n}
```

```
              {\MH_set_boolean_F:n {shadowbox_star}
               \VerbBox\EQ_shadowbox:n}}
    \def\EQ_shadowbox:n #1{%
      \sbox{\z@}{\fbox{#1}}%
      \MH_if_boolean:nTF {shadowbox_star}{
        \MH_setlength:dn \@tempdima{\z@}%
      }{
        \MH_setlength:dn \@tempdima{\dp\z@+\shadowsize}%
      }
      \raisebox{\@tempdima}{%
        \if@RTL\makebox[\z@][r]{%
          \kern\shadowsize \textcolor{shadowcolor}{%
            \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
        }%
        \else\makebox[\z@][l]{%
          \kern\shadowsize \textcolor{shadowcolor}{%
            \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
        }\fi%
        \usebox\z@\textcolor{shadowcolor}{%
          \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}}%
  }{}%
}
\MHInternalSyntaxOff
```

51 File extarticle-xetex-bidi.def

```
\ProvidesFile{extarticle-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extarticle class
\renewcommand*\l@section[2]{%
  \ifnum \c@tocdepth >\z@
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \endgroup
  \fi}
  \renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
```

```
      \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
      \nobreak
    \endgroup
  \fi}
 \def\@part[#1]#2{%
    \ifnum \c@secnumdepth >\m@ne
      \refstepcounter{part}%
      \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
    \else
      \addcontentsline{toc}{part}{#1}%
    \fi
    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
     \interlinepenalty \@M
     \normalfont
     \ifnum \c@secnumdepth >\m@ne
       \Large\bfseries \partname~\thepart
       \par\nobreak
     \fi
     \huge \bfseries #2%
     \markboth{}{}\par}%
    \nobreak
    \vskip 3ex
    \@afterheading}
 \def\@spart#1{%
    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
     \interlinepenalty \@M
     \normalfont
     \huge \bfseries #1\par}%
     \nobreak
     \vskip 3ex
     \@afterheading}
\renewenvironment{thebibliography}[1]
     {\section*{\refname
        \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
         \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
         \bidi@@thebibliography@font@hook%
         \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand\left@footnoterule{%
```

```
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
    \if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
```

```
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}%%
```

52 File extbook-xetex-bidi.def

```
\ProvidesFile{extbook-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extbook class for X
  \if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
```

```
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand*\l@part[2]{%
```

```
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\def\@makechapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
      \if@mainmatter
        \huge\bfseries \@chapapp\space \thechapter
        \par\nobreak
        \vskip 20\p@
      \fi
    \fi
    \interlinepenalty\@M
    \Huge \bfseries #1\par\nobreak
    \vskip 40\p@
  }}

\def\@makeschapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
    \Huge \bfseries  #1\par\nobreak
    \vskip 40\p@
  }}
\renewcommand\backmatter{%
  \if@openright
```

```
    \cleardoublepage
  \else
    \clearpage
  \fi
  \@mainmatterfalse}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname
        \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy
      \clubpenalty4000
      \@clubpenalty \clubpenalty
      \widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

53 File extletter-xetex-bidi.def

```
\ProvidesFile{extletter-xetex-bidi.def}[2015/11/14 v0.2 bidi adaptations for extletter class f
\renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
  \thispagestyle{firstpage}%
    {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
  \else  % home address
    \thispagestyle{empty}%
    {\if@RTL\raggedright\begin{tabular}{r@{}}\else\raggedleft\begin{tabular}{l@{}}\fi\ignoresp
      \fromaddress \\*[2\parskip]%
      \@date \end{tabular}\par}%
  \fi
  \vspace{2\parskip}%
  {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
  \vspace{2\parskip}%
  #1\par\nobreak}
\renewcommand{\closing}[1]{\par\nobreak\vspace{\parskip}%
  \stopbreaks
  \noindent
  \ifx\@empty\fromaddress\else
  \hspace*{\longindentation}\fi
  \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
       \ignorespaces #1\\[6\medskipamount]%
```

```
        \ifx\@empty\fromsig
            \fromname
        \else \fromsig \fi\strut}%
    \par}
\renewcommand\left@footnoterule{%
  \kern-\p@
  \hrule \@width .4\columnwidth
  \kern .6\p@}
\renewcommand\right@footnoterule{%
  \kern-\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern .6\p@}
```

54 File extrafootnotefeatures-xetex-bidi.def

```
\ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2017/05/19 v1.1 bidi extra footnote featu
\newcommand*{\@bidi@before@Hy@hyperfootnotes}{%
\if@bidi@csundef{ifHy@hyperfootnotes}{}{%
\if@bidi@csundef{HLTR@@LTRfootnotetext}{}{%
\ifHy@hyperfootnotes
  \let\@@H@@footnotetext\@footnotetext
  \let\@@HLTR@@LTRfootnotetext\@LTRfootnotetext
  \let\@@HRTL@@RTLfootnotetext\@RTLfootnotetext
  \let\@@H@@mpfootnotetext\@mpfootnotetext
  \let\@@HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
  \let\@@HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
\fi
}%
}%
}
\newcommand*{\@bidi@after@Hy@hyperfootnotes}{%
\if@bidi@csundef{ifHy@hyperfootnotes}{}{%
\if@bidi@csundef{HLTR@@LTRfootnotetext}{}{%
\ifHy@hyperfootnotes
  \let\H@@footnotetext\@footnotetext
  \let\@footnotetext\@@H@@footnotetext
  \let\HLTR@@LTRfootnotetext\@LTRfootnotetext
  \let\@LTRfootnotetext\@@HLTR@@LTRfootnotetext
  \let\HRTL@@RTLfootnotetext\@RTLfootnotetext
  \let\@RTLfootnotetext\@@HRTL@@RTLfootnotetext
  \let\H@@mpfootnotetext\@mpfootnotetext
  \let\@mpfootnotetext\@@H@@mpfootnotetext
  \let\HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
  \let\@mpLTRfootnotetext\@@HLTR@@mpLTRfootnotetext
  \let\HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
  \let\@mpRTLfootnotetext\@@HRTL@@mpRTLfootnotetext
\fi
}%
}%
}
```

```
\let\autofootnoterule\relax
\let\rightfootnoterule\relax
\let\leftfootnoterule\relax
\let\textwidthfootnoterule\relax
\let\LRfootnoterule\relax
\def\footnoterule{\kern-3\p@
  \hrule \@width \columnwidth \kern 2.6\p@}
\bidi@ensure@newcommand{\setRTLparagraphfootnotes}{\@parafootRTLtrue}
\bidi@ensure@newcommand{\setLTRparagraphfootnotes}{\@parafootRTLfalse}
\renewcommand{\@footnotetext}[1]{%
    \insert\footins{%
    \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font
    \foottextfont
    \@preamfntext
    \hsize\columnwidth
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces{\foottextfont #1}%
        \@finalstrut\strutbox}%
    \color@endgroup}%
      \m@mmf@prepare}
\renewcommand{\@RTLfootnotetext}[1]{%
    \insert\footins{%
    \@RTLtrue%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font
    \RTLfoottextfont
    \@preamfntext
    \hsize\columnwidth
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces{\RTLfoottextfont #1}%
        \@finalstrut\strutbox}%
    \color@endgroup}%
      \m@mmf@prepare}
\renewcommand{\@LTRfootnotetext}[1]{%
    \insert\footins{%
    \@RTLfalse%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font
    \LTRfoottextfont
    \@preamfntext
    \hsize\columnwidth
    \protected@edef\@currentlabel{%
```

```
      \csname p@footnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces{\LTRfoottextfont #1}%
        \@finalstrut\strutbox}%
    \color@endgroup}%
      \m@mmf@prepare}
\renewcommand{\@mpfootnotetext}[1]{%
  \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootins
    \def\baselinestretch{\m@m@footnote@spacing}%
    \foottextfont \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
  \reset@font%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces{\foottextfont #1}%
      \@finalstrut\strutbox}%
  \color@endgroup}}
\renewcommand{\@mpLTRfootnotetext}[1]{%
  \global\setbox\@mpfootins\vbox{\@RTLfalse%
    \unvbox\@mpfootins
    \def\baselinestretch{\m@m@footnote@spacing}%
    \LTRfoottextfont \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
  \reset@font%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces{\LTRfoottextfont #1}%
      \@finalstrut\strutbox}%
  \color@endgroup}}
\renewcommand{\@mpRTLfootnotetext}[1]{%
  \global\setbox\@mpfootins\vbox{\@RTLtrue%
    \unvbox\@mpfootins
    \def\baselinestretch{\m@m@footnote@spacing}%
    \RTLfoottextfont \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
  \reset@font%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces{\RTLfoottextfont #1}%
      \@finalstrut\strutbox}%
  \color@endgroup}}
\let\m@mold@footnotetext\@footnotetext
\let\m@mold@LTRfootnotetext\@LTRfootnotetext
\let\m@mold@RTLfootnotetext\@RTLfootnotetext
\let\m@mold@mpfootnotetext\@mpfootnotetext
```

```
\let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
\let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
\bidi@ensure@newcommand{\normalfootnotes}{%
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\m@mold@footnotetext
  \let\@LTRfootnotetext\m@mold@LTRfootnotetext
  \let\@RTLfootnotetext\m@mold@RTLfootnotetext
  \let\@mpfootnotetext\m@mold@mpfootnotetext
  \let\@mpLTRfootnotetext\m@mold@mpLTRfootnotetext
  \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes}
\@ifclassloaded{memoir}{\let\plainfootnotes\normalfootnotes}{}
\bidi@ensure@newcommand*{\RTLcolumnfootnotes}{\@RTLcolumnfootnotestrue}
\bidi@ensure@newcommand*{\LTRcolumnfootnotes}{\@RTLcolumnfootnotesfalse}
\bidi@ensure@newcommand*{\setSingleSpace}[1]{%
  \def\m@m@singlespace{#1}%
  \def\m@m@footnote@spacing{#1}%
  \def\m@m@float@spacing{#1} %
}
\setSingleSpace{1}
\bidi@ensure@newcommand*{\multiplefootnotemarker}{3sp}
\bidi@ensure@newcommand*{\m@mmf@prepare}{%
  \kern-\multiplefootnotemarker
  \kern\multiplefootnotemarker\relax}
\bidi@ensure@newlength{\footmarkwidth}
\bidi@ensure@newlength{\footmarksep}
\bidi@ensure@newlength{\footparindent}
\bidi@ensure@newcommand*{\footmarkstyle}[1]{\def\footscript##1{#1}}
\bidi@ensure@newcommand*{\LTRfootmarkstyle}[1]{\def\LTRfootscript##1{#1}}
\bidi@ensure@newcommand*{\RTLfootmarkstyle}[1]{\def\RTLfootscript##1{#1}}
\bidi@ensure@newcommand{\footfootmark}{%
  \ifdim\footmarkwidth < \z@
    \llap{\hb@xt@ -\footmarkwidth{%
            \hss\normalfont\footscript{\@thefnmark}}%
          \hspace*{-\footmarkwidth}}%
  \else
    \ifdim\footmarkwidth = \z@
      {\normalfont\footscript{\@thefnmark}}%
    \else
      \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%
    \fi
  \fi}
\bidi@ensure@newcommand{\LTRfootfootmark}{%
  \ifdim\footmarkwidth < \z@
    \llap{\hb@xt@ -\footmarkwidth{%
            \hss\normalfont\LTRfootscript{\@thefnmark}}%
          \hspace*{-\footmarkwidth}}%
  \else
    \ifdim\footmarkwidth = \z@
      {\normalfont\LTRfootscript{\@thefnmark}}%
```

```
    \else
      \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\@thefnmark}}%
    \fi
  \fi}
\bidi@ensure@newcommand{\RTLfootfootmark}{%
  \ifdim\footmarkwidth < \z@
    \llap{\hb@xt@ -\footmarkwidth{%
            \hss\normalfont\RTLfootscript{\@thefnmark}}%
          \hspace*{-\footmarkwidth}}%
  \else
    \ifdim\footmarkwidth = \z@
      {\normalfont\RTLfootscript{\@thefnmark}}%
    \else
      \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\@thefnmark}}%
    \fi
  \fi}
\footmarkstyle{\textsuperscript{#1}}
\LTRfootmarkstyle{\textsuperscript{#1}}
\RTLfootmarkstyle{\textsuperscript{#1}}
\setlength{\footmarkwidth}{1em plus.4em minus.4em}
\setlength{\footparindent}{1em}
\bidi@ensure@newcommand{\m@mdoextrafeet}{\extrafeetins}
\bidi@ensure@newcommand*{\extrafeetins}{%
  \setbox\@outputbox \vbox{%
    \boxmaxdepth \@maxdepth
    \unvbox\@outputbox
    \ifvoid\footinsv@r\else\@footstartv@r\@footgroupv@r\fi
    \extrafeetinshook}}
\bidi@ensure@newcommand{\extrafeetinshook}{}
\bidi@ensure@newcommand{\foottextfont}{\footnotesize}
\bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}
\bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}
\bidi@ensure@newlength{\footinsdim}
  \setlength{\footinsdim}{8in}   % standard for \dimen\footins
\bidi@ensure@newcommand{\@preamfntext}{%
  \interlinepenalty\interfootnotelinepenalty
  \floatingpenalty \@MM
  \splittopskip=\footnotesep
  \splitmaxdepth=\dp\strutbox
  \@parboxrestore}
\bidi@ensure@newcommand{\m@mdoextrafeetmini}{%
  \extrafeetminihook}
\bidi@ensure@newcommand{\extrafeetendmini}{%
  \ifvoid\@mpfootinsv@r\else
    \vskip\skip\@mpfootins
    \normalcolor\footnoterule\mp@footgroupv@r
  \fi
  \extrafeetendminihook}
\bidi@ensure@newcommand{\extrafeetendminihook}{}
\bidi@ensure@newcommand{\m@mdoextrafeetendmini}{\extrafeetendmini}
```

```
\def\endminipage{%
  \par
  \unskip
  \ifvoid\@mpfootins\else
    \vskip\skip\@mpfootins
    \normalcolor
    \footnoterule
    \unvbox\@mpfootins
  \fi
  \m@mdoextrafeetendmini
  \@minipagefalse
  \color@endgroup
  \egroup
  \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
\bidi@ensure@newcommand{\m@make@footstart}[1]{%
  \@namedef{@footstart#1}{%
   \bidi@mopfn@bottom
    \vskip\bigskipamount
    \leftskip=\z@
    \rightskip=\z@
    \footnoterule}}
\newinsert\footinsv@r
  \skip\footinsv@r\bigskipamount
  \count\footinsv@r=1000 % no magnifcation
  \dimen\footinsv@r=\footinsdim
\m@make@footstart{v@r}
\bidi@ensure@newcommand{\@footgroupv@r}{}
\newinsert\@mpfootinsv@r
\bidi@ensure@newcommand{\mp@footgroupv@r}{}
\newcount\m@m@k \newdimen\m@m@h
\@ifpackageloaded{multicol}{%
\bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
  \hsize\textwidth
  \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
  \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}
}{%
\bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
  \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
  \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}}
\bidi@ensure@newcommand*{\m@mdosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@msplitoff
  \global\advance\m@m@k-1\cr\m@mdosplits\fi}
\bidi@ensure@newcommand*{\m@msplitoff}{\dimen0=\ht0
  \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
  \setbox2 \vsplit0 to \dimen0
  \unvbox2 }
\bidi@ensure@newcommand{\twocolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@twocolfootnotetext
  \let\@LTRfootnotetext\@twocolLTRfootnotetext
```

```
  \let\@RTLfootnotetext\@twocolRTLfootnotetext
  \dimen\footinsv@r=2\footinsdim
  \count\footinsv@r=500\relax
  \m@make@twocol@footgroup{v@r}%
  \let\@footgroupv@r\@twocol@footgroupv@r
  \let\@mpfootnotetext\@mptwocolfootnotetext
  \let\@mpLTRfootnotetext\@mptwocolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mptwocol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mptwocol@footgroupv@r}
\bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue\
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes\
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamtwofmt}{%
  \hsize .45\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
  \@preamtwofmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@twocolLTRfootfmt}[1]{%
```

```
  \@preamtwofmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
  \@preamtwofmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mptwocolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptwocolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptwocolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\twocolumnfootstyle}[1]{%
  \m@make@twocolfootnotetext{#1}%
  \m@make@mptwocolfootnotetext{#1}%
  \m@make@twocolfootfmt{#1}%
  \m@make@twocol@footgroup{#1}%
  \m@make@mptwocol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
```

```
    \@nameuse{@twocolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
    \@nameuse{@mptwocolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@twocol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mptwocol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@twocolfootnotetext}[1]{%
  \bidi@namelongdef{@twocolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@twocolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mptwocolfootnotetext}[1]{%
\bidi@namelongdef{@mptwocolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@twocolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@twocolfootfmt}[1]{%
  \@namedef{@twocolfootfmt#1}##1{%
    \@preamtwofmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
  \@namedef{@twocol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{\tw@}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mptwocol@footgroup}[1]{%
\@namedef{@mptwocol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{\tw@}{\splittopskip}}}}
\bidi@ensure@newcommand{\threecolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@threecolfootnotetext
```

```
  \let\@LTRfootnotetext\@threecolLTRfootnotetext
  \let\@RTLfootnotetext\@threecolRTLfootnotetext
  \dimen\footinsv@r=3\footinsdim
  \count\footinsv@r=333\relax
  \m@make@threecol@footgroup{v@r}%
  \let\@footgroupv@r\@threecol@footgroupv@r
  \let\@mpfootnotetext\@mpthreecolfootnotetext
  \let\@mpLTRfootnotetext\@mpthreecolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpthreecolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpthreecol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpthreecol@footgroupv@r}
\bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@threecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolLTRfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolRTLfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@preamthreefmt}{%
  \hsize .3\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
  \@preamthreefmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@threecolLTRfootfmt}[1]{%
  \@preamthreefmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
```

```
\bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
  \@preamthreefmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpthreecolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolLTRfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolRTLfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\threecolumnfootstyle}[1]{%
  \m@make@threecolfootnotetext{#1}%
  \m@make@mpthreecolfootnotetext{#1}%
  \m@make@threecolfootfmt{#1}%
  \m@make@threecol@footgroup{#1}%
  \m@make@mpthreecol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
    \@nameuse{@threecolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
    \@nameuse{@mpthreecolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@threecol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpthreecol@footgroup#1}}%
```

```
  \expandafter\dimen\csname footins#1\endcsname=3\footinsdim
  \expandafter\count\csname footins#1\endcsname=333\relax}
\bidi@ensure@newcommand{\m@make@threecolfootnotetext}[1]{%
\bidi@namelongdef{@threecolfootnotetext#1}##1{%
  \insert\@nameuse{footins#1}{%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\@nameuse{foottextfont#1}%
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@threecolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpthreecolfootnotetext}[1]{%
\bidi@namelongdef{@mpthreecolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@threecolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@threecolfootfmt}[1]{%
\bidi@namelongdef{@threecolfootfmt#1}##1{%
  \@preamthreefmt
  {\@nameuse{footfootmark#1}\strut
   {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
\@namedef{@threecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{footins#1}}{\thr@@}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
\@namedef{@mpthreecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{\thr@@}{\splittopskip}}}}
\bidi@ensure@newcommand{\fourcolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@fourcolfootnotetext
  \let\@LTRfootnotetext\@fourcolLTRfootnotetext
  \let\@RTLfootnotetext\@fourcolRTLfootnotetext
  \dimen\footinsv@r=4\footinsdim
  \count\footinsv@r=250\relax
  \m@make@fourcol@footgroup{v@r}%
  \let\@footgroupv@r\@fourcol@footgroupv@r
```

```
  \let\@mpfootnotetext\@mpfourcolfootnotetext
  \let\@mpLTRfootnotetext\@mpfourcolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpfourcolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpfourcol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpfourcol@footgroupv@r}
\bidi@ensure@newcommand{\@fourcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fourcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamfourfmt}{%
  \hsize .25\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@fourcolfootfmt}[1]{%
  \@preamfourfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fourcolLTRfootfmt}[1]{%
  \@preamfourfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fourcolRTLfootfmt}[1]{%
  \@preamfourfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
```

```
\bidi@ensure@newcommand{\@mpfourcolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfourcolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\fourcolumnfootstyle}[1]{%
  \m@make@fourcolfootnotetext{#1}%
  \m@make@mpfourcolfootnotetext{#1}%
  \m@make@fourcolfootfmt{#1}%
  \m@make@fourcol@footgroup{#1}%
  \m@make@mpfourcol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@fourcolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpfourcolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@fourcol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpfourcol@footgroup#1}}%
```

```
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@fourcolfootnotetext}[1]{%
  \bidi@namelongdef{@fourcolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@fourcolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpfourcolfootnotetext}[1]{%
\bidi@namelongdef{@mpfourcolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@fourcolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@fourcolfootfmt}[1]{%
  \@namedef{@fourcolfootfmt#1}##1{%
    \@preamfourfmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
  \@namedef{@fourcol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{4}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
\@namedef{@mpfourcol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{4}{\splittopskip}}}}
\bidi@ensure@newcommand{\fivecolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@fivecolfootnotetext
  \let\@LTRfootnotetext\@fivecolLTRfootnotetext
  \let\@RTLfootnotetext\@fivecolRTLfootnotetext
  \dimen\footinsv@r=5\footinsdim
  \count\footinsv@r=200\relax
  \m@make@fivecol@footgroup{v@r}%
```

```
  \let\@footgroupv@r\@fivecol@footgroupv@r
  \let\@mpfootnotetext\@mpfivecolfootnotetext
  \let\@mpLTRfootnotetext\@mpfivecolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpfivecolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpfivecol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpfivecol@footgroupv@r}
\bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fivecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamfivefmt}{%
  \hsize .2\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
  \@preamfivefmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fivecolLTRfootfmt}[1]{%
  \@preamfivefmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
  \@preamfivefmt
```

```
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfivecolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\fivecolumnfootstyle}[1]{%
  \m@make@fivecolfootnotetext{#1}%
  \m@make@mpfivecolfootnotetext{#1}%
  \m@make@fivecolfootfmt{#1}%
  \m@make@fivecol@footgroup{#1}%
  \m@make@mpfivecol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@fivecolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpfivecolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@fivecol@footgroup#1}}%
```

```
  \@namedef{mp@footgroup#1}{\@nameuse{@mpfivecol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@fivecolfootnotetext}[1]{%
  \bidi@namelongdef{@fivecolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@fivecolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpfivecolfootnotetext}[1]{%
\bidi@namelongdef{@mpfivecolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@fivecolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@fivecolfootfmt}[1]{%
  \@namedef{@fivecolfootfmt#1}##1{%
    \@preamfivefmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
  \@namedef{@fivecol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{5}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
\@namedef{@mpfivecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{5}{\splittopskip}}}}
\bidi@ensure@newcommand{\sixcolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@sixcolfootnotetext
  \let\@LTRfootnotetext\@sixcolLTRfootnotetext
  \let\@RTLfootnotetext\@sixcolRTLfootnotetext
  \dimen\footinsv@r=6\footinsdim
  \count\footinsv@r=166\relax
```

```
  \m@make@sixcol@footgroup{v@r}%
  \let\@footgroupv@r\@sixcol@footgroupv@r
  \let\@mpfootnotetext\@mpsixcolfootnotetext
  \let\@mpLTRfootnotetext\@mpsixcolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpsixcol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpsixcol@footgroupv@r}
\bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue\
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sixcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes\
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamsixfmt}{%
  \hsize .16\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
  \@preamsixfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sixcolLTRfootfmt}[1]{%
  \@preamsixfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
```

```
  \@preamsixfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsixcolLTRfootnotetext}[1]{\@RTLfalse%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsixcolRTLfootnotetext}[1]{\@RTLtrue%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\sixcolumnfootstyle}[1]{%
  \m@make@sixcolfootnotetext{#1}%
  \m@make@mpsixcolfootnotetext{#1}%
  \m@make@sixcolfootfmt{#1}%
  \m@make@sixcol@footgroup{#1}%
  \m@make@mpsixcol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@sixcolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpsixcolfootnotetext#1}{##1}}%
```

```
  \@namedef{@footgroup#1}{\@nameuse{@sixcol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpsixcol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@sixcolfootnotetext}[1]{%
  \bidi@namelongdef{@sixcolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@sixcolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpsixcolfootnotetext}[1]{%
\bidi@namelongdef{@mpsixcolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@sixcolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@sixcolfootfmt}[1]{%
  \@namedef{@sixcolfootfmt#1}##1{%
    \@preamsixfmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
  \@namedef{@sixcol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{6}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%
\@namedef{@mpsixcol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{6}{\splittopskip}}}}
\bidi@ensure@newcommand{\sevencolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@sevencolfootnotetext
  \let\@LTRfootnotetext\@sevencolLTRfootnotetext
  \let\@RTLfootnotetext\@sevencolRTLfootnotetext
  \dimen\footinsv@r=7\footinsdim
```

```
  \count\footinsv@r=142\relax
  \m@make@sevencol@footgroup{v@r}%
  \let\@footgroupv@r\@sevencol@footgroupv@r
  \let\@mpfootnotetext\@mpsevencolfootnotetext
  \let\@mpLTRfootnotetext\@mpsevencolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpsevencolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpsevencol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpsevencol@footgroupv@r}
\bidi@ensure@newcommand{\@sevencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sevencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sevencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamsevenfmt}{%
  \hsize .142\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@sevencolfootfmt}[1]{%
  \@preamsevenfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sevencolLTRfootfmt}[1]{%
  \@preamsevenfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
```

```
\bidi@ensure@newcommand{\@sevencolRTLfootfmt}[1]{%
  \@preamsevenfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpsevencolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsevencolLTRfootnotetext}[1]{\@RTLfalse%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsevencolRTLfootnotetext}[1]{\@RTLtrue%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\sevencolumnfootstyle}[1]{%
  \m@make@sevencolfootnotetext{#1}%
  \m@make@mpsevencolfootnotetext{#1}%
  \m@make@sevencolfootfmt{#1}%
  \m@make@sevencol@footgroup{#1}%
  \m@make@mpsevencol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@sevencolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
```

```
    \@nameuse{@mpsevencolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@sevencol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpsevencol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@sevencolfootnotetext}[1]{%
  \bidi@namelongdef{@sevencolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@sevencolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpsevencolfootnotetext}[1]{%
\bidi@namelongdef{@mpsevencolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@sevencolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@sevencolfootfmt}[1]{%
  \@namedef{@sevencolfootfmt#1}##1{%
    \@preamsevenfmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@sevencol@footgroup}[1]{%
  \@namedef{@sevencol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{7}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpsevencol@footgroup}[1]{%
\@namedef{@mpsevencol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{7}{\splittopskip}}}}
\bidi@ensure@newcommand{\eightcolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@eightcolfootnotetext
  \let\@LTRfootnotetext\@eightcolLTRfootnotetext
  \let\@RTLfootnotetext\@eightcolRTLfootnotetext
```

```
  \dimen\footinsv@r=8\footinsdim
  \count\footinsv@r=125\relax
  \m@make@eightcol@footgroup{v@r}%
  \let\@footgroupv@r\@eightcol@footgroupv@r
  \let\@mpfootnotetext\@mpeightcolfootnotetext
  \let\@mpLTRfootnotetext\@mpeightcolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpeightcolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpeightcol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpeightcol@footgroupv@r}
\bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@eightcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preameightfmt}{%
  \hsize .125\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
  \@preameightfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@eightcolLTRfootfmt}[1]{%
  \@preameightfmt
```

```
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
  \@preameightfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpeightcolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpeightcolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpeightcolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\eightcolumnfootstyle}[1]{%
  \m@make@eightcolfootnotetext{#1}%
  \m@make@mpeightcolfootnotetext{#1}%
  \m@make@eightcolfootfmt{#1}%
  \m@make@eightcol@footgroup{#1}%
  \m@make@mpeightcol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@eightcolfootnotetext#1}{##1}}%
```

```
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpeightcolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@eightcol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpeightcol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@eightcolfootnotetext}[1]{%
  \bidi@namelongdef{@eightcolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@eightcolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpeightcolfootnotetext}[1]{%
\bidi@namelongdef{@mpeightcolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@eightcolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@eightcolfootfmt}[1]{%
  \@namedef{@eightcolfootfmt#1}##1{%
    \@preameightfmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
  \@namedef{@eightcol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{8}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpeightcol@footgroup}[1]{%
\@namedef{@mpeightcol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{8}{\splittopskip}}}}
\bidi@ensure@newcommand{\ninecolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@ninecolfootnotetext
  \let\@LTRfootnotetext\@ninecolLTRfootnotetext
```

```
  \let\@RTLfootnotetext\@ninecolRTLfootnotetext
  \dimen\footinsv@r=9\footinsdim
  \count\footinsv@r=111\relax
  \m@make@ninecol@footgroup{v@r}%
  \let\@footgroupv@r\@ninecol@footgroupv@r
  \let\@mpfootnotetext\@mpninecolfootnotetext
  \let\@mpLTRfootnotetext\@mpninecolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpninecolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpninecol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpninecol@footgroupv@r}
\bidi@ensure@newcommand{\@ninecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@ninecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@ninecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamninefmt}{%
  \hsize .1\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@ninecolfootfmt}[1]{%
  \@preamninefmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@ninecolLTRfootfmt}[1]{%
```

```
  \@preamninefmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@ninecolRTLfootfmt}[1]{%
  \@preamninefmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpninecolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\ninecolumnfootstyle}[1]{%
  \m@make@ninecolfootnotetext{#1}%
  \m@make@mpninecolfootnotetext{#1}%
  \m@make@ninecolfootfmt{#1}%
  \m@make@ninecol@footgroup{#1}%
  \m@make@mpninecol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
```

```
    \@nameuse{@ninecolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
    \@nameuse{@mpninecolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@ninecol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpninecol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@ninecolfootnotetext}[1]{%
  \bidi@namelongdef{@ninecolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@ninecolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpninecolfootnotetext}[1]{%
\bidi@namelongdef{@mpninecolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@ninecolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@ninecolfootfmt}[1]{%
  \@namedef{@ninecolfootfmt#1}##1{%
    \@preamninefmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
  \@namedef{@ninecol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{9}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpninecol@footgroup}[1]{%
\@namedef{@mpninecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{9}{\splittopskip}}}}
\bidi@ensure@newcommand{\tencolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@tencolfootnotetext
```

```
  \let\@LTRfootnotetext\@tencolLTRfootnotetext
  \let\@RTLfootnotetext\@tencolRTLfootnotetext
  \dimen\footinsv@r=10\footinsdim
  \count\footinsv@r=100\relax
  \m@make@tencol@footgroup{v@r}%
  \let\@footgroupv@r\@tencol@footgroupv@r
  \let\@mpfootnotetext\@mptencolfootnotetext
  \let\@mpLTRfootnotetext\@mptencolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mptencolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mptencol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mptencol@footgroupv@r}
\bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue\
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@tencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes\
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamtenfmt}{%
  \hsize .1\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
  \@preamtenfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
```

```
\bidi@ensure@newcommand{\@tencolLTRfootfmt}[1]{%
  \@preamtenfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
  \@preamtenfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mptencolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptencolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptencolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\tencolumnfootstyle}[1]{%
  \m@make@tencolfootnotetext{#1}%
  \m@make@mptencolfootnotetext{#1}%
  \m@make@tencolfootfmt{#1}%
  \m@make@tencol@footgroup{#1}%
  \m@make@mptencol@footgroup{#1}%
  \m@make@footstart{#1}%
```

```
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@tencolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mptencolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@tencol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mptencol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@tencolfootnotetext}[1]{%
  \bidi@namelongdef{@tencolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@tencolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mptencolfootnotetext}[1]{%
\bidi@namelongdef{@mptencolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@tencolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@tencolfootfmt}[1]{%
  \@namedef{@tencolfootfmt#1}##1{%
    \@preamtenfmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
  \@namedef{@tencol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{10}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mptencol@footgroup}[1]{%
\@namedef{@mptencol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{10}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@munvxh}[1]{%
  \setbox0=\vbox{\unvbox#1%
    \global\setbox1=\lastbox}%
```

```
  \unhbox1
  \unskip
  \unskip
  \unpenalty
  \hskip\m@mipn@skip}
\bidi@ensure@newcommand{\m@mungebox}{%
  \setbox0=\hbox{\m@munvxh0}%
  \dp0=\z@
  \ht0=\footfudgefactor\wd0
  \box0
  \penalty0}
\newskip\m@mipn@skip
\bidi@ensure@newcommand*{\m@minterparanoteglue}[1]{%
  {\foottextfont\global\m@mipn@skip=#1\relax}}
\m@minterparanoteglue{1em plus.4em minus.4em}
\@ifpackageloaded{multicol}{%
\bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
 \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
 \hsize\textwidth%
 \setbox0=\hbox{}%
  \loop
    \unpenalty
    \setbox2=\lastbox
  \ifhbox2
    \setbox0=\hbox{\box2\unhbox0}
  \repeat}
}{%
\bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
 \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
 \setbox0=\hbox{}%
  \loop
    \unpenalty
    \setbox2=\lastbox
  \ifhbox2
    \setbox0=\hbox{\box2\unhbox0}
  \repeat}}
\bidi@ensure@newcommand*{\m@mremovehboxes}{\setbox0=\lastbox
  \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
\bidi@ensure@newcommand*{\footfudgefiddle}{64}
\bidi@ensure@newcommand{\paragraphfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@parafootnotetext
  \let\@LTRfootnotetext\@paraLTRfootnotetext
  \let\@RTLfootnotetext\@paraRTLfootnotetext
  \dimen\footinsv@r=\footinsdim
  \count\footinsv@r=1000\relax
  \m@make@para@footgroup{v@r}%
  \let\@footgroupv@r\@para@footgroupv@r
  \let\@mpfootnotetext\@mpparafootnotetext
```

```
  \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpparaRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mppara@footgroup{v@r}%
  \let\mp@footgroupv@r\@mppara@footgroupv@r
  \begingroup
  \def\baselinestretch{\m@m@footnote@spacing}%
   \foottextfont
   \@tempdima\normalbaselineskip
   \multiply \@tempdima \@cclvi
   \@tempdimb \columnwidth
   \divide \@tempdimb \@cclvi
   \divide \@tempdima \@tempdimb
   \xdef\footfudgefactor{\strip@pt\@tempdima}%
   \endgroup
  }
\bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert\footinsv@r{%
  \let\bidi@RTL@everypar\@empty%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
      \noindent \@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\el
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@r{%
 \let\bidi@RTL@everypar\@empty%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
      \noindent \@paraLTRfootfmt{\beginL#1\endL}%
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{%
  \let\bidi@RTL@everypar\@empty%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
      \noindent \@paraRTLfootfmt{\beginR#1\endR}%
```

```
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@parafootfmt}[1]{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
  {\footfootmark\strut {\foottextfont #1}\penalty-10}}
\bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
\bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\penalty-10}}
\bidi@ensure@newcommand{\@mpparafootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{%
    \let\bidi@RTL@everypar\@empty%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \unvbox\@mpfootinsv@r
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
      \noindent \@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\el
      \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpparaLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{%
   \let\bidi@RTL@everypar\@empty%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \unvbox\@mpfootinsv@r
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
      \noindent \@paraLTRfootfmt{\beginL#1\endL}%
      \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpparaRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{%
   \let\bidi@RTL@everypar\@empty%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \unvbox\@mpfootinsv@r
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
```

```
      \csname p@mpfootnote\endcsname\@thefnmark}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
      \noindent \@paraRTLfootfmt{\beginR#1\endR}%
      \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\paragraphfootstyle}[1]{%
  \m@make@parafootnotetext{#1}%
  \m@make@mpparafootnotetext{#1}%
  \m@make@parafootfmt{#1}%
  \m@make@para@footgroup{#1}%
  \m@make@mppara@footgroup{#1}%
  \m@make@para@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
    \@nameuse{@parafootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
    \@nameuse{@mpparafootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@para@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mppara@footgroup#1}}%
  \@namedef{@footstart#1}{\@nameuse{@para@footstart#1}}%
  \expandafter\dimen\csname footins#1\endcsname=\footinsdim
  \expandafter\count\csname footins#1\endcsname=1000\relax
  \begingroup
  \def\baselinestretch{\m@m@footnote@spacing}%
   \@nameuse{foottextfont#1}%
   \@tempdima\normalbaselineskip
   \multiply \@tempdima \@cclvi
   \@tempdimb \columnwidth
   \divide \@tempdimb \@cclvi
   \divide \@tempdima \@tempdimb
   \xdef\footfudgefactor{\strip@pt\@tempdima}%
   \endgroup
  }
\bidi@ensure@newcommand{\m@make@parafootnotetext}[1]{%
\bidi@namelongdef{@parafootnotetext#1}##1{%
  \insert\@nameuse{footins#1}{
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\@nameuse{foottextfont#1}%
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
      \noindent \@nameuse{@parafootfmt#1}{##1}%
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpparafootnotetext}[1]{%
\bidi@namelongdef{@mpparafootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
```

```
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
        \noindent \@nameuse{@parafootfmt#1}{##1}%
      \color@endgroup}%
    \m@mungebox}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@parafootfmt}[1]{%
\bidi@namelongdef{@parafootfmt#1}##1{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
  {\@nameuse{footfootmark#1}\strut
   {\@nameuse{foottextfont#1}##1}\penalty-10}}}
\bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
\@namedef{@para@footgroup#1}{%
  \unvbox\@nameuse{footins#1}
  \m@mmakehboxofhboxes
  \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
  \@parboxrestore%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1}%
  \noindent\unhbox0\par}}
\bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
\@namedef{@mppara@footgroup#1}{%
  \unvbox\@nameuse{@mpfootins#1}
  \m@mmakehboxofhboxes
  \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1}%
  \noindent\unhbox0\par}}
\bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
\@namedef{@para@footstart#1}{%
  \vskip\bigskipamount
  \leftskip=\z@
  \rightskip=\z@
  \parindent=\z@
  \vskip\skip\@nameuse{footins#1}%
  \footnoterule}}
\bidi@ensure@newcommand*{\m@m@makecolfloats}{%
  \xdef\@freelist{\@freelist\@midlist}%
  \global\let\@midlist\@empty
  \@combinefloats}
\bidi@ensure@newcommand*{\m@m@makecoltext}{%
  \ifvbox\@kludgeins
    \@makespecialcolbox
  \else
    \setbox\@outputbox \vbox to\@colht{%
```

```
      \@texttop
      \dimen@ \dp\@outputbox
      \unvbox \@outputbox
      \vskip -\dimen@
      \@textbottom}%
  \fi}
\bidi@ensure@newcommand*{\m@m@makecolintro}{}
\bidi@ensure@newcommand*{\m@mopfootnote}{\setbox\@outputbox \vbox{%
  \boxmaxdepth\@maxdepth
  \@tempdima\dp\@cclv
  \unvbox\@cclv
  \vskip-\@tempdima
  \bidi@mopfn@bottom
  \vskip \skip\footins
  \color@begingroup
    \normalcolor
    \footnoterule
    \unvbox \footins
  \color@endgroup}}
\newcommand*{\bidi@mopfootnotebf}{%
  \setbox\@outputbox \vbox{%
  \boxmaxdepth\@maxdepth
  \unvbox\@outputbox
  \bidi@mopfn@bottom
  \vskip\skip\footins
  \color@begingroup
    \normalcolor
    \footnoterule
    \unvbox \footins
  \color@endgroup}}
\gdef\mem@makecol{%
  \m@m@makecolintro
  \ifvoid\footins
    \setbox\@outputbox \box\@cclv
  \else
    \m@mopfootnote
  \fi
  \m@mdoextrafeet
  \m@m@makecolfloats
  \m@m@makecoltext
  \global \maxdepth \@maxdepth}
\gdef\bidi@makecolbf{%
  \m@m@makecolintro
  \setbox\@outputbox \box\@cclv
  \m@m@makecolfloats
  \ifvoid\footins
  \else
    \bidi@mopfootnotebf
  \fi
  \m@mdoextrafeet
```

```
  \m@m@makecoltext
  \global \maxdepth \@maxdepth}
\newcommand{\FeetAboveFloat}{\gdef\@makecol{\mem@makecol}}
\newcommand{\FeetBelowFloat}{\gdef\@makecol{\bidi@makecolbf}}
\newcommand\FeetAtBottom{\def\bidi@mopfn@bottom{\vfill\relax}}
\newcommand\FeetBelowRagged{\let\bidi@mopfn@bottom\relax}
\FeetAboveFloat
\FeetBelowRagged
```

55 File extreport-xetex-bidi.def

```
\ProvidesFile{extreport-xetex-bidi.def}[2017/06/09 v0.3 bidi adaptations for extreport class f
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\renewcommand*\l@chapter[2]{%
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
      \penalty\@highpenalty
    \endgroup
  \fi}
\def\@makechapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
        \huge\bfseries \@chapapp\space \thechapter
        \par\nobreak
        \vskip 20\p@
    \fi
```

```
    \interlinepenalty\@M
    \Huge \bfseries #1\par\nobreak
    \vskip 40\p@
  }}
\def\@makeschapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
    \Huge \bfseries  #1\par\nobreak
    \vskip 40\p@
  }}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname
        \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
  \if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
```

```
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
```

```
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand\thesection      {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand\thefigure{%
  \ifnum \c@chapter>\z@\thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand\thetable{%
  \ifnum \c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
```

56 File fancybox-xetex-bidi.def

```
\ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package f
\def\fancy@@oval#1#2#3{%
  \boxmaxdepth \maxdimen
  \@ovttrue \@ovbtrue \@ovltrue \@ovrtrue
  \@tfor\@tempa :=#3\do{\csname @ov\@tempa false\endcsname}%
  \@ovxx#1\relax
  \advance\@ovxx-\@wholewidth
  \@ovyy#2\relax
  \advance\@ovyy-\@wholewidth
  \@tempdimb \ifdim \@ovyy >\@ovxx \@ovxx\else \@ovyy \fi
```

```
  \advance\@tempdimb-2\p@
  \ifdim\@tempdimb>\the@cornersize\relax
    \@tempdimb=\the@cornersize
  \fi
  \@getcirc\@tempdimb
  \@ovro\ht\@tempboxa \@ovri\dp\@tempboxa
  \@ovdx\@ovxx \advance\@ovdx-\@tempdima \divide\@ovdx \tw@
  \@ovdy\@ovyy \advance\@ovdy-\@tempdima \divide\@ovdy \tw@
  \@circlefnt
  \setbox\@tempboxa\hbox{\beginL%
    \if@ovr \@ovvert32\kern -\@tempdima \fi
    \if@ovl \kern \@ovxx \@ovvert01\kern -\@tempdima \kern -\@ovxx \fi
    \if@ovt \@ovhorz \kern -\@ovxx \fi
    \if@ovb \raise \@ovyy \@ovhorz \fi\endL}%
  \advance\@ovdx\@ovro
  \advance\@ovdy\@ovro
  \advance\@ovxx\@wholewidth
  \wd\@tempboxa=\@ovxx
  \dp\@tempboxa=\z@}
```

57 File fancyhdr-xetex-bidi.def

```
\ProvidesFile{fancyhdr-xetex-bidi.def}[2018/02/15 v0.7 bidi adaptations for fancyhdr package f

\let\f@nch@everypar\everypar

\def\f@nch@head#1#2#3#4#5{#1\hbox to\headwidth{\f@nch@reset
    \f@nch@vbox\headheight{\hbox
      {\rlap{\parbox[b]{\headwidth}{\bidi@raggedright#2}}\hfill
        \parbox[b]{\headwidth}{\centering#3}\hfill
        \llap{\parbox[b]{\headwidth}{\bidi@raggedleft#4}}}\headrule}}#5}

\def\f@nch@foot#1#2#3#4#5{#1\hbox to\headwidth{\f@nch@reset
    \f@nch@vbox\footskip{\footrule
      \hbox{\rlap{\parbox[t]{\headwidth}{\bidi@raggedright#2}}\hfill
        \parbox[t]{\headwidth}{\centering#3}\hfill
        \llap{\parbox[t]{\headwidth}{\bidi@raggedleft#4}}}}}#5}

```

58 File fix2col-xetex-bidi.def

```
\ProvidesFile{fix2col-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for fix2col package for
\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
    \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
```

```
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
\else  \global\@firstcolumntrue
\setbox\@outputbox \vbox {\hbox to\textwidth {%
\hskip \columnwidth
\hfil \vrule width\columnseprule \hfil
\hbox to\columnwidth {%
\bidi@firstcolumn@status@write%
\box\@leftcolumn \hss}%
\hskip -\textwidth
\hbox to\columnwidth{%
\bidi@lastcolumn@status@write%
\box\@outputbox \hss}%
\hskip \columnsep
\hskip \columnwidth }}%
\@combinedblfloats \@setmarks \@outputpage
\begingroup \@dblfloatplacement \@startdblcolumn
\@whilesw\if@fcolmade \fi
{\@outputpage \@startdblcolumn }\endgroup
\fi}
\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
    \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
```

```
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hfil
        \vrule \@width\columnseprule
        \hfil
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
       \box\@outputbox \hss}}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage\@startdblcolumn}%
    \endgroup
  \fi}
```

59 File `fleqn-xetex-bidi.def`

```
\ProvidesFile{fleqn-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for fleqn tag for XeTeX e
\renewcommand\[{\relax
                \ifmmode\@badmath
                \else
                  \begin{trivlist}%
                    \@beginparpenalty\predisplaypenalty
                    \@endparpenalty\postdisplaypenalty
                    \item[]\leavevmode
                    \hb@xt@\linewidth\bgroup \beginL$\m@th\displaystyle %$
                      \hskip\mathindent\bgroup
                \fi}
\renewcommand\]{\relax
                \ifmmode
                      \egroup $\hfil% $
                    \endL\egroup
                  \end{trivlist}%
                \else \@badmath
                \fi}
\renewenvironment{equation}%
    {\@beginparpenalty\predisplaypenalty
     \@endparpenalty\postdisplaypenalty
     \refstepcounter{equation}%
     \trivlist \item[]\leavevmode
       \hb@xt@\linewidth\bgroup\beginL $\m@th% $
         \displaystyle
         \hskip\mathindent}%
        {$\hfil % $
         \displaywidth\linewidth\hbox{\@eqnnum}%
       \endL\egroup
```

```
    \endtrivlist}
```

60 File `float-xetex-bidi.def`

```
\ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for XeT
\renewcommand\floatc@plain[2]{\setbox\@tempboxa\hbox{{\@fs@cfont #1:} #2}%
  \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
    \else\hbox to\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}\fi}
\def\float@newx#1[#2]{\@ifundefined{c@#1}{\newcounter{#1}[#2]%
    \expandafter\edef\csname the#1\endcsname{%
      \expandafter\noexpand\csname
        the#2\endcsname\@SepMark\noexpand\arabic{#1}}}%
    {\PackageWarning{float}{Can't redefine counter variable for #1.}}}
```

61 File `floatrow-xetex-bidi.def`

```
\ProvidesFile{floatrow-xetex-bidi.def}[2013/04/08 v0.1 bidi adaptations for floatrow package f
\renewcommand\flnew@within[1]{\@addtoreset{\FB@captype}{#1}%
  \expandafter\edef\csname the\FB@captype\endcsname{%
      \expandafter\noexpand\csname
        the#1\endcsname\@SepMark\noexpand\arabic{\FB@captype}}}
```

62 File `flowfram-xetex-bidi.def`

```
\ProvidesFile{flowfram-xetex-bidi.def}[2018/02/22 v0.3 bidi adaptations for flowfram package f
\def\@outputdblcol{%
\@nxtcol=\c@thisframe
\c@curpg=\c@page
\@g@tnextcol{\@nxtcol}%
\if@ff@nwpg % next flow frame starts on new page
  \global\@firstcolumntrue
  \@setcolbox\c@thisframe
  \if@specialpage
    \global\@specialpagefalse
    \@nameuse{ps@\@specialstyle}\relax
  \fi
  \if@twoside
    \ifodd\count\z@
      \let\@thehead\@oddhead
      \let\@thefoot\@oddfoot
    \else
      \let\@thehead\@evenhead
      \let\@thefoot\@evenfoot
    \fi
  \else
    \let\@thehead\@oddhead
    \let\@thefoot\@oddfoot
  \fi
  \@begindvi
  \@dodynamicthehead\@dodynamicthefoot
```

```
  \vbadness=\@M
  \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
  \@combinedblfloats
  \@outputpage
\advance\c@curpg by -\c@page\relax
  \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
  \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
\@outputpage}
  \begingroup
    \@dblfloatplacement
    \@startdblcolumn
    \@whilesw \if@fcolmade \fi
       {\@outputpage \@startdblcolumn }\endgroup
  \@resetst@tics
  \@resetdyn@mics
\else % still on same page, save contents of box255
  \global\@firstcolumnfalse
  \@setcolbox\c@thisframe
\fi
\global\c@thisframe=\@nxtcol
\@setcol{\c@thisframe}\relax
\global\@colht\vsize
}
\def\@outputpage{%
\begingroup
  \let\protect\noexpand
  \@resetactivechars
  \global\let\@@if@newlist\if@newlist
  \global\@newlistfalse\@parboxrestore
  \global\let\bidi@BeforeOutputPageShipOut\@firstofone
  \bidi@beforeoutputpageshipouthook
  \shipout\vbox{\set@typeset@protect
    \aftergroup
    \endgroup
    \aftergroup
    \set@typeset@protect
    \reset@font\normalsize\normalsfcodes
    \let\label\@gobble
    \let\index\@gobble
    \let\glossary\@gobble
    \baselineskip\z@skip
    \lineskip\z@skip
    \lineskiplimit\z@
    \vskip\topmargin\moveright\@themargin
    \vbox{%
      \global\let\bidi@BeforeHeader\@firstofone
      \bidi@beforeheaderhook
      \vskip\headheight
      \vskip\headsep
      \global\let\bidi@BeforeOutputBoxOutputPage\@firstofone
```

```
      \bidi@beforeoutputboxoutputpagehook
      \box\@outputbox
      \global\let\bidi@AfterOutputBoxOutputPage\@firstofone
      \bidi@afteroutputboxoutputpagehook
      \ifvoid\@bidi@copyins@
      \else
        \vskip\skip\@bidi@copyins@
        \unvbox\@bidi@copyins@
      \fi
    }}%
  \global\let\bidi@AfterOutputPageShipOut\@firstofone
  \bidi@afteroutputpageshipouthook
  \global\let\if@newlist\@@if@newlist
  \stepcounter{page}%
  \setcounter{displayedframe}{0}%
  \let\firstmark\botmark
  \global\let\bidi@AtEndOutputPage\@firstofone
  \bidi@atendoutputpagehook
  }


\newcommand*\bidi@s@tfftextcol{\ifthenelse{\equal{\ff@txtcol}{}}{}{%
\expandafter\bidicolor\ff@txtcol}}

\newcommand{\bidi@ff@box}[3]{{\@ffbackground{\vbox to#2
{\hb@xt@ #1{\hss{\bidi@s@tfftextcol #3}\hss}\vss\kern\z@}}}}


\renewcommand*{\@docolbox}[1]{%
\edef\ff@frametype{%
\csname @ff@frametype@\romannumeral#1\endcsname}%
\edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
\edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
\edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
\@ff@setoffset{#1}%
\rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}{%
\ifthenelse{\boolean{columnframe\romannumeral#1}}{%
\@ff@fbox{\csname colwidth\romannumeral#1\endcsname}%
{\csname colheight\romannumeral#1\endcsname}{%
\expandafter\box\csname column\romannumeral#1\endcsname}{%
\csname\ff@frametype\endcsname}%
}{%
\bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}%
{\csname colheight\romannumeral#1\endcsname}{%
\expandafter\box\csname column\romannumeral#1\endcsname}%
}}}
\@ifclassloaded{book}{%
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
```

```
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
\@ifclassloaded{report}{%
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
\renewcommand{\rotateframe}[2]{\if@ttb@rotate
\rotatebox{#1}{\if@RTL\beginL\fi#2\if@RTL\endL\fi}%
\else
#2\relax
\fi}
```

63 File `footnote-xetex-bidi.def`

```
\ProvidesFile{footnote-xetex-bidi.def}[2017/08/09 v1.1 bidi footnote macros for XeTeX engine]
\if@RTLmain\@RTL@footnotetrue\else\@RTL@footnotefalse\fi
\newif\ifbidi@autofootnoterule
\def\bidi@mpfootnoterule{\footnoterule}
\newcounter{footdir@label}
\renewcommand*{\thefootdir@label}{footdir@\the\value{footdir@label}}
\newcommand*{\footdir@write}{%
  \stepcounter{footdir@label}%
  \zref@labelbyprops{\thefootdir@label}{abspage}%
}
\newif\iffootdir@debug
\newcommand*{\debugfootnotedirection}{\footdir@debugtrue}
\newtoks\footdir@toks
\newcommand*{\footdir@debug}[1]{%
  \iffootdir@debug
    \typeout{[footdir] #1}%
  \fi
}
%\@ifpackagelater{zref-abspage}{2012/10/27}{%
%  \newcommand*{\footdir@LeftRightElse}{%
```

```
%    \ltx@ifundefined{footdir@\the\value{zabspage}}{%
%      \footdir@debug{abspage \the\value{zabspage}: else}%
%      \ltx@thirdofthree
%    }{%
%      \if\csname footdir@\the\value{zabspage}\endcsname L%
%        \footdir@debug{abspage \the\value{zabspage}: left}%
%        \expandafter\ltx@firstofthree
%      \else
%        \footdir@debug{abspage \the\value{zabspage}: right}%
%        \expandafter\ltx@secondofthree
%      \fi
%    }%
%  }%
%}{%
  \providecommand*{\c@zabspage}{\c@abspage}%
  \newcommand*{\footdir@LeftRightElse}{%
    \footdir@write
    \zifrefundefined{\thefootdir@label}{%
      \footdir@debug{abspage ??: else}%
      \ltx@thirdofthree
    }{%
      \edef\footdir@abspage{%
        \zref@extractdefault{\thefootdir@label}{abspage}{0}%
      }%
      \ltx@ifundefined{footdir@\footdir@abspage}{%
        \footdir@debug{\footdir@abspage: else}%
        \ltx@thirdofthree
      }{%
        \if\csname footdir@\footdir@abspage\endcsname L%
          \footdir@debug{\footdir@abspage: left}%
          \expandafter\ltx@firstofthree
        \else
          \footdir@debug{\footdir@abspage: right}%
          \expandafter\ltx@secondofthree
        \fi
      }%
    }%
  }%
%}
\newcommand*{\footdir@fntext}[1]{%
  \zifrefundefined{\thefootdir@label}{%
  }{%
    \edef\footdir@name{%
      footdir@\zref@extractdefault{\thefootdir@label}{abspage}{0}%
    }%
    \@ifundefined{\footdir@name}{%
      \expandafter\gdef\csname\footdir@name\endcsname{#1}%
    }{}%
  }%
}
```

```
\newcommand*{\footdir@temp}[3]{%
  \@ifdefinable{#1}{%
    \let#1#2%
    \renewcommand{#2}[1]{%
      \footdir@write
      \footdir@fntext{#3}%
      \stepcounter{footdir@label}%
      \footdir@fntext{#3}%
      \footdir@toks{##1}%
      \footdir@toks\expandafter{%
        \the\expandafter\footdir@toks
        \expandafter
        \zref@labelbyprops\expandafter{\thefootdir@label}{abspage}%
      }%
      \expandafter#1\expandafter{\the\footdir@toks}%
    }%
  }%
}

\def\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\def\left@footnoterule{\kern-3\p@
  \hrule \@width .4\columnwidth \kern 2.6\p@}
\def\textwidth@footnoterule{\kern-3\p@
  \hrule \@width \columnwidth \kern 2.6\p@}
\def\leftfootnoterule{%
\bidi@autofootnoterulefalse%
\def\footnoterule{\left@footnoterule}}
\let\LRfootnoterule=\leftfootnoterule
\def\rightfootnoterule{%
\bidi@autofootnoterulefalse%
\def\footnoterule{\right@footnoterule}}
\def\textwidthfootnoterule{%
\bidi@autofootnoterulefalse%
\def\footnoterule{\textwidth@footnoterule}}



\def\auto@footnoterule{%
\footdir@LeftRightElse%
\left@footnoterule%
\right@footnoterule%
\left@footnoterule%
}
```

```
\def\autofootnoterule{%
\bidi@autofootnoteruletrue%
\def\footnoterule{\auto@footnoterule}%
}

\newcommand*{\SplitFootnoteRule}{%
  \gdef\split@prev{0}
  \let\pagefootnoterule\footnoterule
  \let\mpfootnoterule\footnoterule
  \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
  \def\footnoterule{\relax
    \ifx \@listdepth\@mplistdepth
      \mpfootnoterule
    \else
      \ifnum\split@prev=\z@
        \pagefootnoterule
      \else
        \splitfootnoterule
      \fi
      \xdef\split@prev{\the\insertpenalties}%
    \fi
  }%
}



\def\RTLfootnote{\@ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn
      \protected@xdef\@thefnmark{\thempfn}%
      \@footnotemark\@RTLfootnotetext}}
\def\@xRTLfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\@RTLfootnotetext}
\def\LTRfootnote{\@ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
      \protected@xdef\@thefnmark{\thempfn}%
      \@footnotemark\@LTRfootnotetext}}
\def\@xLTRfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\@LTRfootnotetext}


\def\setfootnoteRL{\@RTL@footnotetrue}
\def\unsetfootnoteRL{\@RTL@footnotefalse}
\def\setfootnoteLR{\unsetfootnoteRL}
```

```
\newcommand*{\bidi@@footnotetext@font}{\footnotesize}
\newcommand*{\bidi@@LTRfootnotetext@font}{\footnotesize}
\newcommand*{\bidi@@RTLfootnotetext@font}{\footnotesize}

\long\def\@footnotetext#1{\insert\footins{%
    \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \reset@font%
    \bidi@@footnotetext@font% \reset@font\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep
    \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark
    }%
    \color@begingroup
      \@makefntext{%
       \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}%


\long\def\@RTLfootnotetext#1{\insert\footins{%
    \@RTLtrue%
    \reset@font%
    \bidi@@RTLfootnotetext@font% \reset@font\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep
    \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark
    }%
    \color@begingroup
      \@makefntext{%
       \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}%

\long\def\@LTRfootnotetext#1{\insert\footins{%
    \@RTLfalse%
    \reset@font%
    \bidi@@LTRfootnotetext@font% \reset@font\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep
    \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark
    }%
    \color@begingroup
```

```
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}%

\AtBeginDocument{%
\if@RTL@footnote
  \newcommand*{\bidi@footdir@footnote}{R}
\else
  \newcommand*{\bidi@footdir@footnote}{L}
\fi%
}

\footdir@temp\footdir@ORG@bidi@footnotetext\@footnotetext{\bidi@footdir@footnote}%
\footdir@temp\footdir@ORG@bidi@RTLfootnotetext\@RTLfootnotetext{R}%
\footdir@temp\footdir@ORG@bidi@LTRfootnotetext\@LTRfootnotetext{L}%

\long\def\@mpRTLfootnotetext#1{%
  \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footnc
  \global\setbox\@mpfootins\vbox{\@RTLtrue%
    \unvbox\@mpfootins
    \reset@font%
    \bidi@@RTLfootnotetext@font% \reset@font\footnotesize
    \hsize\columnwidth
    \@parboxrestore
    \protected@edef\@currentlabel
         {\csname p@mpfootnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}
\long\def\@mpLTRfootnotetext#1{%
 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footnote
  \global\setbox\@mpfootins\vbox{\@RTLfalse%
    \unvbox\@mpfootins
    \reset@font%
    \bidi@@LTRfootnotetext@font% \reset@font\footnotesize
    \hsize\columnwidth
    \@parboxrestore
    \protected@edef\@currentlabel
         {\csname p@mpfootnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}
\long\def\@mpfootnotetext#1{%
 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnoteru
  \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootins
    \reset@font%
    \bidi@@footnotetext@font% \reset@font\footnotesize
```

```
    \hsize\columnwidth
    \@parboxrestore
    \protected@edef\@currentlabel
         {\csname p@mpfootnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}
\def\@iiiminipage#1#2[#3]#4{%
  \leavevmode
  \@pboxswfalse
  \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
  \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi
  \setlength\@tempdima{#4}%
  \def\@mpargs{{#1}{#2}[#3]{#4}}%
  \setbox\@tempboxa\vbox\bgroup
    \color@begingroup
      \hsize\@tempdima
      \textwidth\hsize \columnwidth\hsize
      \@parboxrestore
      \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
      \let\@footnotetext\@mpfootnotetext
      \let\@LTRfootnotetext\@mpLTRfootnotetext
      \let\@RTLfootnotetext\@mpRTLfootnotetext
      \let\@listdepth\@mplistdepth \@mplistdepth\z@
      \@minipagerestore
      \@setminipage}
\def\endminipage{%
    \par
    \unskip
    \ifvoid\@mpfootins\else
      \vskip\skip\@mpfootins
      \normalcolor
      \bidi@mpfootnoterule
      \unvbox\@mpfootins
    \fi
    \@minipagefalse   %% added 24 May 89
  \color@endgroup
  \egroup
  \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
\def\LTRthanks#1{\footnotemark
    \protected@xdef\@thanks{\@thanks
        \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
}
\def\LTRfootnotetext{%
     \@ifnextchar [\@xLTRfootnotenext
       {\protected@xdef\@thefnmark{\thempfn}%
    \@LTRfootnotetext}}
\def\@xLTRfootnotenext[#1]{%
  \begingroup
```

```
      \csname c@\@mpfn\endcsname #1\relax
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
  \endgroup
  \@LTRfootnotetext}
\def\RTLthanks#1{\footnotemark
    \protected@xdef\@thanks{\@thanks
        \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
}
\let\@thanks\@empty
\def\RTLfootnotetext{%
     \@ifnextchar [\@xRTLfootnotenext
       {\protected@xdef\@thefnmark{\thempfn}%
    \@RTLfootnotetext}}
\def\@xRTLfootnotenext[#1]{%
  \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
  \endgroup
  \@RTLfootnotetext}
\leftfootnoterule
```

64 File framed-xetex-bidi.def

```
\ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for X
\renewcommand\TitleBarFrame[3][]{\begingroup
  \ifx\delimiter#1\delimiter
    \let\TF@conlab\@empty
  \else
    \def\TF@conlab{% continuation label
     \nointerlineskip
     \smash{\rlap{\kern\wd\@tempboxa\kern\fboxrule\kern\fboxsep #1}}}%
  \fi
  %\let\TF@savecolor\current@color
  \textcolor{TFFrameColor}{%
  \CustomFBox
    {\TF@Title{#2}}{\TF@conlab}%
    \fboxrule\fboxrule\fboxrule\fboxrule
    %{\let\current@color\TF@savecolor\set@color #3}%
    {\normalcolor #3}%
  }\endgroup
}
\renewenvironment{titled-frame}[1]{%
  \def\FrameCommand{\fboxsep8pt\fboxrule2pt
     \TitleBarFrame{\textbf{#1}}}%
  \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1}}}%
  \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1\ (cont)
  \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
     \TitleBarFrame{\textbf{#1\ (cont)}}}%
```

```
  \MakeFramed{\advance\hsize-20pt \FrameRestore}}%
%  note: 8 + 2 + 8 + 2 = 20.  Don't use \width because the frame title
%  could interfere with the width measurement.
 {\endMakeFramed}
\chardef\FrameRestore=\catcode`\| % for debug
\catcode`\|=\catcode`\% % (debug: insert space after backslash)
\def\fb@put@frame#1#2{\relax
 \ifdim\pagegoal=\maxdimen \pagegoal\vsize \fi
|   \message{=============== Entering putframe ====================^^J
|     \pagegoal=\the\pagegoal,  \pagetotal=\the\pagetotal. }%
 \ifinner
   \fb@putboxa#1%
   \fb@afterframe
 \else
  \dimen@\pagegoal \advance\dimen@-\pagetotal % natural space left on page
  \ifdim\dimen@<2\baselineskip % Too little room on page
|   \message{Page has only \the\dimen@\space room left; eject. }%
    \eject \fb@adjheight \fb@put@frame#1#2%
  \else % there's appreciable room left on the page
     \fb@sizeofframe#1%
|    \message{\string\pagetotal=\the\pagetotal,
|        \string\pagegoal=\the\pagegoal,
|        \string\pagestretch=\the\pagestretch,
|        \string\pageshrink=\the\pageshrink,
|        \string\fb@frh=\the\fb@frh. \space}
|    \message{^^JBox of size \the\ht\@tempboxa\space}%
     \begingroup % temporarily set \dimen@ to be...
     \advance\dimen@.8\pageshrink  % maximum space available on page
     \advance\dimen@-\fb@frh\relax % max space available for frame's contents
%%% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
     \expandafter\endgroup
     % expand \ifdim, then restore \dimen@ to real room left on page
     \ifdim\dimen@>\ht\@tempboxa % whole box does fit
|       \message{fits in \the\dimen@. }%
        % ToDo: Change this to use vsplit anyway to capture the marks
        % MERGE THIS WITH THE else CLAUSE!!!
        \fb@putboxa#1%
        \fb@afterframe
     \else % box must be split
|       \message{must be split to fit in \the\dimen@. }%
        % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
        \fb@sizeofframe#2%
        \setbox\@tempboxa\vbox{% simulate frame and flexiblity of the page:
           \vskip \fb@frh \@plus\pagestretch \@minus.8\pageshrink
           \kern137sp\kern-137sp\penalty-30
           \unvbox\@tempboxa}%
        \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
                           \splittopskip\the\splittopskip}%
        \boxmaxdepth\z@ \splittopskip\z@
|      \message{^^JPadded box of size \the\ht\@tempboxa\space split to \the\dimen@}%
```

```
11512         % Split box here
11513         \setbox\tw@\vsplit\@tempboxa to\dimen@
11514 |       \toks99\expandafter{\splitfirstmark}%
11515 |       \toks98\expandafter{\splitbotmark}%
11516 |       \message{Marks are: \the\toks99, \the\toks98. }%
11517         \setbox\tw@\vbox{\unvbox\tw@}% natural-sized
11518 |       \message{Natural height of split box is \the\ht\tw@, leaving
11519 |          \the\ht\@tempboxa\space remainder. }%
11520         % If the split-to size > (\vsize-\topskip), then set box to full size.
11521         \begingroup
11522         \advance\dimen@\topskip
11523         \expandafter\endgroup
11524         \ifdim\dimen@>\pagegoal
11525 |         \message{Frame is big -- Use up the full column. }%
11526           \dimen@ii\pagegoal
11527           \advance\dimen@ii -\topskip
11528           \advance\dimen@ii \FrameHeightAdjust\relax
11529         \else  % suspect this is implemented incorrectly:
11530           % If the split-to size > feasible room_on_page, rebox it smaller.
11531           \advance\dimen@.8\pageshrink
11532           \ifdim\ht\tw@>\dimen@
11533 |           \message{Box too tall; rebox it to \the\dimen@. }%
11534             \dimen@ii\dimen@
11535           \else % use natural size
11536             \dimen@ii\ht\tw@
11537           \fi
11538         \fi
11539         % Re-box contents to desired size \dimen@ii
11540         \advance\dimen@ii -\fb@frh
11541         \setbox\tw@\vbox to\dimen@ii \bgroup
11542         % remove simulated frame and page flexibility:
11543         \vskip -\fb@frh \@plus-\pagestretch \@minus-.8\pageshrink
11544         \unvbox\tw@ \unpenalty\unpenalty
11545         \ifdim\lastkern=-137sp % whole box went to next page
11546 |          \message{box split at beginning! }%
11547            % need work here???
11548            \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
11549            \fb@adjheight
11550            \fb@put@frame#1#2% INSERTED ???
11551         \else % Got material split off at the head
11552            \egroup \fb@resto@set
11553            \ifvoid\@tempboxa % it all fit after all
11554 |             \message{box split at end! }%
11555               \setbox\@tempboxa\box\tw@
11556               \fb@putboxa#1%
11557               \fb@afterframe
11558            \else % it really did split
11559 |             \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
11560               \ifdim\wd\tw@>\z@
11561                 \wd\tw@\wd\@tempboxa
```

```
11562                 \centerline{#2{\hboxL{\box\tw@}}}%  ??? \centerline bad idea
11563               \else
11564 |               \message{Zero width means likely blank. Don't frame it (guess)}%
11565                 \box\tw@
11566               \fi
11567               \hrule \@height\z@ \@width\hsize
11568               \eject
11569               \fb@adjheight
11570               \fb@put@frame\LastFrameCommand\MidFrameCommand
11571   \fi\fi\fi\fi\fi
11572 }
11573 \def\fb@putboxa#1{%
11574   \ifvoid\@tempboxa
11575     \PackageWarning{framed}{Boxa is void -- discard it. }%
11576   \else
11577 |   \message{Frame and place boxa. }%
11578 |   %{\showoutput\showbox\@tempboxa}%
11579     \centerline{#1{\hboxL{\box\@tempboxa}}}%
11580   \fi
11581 }
11582 \catcode`\|=\FrameRestore
11583 \def\FrameRestore{%
11584    \let\if@nobreak\iffalse
11585    \let\if@noskipsec\iffalse
11586    \let\-\@dischyph
11587    \let\'\@acci\let\`\@accii\let\=\@acciii
11588    %  \message{FrameRestore:
11589    %    \@totalleftmargin=\the \@totalleftmargin,
11590    %    \rightmargin=\the\rightmargin,
11591    %    \@listdepth=\the\@listdepth.  }%
11592    % Test if we are in a list (or list-like paragraph)
11593    \ifnum \ifdim\@totalleftmargin>\z@ 1\fi
11594           \ifdim\rightmargin>\z@ 1\fi
11595           \ifnum\@listdepth>\z@ 1\fi 0>\z@
11596      %     \message{In a list: \linewidth=\the\linewidth, \@totalleftmargin=\the\@totalleftmar
11597      %       \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
11598      %       \labelwidth=\the\labelwidth. }%
11599      \@setminipage % snug fit around the item
11600      % Now try to propageate changes of width from \hsize to list parameters.
11601      % This is deficient, but a more advanced way to indicate modification to text
11602      % dimensions is not (yet) provided; in particular, no separate left/right
11603      % adjustment.
11604      \advance\linewidth-\columnwidth \advance\linewidth\hsize
11605      \parshape\@ne \@totalleftmargin \linewidth
11606    \else % Not in list
11607      \linewidth=\hsize
11608      %\message{No list, set \string\linewidth=\the\hsize. }%
11609    \fi
11610    \sloppy
11611 }
```

65 File ftnright-xetex-bidi.def

```
\ProvidesFile{ftnright-xetex-bidi.def}[2017/05/06 v0.5 bidi adaptations for ftnright package f

\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \global\count\footins\@m
    \global\skip\footins\rcol@footinsskip
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
   \preparefootins
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hfil
        {\normalcolor\vrule \@width\columnseprule}%
        \hfil
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
       \box\@outputbox \hss}}}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
    \endgroup
  \fi}%

```

```
11660
11661
11662 \def\RTL@outputdblcol{%
11663   \if@firstcolumn
11664     \global\@firstcolumnfalse
11665     \global\setbox\@leftcolumn\copy\@outputbox
11666     \global\count\footins\@m
11667     \global\skip\footins\rcol@footinsskip
11668     \splitmaxdepth\maxdimen
11669     \vbadness\maxdimen
11670      \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
11671      \setbox\@outputbox\vsplit\@outputbox to\maxdimen
11672     \toks@\expandafter{\topmark}%
11673     \xdef\@firstcoltopmark{\the\toks@}%
11674     \toks@\expandafter{\splitfirstmark}%
11675     \xdef\@firstcolfirstmark{\the\toks@}%
11676     \ifx\@firstcolfirstmark\@empty
11677       \global\let\@setmarks\relax
11678     \else
11679       \gdef\@setmarks{%
11680         \let\firstmark\@firstcolfirstmark
11681         \let\topmark\@firstcoltopmark}%
11682     \fi
11683   \else
11684    \preparefootins
11685     \global\@firstcolumntrue
11686     \setbox\@outputbox\vbox{%
11687      \hb@xt@\textwidth{%
11688        \hskip \columnwidth
11689        \hfil
11690        {\normalcolor\vrule \@width\columnseprule}%
11691        \hfil
11692         \hb@xt@\columnwidth{%
11693         \bidi@firstcolumn@status@write%
11694         \box\@leftcolumn \hss}%
11695         \hskip -\textwidth
11696        \hb@xt@\columnwidth{%
11697        \bidi@lastcolumn@status@write%
11698        \box\@outputbox \hss}%
11699        \hskip \columnsep
11700       \hskip \columnwidth }}%
11701   \@combinedblfloats
11702     \@setmarks
11703     \@outputpage
11704     \begingroup
11705       \@dblfloatplacement
11706       \@startdblcolumn
11707       \@whilesw\if@fcolmade \fi{\@outputpage
11708      \@startdblcolumn}%
11709     \endgroup
```

```
  \fi}%


\let\leftfootnoterule\@empty
\let\rightfootnoterule\@empty
\let\textwidthfootnoterule\@empty
\let\autofootnoterule\@empty
\let\footnoterule\@empty
\long\def\@makefntext#1{\parindent 1em
   \noindent\hbox to 2em{}%
   \llap{\@thefnmark\hbox{.}\,\,}#1}
```

66 File graphicx-xetex-bidi.def

```
\ProvidesFile{graphicx-xetex-bidi.def}[2017/06/17 v0.5 bidi adaptations for graphicx package f
\def\Grot@box@std#1#2{\ifmmode\else\if@RTL\beginL\fi\fi%
  \Grot@setangle{#1}%
  \setbox\z@\hbox{{\ifmmode\if@RTL\beginR\fi#2\if@RTL\endR\fi\else\if@RTL\beginR\fi#2\if@RTL\e
  \Grot@x\z@
  \Grot@y\z@
  \Grot@box\ifmmode\else\if@RTL\endL\fi\fi}
\long\def\Grot@box@kv[#1]#2#3{\ifmmode\else\if@RTL\beginL\fi\fi%
  \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@
    \Grot@x\width \divide\Grot@x\tw@
    \Grot@y\height \advance\Grot@y-\depth \divide\Grot@y\tw@
    \setkeys{Grot}{#1}%
    \setbox\z@\box\@tempboxa
    \Grot@setangle{#2}%
    \Grot@box\ifmmode\else\if@RTL\endL\fi\fi
  \@end@tempboxa}
\long\def\Gscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
  \leavevmode
  \def\Gscale@x{#1}\def\Gscale@y{#2}%
  \setbox\z@\hbox{{#3}}%
  \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
  \ifdim#2\p@<\z@
    \ht\tw@-#2\dp\z@
    \dp\tw@-#2\ht\z@
  \else
    \ht\tw@#2\ht\z@
    \dp\tw@#2\dp\z@
  \fi
  \ifdim#1\p@<\z@
    \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
  \else
    \wd\tw@#1\wd\z@
    \box\tw@
  \fi\ifmmode\else\if@RTL\endL\fi\fi}
\def\Gin@iii[#1,#2][#3,#4]#5{%
```

```
  \begingroup
  \ifmmode\else\if@RTL\beginL\fi\fi
  \Gin@bboxtrue
  \Gin@defaultbp\Gin@llx{#1}%
  \Gin@defaultbp\Gin@lly{#2}%
  \Gin@defaultbp\Gin@urx{#3}%
  \Gin@defaultbp\Gin@ury{#4}%
  \Ginclude@graphics{#5}%
  \ifmmode\else\if@RTL\endL\fi\fi
  \endgroup}
\def\Gin@ii[#1]#2{%
    \def\@tempa{[}\def\@tempb{#2}%
    \ifx\@tempa\@tempb
      \def\@tempa{\Gin@iii[#1][}%
      \expandafter\@tempa
    \else
     \begingroup
       \ifmmode\else\if@RTL\beginL\fi\fi
       \@tempswafalse
       \toks@{\Ginclude@graphics{#2}}%
       \setkeys{Gin}{#1}%
       \Gin@esetsize
       \the\toks@
       \ifmmode\else\if@RTL\endL\fi\fi
     \endgroup
     \fi}
\def\reflectbox{\bidiGscale@box-1[1]}
\long\def\bidiGscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
  \leavevmode
  \def\Gscale@x{#1}\def\Gscale@y{#2}%
  \setbox\z@\hbox{{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\e
  \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
  \ifdim#2\p@<\z@
    \ht\tw@-#2\dp\z@
    \dp\tw@-#2\ht\z@
  \else
    \ht\tw@#2\ht\z@
    \dp\tw@#2\dp\z@
  \fi
  \ifdim#1\p@<\z@
    \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
  \else
    \wd\tw@#1\wd\z@
    \box\tw@
  \fi\ifmmode\else\if@RTL\endL\fi\fi}
\def\scalebox#1{%
  \@ifnextchar[{\bidiGscale@box{#1}}{\bidiGscale@box{#1}[#1]}}
\def\resizebox{%
  \leavevmode
  \@ifstar{\bidiGscale@@box\totalheight}{\bidiGscale@@box\height}}
```

```
\def\bidiGscale@@box#1#2#3{%
  \let\@tempa\Gin@exclamation
  \expandafter\def\expandafter\@tempb\expandafter{\string#2}%
  \expandafter\def\expandafter\@tempc\expandafter{\string#3}%
  \ifx\@tempb\@tempa
    \ifx\@tempc\@tempa
      \toks@{\mbox}%
    \else
      \toks@{\bidiGscale@box@dd{#3}#1}%
    \fi
  \else
    \ifx\@tempc\@tempa
      \toks@{\bidiGscale@box@dd{#2}\width}%
    \else
      \toks@{\bidiGscale@box@dddd{#2}\width{#3}#1}%
    \fi
  \fi
  \the\toks@}
\long\def\bidiGscale@box@dd#1#2#3{%
  \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@
    \setlength\@tempdima{#1}%
    \setlength\@tempdimb{#2}%
    \Gscale@div\@tempa\@tempdima\@tempdimb
    \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
  \@end@tempboxa}
\long\def\bidiGscale@box@dddd#1#2#3#4#5{%
  \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#5\if@RTL\endR\fi\else\if@RTL\beginR\fi#5\if@
    \setlength\@tempdima{#1}%
    \setlength\@tempdimb{#2}%
    \Gscale@div\@tempa\@tempdima\@tempdimb
    \setlength\@tempdima{#3}%
    \setlength\@tempdimb{#4}%
    \Gscale@div\@tempb\@tempdima\@tempdimb
    \ifGin@iso
      \ifdim\@tempa\p@>\@tempb\p@
        \let\@tempa\@tempb
      \else
        \let\@tempb\@tempa
      \fi
    \fi
    \Gscale@box\@tempa[\@tempb]{\box\@tempboxa}%
  \@end@tempboxa}
```

67 File geometry-xetex-bidi.def

```
\ProvidesFile{geometry-xetex-bidi.def}[2017/01/14 v0.2 bidi adaptations for geometry package
\renewcommand*{\Gm@vrules@mpi}{%
\if@RTLmain%
        \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
        \llap{\Gm@vrule}\ignorespaces
```

```
        \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
        \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
    \else%
  \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
  \hskip \textwidth\Gm@vrule\hskip \marginparsep
  \llap{\Gm@vrule}\hfil\Gm@vrule}\fi}%
\renewcommand*{\Gm@vrules@mpii}{%
\if@RTLmain%
  \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
  \hskip \textwidth\Gm@vrule\hskip \marginparsep
  \llap{\Gm@vrule}\hfil\Gm@vrule}%
\else%
  \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
  \llap{\Gm@vrule}\ignorespaces
  \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
  \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}\fi}%
\bidi@patchcmd{\Gm@pageframes}{%
    \ifodd\count\z@
      \let\@themargin\oddsidemargin
    \else
      \let\@themargin\evensidemargin
    \fi
}{%
    \ifodd\count\z@
      \if@RTLmain
        \let\@themargin\evensidemargin
      \else
        \let\@themargin\oddsidemargin
      \fi
    \else
      \if@RTLmain
        \let\@themargin\oddsidemargin
      \else
        \let\@themargin\evensidemargin
      \fi
    \fi
}{}{}
```

68 File hvfloat-xetex-bidi.def

```
\ProvidesFile{hvfloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvfloat package for
\def\do@@hvFloat[#1]#2#3{%
\def\hv@shortCap{#1}
\def\hv@longCap{#2}
\def\hv@label{#3}
%\newcommand*{\hvFloat}[5][]{%
% [#1]: keyvalues
% #2: type  figure | table | ...
% #3: float contents
% [#4]: short caption
```

```
% #5: caption
% #6: label
% \setDefaults%
% \def\@tempa{#1}%
% \ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
  \def\@tempa{90}%
  \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}
  \else                      \setlength{\hvMaxCapWidth}{\linewidth}
  \fi
%
% First we save the object in \hvObjectBox
%
  \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
    \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
  \else
    \savebox{\hvObjectBox}{%
    \rotatebox{\hvSet@objectAngle}{%
    \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}}
  \fi
  \setlength{\hvObjectWidth}{\wd\hvObjectBox}
%
% Now we save the caption with its defined \hvCapWidth
%
  \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
  \else
    \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}
    \else
      \setlength{\hvCapWidth}{\hvObjectWidth}
      \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
      \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
      \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
\setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
      \else
\setlength{\hvCapWidth}{\hvMaxCapWidth}
      \fi
    \fi
  \fi
%
% now we have the object and the caption with the right
% rotated angles saved in boxes
%
  \def\fps@figure{\hvSet@floatPos}
  \ifhv@nonFloat\begingroup% Start the nonfloat part
  \else         \begin{\hv@floatType}% Start the floating environment
  \fi%
  \saveCaptionSkip% we put this space ourselve
  \ifx\hvSet@capAngle\hv@Width % need rotation?
    \sbox{\hvCaptionBox}{%
      \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
        \ifhv@nonFloat%
```

```
  \ifhv@onlyText#2%
     \else%
    \ifx\hv@floatType\hv@figure
      \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
    \else
      \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
    \fi
  \fi
\else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
\fi%
\label{#3}%
      \end{minipage}%
    }%
  \else%
    \sbox{\hvCaptionBox}{%
      \rotatebox{\hvSet@capAngle}{%
      \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
\ifhv@nonFloat%
     \ifhv@onlyText#2%
     \else%
    \ifx\hv@floatType\hv@figure
      \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
    \else
      \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
    \fi
  \fi
\else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
        \fi%
        \label{#3}%
      \end{minipage}%
      }%
    }%
  \fi%
%%
  \restoreCaptionSkip% save old values
  \ifx\hvSet@objectPos\hv@Right\bidi@raggedleft%
  \else%
    \ifx\hvSet@objectPos\hv@Center
      \ifhv@nonFloat\hspace*{\fill}\else\centering\fi%
    \fi%
  \fi%
%
% to rotate object and caption together, we save all in another box
% the caption comes first, if its on the left or the top
%
  \savebox{\@tempboxa}{%
  \ifx\hvSet@capPos\hv@Left  %  caption on left side
\if@RTL%
\ifx\hvSet@capVPos\hv@Center%
\ifhv@fbox
```

```
\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
\else
\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
\else
\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
\fi%
\else%
\ifx\hvSet@capVPos\hv@Top
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
\else
\raisebox{-\height}{\usebox{\hvObjectBox}}%
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
\else
\raisebox{-\height}{\usebox{\hvCaptionBox}}%
\fi
\else
\ifhv@fbox
\fbox{\usebox{\hvObjectBox}}%
\else
\usebox{\hvObjectBox}%
\fi
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\usebox{\hvCaptionBox}}%
\else
\usebox{\hvCaptionBox}%
\fi%
\fi%
\fi%
\else% not RTL
    \ifx\hvSet@capVPos\hv@Center%
      \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
      \else     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
      \fi%
    \hspace{\hvSet@floatCapSep pt}% capfloatsep
    \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
    \else     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
    \fi%
  \else%
    \ifx\hvSet@capVPos\hv@Top % caption at top
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
```

```
      \fi
      \hspace{\hvSet@floatCapSep pt}% capfloatsep
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvObjectBox}}%
      \fi%
    \else% caption on bottom
      \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
                \else\usebox{\hvCaptionBox}
      \fi%
      \hspace{\hvSet@floatCapSep pt}%
      \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
      \else     \usebox{\hvObjectBox}
      \fi%
    \fi%
\fi% end of RTL
  \fi%
  \else
\ifx\hvSet@capPos\hv@Top
\ifdim\wd\hvCaptionBox>\wd\hvObjectBox
\begin{minipage}{\wd\hvCaptionBox}
\else
\begin{minipage}{\wd\hvObjectBox}
\fi
\centering
\ifhv@fbox
\fbox{\usebox{\hvCaptionBox}}\\[\hvBelowCaptionSkip]
\fbox{\usebox{\hvObjectBox}}
\else
\usebox{\hvCaptionBox}\\[\hvBelowCaptionSkip]
\usebox{\hvObjectBox}
\fi%
\end{minipage}
\else
\ifx\hvSet@capPos\hv@Bottom
\ifdim\wd\hvCaptionBox>\wd\hvObjectBox
\begin{minipage}{\wd\hvCaptionBox}
\else
\begin{minipage}{\wd\hvObjectBox}
\fi
\centering
\ifhv@fbox
\fbox{\usebox{\hvObjectBox}}\\[\hvAboveCaptionSkip]
\fbox{\usebox{\hvCaptionBox}}
\else
\usebox{\hvObjectBox}\\[\hvAboveCaptionSkip]
\usebox{\hvCaptionBox}
\fi%
\end{minipage}
\else% the last option: put the caption on the right
\if@RTL%
```

```
    \ifx\hvSet@capVPos\hv@Center%
      \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
      \else     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
      \fi%
    \hspace{\hvSet@floatCapSep pt}% capfloatsep
    \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
    \else     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
    \fi%
  \else%
    \ifx\hvSet@capVPos\hv@Top % caption at top
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
      \fi
      \hspace{\hvSet@floatCapSep pt}% capfloatsep
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvObjectBox}}%
      \fi%
    \else% caption on bottom
      \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
                \else\usebox{\hvCaptionBox}
      \fi%
      \hspace{\hvSet@floatCapSep pt}%
      \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
      \else     \usebox{\hvObjectBox}
      \fi%
    \fi%
   \fi%
\else% not RTL
\ifx\hvSet@capVPos\hv@Center%
\ifhv@fbox
\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
\else
\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
\else
\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
\fi%
\else%
\ifx\hvSet@capVPos\hv@Top
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
\else
\raisebox{-\height}{\usebox{\hvObjectBox}}%
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
```

```
\else
\raisebox{-\height}{\usebox{\hvCaptionBox}}%
\fi
\else
\ifhv@fbox
\fbox{\usebox{\hvObjectBox}}%
\else
\usebox{\hvObjectBox}%
\fi
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\usebox{\hvCaptionBox}}%
\else
\usebox{\hvCaptionBox}%
\fi%
\fi%
\fi
\fi% end of RTL
\fi
\fi
\fi
}% End savebox Object and caption
%
% now we rotate the object and caption, if needed
%
\ifx\hvSet@rotAngle\hv@Zero
\usebox{\@tempboxa}
\else
\rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
\fi
\ifhv@nonFloat
\ifx\hvSet@objectPos\hv@Center
\ifhv@nonFloat
\hspace{\fill}
\fi
\fi
\endgroup% End the nonfloat part
\else
\end{\hv@floatType}% End the floating environment
\fi
}
```

69 File hyperref-xetex-bidi.def

```
\ProvidesFile{hyperref-xetex-bidi.def}[2017/08/09 v1.0 bidi adaptations for hyperref package f
\AtBeginDocument{%
\def\contentsline#1#2#3#4{%
  \ifx\\#4\\%
    \csname l@#1\endcsname{#2}{#3}%
  \else
```

```
    \ifcase\Hy@linktoc % none
      \csname l@#1\endcsname{#2}{#3}%
    \or % section
      \csname l@#1\endcsname{%
        \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
      }{#3}%
    \or % page
      \csname l@#1\endcsname{{#2}}{%
        \hyper@linkstart{link}{#4}{#3}\hyper@linkend
      }%
    \else % all
      \csname l@#1\endcsname{%
        \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
      }{%
        \hyper@linkstart{link}{#4}{#3}\hyper@linkend
      }%
    \fi
  \fi
}
\ifHy@hyperfootnotes
   \let\H@@footnotetext\@footnotetext
   \let\HRTL@@RTLfootnotetext\@RTLfootnotetext
   \let\HLTR@@LTRfootnotetext\@LTRfootnotetext
    \def\@xfootnotenext[#1]{%
    \begingroup
      \csname c@\@mpfn\endcsname #1\relax
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup
    \ifx\@footnotetext\@mpfootnotetext
      \expandafter\H@@mpfootnotetext
    \else
      \expandafter\H@@footnotetext
    \fi
  }%
    \def\@xRTLfootnotenext[#1]{%
    \begingroup
      \csname c@\@mpfn\endcsname #1\relax
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup
    \ifx\@RTLfootnotetext\@mpRTLfootnotetext
      \expandafter\HRTL@@mpRTLfootnotetext
    \else
      \expandafter\HRTL@@RTLfootnotetext
    \fi
  }%
    \def\@xLTRfootnotenext[#1]{%
    \begingroup
      \csname c@\@mpfn\endcsname #1\relax
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup
```

```
12248   \ifx\@LTRfootnotetext\@mpLTRfootnotetext
12249     \expandafter\HLTR@@mpLTRfootnotetext
12250   \else
12251     \expandafter\HLTR@@LTRfootnotetext
12252   \fi
12253 }%
12254   \def\@xfootnotemark[#1]{%
12255   \begingroup
12256     \c@footnote #1\relax
12257     \unrestored@protected@xdef\@thefnmark{\thefootnote}%
12258   \endgroup
12259   \H@@footnotemark
12260 }%
12261 \let\H@@mpfootnotetext\@mpfootnotetext
12262 \let\HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
12263 \let\HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
12264   \long\def\@mpfootnotetext#1{%
12265   \H@@mpfootnotetext{%
12266     \ifHy@nesting
12267       \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12268     \else
12269       \Hy@raisedlink{%
12270         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12271       }#1%
12272     \fi
12273   }%
12274 }%
12275 \long\def\@mpRTLfootnotetext#1{%
12276   \HRTL@@mpRTLfootnotetext{%
12277     \ifHy@nesting
12278       \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12279     \else
12280       \Hy@raisedlink{%
12281         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12282       }#1%
12283     \fi
12284   }%
12285 }%
12286   \long\def\@mpLTRfootnotetext#1{%
12287   \HLTR@@mpLTRfootnotetext{%
12288     \ifHy@nesting
12289       \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12290     \else
12291       \Hy@raisedlink{%
12292         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12293       }#1%
12294     \fi
12295   }%
12296 }%
12297   \long\def\@footnotetext#1{%
```

```
    \H@@footnotetext{%
      \ifHy@nesting
        \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
        }%
        \let\@currentHlabel\Hy@footnote@currentHlabel
        \let\@currentHref\Hy@footnote@currentHref
        \let\@currentlabelname\@empty
        #1%
      \fi
    }%
  }%
    \long\def\@RTLfootnotetext#1{%
    \HRTL@@RTLfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
        }%
        \let\@currentHlabel\Hy@footnote@currentHlabel
        \let\@currentHref\Hy@footnote@currentHref
        \let\@currentlabelname\@empty
        #1%
      \fi
    }%
  }%
    \long\def\@LTRfootnotetext#1{%
    \HLTR@@LTRfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
        }%
        \let\@currentHlabel\Hy@footnote@currentHlabel
        \let\@currentHref\Hy@footnote@currentHref
        \let\@currentlabelname\@empty
        #1%
      \fi
    }%
  }%
    \@ifpackageloaded{tabularx}{%
    \let\HyOrg@TX@endtabularx\TX@endtabularx
    \def\Hy@tabularx@hook{%
      \let\@footnotetext\H@@footnotetext
      \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
      \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
```

```
    \let\@footnotemark\H@@footnotemark
    \let\@mpfootnotetext\H@@mpfootnotetext
    \let\@mpLTRfootnotetext\HLTR@@mpLTRfootnotetext
    \let\@mpRTLfootnotetext\HRTL@@mpRTLfootnotetext
  }%
  \begingroup
    \toks@\expandafter{\TX@endtabularx}%
    \xdef\Hy@gtemp{%
      \noexpand\Hy@tabularx@hook
      \the\toks@
    }%
  \endgroup
  \let\TX@endtabularx\Hy@gtemp
}{}%
  \@ifpackageloaded{longtable}{%
  \CheckCommand*{\LT@p@LTRftntext}[1]{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \noexpand\LTRfootnotetext[\the\c@footnote]%
    }%
    \global\LT@p@ftn\expandafter{\@tempa{#1}}%
  }%
  \long\def\LT@p@LTRftntext#1{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \begingroup
        \noexpand\c@footnote=\the\c@footnote\relax
        \noexpand\protected@xdef\noexpand\@thefnmark{%
          \noexpand\thempfn
        }%
        \noexpand\Hy@LT@LTRfootnotetext{%
          \Hy@footnote@currentHref
        }%
    }%
    \global\LT@p@ftn\expandafter{%
        \@tempa{#1}%
      \endgroup
    }%
  }%
  \long\def\Hy@LT@LTRfootnotetext#1#2{%
   \HLTR@@LTRfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{#1}{#2}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{#1}{\relax}%
        }%
        \def\@currentHref{#1}%
        \let\@currentlabelname\@empty
        #2%
```

```
      \fi
    }%
  }%
  \CheckCommand*{\LT@p@RTLftntext}[1]{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \noexpand\RTLfootnotetext[\the\c@footnote]%
    }%
    \global\LT@p@ftn\expandafter{\@tempa{#1}}%
  }%
  \long\def\LT@p@RTLftntext#1{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \begingroup
        \noexpand\c@footnote=\the\c@footnote\relax
        \noexpand\protected@xdef\noexpand\@thefnmark{%
          \noexpand\thempfn
        }%
        \noexpand\Hy@LT@RTLfootnotetext{%
          \Hy@footnote@currentHref
        }%
    }%
    \global\LT@p@ftn\expandafter{%
        \@tempa{#1}%
      \endgroup
    }%
  }%
  \long\def\Hy@LT@RTLfootnotetext#1#2{%
   \HRTL@@RTLfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{#1}{#2}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{#1}{\relax}%
        }%
        \def\@currentHref{#1}%
        \let\@currentlabelname\@empty
        #2%
      \fi
    }%
  }%
}{}%
  \@ifpackageloaded{bidipoem}{%
  \long\def\bidipoem@p@ftntext#1{%
    \edef\@tempx{%
      \the\bidipoem@p@ftn
      \begingroup
        \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
        \noexpand\protected@xdef\noexpand\@thefnmark{%
          \noexpand\thempfn
```

```
        }%
        \noexpand\Hy@bidipoem@footnotetext{%
          \Hy@footnote@currentHref
        }%
    }%
    \global\bidipoem@p@ftn\expandafter{%
        \@tempx{#1}%
      \endgroup
    }%
  }%
  \long\def\Hy@bidipoem@footnotetext#1#2{%
    \H@@footnotetext{%
      \ifHy@nesting
        \hyper@@anchor{#1}{#2}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{#1}{\relax}%
        }%
        \def\@currentHref{#1}%
        \let\@currentlabelname\@empty
        #2%
      \fi
    }%
  }%
      \long\def\bidipoem@p@LTRftntext#1{%
    \edef\@tempxi{%
      \the\bidipoem@p@ftn
      \begingroup
        \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
        \noexpand\protected@xdef\noexpand\@thefnmark{%
          \noexpand\thempfn
        }%
        \noexpand\Hy@bidipoem@LTRfootnotetext{%
          \Hy@footnote@currentHref
        }%
    }%
    \global\bidipoem@p@ftn\expandafter{%
        \@tempxi{#1}%
      \endgroup
    }%
  }%
  \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
    \HLTR@@LTRfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{#1}{#2}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{#1}{\relax}%
        }%
        \def\@currentHref{#1}%
```

```
        \let\@currentlabelname\@empty
        #2%
      \fi
    }%
  }%
      \long\def\bidipoem@p@RTLftntext#1{%
    \edef\@tempxii{%
      \the\bidipoem@p@ftn
      \begingroup
        \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
        \noexpand\protected@xdef\noexpand\@thefnmark{%
          \noexpand\thempfn
        }%
        \noexpand\Hy@bidipoem@RTLfootnotetext{%
          \Hy@footnote@currentHref
        }%
    }%
    \global\bidipoem@p@ftn\expandafter{%
        \@tempxii{#1}%
      \endgroup
    }%
  }%
  \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
    \HRTL@@RTLfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{#1}{#2}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{#1}{\relax}%
        }%
        \def\@currentHref{#1}%
        \let\@currentlabelname\@empty
        #2%
      \fi
    }%
  }%
}{}%
\let\HyOrg@maketitle\maketitle
\def\maketitle{%
  \let\Hy@saved@footnotemark\@footnotemark
  \let\Hy@saved@footnotetext\@footnotetext
  \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
  \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
  \let\@footnotemark\H@@footnotemark
  \let\@footnotetext\H@@footnotetext
  \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
  \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
  \@ifnextchar[\Hy@maketitle@optarg{% ]
    \HyOrg@maketitle
    \Hy@maketitle@end
```

```
    }%
  }%
  \def\Hy@maketitle@optarg[#1]{%
    \HyOrg@maketitle[{#1}]%
    \Hy@maketitle@end
  }%
  \def\Hy@maketitle@end{%
    \ifx\@footnotemark\H@@footnotemark
      \let\@footnotemark\Hy@saved@footnotemark
    \fi
    \ifx\@footnotetext\H@@footnotetext
      \let\@footnotetext\Hy@saved@footnotetext
    \fi
    \ifx\@RTLfootnotetext\HRTL@@RTLfootnotetext
      \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
    \fi
    \ifx\@LTRfootnotetext\HLTR@@LTRfootnotetext
      \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
    \fi
  }%
  \def\realfootnote{%
    \@ifnextchar[\@xfootnote{%
      \stepcounter{\@mpfn}%
      \protected@xdef\@thefnmark{\thempfn}%
      \H@@footnotemark\H@@footnotetext
    }%
  }%
\fi
\def\Hy@BeginAnnot#1{%
  \ifmmode\else\beginL\fi%
  \global\advance\c@Hy@AnnotLevel\@ne
  \ifnum\c@Hy@AnnotLevel=\@ne
    #1%
  \fi
}
\def\Hy@EndAnnot{%
  \ifnum\c@Hy@AnnotLevel=\@ne
    \Hy@endcolorlink
    \@pdfm@mark{eann}%
  \fi
  \global\advance\c@Hy@AnnotLevel\m@ne
  \ifmmode\else\endL\fi%
}
\def\hyper@link#1#2#3{%
  \hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi#3\ifmmode\else\if@RTL\endR\fi\fi\H
}
\def\hyper@linkfile#1#2#3{%
  \leavevmode
  \Hy@BeginAnnot{%
    \def\Hy@pstringF{#2}%
```

```
    \Hy@CleanupFile\Hy@pstringF
    \Hy@pstringdef\Hy@pstringF\Hy@pstringF
    \Hy@pstringdef\Hy@pstringD{#3}%
    \Hy@MakeRemoteAction
    \@pdfm@mark{%
      bann<<%
        /Type/Annot%
        /Subtype/Link%
        \ifHy@pdfa /F 4\fi
        \Hy@setpdfborder
        \ifx\@filebordercolor\relax
        \else
          /C[\@filebordercolor]%
        \fi
        /A<<%
          /S/GoToR%
          /F(\Hy@pstringF)%
          /D%
          \ifx\\#3\\%
            [\Hy@href@page\@pdfremotestartview]%
          \else
            (\Hy@pstringD)%
          \fi
          \Hy@SetNewWindow
          \Hy@href@nextactionraw
        >>%
      >>%
    }%
    \Hy@colorlink\@filecolor
  }%
  \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
  \Hy@EndAnnot
}
\def\@hyper@launch run:#1\\#2#3{% filename, anchor text linkname
  \leavevmode
  \Hy@BeginAnnot{%
    \Hy@pstringdef\Hy@pstringF{#1}%
    \Hy@pstringdef\Hy@pstringP{#3}%
    \@pdfm@mark{%
      bann<<%
        /Type/Annot%
        /Subtype/Link%
        \ifHy@pdfa /F 4\fi
        \Hy@setpdfborder
        \ifx\@runbordercolor\relax
        \else
          /C[\@runbordercolor]%
        \fi
        /A<<%
          /F(\Hy@pstringF)%
```

```
          /S/Launch%
          \Hy@SetNewWindow
          \ifx\\#3\\%
          \else
            /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
          \fi
          \Hy@href@nextactionraw
        >>%
      >>%
    }%
    \Hy@colorlink\@runcolor
  }%
  \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
  \Hy@EndAnnot
}
\def\hyper@linkurl#1#2{%
  \leavevmode
  \Hy@BeginAnnot{%
    \Hy@pstringdef\Hy@pstringURI{#2}%
    \@pdfm@mark{%
      bann<<%
        /Type/Annot%
        /Subtype/Link%
        \ifHy@pdfa /F 4\fi
        \Hy@setpdfborder
        \ifx\@urlbordercolor\relax
        \else
          /C[\@urlbordercolor]%
        \fi
        /A<<%
          /S/URI%
          /URI(\Hy@pstringURI)%
          \ifHy@href@ismap
            /IsMap true%
          \fi
          \Hy@href@nextactionraw
        >>%
      >>%
    }%
    \Hy@colorlink\@urlcolor
  }%
  \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
  \Hy@EndAnnot
}
\def\Acrobatmenu#1#2{%
  \Hy@Acrobatmenu{#1}{#2}{%
    \Hy@BeginAnnot{%
      \EdefEscapeName\Hy@temp@menu{#1}%
      \@pdfm@mark{%
        bann<<%
```

```
          /Type/Annot%
          /Subtype/Link%
          \ifHy@pdfa /F 4\fi
          \Hy@setpdfborder
          \ifx\@menubordercolor\relax
          \else
            /C[\@menubordercolor]%
          \fi
          /A<<%
            /S/Named%
            /N/\Hy@temp@menu
            \Hy@href@nextactionraw
          >>%
        >>%
      }%
      \Hy@colorlink\@menucolor
    }%
    \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
    \Hy@EndAnnot
  }%
}
\def\hyper@natlinkstart#1{%
  \Hy@backout{#1}%
  \hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
  \def\hyper@nat@current{#1}%
}
\def\hyper@natlinkend{%
  \if@RTL\endR\fi\hyper@linkend
}
\def\hyper@natlinkbreak#1#2{%
  \if@RTL\endR\fi\hyper@linkend#1\hyper@linkstart{cite}{cite.#2}\if@RTL\beginR\fi%
}%
}
\pdfstringdefDisableCommands{%
\let\LRE\@firstofone
\let\LR\@firstofone
\let\RLE\@firstofone
\let\RL\@firstofone
\def\XeTeX{Xe\TeX}
\def\XeLaTeX{Xe\LaTeX}
}
\@ifpackageloaded{longtable}{%
  \begingroup
    \def\y{\LT@array}%
    \@ifundefined{scr@LT@array}{%
      \@ifundefined{adl@LT@array}{}{\def\y{\adl@LT@array}}%
    }{\def\y{\scr@LT@array}}%
    \long\def\x\refstepcounter#1#2\@sharp#3#4\@nil{%
      \expandafter\endgroup
      \expandafter\def\y[##1]##2{%
```

```
        \H@refstepcounter{#1}%
        \hyper@makecurrent{table}%
        \let\Hy@LT@currentHref\@currentHref
        #2\@sharp#####4%
      }%
    }%
  \expandafter\expandafter\expandafter\x\y[{#1}]{#2}\@nil
  \begingroup
    \def\x#1\ifvoid\LT@foot#2\fi#3\@nil{%
      \endgroup
      \def\LT@start{%
        #1%
        \ifvoid\LT@foot#2\fi
        \let\@currentHref\Hy@LT@currentHref
        \Hy@raisedlink{%
          \hyper@anchorstart{\@currentHref}\hyper@anchorend
        }%
        #3%
      }%
    }%
  \expandafter\x\LT@start\@nil
}{}
```

70 File imsproc-xetex-bidi.def

```
\ProvidesFile{imsproc-xetex-bidi.def}[2017/06/09 v0.1 bidi adaptations for imsproc class for X
\newenvironment{thebibliography}[1]{%
  \@bibtitlestyle
  \normalfont\bibliofont\labelsep .5em\relax
  \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \bidi@@thebibliography@font@hook
  \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth \advance\leftmargin\labelsep
    \usecounter{enumiv}}%
  \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
  \sfcode`\.=\@m
}{%
  \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
  \endlist
}

\def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
  \columnseprule\z@ \columnsep 35\p@
  \@indextitlestyle
  \thispagestyle{plain}%
  \let\item\@idxitem
  \parindent\z@  \parskip\z@\@plus.3\p@\relax
  \if@RTL\raggedleft\else\raggedright\fi
  \hyphenpenalty\@M
```

```
  \footnotesize}
\def\@idxitem{\par\hangindent \if@RTL-\fi2em}
\def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
\def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}

\def\right@footnoterule{%
  \kern-.4\p@
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
  \kern11\p@\kern-\footnotesep}
\def\left@footnoterule{\kern-.4\p@
        \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
\def\@makefnmark{%
  \leavevmode
  \raise.9ex\hbox{\fontsize\sf@size\z@\normalfont\@thefnmark}%
}

\def\part{\@startsection{part}{0}%
  \z@{\linespacing\@plus\linespacing}{.5\linespacing}%
  {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
\def\@tocline#1#2#3#4#5#6#7{\relax
  \ifnum #1>\c@tocdepth % then omit
  \else
    \par \addpenalty\@secpenalty\addvspace{#2}%
    \begingroup \hyphenpenalty\@M
    \@ifempty{#4}{%
      \@tempdima\csname r@tocindent\number#1\endcsname\relax
    }{%
      \@tempdima#4\relax
    }%
    \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\le
    \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
    #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
    \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
    \nobreak
    \endgroup
  \fi}
\renewcommand\thesubsection    {\thesection\@SepMark\arabic{subsection}}
\renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
\renewcommand\theparagraph     {\thesubsubsection\@SepMark\arabic{paragraph}}
\renewcommand\thesubparagraph  {\theparagraph\@SepMark\arabic{subparagraph}}
\def\maketitle{\par
  \@topnum\z@ % this prevents figures from falling at the top of page 1
  \@setcopyright
  \thispagestyle{firstpage}% this sets first page specifications
  \uppercasenonmath\shorttitle
  \ifx\@empty\shortauthors \let\shortauthors\shorttitle
  \else \andify\shortauthors
  \fi
  \@maketitle@hook
  \begingroup
```

```
  \@maketitle
  \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
  \toks4{\def\\{ \ignorespaces}}% defend against questionable usage
  \edef\@tempa{%
    \@nx\markboth{\the\toks4
      \@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
  \@tempa
  \endgroup
  \c@footnote\z@
  \@cleartopmattertags
}
```

71 File leqno-xetex-bidi.def

```
\ProvidesFile{leqno-xetex-bidi.def}[2018/01/07 v0.2 bidi adaptations for leqno tag for XeTeX e
\renewcommand\@eqnnum{\hb@xt@.01\p@{}%
                      \rlap{\hskip -\displaywidth
                        {\normalfont\normalcolor\if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi
```

72 File letter-xetex-bidi.def

```
\ProvidesFile{letter-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for standard letter clas
\renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
  \thispagestyle{firstpage}%
    {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
  \else  % home address
    \thispagestyle{empty}%
    {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r@{}}\else\begin{tabular}{l@
      \fromaddress \\*[2\parskip]%
      \@date \end{tabular}\par}%
  \fi
  \vspace{2\parskip}%
  {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
  \vspace{2\parskip}%
  #1\par\nobreak}
\renewcommand\left@footnoterule{%
  \kern-\p@
  \hrule \@width .4\columnwidth
  \kern .6\p@}
\renewcommand\right@footnoterule{%
  \kern-\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern .6\p@}
```

73 File lettrine-xetex-bidi.def

```
\ProvidesFile{lettrine-xetex-bidi.def}[2015/02/17 v0.5 bidi adaptations for lettrine package f
\def\@lettrine[#1]#2#3{%
  \setcounter{L@lines}{\theDefaultLines}%
  \setcounter{L@depth}{\theDefaultDepth}%
```

```
\renewcommand*{\L@hang}{\DefaultLhang}%
\renewcommand*{\L@oversize}{\DefaultLoversize}%
\renewcommand*{\L@raise}{\DefaultLraise}%
\renewcommand*{\L@ante}{}%
\setlength{\L@Findent}{\DefaultFindent}%
\setlength{\L@Nindent}{\DefaultNindent}%
\setlength{\L@slope}{\DefaultSlope}%
\setlength{\L@novskip}{\DiscardVskip}%
\ifLettrineImage\L@imagetrue\else\L@imagefalse\fi
\ifLettrineOnGrid\L@gridtrue\else\L@gridfalse\fi
\if\DefaultOptionsFile\relax
\else
  \begingroup
  \InputIfFileExists{\DefaultOptionsFile}%
    {}%
    {\PackageWarning{lettrine.sty}%
       {File \DefaultOptionsFile\space not found}%
    }%
  \def\color##1##{\l@color{##1}}%
  \let\l@color\@gobbletwo
  \def\textcolor##1##{\l@textcolor{##1}}%
  \def\l@textcolor##1##2##3{##3}%
  \expandafter\ifx\csname l@#2-keys\endcsname\relax
                \gdef\l@LOKeys{}%
              \else
                \xdef\l@LOKeys{\csname l@#2-keys\endcsname}%
              \fi
  \endgroup
  \def\KV@prefix{KV@L@}%
  \let\@tempc\relax
  \expandafter\KV@do\l@LOKeys,\relax,
  \sbox{\L@lbox}{\LettrineFont #2}%
  \setlength{\LettrineWidth}{\wd\L@lbox}%
  \def\KV@prefix{KV@L@}%
  \let\@tempc\relax
  \expandafter\KV@do\l@LOKeys,\relax,
\fi
\setkeys{L}{#1}%
\ifL@image
   \sbox{\L@lbox}{\LettrineFontEPS{#2}}%
\else
   \sbox{\L@lbox}{\LettrineFont #2}%
\fi
\sbox{\L@tbox}{\LettrineTextFont{#3}}%
 \@tempdima=\baselineskip
 \ifnum\theL@lines=1
   \setlength{\L@first}{\ht\L@lbox}%
   \addtolength{\L@first}{-\ht\L@tbox}%
   \setlength{\L@lraise}{\z@}%
 \else
```

```
    \setlength{\L@first}{-\theL@lines\@tempdima}%
    \addtolength{\L@first}{\@tempdima}%
    \sbox{\@tempboxa}{\LettrineTextFont x}%
    \addtolength{\L@first}{-\ht\@tempboxa}%
    \setlength{\L@lraise}{-\L@raise\L@first}%
    \addtolength{\L@first}{\L@lraise}%
    \addtolength{\L@first}{\ht\L@lbox}%
    \addtolength{\L@lraise}{-\theL@lines\@tempdima}%
    \addtolength{\L@lraise}{\@tempdima}%
  \fi
  \par
  \ifdim\L@first>\L@novskip
    \ifL@grid
      \@tempdima=\baselineskip
      \@tempdimb=\@tempdima
      \advance\@tempdimb by \L@novskip
      \@tempcnta=1
      \loop\ifdim\L@first>\@tempdimb
        \advance\@tempcnta by 1
        \advance\L@first by -\@tempdima
      \repeat
      \vskip\@tempcnta\baselineskip
    \else
      \vskip\L@first
    \fi
  \fi
\setlength{\L@Pindent}{\wd\L@lbox}%
\addtolength{\L@Pindent}{-\L@hang\wd\L@lbox}%
\settowidth{\L@first}{\L@ante}%
\addtolength{\L@Pindent}{\L@first}%
\addtolength{\L@Pindent}{\L@Findent}%
\setlength{\L@first}{\linewidth}%
\addtolength{\L@first}{-\L@Pindent}%
\addtolength{\L@Nindent}{\L@Pindent}%
\setlength{\L@next}{\linewidth}%
\addtolength{\L@next}{-\L@Nindent}%
\addtolength{\L@Pindent}{\rightmargin}%
\addtolength{\L@Nindent}{\rightmargin}%
\setlength{\LettrineWidth}{\wd\L@lbox}%
\setlength{\LettrineHeight}{\ht\L@lbox}%
\setlength{\LettrineDepth}{\dp\L@lbox}%
\addtocounter{L@lines}{1}%
\addtocounter{L@lines}{\the\c@L@depth}%
\if@RTL\def\L@parshape{\c@L@lines 0pt \the\L@first}\else\def\L@parshape{\c@L@lines \the\L@Pi
\@tempcnta=\tw@
\@whilenum \@tempcnta<\c@L@lines\do{%
   \if@RTL\edef\L@parshape{\L@parshape 0pt \the\L@next}\else\edef\L@parshape{\L@parshape \th
   \addtolength{\L@Nindent}{\L@slope}%
   \addtolength{\L@next}{-\L@slope}%
   \advance\@tempcnta\@ne}%
```

```
  \if@RTL \edef\L@parshape{\L@parshape 0pt \the\linewidth}\else\edef\L@parshape{\L@parshape \
  \noindent
  \parshape=\L@parshape\relax
  \smash{\llap{\mbox{\L@ante}\raisebox{\L@lraise}{\usebox{\L@lbox}}%
          \hskip \the\L@Findent}}%
  \usebox{\L@tbox}%
}
```

74 File lineno-xetex-bidi.def

```
\ProvidesFile{lineno-xetex-bidi.def}[2018/01/28 v0.2 bidi adaptations for lineno package for X
\bidi@patchcmd{\MakeLineNo}{%
  \hb@xt@\z@{\makeLineNumber}%
}{%
  \hboxL to \z@{\makeLineNumber}%
}{}{}

\bidi@patchcmd{\makeLineNumberLeft}{\LineNumber}{%
  \if@RTL
    \hb@xt@\linenumberwidth{\LineNumber\hss}%
  \else
    \LineNumber
  \fi
}{}{}

\bidi@patchcmd{\makeLineNumberRight}{%
  \hb@xt@\linenumberwidth{\hss\LineNumber}%
}{%
  \if@RTL
    \LineNumber
  \else
    \hb@xt@\linenumberwidth{\hss\LineNumber}%
  \fi
}{}{}

\bidi@AfterPreamble{%
  \if@RTLmain
    \rightlinenumbers*
  \else
    \leftlinenumbers*
  \fi
  \@ifpackagewith{lineno}{left}{%
    \leftlinenumbers*
  }{}
  \@ifpackagewith{lineno}{right}{%
    \rightlinenumbers*
  }{}
}

```

75 File listings-xetex-bidi.def

```
\ProvidesFile{listings-xetex-bidi.def}[2017/01/14 v1.4 bidi adaptations for listings package f
\lst@Key{captiondirection}{textdirection}{%
    \lstKV@SwitchCases{#1}%
    {textdirection&\\%
     RTL&\chardef\bidi@lst@caption@direction\@ne\\%
     LTR&\chardef\bidi@lst@caption@direction\z@%
    }{\PackageError{Listings}{direction #1 unknown}\@ehc}}

\lst@Key{captionscript}{textscript}{%
    \lstKV@SwitchCases{#1}%
    {textscript&\\%
     latin&\chardef\bidi@lst@caption@script\@ne\\%
     nonlatin&\chardef\bidi@lst@caption@script\z@%
    }{\PackageError{Listings}{direction #1 unknown}\@ehc}}

\newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
   \@ifundefined{bidi@lst@caption@direction}{}{%
    \ifnum\bidi@lst@caption@direction=\z@%
        #1%
    \else%
         \ifnum\bidi@lst@caption@direction=\@ne%
             #2%
         \fi%
     \fi%
}}

\newcommand*{\bidi@lst@ensure@caption@script}[2]{%
   \@ifundefined{bidi@lst@caption@script}{}{%
    \ifnum\bidi@lst@caption@script=\z@%
        #1%
    \else%
         \ifnum\bidi@lst@caption@script=\@ne%
             #2%
         \fi%
     \fi%
}}

\long\def\@bidi@lst@makecaption#1#2{%
   \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
   \vskip\abovecaptionskip
   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
   \sbox\@tempboxa{%
   \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
   #1: #2%
   \bidi@lst@ensure@caption@direction{\endL}{\endR}%
   }%
   \ifdim \wd\@tempboxa >\hsize
     #1: #2\par
```

```
    \else
      \global \@minipagefalse
      \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
    \fi
    \vskip\belowcaptionskip}%
\def\lst@makecaption{\@bidi@lst@makecaption}
\def\lst@maketitle{\@bidi@lst@makecaption\lst@title@dropdelim}
\bidi@AtEndPreamble{%
\bidi@patchcmd{\lst@MakeCaption}{%
     \ifx #1t%
         \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
                                  \expandafter\refstepcounter
         \fi {lstlisting}%
}{%
     \ifx #1t%
        \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
         \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
                                  \expandafter\refstepcounter
         \fi {lstlisting}%
         \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLfalse}%
}{}{}%
\bidi@patchcmd{\lst@MakeCaption}{%
                  \addcontentsline{lol}{lstlisting}%
                      {\protect\numberline{\thelstlisting}\lst@@caption}%
}{%
\begingroup%
                \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
                 \addcontentsline{lol}{lstlisting}%
                      {\protect\numberline{\thelstlisting}\lst@@caption}%
\endgroup%
}{}{}%
}
\@ifpackageloaded{caption}{%
  \AtBeginCaption{%
  \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
  \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
}
  \let\@bidi@lst@makecaption\caption@makecaption%
  \def\lst@makecaption{\caption@starfalse\@bidi@lst@makecaption}%
  \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\@empty}%
}{%
\AtBeginDocument{%
\@ifundefined{captionlabelfalse}{}{%
  \def\lst@maketitle{\captionlabelfalse\@bidi@lst@makecaption\@empty}}%
\@ifundefined{caption@startrue}{}{%
  \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\@empty}}%
}%
}
\AtBeginDocument{
  \@ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{}
```

```
\lst@ifnumberbychapter
    \gdef\thelstlisting%
         {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@lstlisting}
\else
    \gdef\thelstlisting{\@arabic\c@lstlisting}
\fi}
```

76 File loadingorder-xetex-bidi.def

```
\ProvidesFile{loadingorder-xetex-bidi.def}[2017/12/29 v0.97 making sure that bidi is the last
\bidi@isloaded{amsmath}
\bidi@isloaded{amstext}
\bidi@isloaded{amsthm}
\bidi@isloaded{animate}
\bidi@isloaded{breqn}
\bidi@isloaded{cals}
\bidi@isloaded{caption}
\bidi@isloaded{crop}
\bidi@isloaded{cuted}
\bidi@isloaded{cutwin}
\bidi@isloaded{color}
\bidi@isloaded{dblfnote}
\bidi@isloaded{diagbox}
\bidi@isloaded{xcolor}
\bidi@isloaded{colortbl}
\bidi@isloaded{float}
\bidi@isloaded{floatrow}
\bidi@isloaded{flowfram}
\bidi@isloaded{framed}
\bidi@isloaded{ftnright}
\bidi@isloaded{xltxtra}
\bidi@isloaded{xunicode}
\bidi@isloaded{wrapfig}
\bidi@isloaded{graphicx}
\bidi@isloaded{geometry}
\bidi@isloaded{hvfloat}
\bidi@isloaded{mdframed}
\bidi@isloaded{midfloat}
\bidi@isloaded{ntheorem}
\bidi@isloaded{ntheorem-hyper}
\bidi@isloaded{hyperref}
\bidi@isloaded{fancybox}
\bidi@isloaded{fancyhdr}
\bidi@isloaded{fix2col}
\bidi@isloaded{draftwatermark}
\bidi@isloaded{empheq}
\bidi@isloaded{overpic}
\bidi@isloaded{pdfpages}
\bidi@isloaded{listings}
\bidi@isloaded{lettrine}
```

```
\bidi@isloaded{lineno}
\bidi@isloaded{media9}
\bidi@isloaded{pstricks}
\bidi@isloaded{pgf}
\bidi@isloaded{picinpar}
\bidi@isloaded{quotchap}
\bidi@isloaded{tikz}
\bidi@isloaded{titlesec}
\bidi@isloaded{titletoc}
\bidi@isloaded{array}
\bidi@isloaded{soul}
\bidi@isloaded{stabular}
\bidi@isloaded{subfig}
\bidi@isloaded{subfigure}
\bidi@isloaded{supertabular}
\bidi@isloaded{xtab}
\bidi@isloaded{longtable}
\bidi@isloaded{arydshln}
\bidi@isloaded{multicol}
\bidi@isloaded{multienum}
\bidi@isloaded{minitoc}
\bidi@isloaded{natbib}
\bidi@isloaded{newfloat}
\bidi@isloaded{ragged2e}
\bidi@isloaded{rotating}
\bidi@isloaded{tabls}
\bidi@isloaded{tabulary}
\bidi@isloaded{tocbasic}
\bidi@isloaded{tocstyle}
\bidi@isloaded{tocbibind}
\bidi@isloaded{fontspec}
\bidi@isloaded{arabxetex}
\bidi@isloaded{polyglossia}
\bidi@isloaded{fancyvrb}
\AtBeginDocument{
  \if@bidi@amsmathloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsmath after bidi packag
  \fi%
    \if@bidi@amstextloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amstext after bidi packag
  \fi%
  \if@bidi@amsthmloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsthm after bidi package
  \fi%
  \if@bidi@animateloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package animate after bidi packag
  \fi%
  \if@bidi@breqnloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package breqn after bidi package.
  \fi%
```

```
13227   \if@bidi@calsloaded@\else
13228   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cals after bidi package.
13229 \fi%
13230 \if@bidi@captionloaded@\else
13231   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package caption after bidi packag
13232 \fi%
13233 \if@bidi@croploaded@\else
13234   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package crop after bidi package.
13235 \fi%
13236 \if@bidi@colorloaded@\else
13237 \@ifpackageloaded{hyperref}{}{%
13238   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package color after bidi package
13239 \fi%
13240 \if@bidi@cutwinloaded@\else
13241   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cutwin after bidi package
13242 \fi%
13243   \if@bidi@cutedloaded@\else
13244   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cuted after bidi package
13245 \fi%
13246 \if@bidi@dblfnoteloaded@\else
13247   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package dblfnote after bidi packa
13248 \fi%
13249 \if@bidi@diagboxloaded@\else
13250   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package diagbox after bidi packag
13251 \fi%
13252 \if@bidi@xcolorloaded@\else
13253   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xcolor after bidi package
13254 \fi%
13255 \if@bidi@colortblloaded@\else
13256   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package colortbl after bidi packa
13257 \fi%
13258 \if@bidi@floatloaded@\else
13259   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package float after bidi package.
13260 \fi%
13261   \if@bidi@floatrowloaded@\else
13262   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package floatrow after bidi packa
13263 \fi%
13264 \if@bidi@flowframloaded@\else
13265   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package flowfram after bidi packa
13266 \fi%
13267 \if@bidi@framedloaded@\else
13268   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package framed after bidi package
13269 \fi%
13270   \if@bidi@ftnrightloaded@\else
13271   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ftnright after bidi packa
13272 \fi%
13273 \if@bidi@xltxtraloaded@\else
13274   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xltxtra after bidi packag
13275 \fi%
13276 \if@bidi@xunicodeloaded@\else
```

```
13277   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xunicode after bidi packa
13278 \fi%
13279 \if@bidi@wrapfigloaded@\else
13280   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package wrapfig after bidi packag
13281 \fi%
13282 \if@bidi@graphicxloaded@\else
13283   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package graphicx after bidi packa
13284 \fi%
13285   \if@bidi@geometryloaded@\else
13286   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package geometry after bidi packa
13287 \fi%
13288 \if@bidi@hvfloatloaded@\else
13289   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hvfloat after bidi packag
13290 \fi%
13291     \if@bidi@mdframedloaded@\else
13292   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package mdframed after bidi packa
13293 \fi%
13294       \if@bidi@midfloatloaded@\else
13295   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package midfloat after bidi packa
13296 \fi%
13297   \if@bidi@ntheoremloaded@\else
13298   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ntheorem after bidi packa
13299 \fi%
13300 \if@bidi@hyperrefloaded@\else
13301   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hyperref after bidi packa
13302 \fi%
13303   \if@bidi@fancyboxloaded@\else
13304   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancybox after bidi packa
13305 \fi%
13306 \if@bidi@fancyhdrloaded@\else
13307   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyhdr after bidi packa
13308 \fi%
13309 \if@bidi@draftwatermarkloaded@\else
13310   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package draftwatermark after bidi
13311 \fi%
13312 \if@bidi@empheqloaded@\else
13313   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package empheq after bidi package
13314 \fi%
13315   \if@bidi@overpicloaded@\else
13316   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package overpic after bidi packag
13317 \fi%
13318 \if@bidi@pdfpagesloaded@\else
13319   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pdfpages after bidi packa
13320 \fi%
13321 \if@bidi@lettrineloaded@\else
13322   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lettrine after bidi packa
13323 \fi%
13324 \if@bidi@linenoloaded@\else
13325   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lineno after bidi package
13326 \fi%
```

```
\if@bidi@listingsloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package listings after bidi packa
\fi%
\csname if@bidi@media9loaded@\endcsname\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package media9 after bidi package
\fi%
\if@bidi@pstricksloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pstricks after bidi packa
\fi%
\if@bidi@pgfloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pgf after bidi package. P
\fi%
\if@bidi@picinparloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package picinpar after bidi packa
\fi%
\if@bidi@quotchaploaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package quotchap after bidi packa
\fi%
\if@bidi@tikzloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tikz after bidi package.
\fi%
\if@bidi@titlesecloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titlesec after bidi packa
\fi%
\if@bidi@titletocloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titletoc after bidi packa
\fi%
\if@bidi@arrayloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package array after bidi package.
\fi%
\if@bidi@stabularloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package stabular after bidi packa
\fi%
\if@bidi@soulloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package soul after bidi package.
\fi%
\if@bidi@subfigloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfig after bidi package
\fi%
\if@bidi@subfigureloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfigure after bidi pack
\fi%
\if@bidi@supertabularloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package supertabular after bidi p
\fi%
\if@bidi@xtabloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xtab after bidi package.
\fi%
\if@bidi@longtableloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package longtable after bidi pack
```

```
\fi%
\if@bidi@arydshlnloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arydshln after bidi packa
\fi%
\if@bidi@multicolloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multicol after bidi packa
\fi%
\if@bidi@multienumloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multienum after bidi pack
\fi%
\if@bidi@minitocloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package minitoc after bidi packag
\fi%
\if@bidi@natbibloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package natbib after bidi package
\fi%
  \if@bidi@newfloatloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package newfloat after bidi packa
\fi%
\csname if@bidi@ragged2eloaded@\endcsname\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ragged2e after bidi packa
\fi%
  \if@bidi@rotatingloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package rotating after bidi packa
\fi%
\if@bidi@tablsloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabls after bidi package
\fi%
\if@bidi@tabularyloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabulary after bidi packa
\fi%
\if@bidi@tocbasicloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbasic after bidi packa
\fi%
\if@bidi@tocstyleloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocstyle after bidi packa
\fi%
\if@bidi@tocbibindloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbibind after bidi pack
\fi%
\if@bidi@fontspecloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fontspec after bidi packa
\fi%
\if@bidi@arabxetexloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arabxetex after bidi pack
\fi%
\if@bidi@polyglossialoaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package polyglossia after bidi pa
\fi%
\if@bidi@fancyvrbloaded@\else
```

```
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyvrb after bidi packa
  \fi%
}
```

77 File longtable-xetex-bidi.def

```
\ProvidesFile{longtable-xetex-bidi.def}[2016/09/09 v0.4 bidi adaptations for longtable package
\def\LT@array[#1]#2{%
  \refstepcounter{table}\stepcounter{LT@tables}%
  \if l#1%
    \if@RTLtab\LTleft\fill \LTright\z@\else\LTleft\z@ \LTright\fill\fi
  \else\if r#1%
    \if@RTLtab\LTleft\z@ \LTright\fill\else\LTleft\fill \LTright\z@\fi
  \else\if c#1%
    \LTleft\fill \LTright\fill
  \fi\fi\fi
  \let\LT@mcol\multicolumn
  \let\LT@@tabarray\@tabarray
  \let\LT@@hl\hline
  \def\@tabarray{%
    \let\hline\LT@@hl
    \LT@@tabarray}%
  \let\\\LT@tabularcr\let\tabularnewline\\%
  \def\newpage{\noalign{\break}}%
  \def\pagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk-}4}%
  \def\nopagebreak{\noalign{\ifnum`}=0\fi\@testopt\LT@no@pgbk4}%
  \let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
  \@tempdima\ht\strutbox
  \let\@endpbox\LT@endpbox
  \ifx\extrarowheight\@undefined
    \let\@acol\@tabacol
    \let\@classz\@tabclassz \let\@classiv\@tabclassiv
    \def\@startpbox{\vtop\LT@startpbox}%
    \let\@@startpbox\@startpbox
    \let\@@endpbox\@endpbox
    \let\LT@LL@FM@cr\@tabularcr
  \else
    \advance\@tempdima\extrarowheight
    \col@sep\tabcolsep
    \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
  \fi
  \setbox\@arstrutbox\hbox{\vrule
    \@height \arraystretch \@tempdima
    \@depth \arraystretch \dp \strutbox
    \@width \z@}%
  \let\@sharp##\let\protect\relax
   \begingroup
    \@mkpream{#2}%
    \xdef\LT@bchunk{%
       \global\advance\c@LT@chunks\@ne
```

```
      \global\LT@rows\z@\setbox\z@\vbox\bgroup
      \LT@setprevdepth
      \tabskip\LTleft \noexpand\halign to\hsize\bgroup
     \tabskip\z@ \@arstrut \@preamble \tabskip\LTright \cr}%
  \endgroup
  \expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
  \LT@make@row
  \m@th\let\par\@empty
  \everycr{}\lineskip\z@\baselineskip\z@
  \LT@bchunk}
\def\LT@makecaption#1#2#3{%
  \LT@mcol\LT@cols c{\hbox to\z@{\hss\parbox[t]\LTcapwidth{%
    \sbox\@tempboxa{\if@RTL\beginR\fi#1{#2: }#3\if@RTL\endR\fi}%
    \ifdim\wd\@tempboxa>\hsize
      #1{#2: }#3%
    \else
      \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
    \fi
    \endgraf\vskip\baselineskip}%
  \hss}}}
\@ifpackageloaded{caption}{%
  \renewcommand\LT@makecaption[3]{%
    \caption@LT@make{%
      \caption@settype*\LTcaptype
      \ifdim\LTcapwidth=4in \else
        \setcaptionwidth\LTcapwidth
      \fi
      \caption@setoptions{longtable}%
      \caption@setoptions{@longtable}%
      \caption@LT@setup
      \caption@setautoposition{\ifcase\LT@rows t\else b\fi}%
      \caption@startrue#1\caption@starfalse
      \caption@prepare@stepcounter\LTcaptype{LT}%
      \caption@begin\LTcaptype
        \caption@normalsize
        \vskip-\ht\strutbox
        \caption@iftop{\vskip\belowcaptionskip}{\vskip\abovecaptionskip}%
        \caption@@make{#2}{#3}\endgraf
        \caption@iftop{\vskip\abovecaptionskip}{\vskip\belowcaptionskip}%
      \caption@end}}%
}{}
\def\LT@startpbox#1{%
  \bgroup
    \let\@footnotetext\LT@p@ftntext
    \let\@LTRfootnotetext\LT@p@LTRftntext
    \let\@RTLfootnotetext\LT@p@RTLftntext
    \setlength\hsize{#1}%
    \@arrayparboxrestore
    \vrule \@height \ht\@arstrutbox \@width \z@}
\def\LT@p@LTRftntext#1{%
```

```
  \edef\@tempa{\the\LT@p@ftn\noexpand\LTRfootnotetext[\the\c@footnote]}%
  \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
\def\LT@p@RTLftntext#1{%
  \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]}%
  \global\LT@p@ftn\expandafter{\@tempa{#1}}}%


\def\LT@output{%
  \ifnum\outputpenalty <-\@Mi
    \ifnum\outputpenalty > -\LT@end@pen
      \LT@err{floats and marginpars not allowed in a longtable}\@ehc
    \else
      \setbox\z@\vbox{\unvbox\@cclv}%
      \ifdim \ht\LT@lastfoot>\ht\LT@foot
        \dimen@\pagegoal
        \advance\dimen@-\ht\LT@lastfoot
        \ifdim\dimen@<\ht\z@
          \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
          \@makecol
          \@outputpage
          \setbox\z@\vbox{\box\LT@head}%
        \fi
      \fi
      \global\@colroom\@colht
      \global\vsize\@colht
      \vbox
        {\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\z@\box\ifvoid\LT@lastfoot\LT@foot
    \fi
  \else
    \setbox\@cclv\vbox{\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\@cclv\copy\LT@foot\
    \@makecol
    \@outputpage
      \global\vsize\@colroom
    \copy\LT@head\nobreak
  \fi}
```

78 File mathtools-xetex-bidi.def

```
\ProvidesFile{mathtools-xetex-bidi.def}[2018/01/07 v0.1 bidi adaptations for mathtools package
\MHInternalSyntaxOn
\def\MT_define_tagform:nwnn #1[#2]#3#4{
  \@namedef{MT_tagform_#1:n}##1
    {\maketag@@@{\if@nonlatin\beginR\fi#3\kern\z@\ignorespaces#2{##1}\unskip\@@italiccorr#4\if
}
\renewtagform{default}{(}{)}
\MHInternalSyntaxOff
```

79 File mdframed-xetex-bidi.def

```
\ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package f
```

```
\newif\if@bidi@mdf@RTL
\def\mdf@lrbox#1{%
  \mdf@patchamsthm%patch amsthm
   \if@RTL\@bidi@mdf@RTLtrue\fi%
   \@RTLfalse%
 \setbox#1\vbox\bgroup%
   \color@begingroup%
    \if@bidi@mdf@RTL\@RTLtrue\fi%
     \mdf@horizontalmargin@equation%
     \columnwidth=\hsize%
     \textwidth=\hsize%
     \let\if@nobreak\iffalse%
     \let\if@noskipsec\iffalse%
     \let\par\@@par%
     \let\-\@dischyph%
     \let\'\@acci\let\`\@accii\let\=\@acciii%
     \parindent\z@ \parskip\z@skip%
     \linewidth\hsize%
     \@totalleftmargin\z@%
     \leftskip\z@skip \rightskip\z@skip \@rightskip\z@skip%
     \parfillskip\@flushglue \lineskip\normallineskip%
     \baselineskip\normalbaselineskip%
%%  \sloppy%
     \let\\\@normalcr%
     \mdf@par@local%New feature to restore parskip/parindent local in save box
     \ifbool{mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
     \@afterindentfalse%
    %\@afterheading%
}
\renewrobustcmd\mdfframedtitleenv[1]{%
    \mdf@lrbox{\mdf@frametitlebox}%
     \mdf@frametitlealignment%
       \leavevmode{\color{\mdf@frametitlefontcolor}%
           \normalfont\mdf@frametitlefont{#1}
       \ifbool{mdf@ignorelastdescenders}%
         {%
          \par\strut\par
          \unskip\unskip\setbox0=\lastbox
          \vspace*{\dimexpr\ht\strutbox-\baselineskip\relax}%
         }{}}%
    \par\unskip\ifvmode\nointerlineskip\hrule \@height\z@ \@width\hsize\fi%%
    \endmdf@lrbox\relax%
   \mdf@ignorevbadness%
   \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
   \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
   \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
   \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
   \mdfframetitleboxtotalheight=\dimexpr
                                    \ht\mdf@frametitlebox
                                    +\dp\mdf@frametitlebox%
```

```
                                    +\mdf@frametitleaboveskip@length
                                    +\mdf@frametitlebelowskip@length
                                  \relax%
}

\renewrobustcmd*\mdf@footnoteoutput{%
     \ifvoid\@mpfootins\else%
          \nobreak%
          \vskip\mdf@footenotedistance@length%
          \normalcolor%
          \bidi@mpfootnoterule%
          \unvbox\@mpfootins%
     \fi%
}


\renewrobustcmd*\mdf@footnoteinput{%
   \def\@mpfn{mpfootnote}%
   \def\thempfn{\thempfootnote}%
   \c@mpfootnote\z@%
   \let\@footnotetext\@mpfootnotetext%
    \let\@LTRfootnotetext\@mpLTRfootnotetext%
    \let\@RTLfootnotetext\@mpRTLfootnotetext%
}
```

80 File bidi-media9.sty

```
\ProvidesExplPackage{bidi-media9}{2017/08/27}{0.3}
{bidi fixes for media9 package for the XeTeX engine}

\keys_define:nn{media9/mbtn}{
  draft .code:n = {},
  final .code:n = {},

  tooltip .tl_gset_x:N = \g_mix_tooltip_tl,
  tooltip .value_required:n = {true},

  overface .code:n = {
    \sbox\l_mix_poster_box{
      \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}}
    \mix_pdfxform:n{\l_mix_poster_box}
    \tl_gset:Nx\g_mix_overbtn_tl{\mix_pdflastxform:}
  },
  overface .value_required:n = {true},

  downface .code:n = {
    \sbox\l_mix_poster_box{
      \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}}
    \mix_pdfxform:n{\l_mix_poster_box}
    \tl_gset:Nx\g_mix_downbtn_tl{\mix_pdflastxform:}
```

```
},
downface .value_required:n = {true},

3Dgotoview .code:n = {
  \tl_set:Nx\l_tmpa_tl{#1}              %extract ref
  \regex_replace_once:nnN{([^:]+):??.*}{\1}\l_tmpa_tl
  \tl_trim_spaces:N\l_tmpa_tl
  \tl_if_exist:cTF{ann@\l_tmpa_tl}{
    \str_if_eq_x:nnF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
      \tl_set:Nx\l_tmpb_tl{#1}          %extract idx
      \regex_replace_once:nnN{[^:]+:?}{}\l_tmpb_tl
      \tl_trim_spaces:N\l_tmpb_tl
      \tl_if_blank:VF\l_tmpb_tl{
        \regex_match:nVTF{^[DFLNP]$}\l_tmpb_tl{
          \tl_set:Nx\l_mix_vidx_tl{/\l_tmpb_tl}
        }{
          \regex_match:nVTF{^\d+$}\l_tmpb_tl{
            \tl_set:Nx\l_mix_vidx_tl{~\l_tmpb_tl}
          }{
            \regex_replace_once:nnN{^\(\s*}{}\l_tmpb_tl
            \regex_replace_once:nnN{\s*\)$}{}\l_tmpb_tl
            \tl_set:Nx\l_mix_vidx_tl{~(\l_tmpb_tl)}
          }
        }
      }
      \mix_pdfobj:nnn{}{dict}{
        /S/JavaScript/JS~(
          if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
          if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
            annotRM['\l_tmpa_tl']=
              this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
          }
          annotRM['\l_tmpa_tl'].activated=true;
        )
        \tl_if_blank:VF\l_tmpb_tl{
          /Next~<<
            /S/GoTo3DView
            /TA~\tl_use:c{ann@\l_tmpa_tl}
            /V\l_mix_vidx_tl
          >>
        }
      }
      \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
    }
  }{
    \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
    \cs_if_exist:NF\g_mix_refundefwarned_tl{
      \tl_new:N\g_mix_refundefwarned_tl
      \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
    }
```

```
  }
},
3Dgotoview .value_required:n = {true},

mediacommand .code:n = {
  \tl_set:Nx\l_tmpa_tl{#1}
  \regex_replace_once:nnN{([^:]+):??.*}{\1}\l_tmpa_tl %extract ref
  \tl_trim_spaces:N\l_tmpa_tl
  \tl_if_exist:cTF{ann@\l_tmpa_tl}{
    \str_if_eq_x:nnF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
      \tl_set:Nx\l_tmpb_tl{#1}
      \regex_replace_once:nnN{[^:]+\:?}{}\l_tmpb_tl
      \tl_trim_spaces:N\l_tmpb_tl
      \regex_replace_all:nnN{^\{|\}$}{}\l_tmpb_tl
      \tl_set:Nx\l_mix_cmd_tl{
        \exp_after:wN\mix_separate_cmd_from_actn:w\l_tmpb_tl[]\q_stop}
      \tl_trim_spaces:N\l_mix_cmd_tl
      \tl_set:Nx\l_mix_arg_tl{
        \exp_after:wN\mix_separate_arg_from_actn:w\l_tmpb_tl[]\q_stop}
      \tl_trim_spaces:N\l_mix_arg_tl
      \mix_pdfobj:nnn{}{dict}{
        /S/JavaScript/JS~(
          if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
          if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
            annotRM['\l_tmpa_tl']=
              this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
          }
          annotRM['\l_tmpa_tl'].activated=true;
        )
        \tl_if_blank:VF\l_mix_cmd_tl{
          /Next~<<
            /S/RichMediaExecute
            /TA~\tl_use:c{ann@\l_tmpa_tl}
            /TI~\tl_use:c{main@\l_tmpa_tl}
            /CMD~<<
              /C~(\l_mix_cmd_tl)
              \tl_if_blank:VF\l_mix_arg_tl{
                /A~[\l_mix_arg_tl]
              }
            >>
          >>
        }
      }
      \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
    }
  }{
    \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
    \cs_if_exist:NF\g_mix_refundefwarned_tl{
      \tl_new:N\g_mix_refundefwarned_tl
      \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
```

```
    }
  }
},
mediacommand .value_required:n = {true},

jsaction .code:n = {
  \tl_set:Nx\l_tmpa_tl{#1}
  \regex_match:nVTF{^[^\{:]+:.*$}\l_tmpa_tl{
    \regex_replace_once:nnN{([^:]+):??.*}{\1}\l_tmpa_tl %extract ref
    \tl_trim_spaces:N\l_tmpa_tl
  }{\tl_clear:N\l_tmpa_tl}
  \tl_set:Nx\l_tmpb_tl{#1}
  \tl_if_blank:VF\l_tmpa_tl{
    \tl_if_exist:cF{ann@\l_tmpa_tl}{
      \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
      \cs_if_exist:NF\g_mix_refundefwarned_tl{
        \tl_new:N\g_mix_refundefwarned_tl
        \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
      }
    }
    \regex_replace_once:nnN{[^:]+\:}{}\l_tmpb_tl
  }
  \tl_set:Nx\l_tmpb_tl{\exp_after:wN\use:n\l_tmpb_tl}
  \tl_trim_spaces:N\l_tmpb_tl
  \tl_if_blank:VF\l_tmpb_tl{
  \mix_pdfobj:nnn{}{dict}{
    /S/JavaScript/JS~(
      try{\l_tmpb_tl}catch(e){console.show();console.println(e)})}}
  \bool_lazy_and:nnT{
    \tl_if_exist_p:c{ann@\l_tmpa_tl}
  }{
    !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_tl}}{draft}
  }{
    \mix_pdfobj:nnn{}{dict}{
      /S/JavaScript/JS~(
        if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
        if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
          annotRM['\l_tmpa_tl']=
            this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
        }
        annotRM['\l_tmpa_tl'].activated=true;
      )
      \tl_if_blank:VF\l_tmpb_tl{/Next~\mix_pdflastobj:}
    }
  }
  \bool_if:nT{
    \bool_lazy_and_p:nn{
      \tl_if_exist_p:c{ann@\l_tmpa_tl}
    }{
      !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_tl}}{draft}
```

```
      }
      || !\tl_if_blank_p:V\l_tmpb_tl
    }{
      \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
    }
  },
  jsaction .value_required:n = {true},

  unknown .code:n = {
    \msg_error:nnx{media9}{unknown~option}{\l_keys_key_tl}
  }
}

\RenewDocumentCommand\includemedia{O{}mm}{%#1 options, #2 text/image #3 media file
  \mix_uriend:
  \group_begin:
  \mix_beginLTR:
  \leavevmode
  %empty stream as appearance dummy
  \cs_if_exist:NF\g_mix_appearance_tl{
    \hbox_set:Nn\l_mix_poster_box{\phantom{\rule{1pt}{1pt}}}
    \mix_pdfxform:n{\l_mix_poster_box}
    \tl_gset:Nx\g_mix_appearance_tl{\mix_pdflastxform:}
  }
  \mix_reset:
  \mix_uribegin: %treat URI characters correctly
  \keys_set:nn{media9/user}{#1}
  \mix_uriend:
  \tl_greplace_all:Nnn\g_mix_flashvars_tl{~&}{&}
  \tl_greplace_all:Nnn\g_mix_flashvars_tl{&~}{&}
  \tl_greplace_all:Nnn\g_mix_flashvars_tl{~=}{=}
  \tl_greplace_all:Nnn\g_mix_flashvars_tl{=~}{=}
  \tl_gtrim_spaces:N\g_mix_flashvars_tl

  \cs_if_exist:NT\Ginput@path{\cs_set_eq:NN\input@path\Ginput@path}

  %\hbox_set:Nn\l_mix_poster_box{\group_begin:#2\group_end:}
  %\hbox_set:Nn\l_mix_poster_box{#2}
  \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
  \mix_scale:n{\l_mix_poster_box}
  \bool_if:nT{
    \dim_compare_p:n{\g_mix_tt_tl=\c_zero_dim}||
    \dim_compare_p:n{\g_mix_wd_tl=\c_zero_dim}
  }{
    \tl_gset:Nn\g_mix_usrpbtn_tl{none}
  }
  \bool_if:NTF\g_mix_usrdraft_bool{
    \tl_if_empty:NF\g_mix_usrlabel_tl{
      \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{draft}
    }
```

```
    \tl_if_blank:oTF{#2}{
      \mix_uribegin: %treat URI characters correctly
      \mix_draftbox:n{\tl_to_str:n{#3}}
      \mix_uriend:
    }{
      \hbox_to_wd:nn{\g_mix_wd_tl}{
        \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl
        \box_use:N\l_mix_poster_box\hss
      }
    }
  }{
    \bool_if:nF{\str_if_eq_p:Vn\g_mix_usrpbtn_tl{none}}{
      %attach script that switches off play button overlay upon activation
      \mix_pdfobj:nnn{}{stream}{
        {}{
          var~ocgs=host.getOCGs(host.pageNum);
          for(var~i=0;i<ocgs.length;i++){
            if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
              ocgs[i].state=false;
            }
          }
        }
      }
      \mix_pdfobj:nnn{}{dict}{
        /Type/Filespec/EF~<</F~\mix_pdflastobj:>>/F~(btnoff)%/UF~(btnoff)
      }
      \tl_gset:Nx\g_mix_assets_tl{(btnoff)~\mix_pdflastobj:}
      \tl_set:Nx\l_mix_scripts_tl{~\mix_pdflastobj:~}
      %enforce plain playbutton overlay for XeTeX
      \sys_if_engine_xetex:T{\tl_gset:Nn\g_mix_usrpbtn_tl{plain}}
    }
    %embed main asset
    \mix_uribegin:
    \mix_embedasset:n{#3}
    \bool_if:nTF{
      \str_if_eq_p:Vn\l_mix_ext_tl{prc}||\str_if_eq_p:Vn\l_mix_ext_tl{u3d}
    }{
      \bool_gset_true:N\g_mix_iiid_bool
      \tl_gset:Nn\g_mix_mainassetsub_tl{3D}
    }{
      \str_case_x:nnF{\l_mix_base_tl}{
        {APlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
        {AudioPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
        {VPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
        {VideoPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
        {StrobeMediaPlayback}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
      }{\tl_gset:Nn\g_mix_mainassetsub_tl{Flash}}
    }
    \tl_gset:Nx\g_mix_mainasset_tl{~\g_mix_lastasset_tl}
    \mix_uriend:
```

```
  %secondary assets (added by addresource)
  \seq_map_function:NN\g_mix_res_seq\mix_embedasset:n
  \seq_map_inline:Nn\g_mix_script_seq{
    \mix_embedasset:n{##1}
    \tl_put_right:Nx\l_mix_scripts_tl{~\g_mix_lastasset_tl}
  }
  %attach 3D calculation script
  \bool_if:nT{\g_mix_iiid_bool && \g_mix_iiidcalc_bool}{
    \mix_embedasset:n{3Dmenu.js}
    \tl_put_left:Nx\l_mix_scripts_tl{\g_mix_lastasset_tl~}
  }
  %create 3D views from file (option 3Dviews)
  \bool_if:nT{\g_mix_iiid_bool && !(\tl_if_blank_p:V\g_mix_vfile_tl)}{
    \tl_set:Nn\l_mix_level_tl{\c_minus_one}
    \int_zero:N\l_mix_viewcnt_int
    \int_zero:N\l_mix_lineno_int

    \ior_open:Nn\l_mix_vfile_stream{\g_mix_vfile_tl}
    \ior_map_inline:Nn\l_mix_vfile_stream{
      \int_incr:N\l_mix_lineno_int
      \keys_set:nn{media9/views}{##1} %process input line
    }
    \ior_close:N\l_mix_vfile_stream
  }
  \bool_if:nT{ %create default 3D view if required
    \g_mix_iiid_bool &&
    (\g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl)
  }{
    \tl_set_eq:NN\l_mix_bg_tl\g_mix_opt_bg_tl
    \tl_set_eq:NN\l_mix_ls_tl\g_mix_opt_ls_tl
    \tl_set_eq:NN\l_mix_rm_tl\g_mix_opt_rm_tl
    \tl_set_eq:NN\l_mix_psob_tl\g_mix_opt_psob_tl
    \tl_set_eq:NN\l_mix_coo_tl\g_mix_opt_coo_tl
    \tl_set_eq:NN\l_mix_ctoc_tl\g_mix_opt_ctoc_tl
    \tl_set_eq:NN\l_mix_ciiw_tl\g_mix_opt_ciiw_tl

    \fp_set_eq:NN\l_mix_roo_fp\g_mix_opt_roo_fp
    \fp_set_eq:NN\l_mix_aac_fp\g_mix_opt_aac_fp
    \fp_set_eq:NN\l_mix_oscale_fp\g_mix_opt_oscale_fp
    \fp_set_eq:NN\l_mix_roll_fp\g_mix_opt_roll_fp

    \bool_set_eq:NN\l_mix_ciiw_bool\g_mix_opt_ciiw_bool
    \bool_set_eq:NN\l_mix_iiidortho_bool\g_mix_opt_iiidortho_bool
    \tl_clear:N\l_mix_naarray_tl

    \bool_if:NF\l_mix_ciiw_bool{
      \tl_set:Nx\l_mix_args_tl{\l_mix_coo_tl\space\l_mix_ctoc_tl\space}
      \exp_after:wN\mix_calc_ciiw:w\l_mix_args_tl\q_stop
    }
```

```
13965     \tl_clear:N\l_mix_naarray_tl
13966     \tl_clear:N\l_mix_saarray_tl
13967     \tl_set_eq:NN\l_mix_nr_tl\g_mix_nrdflt_tl
13968
13969     \mix_view:n{Default}
13970     \tl_set:Nx\l_mix_dfltview_tl{\mix_pdflastobj:}
13971
13972   }
13973   \mix_pdfobj:nnn{}{dict}{
13974     /Type/RichMediaInstance
13975     /Subtype/\g_mix_mainassetsub_tl
13976     /Asset~\g_mix_mainasset_tl
13977     \bool_if:NF\g_mix_iiid_bool{
13978       /Params~<<
13979         /Binding\str_if_eq:VnTF\g_mix_transp_tl{true}{
13980           /Foreground
13981         }{
13982           /Background
13983         }
13984         \tl_if_blank:VF\g_mix_flashvars_tl{
13985           /FlashVars~(\g_mix_flashvars_tl)
13986         }
13987       >>
13988     }
13989   }
13990   \tl_if_empty:NF\g_mix_usrlabel_tl{
13991     \mix_keytoaux_now:nn{main@\g_mix_usrlabel_tl}{\mix_pdflastobj:}
13992   }
13993   \mix_pdfobj:nnn{}{dict}{
13994     /Type/RichMediaConfiguration
13995     /Subtype/\g_mix_mainassetsub_tl
13996     /Instances~[\mix_pdflastobj:]
13997   }
13998   \mix_pdfobj:nnn{}{dict}{
13999     /Type/RichMediaContent
14000     /Assets~<</Names~[\g_mix_assets_tl]>>
14001     /Configurations~[\mix_pdflastobj:]
14002     \bool_if:nT{
14003       \g_mix_iiid_bool && !(\tl_if_empty_p:V\l_mix_iiidviewarray_tl)
14004     }{
14005       /Views~[\l_mix_iiidviewarray_tl]
14006     }
14007   }
14008   \tl_set:Nx\l_mix_content_tl{\mix_pdflastobj:}
14009   \bool_if:nT{
14010     \g_mix_iiid_bool && \str_if_eq_p:Vn\g_mix_playtpe_tl{Oscillating}
14011   }{
14012     \tl_gset:Nx\g_mix_playcnt_tl{\int_eval:n{\g_mix_playcnt_tl*2}}
14013   }
14014   %determine floating window size
```

```
\bool_if:NT\g_mix_opt_windowed_bool{
  \exp_after:wN\mix_parse_winsizearg:w\g_mix_winsize_tl\q_stop
}
\mix_pdfobj:nnn{}{dict}{
  /Activation~<<
    /Condition\g_mix_act_tl
    \bool_if:nT{
      \g_mix_iiid_bool &&
      !(\str_if_eq_p:Vn\g_mix_playtpe_tl{None})
    }{%seems to work only with 3D content
      /Animation~<<
        /Subtype/\g_mix_playtpe_tl
        /PlayCount~\g_mix_playcnt_tl
        /Speed~\g_mix_playspd_tl
      >>
    }
    \bool_if:nT{
      \g_mix_iiid_bool && (
        \g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl
      )
    }{/View~\l_mix_dfltview_tl}
    /Presentation~<<
      /Transparent~\g_mix_transp_tl
      \bool_if:NTF\g_mix_opt_windowed_bool{
        /Style/Windowed
        /Window~<<
          /Width~<</Default~\tl_mix_fltwd>>
          /Height~<</Default~\tl_mix_fltht>>
          /Position~<<
            /HOffset~0/VOffset~0
            \str_case_x:nnF{\g_mix_winpos_tl}{
              {tl}{/VAlign/Near/HAlign/Near}
              {cl}{/VAlign/Center/HAlign/Near}
              {bl}{/VAlign/Far/HAlign/Near}
              {bc}{/VAlign/Far/HAlign/Center}
              {br}{/VAlign/Far/HAlign/Far}
              {cr}{/VAlign/Center/HAlign/Far}
              {tr}{/VAlign/Near/HAlign/Far}
              {tc}{/VAlign/Near/HAlign/Center}
            }{/HAlign/Center/VAlign/Center}
          >>
        >>
      }{
        /Style/Embedded
      }
      \bool_if:NTF\g_mix_iiid_bool{
        /Toolbar~\g_mix_tools_tl
        /NavigationPane~\g_mix_nav_tl
      }{
        /PassContextClick~\g_mix_contextclick_tl
```

```
14065         }
14066       >>
14067       \tl_if_blank:VF\l_mix_scripts_tl{/Scripts~[\l_mix_scripts_tl]}
14068     >>
14069     /Deactivation~<</Condition\g_mix_deact_tl>>
14070   }
14071   \tl_set:Nx\l_mix_settings_tl{\mix_pdflastobj:}
14072   \tl_if_empty:NF\g_mix_usrlabel_tl{
14073     \tl_gset_eq:NN\g_mix_label_tl\g_mix_usrlabel_tl
14074   }
14075   % #1:width, #2:height, #3:depth, #4:content (key-value)
14076   \mix_pdfannot:nnnn{\g_mix_wd_tl}{\g_mix_ht_tl}{\g_mix_dp_tl}{
14077     /Subtype/RichMedia
14078     /F~4
14079     /BS~<</W~0/S/S>>
14080     /Contents~(media~embedded~by~media9~[\g_mix_version_tl~(\g_mix_date_tl)])
14081     /NM~(\g_mix_label_tl)
14082     /AP~<</N~\g_mix_appearance_tl>>
14083     /RichMediaSettings~\l_mix_settings_tl
14084     /RichMediaContent~\l_mix_content_tl
14085   }
14086   \tl_if_empty:NF\g_mix_usrlabel_tl{
14087     \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{\mix_pdflastann:}
14088     \mix_keytoaux_shipout:nn{page@\g_mix_usrlabel_tl}{
14089       \noexpand\the\g@mix@page@int}
14090   }
14091   \mix_pdfobj:nnn{}{dict}{
14092     /S/JavaScript/JS~(
14093       try{
14094         if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
14095         if(typeof(annotRM['\g_mix_label_tl'])=='undefined'){
14096           annotRM['\g_mix_label_tl']=
14097             this.getAnnotRichMedia(this.pageNum,'\g_mix_label_tl');
14098         }
14099         \str_if_eq_x:nnF{\g_mix_usrpbtn_tl}{none}{
14100           if(typeof(ocgBtn\int_use:N\g_mix_rmcnt_int)=='undefined'){
14101             var~ocgs=this.getOCGs(this.pageNum);
14102             for(var~i=0;i<ocgs.length;i++){
14103               if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
14104                  var~ocgBtn\int_use:N\g_mix_rmcnt_int=ocgs[i];
14105               }
14106             }
14107           }
14108           if(
14109             !annotRM['\g_mix_label_tl'].activated&&(
14110               app.viewerType=='Reader'||
14111               app.viewerType=='Exchange'||
14112               app.viewerType=='Exchange-Pro'
14113             )&&app.viewerVersion>=9
14114           ){
```

```
              ocgBtn\int_use:N\g_mix_rmcnt_int.state=true;
            }
          }
        }catch(e){}
        this.dirty=false;
      )
    }
    \mix_pdfannot:nnnn{Opt}{Opt}{Opt}{
      /Subtype/Widget
      /FT/Btn/Ff~65537/F~2
      /BS~<</W~0>>
      /T~(fd@\g_mix_label_tl)
      /AA~<</PO~\mix_pdflastobj:~/PV~\mix_pdflastobj:>>
    }
    \mix_appendtofields:n{\mix_pdflastann:}
    \hbox_overlap_right:n{\box_use:N\l_mix_poster_box}
    \str_if_eq_x:nnTF{\g_mix_usrpbtn_tl}{none}{
      \hbox_to_wd:nn{\g_mix_wd_tl}{
        \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl\hss
      }
    }{%insert play button overlay
      \mix_insert_btnocg: %create OCG
      \cs_gset_eq:Nc\mix_pbtn:NN{g@mix@pbtn@\g_mix_usrpbtn_tl @tl}
      \group_begin:
      \cs_if_exist:NT\textdir{\textdir TLT}
        \sbox\l_mix_pbtn_box{\mix_pbtn:NN\g_mix_wd_tl\g_mix_tt_tl}
        \box_move_down:nn{\g_mix_dp_tl}{
          \hbox_to_wd:nn{\g_mix_wd_tl}{
            \vbox_to_ht:nn{\g_mix_tt_tl}{
              \vss
              \ocgbase_oc_bdc:n{\g_mix_btnocg_tl}
              \box_use:N\l_mix_pbtn_box
              \ocgbase_oc_emc:
            }
          }
        }
      \group_end:
    }
    \int_gincr:N\g_mix_rmcnt_int
  }
  \mix_endLTR:
  \group_end:
}
\tl_set_eq:NN\l_mix_includemedia_tl\includemedia
\tl_set:Nn\includemedia{\mix_uribegin:\l_mix_includemedia_tl}

\RenewDocumentCommand\mediabutton{O{}m}{%#1 options, #2 normal button text
  \mix_uriend:
  \group_begin:
  \mix_beginLTR:
```

```
\leavevmode
%reset various variables
\tl_gclear:N\g_mix_overbtn_tl
\tl_gclear:N\g_mix_downbtn_tl
\tl_gclear:N\g_mix_btnactions_tl
\tl_gclear:N\g_mix_tooltip_tl
%process options
\bool_gset_eq:NN\g_mix_btndraft_bool\g_mix_pkgdraft_bool
\mix_uribegin: %treat URI characters correctly
\keys_set:nn{media9/mbtndraft}{#1} %detect draft/final on first pass
\bool_if:NF\g_mix_btndraft_bool{\keys_set:nn{media9/mbtn}{#1}}
\mix_uriend:
%normal button appearance
%\hbox_set:Nn\l_mix_poster_box{#2}
\sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
\tl_set:Nx\width {\dim_use:N\box_wd:N\l_mix_poster_box}
\tl_set:Nx\height{\dim_use:N\box_ht:N\l_mix_poster_box}
\tl_set:Nx\depth {\dim_use:N\box_dp:N\l_mix_poster_box}
\bool_if:NTF\g_mix_btndraft_bool{\box_use:N\l_mix_poster_box}{
  \sbox\l_mix_poster_box{\bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{
    \box_use:N\l_mix_poster_box}}{\box_use:N\l_mix_poster_box}}
  \mix_pdfxform:n{\l_mix_poster_box}
  \tl_set:Nx\g_mix_normalbtn_tl{\mix_pdflastxform:}
  %insert widget annotation
  \mix_pdfannot:nnnn{\width}{\height}{\depth}{
    /Subtype/Widget
    /T~(mbtn@\int_use:N\g_mix_mbtncnt_int)
    \tl_if_empty:NF\g_mix_tooltip_tl{/TU~(\g_mix_tooltip_tl)}
    /FT/Btn/Ff~65536
    \tl_if_empty:NTF\g_mix_downbtn_tl{/H/I}{/H/P}
    /AP~<<
      /N~\g_mix_normalbtn_tl
      \tl_if_empty:NF\g_mix_overbtn_tl{/R~\g_mix_overbtn_tl}
      \tl_if_empty:NF\g_mix_downbtn_tl{/D~\g_mix_downbtn_tl}
    >>
    /MK~<<
      /TP~1~/IF~<</S/A/FB~true/A~[0.0~0.0]>>
      /I~\g_mix_normalbtn_tl
      \tl_if_empty:NF\g_mix_overbtn_tl{/RI~\g_mix_overbtn_tl}
      \tl_if_empty:NF\g_mix_downbtn_tl{/IX~\g_mix_downbtn_tl}
    >>
    /A~<<
      /S/JavaScript/JS~(app.focusRect=false;)
      %sequence of actions to perform
      \tl_if_empty:NF\g_mix_btnactions_tl{/Next~[\g_mix_btnactions_tl]}
    >>
  }
  \mix_appendtofields:n{\mix_pdflastann:}
  \hbox_to_wd:nn{\width}{
    \vrule~width~\c_zero_dim~height~\height~depth~\depth\hss
```

```
    }
    \int_gincr:N\g_mix_mbtncnt_int
  }
  \mix_endLTR:
  \group_end:
}

\tl_set_eq:NN\l_mix_mediabutton_tl\mediabutton
\tl_set:Nn\mediabutton{\mix_uribegin:\l_mix_mediabutton_tl}


```

81 File memoir-xetex-bidi.def

```
\ProvidesFile{memoir-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for memoir class for XeT
\renewcommand{\keepthetitle}{%
  \@bsmtitlempty
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\and\relax
  \global\let\andnext\relax
  \global\let\@thanks\@empty
  \global\let\@title\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty}
\renewcommand{\maketitle}{\par
  \begingroup
    \@bsmarkseries
    \def\@makefnmark{\@textsuperscript{%
       \normalfont\@bsthanksheadpre \tamark \@bsthanksheadpost}}%
    \long\def\@makefntext##1{\makethanksmark ##1}
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \ifdim\pagetotal>\z@
        \newpage
      \fi
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{title}\@thanks
  \endgroup
  \@bscontmark  %  \setcounter{footnote}{0}%
  }
\renewcommand*{\memRTLleftskip}{\if@RTL\rightskip\else\leftskip\fi}
```

```
\renewcommand*{\memRTLrightskip}{\if@RTL\leftskip\else\rightskip\fi}
\renewcommand*{\memRTLvleftskip}{\if@RTL\vrightskip\else\vleftskip\fi}
\renewcommand*{\memRTLvrightskip}{\if@RTL\vleftskip\else\vrightskip\fi}
\renewcommand*{\memRTLraggedright}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\memRTLraggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\thesection}{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*{\thesubsection}{%
              \thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
              \thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*{\theparagraph}{%
              \thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
              \theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand{\setthesection}{\thechapter\@SepMark\Alph{section}}
\renewcommand{\theequation}{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand{\thefigure}{\thechapter\@SepMark\@arabic\c@figure}
\renewcommand{\thetable}{\thechapter\@SepMark\@arabic\c@table}
\ifartopt
  \chapterstyle{article}
  \counterwithout{figure}{chapter}
  \counterwithout{table}{chapter}
  \counterwithout{footnote}{chapter}
  \counterwithout{equation}{chapter}
  \renewcommand{\chaptername}{}
  \renewcommand{\maketitlehookb}{%
    \vskip -1.5\topsep\vskip -1.5\partopsep}
  \renewcommand{\maketitlehookc}{%
    \vskip -1.5\topsep\vskip -1.5\partopsep}
\fi
\long\def\@makecaption#1#2{\let\@memtempa\relax
  \ifdim\prevdepth>-99\p@ \vskip\abovecaptionskip
  \else \def\@memtempa{\vbox to\topskip{}}\fi
  \let\@contfnote\footnote \renewcommand{\footnote}[2][]{}
  \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1][]{}
  \sbox\@tempboxa{\@contnfont #1\@contdelim \@conttfont #2\@contfinal}
  \let\footnote\@contfnote
  \let\footnotemark\@contfmark
  \ifdim\wd\@tempboxa<\linewidth \centering \fi
  \if@contcw
    \centering
    \parbox{\@contcwidth}{%
    \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
  \fi
  \ifdim\wd\@tempboxa<\linewidth
    \@contpre
    {\@contnfont #1\@contdelim}\@memtempa
    {\@contcshortstyle \@conttfont #2\@contfinal\par}
  \else
```

```
    \if@conthang
      \sbox\@tempboxa{\@contnfont #1\@contdelim}
      \@contpre%
      {\@contcstyle\hangindent=\wd\@tempboxa
       \noindent\box\@tempboxa\@memtempa \@conttfont #2\@contfinal\par}
    \else
      \if@contindent
        \@contpre%
        {\@contnfont #1\@contdelim}\@memtempa
        {\@contcstyle\hangindent=\@contindw
                     \hangafter=\@ne\@conttfont #2\@contfinal\par}% <- v1.4
      \else
        \@contpre%
        {\@contnfont #1\@contdelim}\@memtempa
        {\@contcstyle \@conttfont #2\@contfinal\par}
      \fi
    \fi
  \fi
  \@contpost
  \if@contcw
    \par
    }  % end of the \parbox
  \fi
  \vskip\belowcaptionskip}
\@ifpackageloaded{caption}{%
\AtBeginPackage{caption}{
\ClassWarningNoLine{memoir}{%
  You are using the caption package with the memoir \MessageBreak
  class. This may cause unexpected or inconsistent \MessageBreak
  results if you use any of memoir's captioning facilities}

\long\def\@makecaption##1##2{%
  \vskip\abovecaptionskip
  \sbox\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
  \ifdim \wd\@tempboxa >\hsize
    \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
  \else
    \global \@minipagefalse
    \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
  \fi
  \vskip\belowcaptionskip}

\def\caption{%
   \ifx\@captype\@undefined
     \@latex@error{\noexpand\caption outside float}\@ehd
     \expandafter\@gobble
   \else
     \refstepcounter\@captype
     \expandafter\@firstofone
   \fi
```

```
   {\@dblarg{\@caption\@captype}}%
}

\long\def\@caption##1[##2]##3{%
  \par
  \addcontentsline{\csname ext@##1\endcsname}{##1}%
    {\protect\numberline{\csname the##1\endcsname}{\ignorespaces ##2}}%
  \begingroup
    \@parboxrestore
    \if@minipage
      \@setminipage
    \fi
    \normalsize
    \@makecaption{\csname fnum@##1\endcsname}{\ignorespaces ##3}\par
  \endgroup}
}}{}
\renewenvironment{thebibliography}[1]{%
  \bibsection
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \bidi@@thebibliography@font@hook%
  \begin{bibitemlist}{#1}}{\end{bibitemlist}\postbibhook}
```

82 File midfloat-xetex-bidi.def

```
\ProvidesFile{midfloat-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for midfloat package f
\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global \@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
    \global\c@colht\@colht\global\c@addvipersep\z@
    \ifnum\juo@sk>0
        \remove@strip\juo@sar
        \global\@colht\the\juo@pr
        \ifdim\right@cor>\z@
                \global\advance\@colht by\right@cor
```

```
      \fi
      \global\advance\@colht by\cor@height
      \global\cor@height=0pt
  \fi
  \global \setbox\@rightcolumn \vbox{}%
\else
  \ifdim\c@colht>\@colht
          \@tempdima\@colht
          \ifdim\@colht>\z@
          \global\setbox\@rightcolumn \vbox{%
                      \unvbox\@rightcolumn
                      \vbox to\@tempdima{%
                              \vskip\c@addvipersep\unvbox\@outputbox}%
                      \vskip\stripsep
                      \vrule height\the\juo@ht width 0pt depth 0pt
                      \vskip\stripsep
                      }%
          \global\c@addvipersep\m@addvipersep
          \else
          \global\setbox\@rightcolumn \vbox{%
                      \unvbox\@rightcolumn
                      \vrule height\the\juo@ht width 0pt depth 0pt
                      \vskip\stripsep
                      }%
          \fi
          \ifnum\juo@sk>0
              \remove@strip\juo@sar
              \global\@colht\the\juo@pr
              \global\advance\@colht by -\ht\@rightcolumn
              \global\advance\@colht by\cor@height
              \global\cor@height=0pt
          \else
              \global\advance\c@colht by-\ht\@rightcolumn
              \global\@colht\c@colht
          \fi
 \else
 \global\@firstcolumntrue
  \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
                      \unvbox\@rightcolumn
                      \vskip\c@addvipersep
                      \unvbox\@outputbox
                      }%
  \setbox\@outputbox \vbox {%
                       \hb@xt@\textwidth {%
                        \hskip \columnwidth
                        \hfil
                         \vrule \@width\columnseprule
                         \hfil
                         \hb@xt@\columnwidth {%
                           \bidi@firstcolumn@status@write%
```

```
                              \box\@leftcolumn \hss}%
                            \hskip-\textwidth
                            \hb@xt@\columnwidth {%
                              \bidi@lastcolumn@status@write%
                              \box\@outputbox \hss}%
                            \hskip\columnwidth
                            \hskip\columnsep}%
                               }%
    \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi
        {\@outputpage
         \@startdblcolumn}%
    \endgroup
    \global\juo@sk=0\global\juo@sar={}%
    \global\cor@height\z@\global\c@addvipersep\z@
    \fi
  \fi
}


\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global \@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
    \global\c@colht\@colht\global\c@addvipersep\z@
    \ifnum\juo@sk>0
        \remove@strip\juo@sar
        \global\@colht\the\juo@pr
        \ifdim\right@cor>\z@
                \global\advance\@colht by\right@cor
```

```
14509       \fi
14510       \global\advance\@colht by\cor@height
14511       \global\cor@height=0pt
14512   \fi
14513   \global \setbox\@rightcolumn \vbox{}%
14514 \else
14515   \ifdim\c@colht>\@colht
14516           \@tempdima\@colht
14517           \ifdim\@colht>\z@
14518           \global\setbox\@rightcolumn \vbox{%
14519                       \unvbox\@rightcolumn
14520                       \vbox to\@tempdima{%
14521                               \vskip\c@addvipersep\unvbox\@outputbox}%
14522                       \vskip\stripsep
14523                       \vrule height\the\juo@ht width 0pt depth 0pt
14524                       \vskip\stripsep
14525                       }%
14526           \global\c@addvipersep\m@addvipersep
14527           \else
14528           \global\setbox\@rightcolumn \vbox{%
14529                       \unvbox\@rightcolumn
14530                       \vrule height\the\juo@ht width 0pt depth 0pt
14531                       \vskip\stripsep
14532                       }%
14533           \fi
14534           \ifnum\juo@sk>0
14535               \remove@strip\juo@sar
14536               \global\@colht\the\juo@pr
14537               \global\advance\@colht by -\ht\@rightcolumn
14538               \global\advance\@colht by\cor@height
14539               \global\cor@height=0pt
14540           \else
14541               \global\advance\c@colht by-\ht\@rightcolumn
14542               \global\@colht\c@colht
14543           \fi
14544 \else
14545  \global\@firstcolumntrue
14546   \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
14547                       \unvbox\@rightcolumn
14548                       \vskip\c@addvipersep
14549                       \unvbox\@outputbox
14550                       }%
14551   \setbox\@outputbox \vbox {%
14552                        \hb@xt@\textwidth {%
14553                          \hb@xt@\columnwidth {%
14554                            \bidi@firstcolumn@status@write%
14555                            \box\@leftcolumn \hss}%
14556                          \hfil
14557                          \vrule \@width\columnseprule
14558                          \hfil
```

```
                            \hb@xt@\columnwidth {%
                              \bidi@lastcolumn@status@write%
                              \box\@outputbox \hss}%
                                              }%
                             }%
    \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi
        {\@outputpage
         \@startdblcolumn}%
    \endgroup
    \global\juo@sk=0\global\juo@sar={}%
    \global\cor@height\z@\global\c@addvipersep\z@
    \fi
  \fi
}


\def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
  \global \setbox\@viper\vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi\v
        \hsize\textwidth
        \@parboxrestore
        \col@number \@ne
        \vrule height\topskip width0pt depth0pt
}

\def\endstrip{%
        \egroup\egroup
        \if@firstcolumn
                \ifdim\pagetotal>\z@
                        \vskip\stripsep
                        \global\ht@strip\pagegoal
                        \global\advance\ht@strip by-\pagetotal
                        \global\advance\ht@strip by-\stripsep
                        \global\advance\ht@strip by-\ht\@viper
                        \global\advance\ht@strip by-\stripsep
                        \global\juo@ht=\ht\@viper
                \else
                        \global\ht@strip\z@
                \fi
                \ifdim\ht@strip>\z@
                  \unvbox\@viper
                  \vskip\stripsep
                  \add@strip{\the\pagetotal}{\the\juo@ht}{\the\@tempdima}{\the\@tempdimb}%
                  \global\advance\juo@sk by1
                \else
```

```
                  \@latex@error{Strip needs more place!}\@ehc
                  \if@vihproof
                    \framebox[\columnwidth]{??? Strip ???}%
                  \fi
                \fi
        \else
          \@latex@error{Strip is used only on left column!}\@ehc
          \if@vihproof
            \framebox[\columnwidth]{??? Strip ???}%
          \fi
        \fi
}
```

83 File minitoc-xetex-bidi.def

```
\ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package for
\def\@undottedtocline#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth\relax \else
  \vskip \z@ plus.2\p@
  {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg \
   \parindent #2\relax\@afterindenttrue
   \interlinepenalty\@M
   \leavevmode
   \@tempdima #3\relax \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \hbox{}%
   \hskip -\if@RTL\rightskip\else\leftskip\fi
    #4\nobreak\hfill \nobreak
          \null\par}%
  \fi}
\def\@Undottedtocline#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth\relax \else
    \vskip \z@ \@plus.2\p@
    {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parindent #2\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima #3\relax
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {\coffeefont #4}\nobreak \nobreak\null
    \par}%
  \fi}
\def\@Undottedtoclinep#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth\relax \else
    \vskip \z@ \@plus.2\p@
    {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parindent #2\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima #3\relax
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {#4}\nobreak \hfill \nobreak\null
```

```
    \hb@xt@\@pnumwidth{{\hfil\normalfont \normalcolor #5}}%
   \par}%
 \fi}
```

84 File multicol-xetex-bidi.def

```
\ProvidesFile{multicol-xetex-bidi.def}[2016/11/27 v0.8 bidi adaptations for multicol package f
\def\page@sofar{%
  \process@cols\mult@rightbox
      {\ifvoid\count@
         \setbox\count@\hbox to\hsize{}%
       \else
         \wd\count@\hsize
       \fi}%
  \count@\col@number \advance\count@\m@ne
  \mult@info\z@
   {Column spec: \the\full@width\space = indent
                 + columns + sep =\MessageBreak
      \the\multicol@leftmargin\space
      + \the\col@number\space
      x \the\hsize\space
      + \the\count@\space
      x \the\columnsep
    }%
\ifvmode\else\errmessage{Multicol Error}\fi
  \nointerlineskip
  \setbox\z@\hbox{p}\global\dimen\tw@\dp\z@
  \moveright\multicol@leftmargin
   \hbox to\full@width{%
      \bidi@multicol@align@columns
      \rlap{\phantom p}%
   }%
 \prevdepth\z@
 \kern-\dimen\tw@
 \ifdim\dimen\tw@ > \mc@gridwarn
   \PackageWarning{multicol}%
     {Very deep columns!\MessageBreak
      Grid alignment might be broken}%
 \fi
}
\def\LTR@column@boxes{%
    \process@cols\mult@gfirstbox{%
      \ifdim\dp\count@>\dimen\tw@
        \global\dimen\tw@\dp\count@ \fi
      \mc@col@status@write
      \box\count@
      \hss{\columnseprulecolor\vrule
             \@width\columnseprule}\hss}%
    \ifdim\dp\mult@rightbox>\dimen\tw@
      \global\dimen\tw@\dp\mult@rightbox \fi
```

```
      \mc@lastcol@status@write
      \box\mult@rightbox
}

\def\RTL@column@boxes{%
  \ifnum\col@number<\tw@
     \LTR@column@boxes
  \else
     \process@cols\mult@gfirstbox{%
       \hskip\hsize
       \hss{\columnseprulecolor\vrule
              \@width\columnseprule}\hss
     }%
     \hskip\hsize
     \process@cols\mult@gfirstbox{%
       \ifdim\dp\count@>\dimen\tw@
         \global\dimen\tw@\dp\count@ \fi
       \hskip-\hsize
       \mc@col@status@write
       \box\count@
       \hskip-\hsize
       \hskip-\columnsep
     }%
     \ifdim\dp\mult@rightbox>\dimen\tw@
       \global\dimen\tw@\dp\mult@rightbox \fi
     \hskip-\hsize
     \mc@lastcol@status@write
     \box\mult@rightbox
     \hskip-\hsize
     \hskip\full@width
  \fi
 }
\newcommand\RTLmulticolcolumns
    {\let\bidi@multicol@align@columns
         \RTL@column@boxes}
\newcommand\LTRmulticolcolumns
    {\let\bidi@multicol@align@columns
      \LTR@column@boxes}
\newcommand\bidi@multicol@align@columns
    {\if@RTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
\def\multicols#1{\col@number#1\relax
  \ifnum\col@number<\tw@
     \PackageWarning{multicol}%
      {Using `\number\col@number'
       columns doesn't seem a good idea.^^J
       I therefore use two columns instead}%
     \col@number\tw@ \fi
  \ifnum\col@number>10
     \PackageError{multicol}%
      {Too many columns}%
```

```
      {Current implementation doesn't
       support more than 10 columns.%
       \MessageBreak
       I therefore use 10 columns instead}%
     \col@number10 \fi
     \ifx\@footnotetext\mult@footnotetext\else
       \let\orig@footnotetext\@footnotetext
       \let\@footnotetext\mult@footnotetext
     \fi
     \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
       \let\orig@LTRfootnotetext\@LTRfootnotetext
       \let\@LTRfootnotetext\mult@LTRfootnotetext
     \fi
     \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
       \let\orig@RTLfootnotetext\@RTLfootnotetext
       \let\@RTLfootnotetext\mult@RTLfootnotetext
     \fi
  \@ifnextchar[\mult@cols{\mult@cols[]}}
\long\def\mult@footnotetext#1{\begingroup
         \hsize\textwidth
         \columnwidth\textwidth
         \orig@footnotetext{#1}\endgroup}
\long\def\mult@LTRfootnotetext#1{\begingroup
         \hsize\textwidth
         \columnwidth\textwidth
         \orig@LTRfootnotetext{#1}\endgroup}
\long\def\mult@RTLfootnotetext#1{\begingroup
         \hsize\textwidth
         \columnwidth\textwidth
         \orig@RTLfootnotetext{#1}\endgroup}
\def\right@footnoterule{%
  \kern-3\p@
  \hbox to \textwidth{\hskip \dimexpr\textwidth-.4\columnwidth\relax \hrulefill }
  \kern2.6\p@}
\def\textwidth@footnoterule{\kern-3\p@
  \hrule \@width \textwidth \kern 2.6\p@}
```

85 File multienum-xetex-bidi.def

```
\ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum package
\renewcommand{\itemx}[1]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
\parbox[t]{\remainx}{\bidi@raggedright #1}\par}%\smallskip
\renewcommand{\itemxx}[2]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip}
\renewcommand{\itemxxx}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
```

```
\parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
{\labelwidth}{\hfill {\labelname}}\hskip\labelsep%
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}%\smallskip
\renewcommand{\itemxxxx}[4]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}
\renewcommand{\itemxxxxx}[5]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #3}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #4}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #5}\smallskip}
\renewcommand{\itemxox}[2]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\smallskip}
\renewcommand{\itemxxo}[2]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxox}{\bidi@raggedright #2}\smallskip}
\renewcommand{\itemxoxx}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxoxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
\renewcommand{\itemxxox}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxoxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
\renewcommand{\itemxxxo}[3]{\parbox[t]%
```

```
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxoxx}{\bidi@raggedright #3}\smallskip}
```

86 File natbib-xetex-bidi.def

```
\ProvidesFile{natbib-xetex-bidi.def}[2017/06/09 v0.2 bidi adaptations for natbib package for X
\renewenvironment{thebibliography}[1]{%
 \bibsection
 \parindent\z@
 \bibpreamble
 \bibfont
 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
 \bidi@@thebibliography@font@hook%
 \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{#1}\global\c@NAT@ctr\z@}%
 \ifNAT@openbib
   \renewcommand\newblock{\par}%
 \else
   \renewcommand\newblock{\hskip .11em \@plus.33em \@minus.07em}%
 \fi
 \sloppy\clubpenalty4000\widowpenalty4000
 \sfcode`\.\@m
 \let\NAT@bibitem@first@sw\@firstoftwo
    \let\citeN\cite \let\shortcite\cite
    \let\citeasnoun\cite
}{%
 \bibitem@fin
 \bibpostamble
 \def\@noitemerr{%
  \PackageWarning{natbib}{Empty `thebibliography' environment}%
 }%
 \endlist
 \bibcleanup
}%
```

87 File newfloat-xetex-bidi.def

```
\ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package f
\renewcommand*\newfloat@setwithin[2]{%
  \ifcsname c@chapter\endcsname
    \@removefromreset{#1}{chapter}%
  \fi
  \@removefromreset{#1}{section}%
  \edef\@tempa{#2}%
  \ifx\@tempa\@empty
    \def\@tempa{none}%
  \fi
```

```
\def\@tempb{none}%
\ifx\@tempa\@tempb
  \ifcsname c@chapter\endcsname
    \@chapterlistsgap@off{#1}%
  \fi
  \newfloat@@setwithin{#1}{}{}%
\else
  \def\@tempb{chapter}%
  \ifx\@tempa\@tempb
    \@addtoreset{#1}{chapter}%
    \@chapterlistsgap@on{#1}%
    \newfloat@@setwithin{#1}{\ifnum\c@chapter>\z@ \thechapter\@SepMark\fi}{\theHchapter\@Sep
  \else
    \def\@tempb{section}%
    \ifx\@tempa\@tempb
      \@addtoreset{#1}{section}%
      \ifcsname c@chapter\endcsname
        \@addtoreset{#1}{chapter}%
        \@chapterlistsgap@on{#1}%
        \newfloat@@setwithin{#1}{\thesection\@SepMark}{\theHsection\@SepMark}%
      \else
        \newfloat@@setwithin{#1}{\ifnum\c@section>\z@ \thesection\@SepMark\fi}{\theHsection\
      \fi
    \else
      \newfloat@Error{Invalid value `#2' for option `within'}%
    \fi
  \fi
\fi}
```

88 File ntheorem-xetex-bidi.def

```
\ProvidesFile{ntheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem package f
\gdef\@thm#1#2#3{%
  \if@thmmarks
    \stepcounter{end\InTheoType ctr}%
  \fi
  \renewcommand{\InTheoType}{#1}%
  \if@thmmarks
    \stepcounter{curr#1ctr}%
    \setcounter{end#1ctr}{0}%
  \fi
  \refstepcounter{#2}%
  \theorem@prework
  \thm@topsepadd \theorempostskipamount   % cf. latex.ltx: \@trivlist
  \ifvmode \advance\thm@topsepadd\partopsep\fi
  \trivlist
  \@topsep \theorempreskipamount
  \@topsepadd \thm@topsepadd        % used by \@endparenv
  \advance\linewidth -\theorem@indent
  \advance\@totalleftmargin \theorem@indent
```

```
  \if@RTL\parshape \@ne 0pt \linewidth\else  \parshape \@ne \@totalleftmargin \linewidth\fi
   \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}
```

89 File ntheorem-hyper-xetex-bidi.def

```
\ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-hyp
\gdef\@thm#1#2#3{%
  \if@thmmarks
    \stepcounter{end\InTheoType ctr}%
  \fi
  \renewcommand{\InTheoType}{#1}%
  \if@thmmarks
    \stepcounter{curr#1ctr}%
    \setcounter{end#1ctr}{0}%
  \fi
  \refstepcounter{#2}%
  \thm@topsepadd \theorempostskipamount   % cf. latex.ltx: \@trivlist
  \ifvmode \advance\thm@topsepadd\partopsep\fi
  \trivlist
  \@topsep \theorempreskipamount
  \@topsepadd \thm@topsepadd        % used by \@endparenv
  \advance\linewidth -\theorem@indent
  \advance\@totalleftmargin \theorem@indent
  \if@RTL\parshape \@ne 0pt \linewidth\else  \parshape \@ne \@totalleftmargin \linewidth\fi
  \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}
```

90 File overpic-xetex-bidi.def

```
\ProvidesFile{overpic-xetex-bidi.def}[2015/12/07 v0.1 bidi adaptations for overpic package for
\renewenvironment{overpic}[2][]{%
  \sbox{\z@}{\includegraphics[#1]{#2}}%
  \settodepth{\@tempcnta}{\usebox{\z@}}%
  \settoheight{\@tempcntb}{\usebox{\z@}}%
  \advance\@tempcntb\@tempcnta%
  \settowidth{\@tempcnta}{\usebox{\z@}}%
  \setlength{\@tempdima}{\unitlength}%
  \count@=\z@\Gin@gridfalse\setkeys{Gin}{#1}%
%
  \OVP@calc%
%
  \begin{picture}(\@tempcnta,\@tempcntb)%
    \if@RTL\else\put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}%
    \ifGin@grid%
      \put(0,0){\normalfont\fontsize\@viipt\@viiipt\selectfont%
        \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
    \fi\fi%
    % reset the graphics parameter
    \let\Gin@outer@scalex\relax
    \let\Gin@outer@scaley\relax
    \let\Gin@angle\relax
```

```
    \let\Gin@ewidth\Gin@exclamation
    \let\Gin@eheight\Gin@ewidth
    \def\Gin@scalex{1}
    \let\Gin@scaley\Gin@exclamation
}{%
    \if@RTL\ifGin@grid%
      \put(0,0){\normalfont\fontsize\@viipt\@viiipt\selectfont%
        \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
    \fi%
    \put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}\fi%
  \end{picture}%
}%
```

91 File pdfbase-xetex-bidi.def

```
\ProvidesFile{pdfbase-xetex-bidi.def}[2017/08/27 v0.1 bidi adaptations for pdfbase package for
\ExplSyntaxOn
\cs_set_eq:NN\pbs_outputpage_orig:\@outputpage
\cs_set_nopar:Npn\@outputpage{
  \int_gincr:N\g_pbs_page_int
  \iow_now:Nx\@mainaux{
    \token_to_str:N\pbs@newkey{pbs@last@page}{\int_use:N\g_pbs_page_int}
  }
  \box_if_vertical:cTF{@outputbox}{
    \bool_set_true:N\l_pbs_is_vertical_bool
  }{
    \bool_set_false:N\l_pbs_is_vertical_bool
  }
  \hbox_set:Nn\@outputbox{
    %begin of page
    \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_bop_seq{##1}}
    \box_use_clear:N\@outputbox
    %end of page
    \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_eop_seq{##1}}
    %end of dvi
    \int_compare:nT{\pbs@last@page=\g_pbs_page_int}{
      \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_eod_seq{##1}}
    }
  }
  \bool_if:NT\l_pbs_is_vertical_bool{
    \vbox_set:Nn\@outputbox{\box_use_clear:N\@outputbox}
  }
  %insert /Properties into current page's resources
  \pbs_insert_properties_entry:
  \pbs_outputpage_orig:
}
\ExplSyntaxOff
```

92 File pdfpages-xetex-bidi.def

```
\ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package f
\renewcommand*{\includepdf}[2][]{%
  \begingroup
  \@RTLfalse
  \let\AM@threadname\relax
  \AM@split@options{pdfpages}{#1}%
  \edef\AM@temp{{pdfpages}{\the\@temptokena}}%
  \expandafter\setkeys\AM@temp
  \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
    \let\AM@currentdocname\relax
    \renewcommand\includegraphics[2][]{Survey in draft-mode}%
    \def\AM@pagecount{0}%
  }{%
    \AM@findfile{#2}%
    \if\AM@threadname\relax
      \def\AM@threadname{\AM@currentdocname}%
    \fi
  }%
  \ifAM@survey
    \def\AM@pagestemp{}%
    \@tempcnta=0
    \def\foo{%
      \@ifundefined{r@\AM@xrprefix pdfpages@page\the\@tempcnta}%
         {\let\foo\relax}
         {\expandafter\ifx\expandafter\\\AM@pagestemp\\
             \edef\AM@pagestemp{%
                \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
          \else
            \edef\AM@pagestemp{\AM@pagestemp,%
               \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
          \fi
          \advance\@tempcnta 1\relax
         }%
      \foo
    }%
    \foo
    \expandafter\ifx\expandafter\\\AM@pagestemp\\
      \def\AM@pagestemp{1}%
    \fi
  \fi
  \ifAM@output
    \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
    \AM@output{#1}%
  \fi
  \AM@CheckAtEnd
  \endgroup
  \AM@ClearShipoutPicture
}
```

93 File pgfcorescopes.code-xetex-bidi.def

```
\ProvidesFile{pgfcorescopes.code-xetex-bidi.def}[2015/11/14 v0.1 bidi adaptations for pgf pack
\def\pgfpicture{%
  \begingroup%
   \ifmmode\else\@RTLfalse\beginL\fi%
    \pgfpicturetrue%
    \global\advance\pgf@picture@serial@count by1\relax%
    \edef\pgfpictureid{pgfid\the\pgf@picture@serial@count}%
    \let\pgf@nodecallback=\pgfutil@gobble%
    \pgf@picmaxx=-16000pt\relax%
    \pgf@picminx=16000pt\relax%
    \pgf@picmaxy=-16000pt\relax%
    \pgf@picminy=16000pt\relax%
    \pgf@relevantforpicturesizetrue%
    \pgf@resetpathsizes%
    \pgfutil@ifnextchar\bgroup\pgf@oldpicture\pgf@picture}
\def\endpgfpicture{%
              \ifpgfrememberpicturepositiononpage%
                \hbox to0pt{\pgfsys@markposition{\pgfpictureid}}%
              \fi%
              % ok, now let's position the box
              \ifdim\pgf@picmaxx=-16000pt\relax%
                % empty picture. make size 0.
                \global\pgf@picmaxx=0pt\relax%
                \global\pgf@picminx=0pt\relax%
                \global\pgf@picmaxy=0pt\relax%
                \global\pgf@picminy=0pt\relax%
              \fi%
              % Shift baseline outside:
              \pgf@relevantforpicturesizefalse%
              \pgf@process{\pgf@baseline}%
              \xdef\pgf@shift@baseline{\the\pgf@y}%
              %
              \pgf@process{\pgf@trimleft}%
              \global\advance\pgf@x by-\pgf@picminx
              % prepare \hskip\pgf@trimleft@final.
              % note that \pgf@trimleft@final is also queried
              % by the pgf image externalization.
              \xdef\pgf@trimleft@final{-\the\pgf@x}%
              %
              \pgf@process{\pgf@trimright}%
              \global\advance\pgf@x by-\pgf@picmaxx
              % prepare \hskip\pgf@trimright@final.
              % note that \pgf@trimright@final is also queried
              % by the pgf image externalization.
              \xdef\pgf@trimright@final{\the\pgf@x}%
        %
        \pgf@remember@layerlist@globally
            \endgroup%
```

```
            \hss%
          \egroup%
      \pgf@restore@layerlist@from@global
          \pgf@insertlayers%
        \endgroup%
        \pgfsys@discardpath%
        \endgroup%
      \pgfsys@endscope%
    \pgfsys@endpicture%
    \endgroup%
    \hss
  \egroup%
  \pgfsys@typesetpicturebox\pgfpic%
  \ifmmode\else\endL\fi%
  \endgroup%
}
```

94 File picinpar-xetex-bidi.def

```
\ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package f
\long\def\@makewincaption#1#2{%
   \setbox\@tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
   \ifdim\wd\@tempboxa>\picwd
      {\footnotesize{\bf #1:\enspace}{#2\par}}
   \else
      \hbox to\picwd{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}
   \fi}
\def\endwindow{%
    \global\tcd=\tcdsav
    \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
    \vbadness=10000
    \splittopskip=0pt
%
% Typeset the lines above the window
%
\ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
\tcn=\tcd
\loop\advance\tcn -1
\setbox\fslice=\vsplit\holder to\baselineskip
\prune\fslice\linewidth
\topheight=0pt
\ifnum\dp\fslice>\dp\wstrutbox
       \advance\topheight-\dp\fslice
       \advance\topheight\dp\wstrutbox
       \advance\topheight\ilg\fi
\hbox to\linewidth{\box\fslice}
\vskip-\topheight
\ifdim\ht\holder>0pt\repeat
\fi
%
```

```
% Now we build the boxes beside the window
%
\global\topheight=\tcl\baselineskip
\ifnum\cumpartcl>0\global\tcl=\cumtcl
      \global\topheight=\vpic
\fi
\ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
\ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
\else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
\tcn=\tcl \na=0 \nb=0
\ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
\ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
\ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
\ifnum\na=0\ifnum\nb=0
      \setbox\waslice=\vbox to\vpic{\vss}
      \setbox\wbslice=\vbox to\vpic{\vss}
      \bl=1\br=1
      \vskip\ilg
\fi\fi
%
% both sides
%
\ifnum\na>0 \ifnum\nb>0
\loop\advance\nb -1
\advance\na -1
\if@RTL%
\setbox\bslice=\vsplit\holder to\baselineskip
\prune\bslice\rtside
\setbox\wbslice=\vbox{\unvbox\wbslice\hbox
to\rtside{\box\bslice\hfil}}
\setbox\aslice=\vsplit\holder to\baselineskip
\prune\aslice\lftside
\setbox\waslice=\vbox{\unvbox\waslice\hbox
to\lftside{\box\aslice\hfil}}
\else%
\setbox\aslice=\vsplit\holder to\baselineskip
\prune\aslice\lftside
\setbox\waslice=\vbox{\unvbox\waslice\hbox
to\lftside{\box\aslice\hfil}}
\setbox\bslice=\vsplit\holder to\baselineskip
\prune\bslice\rtside
\setbox\wbslice=\vbox{\unvbox\wbslice\hbox
to\rtside{\box\bslice\hfil}}
\fi%
\ifnum\nb>0\repeat
\fi\fi
%
% only text on the left side
%
\ifnum\na>0
```

```
    \loop\advance\na -1
    \setbox\aslice=\vsplit\holder to\baselineskip
    \prune\aslice\lftside
    \setbox\waslice=\vbox{\unvbox\waslice\hbox
    to\lftside{\box\aslice\hfil}}
    \ifdim\ht\holder>0pt\repeat
\fi
%
% only text on the right side
%
\ifnum\nb>0
    \loop\advance\nb -1
    \setbox\bslice=\vsplit\holder to\baselineskip
    \prune\bslice\rtside
    \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
    to\rtside{\box\bslice\hfil}}
    \ifdim\ht\holder>0pt\repeat
\fi
%
% fixing the dimensions of the window part
%
\ifnum\bl=0\topheight=\ht\wbslice
\else\ifnum\br=0\topheight=\ht\waslice
      \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
            \else\topheight=\ht\wbslice\fi\fi\fi
%
% ship out the window material to the main vertical list
%
\ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
\setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}
\fi\fi\fi
\setbox\windowbox=\vbox{\hbox to\linewidth{%
\ifnum\bl>0\box\waslice\hfill\fi%
\vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
\vfill\unvbox\picbox%
\ifnum\picwd>0\vfill\fi%
\vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}}%
\unvbox\windowbox%
\loop
 \setbox\bslice=\vsplit\rawtext to\baselineskip
 \prune\bslice\linewidth
 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
 \unvbox\wbslice
 \ifdim\ht\rawtext>0pt
\repeat
}% FINITO
```

95 File plain-xetex-bidi.def

```
\def\TeXXeTOn{\TeXXeTstate=1 }
```

```
\def\TeXXeTOff{\TeXXeTstate=0 }
\TeXXeTOn
\def\usebox#1{\leavevmode\copy #1\relax}
\def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox\
   \let\bidi@o@everypar=\everypar
   \newtoks\bidi@n@everypar
   \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
   \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
   \let\everypar=\bidi@n@everypar
\def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
\def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
\protected\def\hboxR{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginR
  \@hboxRconstructtrue
  \bgroup
  \aftergroup\endR
  \aftergroup\egroup
 }\hbox}
\protected\def\hboxL{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginL
  \@hboxRconstructfalse
  \bgroup
  \aftergroup\endL
  \aftergroup\egroup
 }\hbox}
\protected\def\vboxR{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLtrue
  \bgroup
  \aftergroup\egroup
 }\vbox}
\protected\def\vboxL{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLfalse
  \bgroup
  \aftergroup\egroup
 }\vbox}
\def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
\def\endLTR{\par}
\def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
```

```
\def\endRTL{\par}
\def\setRTL{\@RTLtrue\@RTL@footnotetrue}
\def\setLTR{\@RTLfalse\@RTL@footnotefalse}
\let\unsetRTL=\setLTR
\let\unsetLTR=\setRTL
\let\LR=\LRE
\let\RL=\RLE
\def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
\def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
\let\@ensure@RL=\@ensure@RTL
\let\@ensure@LR=\@ensure@LTR
\def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
\let\@ensure@maindir=\@ensure@dir
\def\@@RTL{RTL}
\def\@@LTR{LTR}
\def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
\def\reset@dir{\ifx\saved@@dir\@@RTL\setRTL\else\ifx\saved@@dir\@@LTR\setLTR\else\relax\fi\fi
\let\@@TeX\TeX
\def\TeX{\@ensure@LTR{\@@TeX}}
\def\pagecontents{\ifvoid\topins\else\unvbox\topins\fi
  \dimen@=\dp\@cclv \unvbox\@cclv % open up \box255
  \ifvoid\footins\else % footnote info is present
    \vskip\skip\footins
    \footnoterule
    \unvbox\footins\fi
  \ifr@ggedbottom \kern-\dimen@ \vfil \fi
  \ifvoid\@bidi@copyins@
  \else
    \vskip\skip\@bidi@copyins@
    \unvbox\@bidi@copyins@
  \fi
}
\long\def\bidi@reflect@box#1{%
  \leavevmode
  \setbox\z@\hbox{{#1}}%
  \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}
  \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}%
}
\def\XeTeX{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
  \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
\let\setRL=\setRTL
\let\setLR=\setLTR
\let\unsetRL=\setLTR
\let\bidi@saved@eqno=\eqno
\let\bidi@saved@leqno=\leqno
\def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
\def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
\def\centerline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
\def\leftline#1{\line{\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
\def\rightline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi}}
```

96 File pstricks-xetex-bidi.def

```
\ProvidesFile{pstricks-xetex-bidi.def}[2015/11/18 v0.5 bidi adaptations for pstricks package f
\def\pspicture{\begingroup\ifmmode\else\@RTLfalse\beginL\fi\pst@ifstar\pst@picture}
\def\endpspicture{%
  \ifshowgrid\ifnum\showgridp@s>0
    \psgrid[xunit=\sh@wgridXunit,yunit=\sh@wgridYunit,style=gridstyle]\fi\fi%
  \pst@killglue
%  \global\pst@shift=\pst@shift% in fact of the following endgroup
  \endgroup
  \egroup
  \ifdim\wd\pst@hbox=\z@\else
    %\@pstrickserr{Extraneous space in the pspicture environment}%
    %{Type \space <return> \space to proceed.}%
  \fi
  \ht\pst@hbox=\pst@dimd
  \dp\pst@hbox=-\pst@dimb
  \setbox\pst@hbox=\hbox{%
    \kern-\pst@dima
% Orig version ----------
%\ifx\pst@tempa\@empty\else
%\advance\pst@dimd-\pst@dimb
%\pst@dimd=\pst@tempa\pst@dimd
%\advance\pst@dimd\pst@dimb
%\lower\pst@dimd
%\fi
%----- end Orig
    \ifPst@shift@star%\typeout{==pstricks== old behaviour of the shift option}%     shift=*
      \advance\pst@dimd-\pst@dimb
      \pst@dimd=0.5\pst@dimd
    \else\pst@dimd-\pst@shift\fi
    \advance\pst@dimd\pst@dimb
    \lower\pst@dimd
    \box\pst@hbox
    \kern\pst@dimc}%
  \if@star\setbox\pst@hbox=\hbox{\clipbox@@\z@}\fi
  \leavevmode\ifdim\overfullrule=\z@\box\pst@hbox\else
  \fboxsep=0pt
  \fbox{\rule[-\pst@shift]{0pt}{\ht\pst@hbox}\rule{\wd\pst@hbox}{0pt}}\fi
  \ifmmode\else\endL\fi
  \endgroup%
  \psset[pstricks]{shift=0}% reset value
}
```

97 File quotchap-xetex-bidi.def

```
\ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package f
\renewcommand{\qauthor}[1]{%
  \par\smallskip
  {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\qquad\hbox{}\par}\bigskip}
```

```
\renewcommand{\@makechapterhead}[1]{\chapterheadstartvskip%
  {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
      {\chapnumfont
        \ifnum \c@secnumdepth >\m@ne%
        \if@mainmatter\thechapter%
        \fi\fi
        \par\nobreak}%
      {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightmargin\else\leftmargin\fi10e
    \nobreak\chapterheadendvskip}}
\renewcommand*{\@iprintcites}{%
  \vbox to\z@{\leavevmode\copy\@quotebox\vss}
  \global\let\@printcites\relax}
```

98 File ragged2e-xetex-bidi.def

```
\ProvidesFile{ragged2e-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for ragged2e package f
\renewcommand{\Centering}{%
   \ifx\\\@raggedtwoe@savedcr
      \let\\\@centercr
   \fi
   \let\@gnewline\@raggedtwoe@gnewline
   \if@RTL\rightskip\else\leftskip\fi\CenteringLeftskip
   \@rightskip\CenteringRightskip
   \if@RTL\leftskip\else\rightskip\fi\@rightskip
   \parfillskip\CenteringParfillskip
   \parindent\CenteringParindent
   \@raggedtwoe@spaceskiptrue
   \@raggedtwoe@everyselectfont
   }
\renewcommand{\RaggedLeft}{%
   \ifx\\\@raggedtwoe@savedcr
      \let\\\@centercr
   \fi
   \let\@gnewline\@raggedtwoe@gnewline
   \if@RTL\rightskip\else\leftskip\fi\RaggedLeftLeftskip
   \@rightskip\RaggedLeftRightskip
   \if@RTL\leftskip\else\rightskip\fi\@rightskip
   \parfillskip\RaggedLeftParfillskip
   \parindent\RaggedLeftParindent
   \@raggedtwoe@spaceskiptrue
   \@raggedtwoe@everyselectfont
   }
\renewcommand{\RaggedRight}{%
   \ifx\\\@raggedtwoe@savedcr
      \let\\\@centercr
   \fi
   \let\@gnewline\@raggedtwoe@gnewline
   \if@RTL\rightskip\else\leftskip\fi\RaggedRightLeftskip
   \@rightskip\RaggedRightRightskip
   \if@RTL\leftskip\else\rightskip\fi\@rightskip
```

```
    \parfillskip\RaggedRightParfillskip
    \parindent\RaggedRightParindent
    \@raggedtwoe@spaceskiptrue
    \@raggedtwoe@everyselectfont
    }
\renewcommand{\justifying}{%
    \let\\\@raggedtwoe@savedcr
    \let\@gnewline\@raggedtwoe@saved@gnewline
    \if@RTL\rightskip\else\leftskip\fi\z@
    \@rightskip\z@
    \if@RTL\leftskip\else\rightskip\fi\@rightskip
    \parfillskip\JustifyingParfillskip
    \parindent\JustifyingParindent
    \@raggedtwoe@spaceskipfalse
    \@raggedtwoe@everyselectfont
    }
\renewcommand*{\@raggedtwoe@raggedrightboxes@opt}{
  \CheckCommand*{\@arrayparboxrestore}{%
    \let\if@nobreak\iffalse
    \let\if@noskipsec\iffalse
    \let\par\@@par
    \let\-\@dischyph
    \let\'\@acci\let\`\@accii\let\=\@acciii
    \parindent\z@ \parskip\z@skip
    \everypar{}%
    \linewidth\hsize
    \@totalleftmargin\z@
    \if@RTL\rightskip\else\leftskip\fi\z@skip \if@RTL\leftskip\else\rightskip\fi\z@skip \@righ
    \parfillskip\@flushglue \lineskip\normallineskip
    \baselineskip\normalbaselineskip
    \sloppy}%
  \renewcommand{\@arrayparboxrestore}{%
    \let\if@nobreak\iffalse
    \let\if@noskipsec\iffalse
    \let\par\@@par
    \let\-\@dischyph
    \let\'\@acci\let\`\@accii\let\=\@acciii
    \parskip\z@skip
    \everypar{}%
    \linewidth\hsize
    \@totalleftmargin\z@
    \RaggedRight
    \lineskip\normallineskip
    \baselineskip\normalbaselineskip
    \sloppy}%
  \let\@raggedtwoe@raggedrightboxes@opt\relax
  }
\let\origin@RaggedLeft=\RaggedLeft
\let\origin@RaggedRight=\RaggedRight
\def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
```

```
\def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}
```

99 File rapport1-xetex-bidi.def

```
\ProvidesFile{rapport1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for rapport1 class fo
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
```

```
15558     \@tempdima\unitindent
15559     \parindent\z@
15560     \leavevmode
15561     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
15562     \hskip 1em \nobreak{\slshape #3}\par
15563     }%
15564   \fi}
15565 \if@oldtoc
15566 \renewcommand*\l@part[2]{%
15567   \ifnum \c@tocdepth >-2\relax
15568     \addpenalty{-\@highpenalty}%
15569     \addvspace{2.25em \@plus\p@}%
15570     \begingroup
15571       \setlength\@tempdima{3em}%
15572       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
15573       \parfillskip -\@pnumwidth
15574       {\leavevmode
15575         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
15576         \nobreak
15577         \global\@nobreaktrue
15578         \everypar{\global\@nobreakfalse\everypar{}}%
15579     \endgroup
15580   \fi}
15581 \else
15582    \renewcommand*\l@part{%
15583      \ifnum \c@tocdepth >-2\relax
15584      \addpenalty{-\@highpenalty}%
15585      \addvspace{2.25em \@plus \p@}%
15586      \@regtocline{0}%
15587    \fi}
15588 \fi
15589 \if@oldtoc
15590 \renewcommand*\l@chapter[2]{%
15591     \addpenalty{-\@highpenalty}%
15592     \vskip 1.0em \@plus\p@
15593     \setlength\@tempdima{1.5em}%
15594     \begingroup
15595     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
15596     \parfillskip -\@pnumwidth
15597     \leavevmode \bfseries
15598     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
15599     \hskip -\if@RTL\rightskip\else\leftskip\fi
15600     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
15601     \penalty\@highpenalty
15602    \endgroup}
15603 \else
15604   \renewcommand*\l@chapter{\@regtocline{0}}
15605 \fi
15606 \renewcommand*\left@footnoterule{%
15607   \kern-3\p@
```

```
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
```

```
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
```

```
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
```

```
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
```

100 File rapport3-xetex-bidi.def

```
\ProvidesFile{rapport3-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for rapport3 class for
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \let \LTRfootnote \LTRthanks
    \let \RTLfootnote \RTLthanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
```

```
15805           \expandafter\uc@nothanks\@title\thanks\relax
15806         \else
15807           \@title
15808         \fi\par}%
15809       \vskip 3em%
15810       {\large
15811         \lineskip .75em \parindent\z@
15812         \begin{tabular}[t]{c}%
15813           \if@allcaps
15814             \expandafter\uc@authornothanks\@author\and\relax
15815           \else
15816             \@author
15817           \fi
15818         \end{tabular}\par}%
15819       \vskip 1.5em%
15820       {\large
15821         \if@allcaps
15822           \uppercase\expandafter{\@date}%
15823         \else
15824           \@date
15825         \fi\par}%
15826       \end{center}\par
15827     \@thanks
15828     \vfil\null
15829   \end{titlepage}%
15830   \setcounter{footnote}{0}%
15831   \global\let\thanks\relax
15832   \global\let\LTRthanks\relax
15833   \global\let\RTLthanks\relax
15834   \global\let\maketitle\relax
15835   \global\let\@thanks\@empty
15836   \global\let\@author\@empty
15837   \global\let\@title\@empty
15838   \global\let\@date\@empty
15839   \global\let\title\relax
15840   \global\let\author\relax
15841   \global\let\date\relax
15842   \global\let\and\relax
15843 }
15844 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
15845 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
15846     \futurelet\@tempa\uc@ax}
15847 \def\uc@ax{%
15848   \ifx\@tempa\relax
15849   \else
15850     \\ \andname \\ \expandafter\uc@authornothanks
15851   \fi}
15852 \def\uc@tx{\ifx\@tempa\relax
15853     \else \expandafter\uc@ty \fi}
15854 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
```

```
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
\if@titlecentered
  \begin{center}%
    \let \footnote \thanks
    \let \LTRfootnote \LTRthanks
    \let \RTLfootnote \RTLthanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
```

```
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
 \else
     {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
     {\large \TitleFont \lineskip .5em \tabcolsep\z@
             \def\and{%%% \begin{tabular} has already started
                     \end{tabular}\hskip 1em plus .17fil
                     \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}%% \end{tabula
             \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\pa
     \vskip 1em {\large \TitleFont \@date}
 \fi
  \par
  \vskip 1.5em}
\fi
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
```

```
      \ifnum \c@tocdepth >-2\relax
      \addpenalty{-\@highpenalty}%
      \addvspace{2.25em \@plus \p@}%
      \@regtocline{0}%
    \fi}
\fi
\if@oldtoc
\renewcommand*\l@chapter[2]{%
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup}
\else
  \renewcommand*\l@chapter{\@regtocline{0}}
\fi
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
```

```
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
```

101 File refrep-xetex-bidi.def

```
\ProvidesFile{refrep-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for refrep class for XeT
\if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let\footnote\thanks
```

```
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
  \def\@makefnmark%
      {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
  \long\def\@makefntext##1{%
       \@setpar{\@@par
          \@tempdima = \hsize
          \advance\@tempdima -1em
          \parshape \@ne 1em \@tempdima}%
       \par\parindent 1em \noindent
       \hb@xt@\z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\else
  \renewcommand\maketitle{\par
    \begingroup
      \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
      \def\@makefnmark%
          {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
      \long\def\@makefntext##1{%
         \@setpar{\@@par
```

```
            \@tempdima = \hsize
            \advance\@tempdima -1em
            \parshape \@ne 1em \@tempdima}%
         \par\parindent 1em \noindent
         \hb@xt@\z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
      \if@twocolumn
        \ifnum \col@number=\@ne
          \@maketitle
        \else
          \twocolumn[\@maketitle]%
        \fi
      \else
        \newpage
        \global\@topnum\z@   % Prevents figures from going at top of page.
        \@maketitle
      \fi
      \thispagestyle{empty}\@thanks
    \endgroup
    \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
  \def\@maketitle{%
    \newpage
    \null
    \longthickrule\vskip1.5em%
    \let \footnote \thanks
    \let \LTRfootnote \LTRthanks
    \let \RTLfootnote \RTLthanks
    {\secshape \parskip\z@ \parindent\z@
    \Large\bfseries \@title \par}%
    \vskip1.5em\longthickrule\vskip1.5em%
    {\normalsize
      \lineskip .5em%
      \begin{flushright}%
        {\slshape\@author\par}
        \vskip 1em%
        {\@date}%
      \end{flushright}\par}%
```

```
    \vskip 1.5em}
\fi
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hbox to\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
      \endgroup
  \fi}
\renewcommand*\l@chapter[2]{%
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup
  \fi}
\renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%
                       \if@RTL\leftskip\else\rightskip\fi=\@flushglue%
                       \hyphenpenalty=2000}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand\theequation
{\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand\thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand\thetable%
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand\thesection       {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection    {\thesection\@SepMark\@arabic\c@subsection}
```

```
\renewcommand\thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph     {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph  {\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname
         \@mkboth{\bibname}{\bibname}}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
            \sloppy
            \clubpenalty4000
            \@clubpenalty \clubpenalty
            \widowpenalty4000%
      \sfcode`\.=\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

102 File report-xetex-bidi.def

```
\ProvidesFile{report-xetex-bidi.def}[2017/06/09 v0.8 bidi adaptations for standard report clas
\renewenvironment{theindex}
               {\if@twocolumn
                  \@restonecolfalse
                \else
                  \@restonecoltrue
                \fi
                \columnseprule \z@
                \columnsep 35\p@
                \twocolumn[\@makeschapterhead{\indexname}]%
                \@mkboth{\MakeUppercase\indexname}%
                        {\MakeUppercase\indexname}%
                \thispagestyle{plain}\parindent\z@
                \parskip\z@ \@plus .3\p@\relax
                \let\item\@idxitem}
               {\if@restonecol\onecolumn\else\clearpage\fi}
\if@titlepage
\renewcommand\maketitle{\begin{titlepage}%
\let\footnotesize\small
\let\right@footnoterule\relax
\let\left@footnoterule\relax
\let\textwidth@footnoterule\relax
\let \footnote \thanks
```

```
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
```

```
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \setlength\@tempdima{3em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
```

```
16349         \global\@nobreaktrue
16350         \everypar{\global\@nobreakfalse\everypar{}}%
16351     \endgroup
16352   \fi}
16353 \renewcommand*\l@chapter[2]{%
16354   \ifnum \c@tocdepth >\m@ne
16355     \addpenalty{-\@highpenalty}%
16356     \vskip 1.0em \@plus\p@
16357     \setlength\@tempdima{1.5em}%
16358     \begingroup
16359       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
16360       \parfillskip -\@pnumwidth
16361       \leavevmode \bfseries
16362       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
16363       \hskip -\if@RTL\rightskip\else\leftskip\fi
16364       #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
16365       \penalty\@highpenalty
16366     \endgroup
16367   \fi}
16368 \renewcommand\left@footnoterule{%
16369   \kern-3\p@
16370   \hrule\@width.4\columnwidth
16371   \kern2.6\p@}
16372 \renewcommand\right@footnoterule{%
16373   \kern-3\p@
16374   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
16375   \kern2.6\p@}
16376 \renewcommand\theequation
16377   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
16378 \renewcommand \thefigure
16379      {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
16380 \renewcommand \thetable
16381      {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
16382 \renewcommand \thechapter {\@arabic\c@chapter}
16383 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
16384 \renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
16385 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
16386 \renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
16387 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
16388 \def\@makechapterhead#1{%
16389   \vspace*{50\p@}%
16390   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
16391     \ifnum \c@secnumdepth >\m@ne
16392         \huge\bfseries \@chapapp\space \thechapter
16393         \par\nobreak
16394         \vskip 20\p@
16395     \fi
16396     \interlinepenalty\@M
16397     \Huge \bfseries #1\par\nobreak
16398     \vskip 40\p@
```

```
  }}
\def\@makeschapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
    \Huge \bfseries  #1\par\nobreak
    \vskip 40\p@
  }}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
      \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy
      \clubpenalty4000
      \@clubpenalty \clubpenalty
      \widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

103 File rotating-xetex-bidi.def

```
\ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package f
\def\end@rotfloat{%
   \end{minipage}\end{lrbox}%
   \stepcounter{r@tfl@t}%
   \rot@label{RF\ther@tfl@t}%
   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
   \edef\@tempa{Adding sideways \@captype\space on page \R@@page\space}
   \rot@mess@toks\expandafter{\@tempa}
   \wd\rot@float@box\z@
   \ht\rot@float@box\z@
   \dp\rot@float@box\z@
   \vboxL to \textheight{%
    \setkeys{Grot}{units=360}%
    \if@rot@twoside
    \else
      \let\R@@page\rot@LR
    \fi
```

```
    \ifthenelse{\isodd{\R@@page}}{%
      \if@rot@twoside
        \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
      \fi
      \vfill
      \@@line{%
        \hskip\rotFPtop
        \rotatebox{90}{\box\rot@float@box}%
        \hskip\rotFPbot
      }%
    }{%
      \if@rot@twoside
        \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
      \fi
      \@@line{%
        \hskip\rotFPbot
        \rotatebox{-90}{\box\rot@float@box}%
        \hskip\rotFPtop
      }%
      \vfill
    }%
    \rot@message{\the\rot@mess@toks}
  }%
  \end@float
}
\let\endsidewaysfigure\end@rotfloat
\let\endsidewaystable\end@rotfloat
\def\end@rotdblfloat{%
  \end{minipage}\end{lrbox}%
  \stepcounter{r@tfl@t}%
  \rot@label{RF\ther@tfl@t}%
  \rot@pageref{RF\ther@tfl@t}{\R@@page}%
  \edef\@tempa{Adding sideways \@captype\space on page \R@@page\space}
  \rot@mess@toks\expandafter{\@tempa}
  \@tempdima\ht\rot@float@box
  \advance\@tempdima by \dp\rot@float@box
  \wd\rot@float@box\z@
  \ht\rot@float@box\z@
  \dp\rot@float@box\z@
  \vboxL to \textheight{%
    \setkeys{Grot}{units=360}%
    \if@rot@twoside
    \else
      \let\R@@page\rot@LR
    \fi
    \ifthenelse{\isodd{\R@@page}}{%
      \ifrot@messages
        \if@rot@twoside
  \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
\fi
```

```
      \fi
      \vfill
      \@@line{%
        \hskip\rotFPtop
        \rotatebox{90}{\box\rot@float@box}%
        \hskip\rotFPbot
      }%
    }{%
      \ifrot@messages
        \if@rot@twoside
  \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
\fi
      \fi%
      \@@line{%
        \hskip\rotFPbot
        \rotatebox{-90}{\box\rot@float@box}%
        \hskip\rotFPtop
      }%
      \vfill
    }%
    \rot@message{\the\rot@mess@toks}%
  }%
  \end@dblfloat
}
\def\turn#1{%
  \Grot@setangle{#1}%
  \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
\def\endturn{%
  \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
  \unskip\color@endbox
  \Grot@x\z@
  \Grot@y\z@
  \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
}
\def\rotate#1{%
  \Grot@setangle{#1}%
  \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
\def\endrotate{%
 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
  \unskip\color@endbox
  \Grot@x\z@
  \Grot@y\z@
  \wd0\z@\dp0\z@\ht0\z@
  \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
}
\def\turnbox#1#2{%
  \Grot@setangle{#1}%
  \setbox\z@\hbox{{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi#2\ifmmode\if@RTL\endR\fi
  \Grot@x\z@\Grot@y\z@
  \wd0\z@\dp0\z@\ht0\z@
```

```
  \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
}
\def\sideways{%
  \Grot@setangle{90}%
  \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
\def\endsideways{%
 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
  \unskip\color@endbox
  \Grot@x\z@
  \Grot@y\z@
  \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
}
```

104 File scrartcl-xetex-bidi.def

```
\ProvidesFile{scrartcl-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrartcl class fo
\newcommand{\scr@saved@LTRfootnotetext}{}
\newcommand{\scr@saved@RTLfootnotetext}{}
\let\scr@saved@footnotetext\@footnotetext
\let\scr@saved@LTRfootnotetext\@LTRfootnotetext
\let\scr@saved@RTLfootnotetext\@RTLfootnotetext
\renewcommand{\@footnotetext}[1]{%
  \scr@saved@footnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@LTRfootnotetext}[1]{%
  \scr@saved@LTRfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@RTLfootnotetext}[1]{%
  \scr@saved@RTLfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \setlength{\@tempdimc}{#3}%
    \def\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}%
        \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \addtolength{\@tempdimc}{#2}%
      \addtolength{\@tempdimc}{-#1}%
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}%
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}%
        \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima #
```

```
      }%
    \fi
    \par
    \parindent\@tempdimc\noindent
    \ftn@font\hbox to \z@{\hss\@@makefnmark}##1%
  }%
  \def\@@makefnmark{\hbox{\ftnm@font{#4}}}%
}
\deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
\renewcommand*\left@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax  \leavevmode\lea
  \kern 2.6\p@}
\renewcommand*\maketitle[1][1]{%
  \if@titlepage
    \begin{titlepage}
      \setcounter{page}{%
        #1%
      }%
      \let\footnotesize\small
      \let\right@footnoterule\relax
      \let\left@footnoterule\relax
      \let\textwidth@footnoterule\relax
      \let\footnote\thanks
      \let\LTRfootnote\LTRthanks
      \let\RTLfootnote\RTLthanks
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
      \ifx\@extratitle\@empty \else
        \noindent\@extratitle\next@tpage\cleardoubleemptypage
        \thispagestyle{empty}%
      \fi
      \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
      \ifx\@titlehead\@empty \else
        \begin{minipage}[t]{\textwidth}%
        \@titlehead
        \end{minipage}\par
      \fi
      \null\vfill
```

```
16643       \begin{center}
16644         \ifx\@subject\@empty \else
16645           {\subject@font \@subject \par}%
16646           \vskip 3em
16647         \fi
16648         {\titlefont\huge \@title\par}%
16649         \vskip 1em
16650         {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
16651         \vskip 2em
16652         {\Large \lineskip 0.75em
16653           \begin{tabular}[t]{c}
16654             \@author
16655           \end{tabular}\par
16656         }%
16657         \vskip 1.5em
16658         {\Large \@date \par}%
16659         \vskip \z@ \@plus3fill
16660         {\Large \@publishers \par}%
16661         \vskip 3em
16662       \end{center}\par
16663       \@thanks
16664       \vfill\null
16665       \if@twoside\next@tpage
16666         \begin{minipage}[t]{\textwidth}
16667           \@uppertitleback
16668         \end{minipage}\par
16669         \vfill
16670         \begin{minipage}[b]{\textwidth}
16671           \@lowertitleback
16672         \end{minipage}
16673       \fi
16674       \ifx\@dedication\@empty \else
16675         \next@tpage\null\vfill
16676         {\centering \Large \@dedication \par}%
16677         \vskip \z@ \@plus3fill
16678         \if@twoside \next@tpage\cleardoubleemptypage \fi
16679       \fi
16680     \end{titlepage}
16681   \else
16682     \par
16683     \@tempcnta=%
16684     #1%
16685     \relax\ifnum\@tempcnta=1\else
16686       \ClassWarning{\KOMAClassName}{%
16687         Optional argument of \string\maketitle\space ignored
16688         at\MessageBreak
16689         notitlepage-mode%
16690       }%
16691     \fi
16692     \begingroup
```

```
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
      \if@twocolumn
        \ifnum \col@number=\@ne
          \@maketitle
        \else
          \twocolumn[\@maketitle]%
        \fi
      \else
        \newpage
        \global\@topnum\z@
        \@maketitle
      \fi
      \thispagestyle{\titlepagestyle}\@thanks
    \endgroup
  \fi
  \setcounter{footnote}{0}%
  \let\thanks\relax
  \let\LTRthanks\relax
  \let\RTLthanks\relax
  \let\maketitle\relax
  \let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\@subtitle\@empty
  \global\let\@extratitle\@empty
  \global\let\@titlehead\@empty
  \global\let\@subject\@empty
  \global\let\@publishers\@empty
  \global\let\@uppertitleback\@empty
  \global\let\@lowertitleback\@empty
  \global\let\@dedication\@empty
  \global\let\author\relax
  \global\let\title\relax
  \global\let\extratitle\relax
  \global\let\titlehead\relax
  \global\let\subject\relax
  \global\let\publishers\relax
  \global\let\uppertitleback\relax
  \global\let\lowertitleback\relax
  \global\let\dedication\relax
  \global\let\date\relax
  \global\let\and\relax
}%
\renewcommand*{\@maketitle}{%
  \clearpage
  \let\footnote\thanks
```

```
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \ifx\@extratitle\@empty \else
    \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
  \fi
  \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
  \ifx\@titlehead\@empty \else
    \begin{minipage}[t]{\textwidth}
      \@titlehead
    \end{minipage}\par
  \fi
  \null
  \vskip 2em%
  \begin{center}%
    \ifx\@subject\@empty \else
      {\subject@font \@subject \par}
      \vskip 1.5em
    \fi
    {\titlefont\huge \@title \par}%
    \vskip .5em
    {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
    \vskip 1em
    {\Large
      \lineskip .5em%
      \begin{tabular}[t]{c}
        \@author
      \end{tabular}\par
    }%
    \vskip 1em%
    {\Large \@date \par}%
    \vskip \z@ \@plus 1em
    {\Large \@publishers \par}
    \ifx\@dedication\@empty \else
      \vskip 2em
      {\Large \@dedication \par}
    \fi
  \end{center}%
  \par
  \vskip 2em
}%
\def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
\def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
\renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
  \thesubsection\@SepMark\@arabic\c@subsubsection
}
\renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
  \theparagraph\@SepMark\@arabic\c@subparagraph
```

```
}
\renewenvironment{thebibliography}[1]{%
  \if@bib@break@
    \bib@beginhook
  \else
    \bib@heading
    \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
        \noindent\bibpreamble\par\nobreak
    \fi\fi
    \bib@beginhook
    \bib@before@hook
  \fi
  \renewcommand{\BreakBibliography}[1]{%
    \@bib@break
    \end{thebibliography}%
    \begingroup ##1\endgroup
    \begin{thebibliography}{#1}
  }%
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \bidi@@thebibliography@font@hook%
  \list{%
    \@biblabel{\@arabic\c@enumiv}%
  }{%
    \settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth
    \advance\leftmargin\labelsep
    \@openbib@code
    \if@bib@break@
      \edef\@tempa{%
        \noexpand\usecounter{enumiv}%
        \noexpand\setcounter{enumiv}{\the\c@enumiv}%
      }\@tempa
      \no@bib@break
    \else
      \usecounter{enumiv}%
    \fi
    \let\p@enumiv\@empty
    \renewcommand*\theenumiv{\@arabic\c@enumiv}%
  }%
  \sloppy\clubpenalty4000 \widowpenalty4000
  \sfcode`\.=\@m
}{%
  \if@bib@break@
    \def\@noitemerr{%
      \@latex@warning{%
        \string\BreakBibliography\space at begin of `thebibliography'
        environment\MessageBreak
        or following \string\BreakBibliography}%
    }%
  \else
```

```
    \def\@noitemerr{%
      \@latex@warning{%
        Empty `thebibliography' environment or
        \string\BreakBibliography\MessageBreak
        before end of `thebibliography' environment}%
    }%
  \fi
  \endlist
  \if@bib@break@
  \else
    \bib@after@hook
    \let\bib@before@hook\@empty
    \let\bib@after@hook\@empty
  \fi
  \bib@endhook
}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand\marginline[1]{%
  \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\f
}
\renewcommand{\@@makecaption}[3]{%
  \cap@margin
  \ifonelinecaptions
    \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
    \let\scr@tmp@footnotetext=\@footnotetext
    \let\@footnotetext=\@gobble
    \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
    \let\@LTRfootnotetext=\@gobble
    \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
    \let\@RTLfootnotetext=\@gobble
    \sbox\@tempboxa{%
      {\capfont{\strut\ignorespaces
        #1{{\caplabelfont{#2\captionformat}}}%
        #3\unskip\strut}}%
    }%
    \let\@footnotetext=\scr@tmp@footnotetext
    \let\scr@tmp@footnotetext=\undefined
    \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
```

```
    \let\scr@tmp@LTRfootnotetext=\undefined
    \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
    \let\scr@tmp@RTLfootnotetext=\undefined
    \setcounter{footnote}{\@tempcntb}%
    \setcounter{mpfootnote}{\@tempcnta}%
  \else
    \sbox\@tempboxa{\hspace*{2\cap@width}}%
  \fi
  \begingroup%
    \setlength{\@tempdima}{\cap@width}%
    \ifdim \wd\@tempboxa >\@tempdima
      \hb@xt@\hsize{%
        \setbox\@tempboxa\vbox{\hsize=\cap@width
          \ifdofullc@p
            {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat}}}}}%
              {#3\unskip\strut\par}}}%
          \else%
            \ifdim\cap@indent<\z@
              {\capfont{\strut\ignorespaces
                #1{{\caplabelfont{#2\captionformat\par}}}%
                \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
            \else%
              \if@capbreak
                {\capfont{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat\par}}}%
                  \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
              \else
                {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
                  {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
                    {{\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
              \fi
            \fi
          \fi
        }%
        \setlength{\@tempdima}{\ht\@tempboxa}%
        \addtolength{\@tempdima}{\dp\@tempboxa}%
        \addtolength{\@tempdima}{-\ht\strutbox}%
        \ht\@tempboxa\ht\strutbox
        \dp\@tempboxa\@tempdima
        \strut\cap@left
        \box\@tempboxa
        \cap@right\strut
      }%
    \else
      \global \@minipagefalse
      \sbox\@tempboxa{%
        {\capfont{\scr@smashdp{\strut\ignorespaces
          #1{{\caplabelfont{#2\captionformat}}}}%
          #3}}%
```

```
16943       }%
16944       {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\ca
16945     \fi
16946   \endgroup
16947 }
16948 \renewcommand{\@makecaption}[2]{%
16949   \if@captionabove
16950     \vskip\belowcaptionskip
16951   \else
16952     \vskip\abovecaptionskip
16953   \fi
16954   \@@makecaption\@firstofone{#1}{#2}%
16955   \if@captionabove
16956     \vskip\abovecaptionskip
16957   \else
16958     \vskip\belowcaptionskip
16959   \fi
16960 }
16961 \bidi@AfterFile{longtable-xetex-bidi.def}{%
16962   \@ifpackageloaded{caption2}{\@komalongtablefalse
16963     \scr@caption@before@longtable@warning{caption2}%
16964   }{}%
16965   \if@komalongtable
16966     \renewcommand{\LT@makecaption}[3]{%
16967       \noalign{%
16968         \if@captionabove
16969           \vskip\belowcaptionskip
16970         \else
16971           \vskip\abovecaptionskip
16972         \fi
16973       }%
16974       \LT@mcol\LT@cols c{%
16975         \hbox to\z@{\hss\parbox[t]\linewidth{%
16976             \@@makecaption{#1}{#2}{#3}%
16977             \endgraf
16978             \if@captionabove
16979               \vskip\abovecaptionskip
16980             \else
16981               \vskip\belowcaptionskip
16982             \fi
16983           }%
16984           \hss
16985         }%
16986       }%
16987     }%
16988     \renewcommand*{\scr@LT@array}{}%
16989     \let\scr@LT@array=\LT@array
16990     \renewcommand*{\LT@array}{%
16991       \let\scr@caption=\LT@caption
16992       \def\captionabove{\noalign{\global\@captionabovetrue}%
```

```
16993         \scr@caption}%
16994       \def\captionbelow{\noalign{\global\@captionabovefalse}%
16995         \scr@caption}%
16996       \if@tablecaptionabove
16997         \let\LT@caption=\captionabove
16998       \else
16999         \let\LT@caption=\captionbelow
17000       \fi
17001       \scr@LT@array
17002     }%
17003     \ClassInfo{\KOMAClassName}{%
17004       longtable captions redefined%
17005     }%
17006   \fi
17007 }
17008
17009 \CloneTOCEntryStyle{tocline}{part}
17010 \TOCEntryStyleStartInitCode{part}{%
17011   \expandafter\renewcommand%
17012   \csname scr@tso@#1@linefill\endcsname{\hfill}%
17013   \expandafter\renewcommand%
17014   \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
17015   \expandafter\renewcommand%
17016   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
17017     \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
17018   \expandafter\renewcommand\expandafter*%
17019   \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
17020 }
17021
17022 \CloneTOCEntryStyle{tocline}{section}
17023 \TOCEntryStyleStartInitCode{section}{%
17024   \expandafter\renewcommand%
17025   \csname scr@tso@#1@linefill\endcsname{%
17026     \if@sectionentrywithdots
17027       \TOCLineLeaderFill\relax
17028     \else
17029       \hfill
17030     \fi
17031   }%
17032   % F^^fcr die Eintr^^e4ge die Schrift von Element sectionentry verwenden.
17033   \expandafter\renewcommand%
17034   \csname scr@tso@#1@entryformat\endcsname{\usekomafont{sectionentry}}%
17035   \expandafter\renewcommand%
17036   \csname scr@tso@#1@pagenumberformat\endcsname[1]{\usekomafont{sectionentry}{\usekomafont{sec
17037   \expandafter\renewcommand\expandafter*%
17038   \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
17039 }
17040
17041 \CloneTOCEntryStyle{tocline}{subsection}
17042 \TOCEntryStyleStartInitCode{subsection}{%
```

```
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
}

\CloneTOCEntryStyle{subsection}{default}

\DeclareSectionCommand[%
  style=part,%
  level=\z@,%
  tocstyle=part,%
  toclevel=\m@ne,%
  tocindent=\z@,%
  tocnumwidth=2em%
]{part}
\DeclareSectionCommand[%
  style=section,%
  level=1,%
  indent=\z@,%
  beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
  afterskip=2.3ex \@plus.2ex,%
  tocstyle=section,%
  tocindent=0pt,%
  tocnumwidth=1.5em%
]{section}
\DeclareSectionCommand[%
  style=section,%
  level=2,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=subsection,%
  tocindent=1.5em,%
  tocnumwidth=2.3em%
]{subsection}
\DeclareSectionCommand[%
  style=section,%
  level=3,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=subsection,%
  tocindent=3.8em,%
  tocnumwidth=3.2em%
]{subsubsection}
\DeclareSectionCommand[%
  style=section,%
  level=4,%
  indent=\z@,%
  beforeskip=3.25ex \@plus1ex \@minus.2ex,%
  afterskip=-1em,%
```

```
  tocstyle=subsection,%
  tocindent=7.0em,%
  tocnumwidth=4.1em%
]{paragraph}
\DeclareSectionCommand[%
  style=section,%
  level=5,%
  indent=\scr@parindent,%
  beforeskip=3.25ex \@plus1ex \@minus .2ex,%
  afterskip=-1em,%
  tocstyle=subsection,%
  tocindent=10em,%
  tocnumwidth=5em%
]{subparagraph}
```

105 File scrbook-xetex-bidi.def

```
\ProvidesFile{scrbook-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrbook class for X
\newcommand{\scr@saved@LTRfootnotetext}{}
\newcommand{\scr@saved@RTLfootnotetext}{}
\let\scr@saved@footnotetext\@footnotetext
\let\scr@saved@LTRfootnotetext\@LTRfootnotetext
\let\scr@saved@RTLfootnotetext\@RTLfootnotetext
\renewcommand{\@footnotetext}[1]{%
  \scr@saved@footnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@LTRfootnotetext}[1]{%
  \scr@saved@LTRfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@RTLfootnotetext}[1]{%
  \scr@saved@RTLfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \setlength{\@tempdimc}{#3}%
    \def\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}%
        \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \addtolength{\@tempdimc}{#2}%
      \addtolength{\@tempdimc}{-#1}%
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}%
        \@tempdimb = \hsize
```

```
        \addtolength{\@tempdimb}{-#2}%
        \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima #
      }%
    \fi
    \par
    \parindent\@tempdimc\noindent
    \ftn@font\hbox to \z@{\hss\@@makefnmark}##1%
  }%
  \def\@@makefnmark{\hbox{\ftnm@font{#4}}}%
}
\deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
\renewcommand*\left@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax  \leavevmode\lea
  \kern 2.6\p@}
\renewcommand*\maketitle[1][1]{%
  \if@titlepage
    \begin{titlepage}
      \setcounter{page}{%
        #1%
      }%
      \let\footnotesize\small
      \let\right@footnoterule\relax
      \let\left@footnoterule\relax
      \let\textwidth@footnoterule\relax
      \let\footnote\thanks
      \let\LTRfootnote\LTRthanks
      \let\RTLfootnote\RTLthanks
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
      \ifx\@extratitle\@empty \else
        \noindent\@extratitle\next@tpage\cleardoubleemptypage
        \thispagestyle{empty}%
      \fi
      \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
      \ifx\@titlehead\@empty \else
        \begin{minipage}[t]{\textwidth}%
        \@titlehead
        \end{minipage}\par
```

```
17190       \fi
17191       \null\vfill
17192       \begin{center}
17193         \ifx\@subject\@empty \else
17194           {\subject@font \@subject \par}%
17195           \vskip 3em
17196         \fi
17197         {\titlefont\huge \@title\par}%
17198         \vskip 1em
17199         {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17200         \vskip 2em
17201         {\Large \lineskip 0.75em
17202           \begin{tabular}[t]{c}
17203             \@author
17204           \end{tabular}\par
17205         }%
17206         \vskip 1.5em
17207         {\Large \@date \par}%
17208         \vskip \z@ \@plus3fill
17209         {\Large \@publishers \par}%
17210         \vskip 3em
17211       \end{center}\par
17212       \@thanks
17213       \vfill\null
17214       \if@twoside\next@tpage
17215         \begin{minipage}[t]{\textwidth}
17216           \@uppertitleback
17217         \end{minipage}\par
17218         \vfill
17219         \begin{minipage}[b]{\textwidth}
17220           \@lowertitleback
17221         \end{minipage}
17222       \fi
17223       \ifx\@dedication\@empty \else
17224         \next@tpage\null\vfill
17225         {\centering \Large \@dedication \par}%
17226         \vskip \z@ \@plus3fill
17227         \if@twoside \next@tpage\cleardoubleemptypage \fi
17228       \fi
17229     \end{titlepage}
17230   \else
17231     \par
17232     \@tempcnta=%
17233     #1%
17234     \relax\ifnum\@tempcnta=1\else
17235       \ClassWarning{\KOMAClassName}{%
17236         Optional argument of \string\maketitle\space ignored
17237         at\MessageBreak
17238         notitlepage-mode%
17239       }%
```

```
    \fi
    \begingroup
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
      \if@twocolumn
        \ifnum \col@number=\@ne
          \@maketitle
        \else
          \twocolumn[\@maketitle]%
        \fi
      \else
        \newpage
        \global\@topnum\z@
        \@maketitle
      \fi
      \thispagestyle{\titlepagestyle}\@thanks
    \endgroup
  \fi
  \setcounter{footnote}{0}%
  \let\thanks\relax
  \let\LTRthanks\relax
  \let\RTLthanks\relax
  \let\maketitle\relax
  \let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\@subtitle\@empty
  \global\let\@extratitle\@empty
  \global\let\@titlehead\@empty
  \global\let\@subject\@empty
  \global\let\@publishers\@empty
  \global\let\@uppertitleback\@empty
  \global\let\@lowertitleback\@empty
  \global\let\@dedication\@empty
  \global\let\author\relax
  \global\let\title\relax
  \global\let\extratitle\relax
  \global\let\titlehead\relax
  \global\let\subject\relax
  \global\let\publishers\relax
  \global\let\uppertitleback\relax
  \global\let\lowertitleback\relax
  \global\let\dedication\relax
  \global\let\date\relax
  \global\let\and\relax
}%
\renewcommand*{\@maketitle}{%
```

```
  \clearpage
  \let\footnote\thanks
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \ifx\@extratitle\@empty \else
    \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
  \fi
  \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
  \ifx\@titlehead\@empty \else
    \begin{minipage}[t]{\textwidth}
      \@titlehead
    \end{minipage}\par
  \fi
  \null
  \vskip 2em%
  \begin{center}%
    \ifx\@subject\@empty \else
      {\subject@font \@subject \par}
      \vskip 1.5em
    \fi
    {\titlefont\huge \@title \par}%
    \vskip .5em
    {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
    \vskip 1em
    {\Large
      \lineskip .5em%
      \begin{tabular}[t]{c}
        \@author
      \end{tabular}\par
    }%
    \vskip 1em%
    {\Large \@date \par}%
    \vskip \z@ \@plus 1em
    {\Large \@publishers \par}
    \ifx\@dedication\@empty \else
      \vskip 2em
      {\Large \@dedication \par}
    \fi
  \end{center}%
  \par
  \vskip 2em
}%
\def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
\renewcommand*\thesection{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
```

```
  \@arabic\c@section
}
\renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
  \thesubsection\@SepMark\@arabic\c@subsubsection
}
\renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
  \theparagraph\@SepMark\@arabic\c@subparagraph
}
\renewcommand*\thefigure{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@figure
}
\renewcommand*\thetable{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@table
}
\renewcommand*\theequation{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@equation
}
\renewenvironment{thebibliography}[1]{%
  \if@bib@break@
    \bib@beginhook
  \else
    \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
        \setchapterpreamble{\bibpreamble}%
    \fi\fi
    \bib@heading
    \bib@beginhook
    \bib@before@hook
  \fi
  \renewcommand{\BreakBibliography}[1]{%
    \@bib@break
    \end{thebibliography}%
    \begingroup ##1\endgroup
    \begin{thebibliography}{#1}
```

```
  }%
   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
   \bidi@@thebibliography@font@hook%
  \list{%
    \@biblabel{\@arabic\c@enumiv}%
  }{%
    \settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth
    \advance\leftmargin\labelsep
    \@openbib@code
    \if@bib@break@
      \edef\@tempa{%
        \noexpand\usecounter{enumiv}%
        \noexpand\setcounter{enumiv}{\the\c@enumiv}%
      }\@tempa
      \no@bib@break
    \else
      \usecounter{enumiv}%
    \fi
    \let\p@enumiv\@empty
    \renewcommand*\theenumiv{\@arabic\c@enumiv}%
  }%
  \sloppy\clubpenalty4000 \widowpenalty4000
  \sfcode`\.=\@m
}{%
  \if@bib@break@
    \def\@noitemerr{%
      \@latex@warning{%
        \string\BreakBibliography\space at begin of `thebibliography'
        environment\MessageBreak
        or following \string\BreakBibliography}%
    }%
  \else
    \def\@noitemerr{%
      \@latex@warning{%
        Empty `thebibliography' environment or
        \string\BreakBibliography\MessageBreak
        before end of `thebibliography' environment}%
    }%
  \fi
  \endlist
  \if@bib@break@
  \else
    \bib@after@hook
    \let\bib@before@hook\@empty
    \let\bib@after@hook\@empty
  \fi
  \bib@endhook
}
\renewcommand*\left@footnoterule{%
```

```
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand\marginline[1]{%
  \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\f
}
\renewcommand{\@@makecaption}[3]{%
  \cap@margin
  \ifonelinecaptions
    \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
    \let\scr@tmp@footnotetext=\@footnotetext
    \let\@footnotetext=\@gobble
    \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
    \let\@LTRfootnotetext=\@gobble
    \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
    \let\@RTLfootnotetext=\@gobble
    \sbox\@tempboxa{%
      {\capfont{\strut\ignorespaces
        #1{{\caplabelfont{#2\captionformat}}}%
        #3\unskip\strut}}%
    }%
    \let\@footnotetext=\scr@tmp@footnotetext
    \let\scr@tmp@footnotetext=\undefined
    \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
    \let\scr@tmp@LTRfootnotetext=\undefined
    \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
    \let\scr@tmp@RTLfootnotetext=\undefined
    \setcounter{footnote}{\@tempcntb}%
    \setcounter{mpfootnote}{\@tempcnta}%
  \else
    \sbox\@tempboxa{\hspace*{2\cap@width}}%
  \fi
  \begingroup%
    \setlength{\@tempdima}{\cap@width}%
    \ifdim \wd\@tempboxa >\@tempdima
      \hb@xt@\hsize{%
        \setbox\@tempboxa\vbox{\hsize=\cap@width
          \ifdofullc@p
            {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat}}}}}}%
              {#3\unskip\strut\par}}}%
```

```
          \else%
            \ifdim\cap@indent<\z@
              {\capfont{\strut\ignorespaces
                #1{{\caplabelfont{#2\captionformat\par}}}%
                \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
            \else%
              \if@capbreak
                {\capfont{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat\par}}}%
                  \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
              \else
                {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
                  {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
                    {{\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
              \fi
            \fi
          \fi
        }%
        \setlength{\@tempdima}{\ht\@tempboxa}%
        \addtolength{\@tempdima}{\dp\@tempboxa}%
        \addtolength{\@tempdima}{-\ht\strutbox}%
        \ht\@tempboxa\ht\strutbox
        \dp\@tempboxa\@tempdima
        \strut\cap@left
        \box\@tempboxa
        \cap@right\strut
      }%
    \else
      \global \@minipagefalse
      \sbox\@tempboxa{%
        {\capfont{\scr@smashdp{\strut\ignorespaces
          #1{{\caplabelfont{#2\captionformat}}}}%
          #3}}%
      }%
      {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\ca
    \fi
  \endgroup
}
\renewcommand{\@makecaption}[2]{%
  \if@captionabove
    \vskip\belowcaptionskip
  \else
    \vskip\abovecaptionskip
  \fi
  \@@makecaption\@firstofone{#1}{#2}%
  \if@captionabove
    \vskip\abovecaptionskip
  \else
    \vskip\belowcaptionskip
  \fi
```

```
}
\bidi@AfterFile{longtable-xetex-bidi.def}{%
  \@ifpackageloaded{caption2}{\@komalongtablefalse
    \scr@caption@before@longtable@warning{caption2}%
  }{}%
  \if@komalongtable
    \renewcommand{\LT@makecaption}[3]{%
      \noalign{%
        \if@captionabove
          \vskip\belowcaptionskip
        \else
          \vskip\abovecaptionskip
        \fi
      }%
      \LT@mcol\LT@cols c{%
        \hbox to\z@{\hss\parbox[t]\linewidth{%
            \@@makecaption{#1}{#2}{#3}%
            \endgraf
            \if@captionabove
              \vskip\abovecaptionskip
            \else
              \vskip\belowcaptionskip
            \fi
          }%
          \hss
        }%
      }%
    }%
    \renewcommand*{\scr@LT@array}{}%
    \let\scr@LT@array=\LT@array
    \renewcommand*{\LT@array}{%
      \let\scr@caption=\LT@caption
      \def\captionabove{\noalign{\global\@captionabovetrue}%
        \scr@caption}%
      \def\captionbelow{\noalign{\global\@captionabovefalse}%
        \scr@caption}%
      \if@tablecaptionabove
        \let\LT@caption=\captionabove
      \else
        \let\LT@caption=\captionbelow
      \fi
      \scr@LT@array
    }%
    \ClassInfo{\KOMAClassName}{%
      longtable captions redefined%
    }%
  \fi
}

\CloneTOCEntryStyle{tocline}{part}
```

```
\TOCEntryStyleStartInitCode{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\hfill}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{chapter}
\TOCEntryStyleStartInitCode{chapter}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{%
    \if@chapterentrywithdots
      \TOCLineLeaderFill\relax
    \else
      \hfill
    \fi
  }%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{section}
\TOCEntryStyleStartInitCode{section}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
}

\CloneTOCEntryStyle{section}{default}

\DeclareSectionCommand[%
  style=part,%
  level=\m@ne,%
  pagestyle=plain,%
  tocstyle=part,%
  toclevel=\m@ne,%
  tocindent=\z@,%
  tocnumwidth=2em%
]{part}
\DeclareSectionCommand[%
  style=chapter,%
```

```
  level=\z@,%
  pagestyle=plain,%
  tocstyle=chapter,%
  tocindent=\z@,%
  tocnumwidth=1.5em%
]{chapter}
\DeclareSectionCommand[%
  style=section,%
  level=1,%
  indent=\z@,%
  beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
  afterskip=2.3ex \@plus.2ex,%
  tocstyle=section,%
  tocindent=1.5em,%
  tocnumwidth=2.3em%
]{section}
\DeclareSectionCommand[%
  style=section,%
  level=2,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=3.8em,%
  tocnumwidth=3.2em%
]{subsection}
\DeclareSectionCommand[%
  style=section,%
  level=3,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=7.0em,%
  tocnumwidth=4.1em%
]{subsubsection}
\DeclareSectionCommand[%
  style=section,%
  level=4,%
  indent=\z@,%
  beforeskip=3.25ex \@plus1ex \@minus.2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=10em,%
  tocnumwidth=5em%
]{paragraph}
\DeclareSectionCommand[%
  style=section,%
  level=5,%
  indent=\scr@parindent,%
```

```
  beforeskip=3.25ex \@plus1ex \@minus .2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=12em,%
  tocnumwidth=6em%
]{subparagraph}


```

106 File scrlettr-xetex-bidi.def

```
\ProvidesFile{scrlettr-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for scrlettr class for
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \edef\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}
        \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}
        \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima #
    \fi
    \par
    \parindent #3\noindent
    \hbox to \z@{\hss\@@makefnmark}##1}
  \def\@@makefnmark{\hbox{#4}}
}
\deffootnote[1em]{1.5em}{1em}
  {\textsuperscript{\thefootnotemark}}
\def\left@footnoterule{\kern-1\p@
 \hrule width 0.4\columnwidth
 \kern .6\p@}
\def\right@footnoterule{%
  \kern-1\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern .6\p@}
\def\@datefield{\@reffalse
 \ifx\varyourref\@empty \else \@reftrue \fi
 \ifx\varyourmail\@empty \else \@reftrue \fi
 \ifx\varmyref\@empty \else \@reftrue \fi
 \ifx\varcustomer\@empty \else \@reftrue \fi
 \ifx\varinvoice\@empty \else \@reftrue \fi
 \ifx\varrefitemi\@empty \else \@reftrue \fi
 \ifx\varrefitemii\@empty \else \@reftrue \fi
 \ifx\varrefitemiii\@empty \else \@reftrue \fi
```

```
\vskip -\parskip
\vskip \refvskip
\if@ref
 \ifx\varyourref\@empty \else
  \settowidth{\sc@temp}{\varyourref}
  \setbox0\hbox{\scriptsize \sf \yourrefname}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourref}\hfill
 \fi
 \ifx\varyourmail\@empty \else
  \settowidth{\sc@temp}{\varyourmail}
  \setbox0\hbox{\scriptsize \sf \yourmailname}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourmail}\hfill
 \fi
 \ifx\varmyref\@empty \else
  \settowidth{\sc@temp}{\varmyref}
  \setbox0\hbox{\scriptsize \sf \myrefname}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varmyref}\hfill
 \fi
 \ifx\varcustomer\@empty \else
  \settowidth{\sc@temp}{\varcustomer}
  \setbox0\hbox{\scriptsize \sf \customername}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varcustomer}\hfill
 \fi
 \ifx\varinvoice\@empty \else
  \settowidth{\sc@temp}{\varinvoice}
  \setbox0\hbox{\scriptsize \sf \invoicename}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varinvoice}\hfill
 \fi
 \ifx\varrefitemi\@empty \else
  \settowidth{\sc@temp}{\varrefitemi}
  \setbox0\hbox{\scriptsize \sf \varrefitemnamei}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemi}\hfill
 \fi
 \ifx\varrefitemii\@empty \else
  \settowidth{\sc@temp}{\varrefitemii}
  \setbox0\hbox{\scriptsize \sf \varrefitemnameii}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemii}\hfill
 \fi
 \ifx\varrefitemiii\@empty \else
  \settowidth{\sc@temp}{\varrefitemiii}
  \setbox0\hbox{\scriptsize \sf \varrefitemnameiii}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemiii}\hfill
```

```
  \fi
  \ifx\@date\@empty \else
   \settowidth{\sc@temp}{\@date}
   \setbox0\hbox{\scriptsize \sf \datename}
   \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
   \parbox[t]{\sc@@temp}{\noindent \box0\par \@date}
  \fi
  \par
  \vspace{2.5\baselineskip}
 \else
  {\ifx\@date\@empty \else \if@RTL\raggedright\else\raggedleft\fi\fromplace\ \@date\par \fi}
  \vspace{1.5\baselineskip}
 \fi}
\long\def\closing#1{\par\nobreak\vspace{0.5\baselineskip}
 \stopbreaks \noindent \sc@temp\textwidth \advance\sc@temp by
 -\sigindent \hspace{\sigindent}%
 \parbox{\sc@temp}{\if@RTL\raggedleft\else\raggedright\fi\ignorespaces #1\mbox{}\\[\presig@ski
 \fromsig\strut}\par
 \vspace{1.5\baselineskip}}
```

107 File scrreprt-xetex-bidi.def

```
\ProvidesFile{scrreprt-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrreprt class for
\newcommand{\scr@saved@LTRfootnotetext}{}
\newcommand{\scr@saved@RTLfootnotetext}{}
\let\scr@saved@footnotetext\@footnotetext
\let\scr@saved@LTRfootnotetext\@LTRfootnotetext
\let\scr@saved@RTLfootnotetext\@RTLfootnotetext
\renewcommand{\@footnotetext}[1]{%
  \scr@saved@footnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@LTRfootnotetext}[1]{%
  \scr@saved@LTRfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@RTLfootnotetext}[1]{%
  \scr@saved@RTLfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \setlength{\@tempdimc}{#3}%
    \def\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}%
        \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \addtolength{\@tempdimc}{#2}%
```

```
      \addtolength{\@tempdimc}{-#1}%
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}%
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}%
        \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima #
      }%
    \fi
    \par
    \parindent\@tempdimc\noindent
    \ftn@font\hbox to \z@{\hss\@@makefnmark}##1%
  }%
  \def\@@makefnmark{\hbox{\ftnm@font{#4}}}%
}
\deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
\renewcommand*\left@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax  \leavevmode\lea
  \kern 2.6\p@}
\renewcommand*\maketitle[1][1]{%
  \if@titlepage
    \begin{titlepage}
      \setcounter{page}{%
        #1%
      }%
      \let\footnotesize\small
      \let\right@footnoterule\relax
      \let\left@footnoterule\relax
      \let\textwidth@footnoterule\relax
      \let\footnote\thanks
      \let\LTRfootnote\LTRthanks
      \let\RTLfootnote\RTLthanks
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
      \ifx\@extratitle\@empty \else
        \noindent\@extratitle\next@tpage\cleardoubleemptypage
        \thispagestyle{empty}%
      \fi
```

```
    \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
    \ifx\@titlehead\@empty \else
      \begin{minipage}[t]{\textwidth}%
      \@titlehead
      \end{minipage}\par
    \fi
    \null\vfill
    \begin{center}
      \ifx\@subject\@empty \else
        {\subject@font \@subject \par}%
        \vskip 3em
      \fi
      {\titlefont\huge \@title\par}%
      \vskip 1em
      {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
      \vskip 2em
      {\Large \lineskip 0.75em
        \begin{tabular}[t]{c}
          \@author
        \end{tabular}\par
      }%
      \vskip 1.5em
      {\Large \@date \par}%
      \vskip \z@ \@plus3fill
      {\Large \@publishers \par}%
      \vskip 3em
    \end{center}\par
    \@thanks
    \vfill\null
    \if@twoside\next@tpage
      \begin{minipage}[t]{\textwidth}
        \@uppertitleback
      \end{minipage}\par
      \vfill
      \begin{minipage}[b]{\textwidth}
        \@lowertitleback
      \end{minipage}
    \fi
    \ifx\@dedication\@empty \else
      \next@tpage\null\vfill
      {\centering \Large \@dedication \par}%
      \vskip \z@ \@plus3fill
      \if@twoside \next@tpage\cleardoubleemptypage \fi
    \fi
  \end{titlepage}
\else
  \par
  \@tempcnta=%
  #1%
  \relax\ifnum\@tempcnta=1\else
```

```
      \ClassWarning{\KOMAClassName}{%
        Optional argument of \string\maketitle\space ignored
        at\MessageBreak
        notitlepage-mode%
      }%
    \fi
    \begingroup
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
      \if@twocolumn
        \ifnum \col@number=\@ne
          \@maketitle
        \else
          \twocolumn[\@maketitle]%
        \fi
      \else
        \newpage
        \global\@topnum\z@
        \@maketitle
      \fi
      \thispagestyle{\titlepagestyle}\@thanks
    \endgroup
  \fi
  \setcounter{footnote}{0}%
  \let\thanks\relax
  \let\LTRthanks\relax
  \let\RTLthanks\relax
  \let\maketitle\relax
  \let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\@subtitle\@empty
  \global\let\@extratitle\@empty
  \global\let\@titlehead\@empty
  \global\let\@subject\@empty
  \global\let\@publishers\@empty
  \global\let\@uppertitleback\@empty
  \global\let\@lowertitleback\@empty
  \global\let\@dedication\@empty
  \global\let\author\relax
  \global\let\title\relax
  \global\let\extratitle\relax
  \global\let\titlehead\relax
  \global\let\subject\relax
  \global\let\publishers\relax
  \global\let\uppertitleback\relax
  \global\let\lowertitleback\relax
```

```
  \global\let\dedication\relax
  \global\let\date\relax
  \global\let\and\relax
}%
\renewcommand*{\@maketitle}{%
  \clearpage
  \let\footnote\thanks
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \ifx\@extratitle\@empty \else
    \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
  \fi
  \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
  \ifx\@titlehead\@empty \else
    \begin{minipage}[t]{\textwidth}
      \@titlehead
    \end{minipage}\par
  \fi
  \null
  \vskip 2em%
  \begin{center}%
    \ifx\@subject\@empty \else
      {\subject@font \@subject \par}
      \vskip 1.5em
    \fi
    {\titlefont\huge \@title \par}%
    \vskip .5em
    {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
    \vskip 1em
    {\Large
      \lineskip .5em%
      \begin{tabular}[t]{c}
        \@author
      \end{tabular}\par
    }%
    \vskip 1em%
    {\Large \@date \par}%
    \vskip \z@ \@plus 1em
    {\Large \@publishers \par}
    \ifx\@dedication\@empty \else
      \vskip 2em
      {\Large \@dedication \par}
    \fi
  \end{center}%
  \par
  \vskip 2em
}%
\def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
\renewcommand*\thesection{%
```

```
  \thechapter\@SepMark%
  \@arabic\c@section
}
\renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
  \thesubsection\@SepMark\@arabic\c@subsubsection
}
\renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
  \theparagraph\@SepMark\@arabic\c@subparagraph
}
\renewcommand*\thefigure{%
  \thechapter\@SepMark%
  \@arabic\c@figure
}
\renewcommand*\thetable{%
  \thechapter\@SepMark%
  \@arabic\c@table
}
\renewcommand*\theequation{%
  \thechapter\@SepMark%
  \@arabic\c@equation
}
\renewenvironment{thebibliography}[1]{%
  \if@bib@break@
    \bib@beginhook
  \else
    \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
        \setchapterpreamble{\bibpreamble}%
    \fi\fi
    \bib@heading
    \bib@beginhook
    \bib@before@hook
  \fi
  \renewcommand{\BreakBibliography}[1]{%
    \@bib@break
    \end{thebibliography}%
    \begingroup ##1\endgroup
    \begin{thebibliography}{#1}
  }%
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \bidi@@thebibliography@font@hook%
  \list{%
    \@biblabel{\@arabic\c@enumiv}%
  }{%
    \settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth
    \advance\leftmargin\labelsep
    \@openbib@code
    \if@bib@break@
```

```
      \edef\@tempa{%
        \noexpand\usecounter{enumiv}%
        \noexpand\setcounter{enumiv}{\the\c@enumiv}%
      }\@tempa
      \no@bib@break
    \else
      \usecounter{enumiv}%
    \fi
    \let\p@enumiv\@empty
    \renewcommand*\theenumiv{\@arabic\c@enumiv}%
  }%
  \sloppy\clubpenalty4000 \widowpenalty4000
  \sfcode`\.=\@m
}{%
  \if@bib@break@
    \def\@noitemerr{%
      \@latex@warning{%
        \string\BreakBibliography\space at begin of `thebibliography'
        environment\MessageBreak
        or following \string\BreakBibliography}%
    }%
  \else
    \def\@noitemerr{%
      \@latex@warning{%
        Empty `thebibliography' environment or
        \string\BreakBibliography\MessageBreak
        before end of `thebibliography' environment}%
    }%
  \fi
  \endlist
  \if@bib@break@
  \else
    \bib@after@hook
    \let\bib@before@hook\@empty
    \let\bib@after@hook\@empty
  \fi
  \bib@endhook
}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
```

```
\renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand\marginline[1]{%
  \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\f
}
\renewcommand{\@@makecaption}[3]{%
  \cap@margin
  \ifonelinecaptions
    \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
    \let\scr@tmp@footnotetext=\@footnotetext
    \let\@footnotetext=\@gobble
    \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
    \let\@LTRfootnotetext=\@gobble
    \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
    \let\@RTLfootnotetext=\@gobble
    \sbox\@tempboxa{%
      {\capfont{\strut\ignorespaces
        #1{{\caplabelfont{#2\captionformat}}}%
        #3\unskip\strut}}%
    }%
    \let\@footnotetext=\scr@tmp@footnotetext
    \let\scr@tmp@footnotetext=\undefined
    \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
    \let\scr@tmp@LTRfootnotetext=\undefined
   \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
    \let\scr@tmp@RTLfootnotetext=\undefined
    \setcounter{footnote}{\@tempcntb}%
    \setcounter{mpfootnote}{\@tempcnta}%
  \else
    \sbox\@tempboxa{\hspace*{2\cap@width}}%
  \fi
  \begingroup%
    \setlength{\@tempdima}{\cap@width}%
    \ifdim \wd\@tempboxa >\@tempdima
      \hb@xt@\hsize{%
        \setbox\@tempboxa\vbox{\hsize=\cap@width
          \ifdofullc@p
            {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat}}}}}%
              {#3\unskip\strut\par}}}%
          \else%
            \ifdim\cap@indent<\z@
              {\capfont{\strut\ignorespaces
                #1{{\caplabelfont{#2\captionformat\par}}}%
                \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
            \else%
              \if@capbreak
                {\capfont{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat\par}}}%
                  \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
              \else
```

```
                {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
                  {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
                    {{\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
              \fi
            \fi
          \fi
        }%
        \setlength{\@tempdima}{\ht\@tempboxa}%
        \addtolength{\@tempdima}{\dp\@tempboxa}%
        \addtolength{\@tempdima}{-\ht\strutbox}%
        \ht\@tempboxa\ht\strutbox
        \dp\@tempboxa\@tempdima
        \strut\cap@left
        \box\@tempboxa
        \cap@right\strut
      }%
    \else
      \global \@minipagefalse
      \sbox\@tempboxa{%
        {\capfont{\scr@smashdp{\strut\ignorespaces
          #1{{\caplabelfont{#2\captionformat}}}}%
          #3}}%
      }%
      {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\ca
    \fi
  \endgroup
}
\renewcommand{\@makecaption}[2]{%
  \if@captionabove
    \vskip\belowcaptionskip
  \else
    \vskip\abovecaptionskip
  \fi
  \@@makecaption\@firstofone{#1}{#2}%
  \if@captionabove
    \vskip\abovecaptionskip
  \else
    \vskip\belowcaptionskip
  \fi
}
\bidi@AfterFile{longtable-xetex-bidi.def}{%
  \@ifpackageloaded{caption2}{\@komalongtablefalse
    \scr@caption@before@longtable@warning{caption2}%
  }{}%
  \if@komalongtable
    \renewcommand{\LT@makecaption}[3]{%
      \noalign{%
        \if@captionabove
          \vskip\belowcaptionskip
        \else
```

```
          \vskip\abovecaptionskip
        \fi
      }%
      \LT@mcol\LT@cols c{%
        \hbox to\z@{\hss\parbox[t]\linewidth{%
            \@@makecaption{#1}{#2}{#3}%
            \endgraf
            \if@captionabove
              \vskip\abovecaptionskip
            \else
              \vskip\belowcaptionskip
            \fi
          }%
          \hss
        }%
      }%
    }%
    \renewcommand*{\scr@LT@array}{}%
    \let\scr@LT@array=\LT@array
    \renewcommand*{\LT@array}{%
      \let\scr@caption=\LT@caption
      \def\captionabove{\noalign{\global\@captionabovetrue}%
        \scr@caption}%
      \def\captionbelow{\noalign{\global\@captionabovefalse}%
        \scr@caption}%
      \if@tablecaptionabove
        \let\LT@caption=\captionabove
      \else
        \let\LT@caption=\captionbelow
      \fi
      \scr@LT@array
    }%
    \ClassInfo{\KOMAClassName}{%
      longtable captions redefined%
    }%
  \fi
}

\CloneTOCEntryStyle{tocline}{part}
\TOCEntryStyleStartInitCode{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\hfill}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
}
```

```
18284
18285 \CloneTOCEntryStyle{tocline}{chapter}
18286 \TOCEntryStyleStartInitCode{chapter}{%
18287   \expandafter\renewcommand%
18288   \csname scr@tso@#1@linefill\endcsname{%
18289     \if@chapterentrywithdots
18290       \TOCLineLeaderFill\relax
18291     \else
18292       \hfill
18293     \fi
18294   }%
18295   \expandafter\renewcommand%
18296   \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
18297   \expandafter\renewcommand%
18298   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
18299     \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
18300   \expandafter\renewcommand\expandafter*%
18301   \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
18302 }
18303
18304 \CloneTOCEntryStyle{tocline}{section}
18305 \TOCEntryStyleStartInitCode{section}{%
18306   \expandafter\renewcommand%
18307   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
18308 }
18309
18310 \CloneTOCEntryStyle{section}{default}
18311
18312 \DeclareSectionCommand[%
18313   style=part,%
18314   level=\m@ne,%
18315   pagestyle=plain,%
18316   tocstyle=part,%
18317   toclevel=\m@ne,%
18318   tocindent=\z@,%
18319   tocnumwidth=2em%
18320 ]{part}
18321 \DeclareSectionCommand[%
18322   style=chapter,%
18323   level=\z@,%
18324   pagestyle=plain,%
18325   tocstyle=chapter,%
18326   tocindent=\z@,%
18327   tocnumwidth=1.5em%
18328 ]{chapter}
18329 \DeclareSectionCommand[%
18330   style=section,%
18331   level=1,%
18332   indent=\z@,%
18333   beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
```

```
  afterskip=2.3ex \@plus.2ex,%
  tocstyle=section,%
  tocindent=1.5em,%
  tocnumwidth=2.3em%
]{section}
\DeclareSectionCommand[%
  style=section,%
  level=2,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=3.8em,%
  tocnumwidth=3.2em%
]{subsection}
\DeclareSectionCommand[%
  style=section,%
  level=3,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=7.0em,%
  tocnumwidth=4.1em%
]{subsubsection}
\DeclareSectionCommand[%
  style=section,%
  level=4,%
  indent=\z@,%
  beforeskip=3.25ex \@plus1ex \@minus.2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=10em,%
  tocnumwidth=5em%
]{paragraph}
\DeclareSectionCommand[%
  style=section,%
  level=5,%
  indent=\scr@parindent,%
  beforeskip=3.25ex \@plus1ex \@minus .2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=12em,%
  tocnumwidth=6em%
]{subparagraph}

```

108 File sidecap-xetex-bidi.def

```
\ProvidesFile{sidecap-xetex-bidi.def}[2010/08/01 v0.1 bidi adaptations for sidecap package fo
\renewcommand*{\SC@FLOAT}[2]{\if@RTL%
    \isSC@ODD{{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}\else%
\isSC@ODD{{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}\fi}
  \renewcommand*\SC@justify@caption{\if@RTL%
\isSC@ODD{\RaggedLeft}{\RaggedRight}\else%
    \isSC@ODD{\RaggedRight}{\RaggedLeft}\fi}
```

109 File soul-xetex-bidi.def

```
\ProvidesFile{soul-xetex-bidi.def}[2015/10/16 v0.1 bidi adaptations for soul package for XeTe
\long\def\SOUL@start#1{{%
   \let\bidi@RTL@everypar\@empty
    \let\<\SOUL@lowerthan
    \let\>\empty
    \def\soulomit{\noexpand\soulomit}%
    \gdef\SOUL@eventuallyexhyphen##1{}%
    \let\SOUL@soeventuallyskip\relax
    \SOUL@spaceskip=\fontdimen\tw@\font\@plus\fontdimen\thr@@\font
        \@minus\fontdimen4\font
    \SOUL@ignorespacesfalse
    \leavevmode
    \SOUL@preamble
    \SOUL@lasttoken={}%
    \SOUL@word={}%
    \SOUL@minus\z@
    \SOUL@comma\z@
    \SOUL@apo\z@
    \SOUL@grave\z@
    \SOUL@do{#1}%
    \SOUL@postamble
}}
\def\SOUL@ulunderline#1{{%
    \setbox\z@\hbox{#1}%
    \dimen@=\wd\z@
    \dimen@i=\SOUL@uloverlap
    \advance\dimen@2\dimen@i
    \if@RTL
    \unhcopy\z@
    \llap{%
        \null
        \kern-\dimen@i
        \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
    }%
    \else
    \rlap{%
        \null
        \kern-\dimen@i
```

```
        \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
    }%
    \unhcopy\z@
    \fi
}}
\def\bidi@SOUL@ulleaders{%
    \leaders\hb@xt@0.1pt{\hss\SOUL@ulcolor{\vrule\@depth\SOUL@uldp\@height\SOUL@ulht}\hss}\rel
}
\def\SOUL@uleveryspace#1{%
       \if@RTL
       #1%
       \bidi@SOUL@ulleaders
       \hskip\spaceskip
       \else
    \SOUL@ulcolor{%
        #1%
        \SOUL@ulleaders
        \hskip\spaceskip
    }%
    \fi
    \null
}
```

110 File stabular-xetex-bidi.def

```
\ProvidesFile{stabular-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for stabular package f
\def\@stabular{%
   \leavevmode \bgroup \if@RTLtab\beginR \fi
   \let\@acol\@tabacol
   \let\@classz\@tabclassz
   \let\@classiv\@tabclassiv \let\\\@tabularcr\@stabarray}
\def\endstabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                 \egroup \if@RTLtab\endR\fi\egroup}
\expandafter \let \csname endstabular*\endcsname = \endstabular
\def\@sarray[#1]#2{%
  \bgroup
  \setbox\@arstrutbox\hbox{%
    \vrule \@height\arraystretch\ht\strutbox
           \@depth\arraystretch \dp\strutbox
           \@width\z@}%
  \@mkpream{#2}%
  \edef\@preamble{%
    \ialign \noexpand\@halignto
      \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
  \let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
  \let\tabularnewline\\%
    \let\@sharp##%
    \set@typeset@protect
    \lineskip\z@skip\baselineskip\z@skip
  \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
```

```
    \@preamble}
```

111 File subfigure-xetex-bidi.def

```
\ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure package
\AtBeginDocument{%
\let\p@subfigure=\thefigure
\let\p@subtable=\thetable%
}
```

112 File tabls-xetex-bidi.def

```
\ProvidesFile{tabls-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for tabls package for XeT
\def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}

\expandafter\let\csname endtabular*\endcsname=\endtabular

\def\endarray{\ifvmode\csname crcr\endcsname % just do \crcr if \\ given
  \else \\[\z@ \global\advance\@arstdepth-\@otarlinesep]%
  \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\@unrecurse\egroup}

\def\@array[#1]#2{%  remember global variables to allow recursion:
 \edef\@unrecurse{\global\@skip@bove\the\@skip@bove
     \global\@arstheight\the\@arstheight\global\@arstdepth\the\@arstdepth}%
 \let\@otarlinesep\@tarlinesep \global\@skip@bove-\@otarlinesep
 \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
 \else \let\@tarlinesep\tablinesep \fi
 \divide\@tarlinesep\tw@ % half sep is applied to height & depth
 \let\@seesize\relax \let\@rememsize\relax \@mkpream{#2}%
 \@tempdima\arraystretch\ht\strutbox \@tempdimb\arraystretch\dp\strutbox
 \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)
   \def\@rememsize{\protect\@r@m@msize}\let\@seesize\@s@@size
   \advance\@tempdima-\@tarlinesep \advance\@tempdimb-\@tarlinesep
 \fi \setbox\@arstrutbox\hbox{% set up smaller strut
    \vrule \@height\@tempdima \@depth\@tempdimb \@width\z@}%
 \let\protect\noexpand
 \edef\@preamble{\ialign \noexpand\@halignto \bgroup
 \unhcopy\@arstrutbox \@preamble \tabskip\z@skip &\@sharp \cr}%
 \let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
 \if#1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
 \bgroup \let\par\@empty
 \global\@arstheight\ht\@arstrutbox \global\@arstdepth\dp\@arstrutbox
 \advance\extrarulesep.5\arrayrulewidth
 \let\@sharp##\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
 \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if#1t\vtop \else \vbox \fi\bgroup\fi
 \@preamble}
```

113 File tabularx-xetex-bidi.def

```
\ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package f
```

```
\def\TX@endtabularx{%
  \expandafter\expandafter\expandafter
    \TX@find@endtabularxa\csname end\TX@\endcsname
    \endtabularx\TX@\endtabularx\TX@find@endtabularxa
  \expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}%
  \let\verb\TX@verb
  \def\@elt##1{\global\value{##1}\the\value{##1}\relax}%
  \edef\TX@ckpt{\cl@@ckpt}%
  \let\@elt\relax
  \TX@old@table\maxdimen
  \TX@col@width\TX@target
  \global\TX@cols\@ne
  \TX@typeout@
    {\@spaces Table Width\@spaces Column Width\@spaces X Columns}%
  \TX@trial{\def\NC@rewrite@X{%
          \global\advance\TX@cols\@ne\NC@find p{\TX@col@width}}}%
  \loop
    \TX@arith
    \ifTX@
    \TX@trial{}%
  \repeat
  {\let\@footnotetext\TX@ftntext\let\@xfootnotenext\TX@xftntext
   \let\@LTRfootnotetext\TX@LTRftntext\let\@xLTRfootnotenext\TX@xLTRftntext
   \let\@RTLfootnotetext\TX@RTLftntext\let\@xRTLfootnotenext\TX@xRTLftntext
    \csname tabular*\expandafter\endcsname\expandafter\TX@target
      \the\toks@
    \csname endtabular*\endcsname}%
  \global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
  \ifnum0=`{\fi}%
   \expandafter\expandafter\expandafter
   \TX@find@endtabularxbb
    \expandafter\end\expandafter{\TX@}%
    \endtabularx\TX@\endtabularx\TX@find@endtabularxb
}

\def\TX@trial#1{%
  \setbox\@tempboxa\hbox{%
    #1\relax
  \let\@footnotetext\TX@trial@ftn
  \let\@LTRfootnotetext\TX@trial@ftn
  \let\@RTLfootnotetext\TX@trial@ftn
  \let\TX@vwarn\@empty
   \expandafter\let\expandafter\tabularx\csname tabular*\endcsname
   \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
   \def\write{\begingroup
     \def\let{\afterassignment\endgroup\toks@}%
        \afterassignment\let\count@}%
    \hbadness\@M
    \hfuzz\maxdimen
    \let\hbadness\@tempcnta
```

```
    \let\hfuzz\@tempdima
    \expandafter\tabular\the\toks@
    \endtabular}%
  \TX@ckpt
  \TX@typeout@{\@spaces
     \expandafter\TX@align
        \the\wd\@tempboxa\space\space\space\space\space\@@
     \expandafter\TX@align
        \the\TX@col@width\space\space\space\space\space\@@
     \@spaces\the\TX@cols}}

\long\def\TX@LTRftntext#1{%
  \edef\@tempa{\the\TX@ftn\noexpand\LTRfootnotetext
                     [\the\csname c@\@mpfn\endcsname]}%
  \global\TX@ftn\expandafter{\@tempa{#1}}}%
\long\def\TX@xLTRftntext[#1]#2{%
  \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}}

\long\def\TX@RTLftntext#1{%
  \edef\@tempa{\the\TX@ftn\noexpand\RTLfootnotetext
                     [\the\csname c@\@mpfn\endcsname]}%
  \global\TX@ftn\expandafter{\@tempa{#1}}}%
\long\def\TX@xRTLftntext[#1]#2{%
  \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}}
```

114 File tabulary-xetex-bidi.def

```
\ProvidesFile{tabulary-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tabulary package f
\def\@testpach{\@chclass
 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
  \ifnum \@lastchclass=7 5 \else
   \ifnum \@lastchclass=8 \tw@ \else
    \ifnum \@lastchclass=9 \thr@@
   \else \z@
   \ifnum \@lastchclass = 10 \else
   \edef\@nextchar{\expandafter\string\@nextchar}%
   \@chnum
   \if \@nextchar c\z@ \else
    \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
     \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
   \if \@nextchar C7 \else
    \if \@nextchar L8 \else
     \if \@nextchar R9 \else
     \if \@nextchar J10 \else
   \z@ \@chclass
   \if\@nextchar |\@ne \else
    \if \@nextchar !6 \else
     \if \@nextchar @7 \else
      \if \@nextchar <8 \else
       \if \@nextchar >9 \else
```

```
  10
  \@chnum
  \if \@nextchar m\thr@@\else
   \if \@nextchar p4 \else
    \if \@nextchar b5 \else
   \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi\fi \fi \fi\fi \fi
     \fi  \fi  \fi  \fi  \fi  \fi \fi \fi \fi \fi \fi}
```

115 File tc-xetex-bidi.def

```
\ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for XeTe
\def\@cliptoboxdim#1{%
    \setbox#1=\hbox{%
        \Gin@defaultbp\WIDTH{\wd#1}%
        \Gin@defaultbp\DEPTH{\dp#1}%
        \@tempdima\ht#1%
        \advance\@tempdima\dp#1%
        \Gin@defaultbp\TOTALHEIGHT{\@tempdima}%
        \beginL\special{pdf:bcontent }%
        \special{%
            pdf:literal direct
                0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
        }%
        \special{pdf:literal direct W }%
        \special{pdf:literal direct n }%
            \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
        \special{pdf:econtent }\endL%
    }%
}
```

116 File tcolorbox-xetex-bidi.def

```
\ProvidesFile{tcolorbox-xetex-bidi.def}[2017/08/15 v0.1 bidi adaptations for tcolorbox package
\let\endtcb@lrbox=\endminipage
\let\endtcb@savebox=\endtcb@lrbox

\bidi@patchcmd{\tcb@vbox}{%
  \let\@footnotetext\@mpfootnotetext%
}{%
  \let\@footnotetext\@mpfootnotetext%
  \let\@LTRfootnotetext\@mpLTRfootnotetext%
  \let\@RTLfootnotetext\@mpRTLfootnotetext%
}{}{}

\bidi@patchcmd{\endtcb@vbox}{%
    \footnoterule%
}{%
    \bidi@mpfootnoterule%
}{}{}
```

117 File titlesec-xetex-bidi.def

```
\ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package
\renewcommand\filright{%
  \gdef\ttl@filleft##1{\hskip##1}%
  \gdef\ttl@filright##1{\hfill}%
  \let\\\@centercr
  \advance\rightskip\z@ \@plus 1fil
\parfillskip\z@}
\def\ttlh@hang#1#2#3#4#5#6#7#8{%
  \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%
  \setlength\leftskip{#6}%
  \setlength\rightskip{#7}%
  \interlinepenalty\@M
  \ttl@changecentercr
  \ttl@beginlongest
  #1{\ifhmode\ttl@hmode@error\fi
     \ttl@glcmds
     \parindent\z@
     \leavevmode
     \begingroup
       \ifttl@label
          \sbox\z@{#2\strut\ttl@calc\hspace{#3}}%
          \if@RTL\advance\rightskip\wd\z@\else\advance\leftskip\wd\z@\fi
          \llap{\box\z@}%
       \fi
       #4{#8}%
       \kern\z@\strut\@@par
     \endgroup
     \nobreak\ttl@midlongest#5\@@par}%
  \ttl@endlongest}
```

118 File titletoc-xetex-bidi.def

```
\ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package
\renewcommand\filright{%
  \gdef\ttl@filleft##1{\hskip##1}%
  \gdef\ttl@filright##1{\hfill}%
  \let\\\@centercr
  \advance\rightskip\z@ \@plus 1fil
\parfillskip\z@}
\renewcommand\contentspush[1]{%
  \sbox\z@{#1}%
  \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd\z@}%
  \aftergroup\ttl@b
  \leavevmode\llap{\box\z@}}
\def\ttl@outnoblock#1#2#3{%
  \begingroup
  \ifnum\ttl@b>\ttl@a
    \nobreak
```

```
  \else\ifnum\ttl@b<\ttl@a
    \addpenalty{\@secpenalty}%
  \else
    \addpenalty{\z@}%
  \fi\fi
  \ttl@contentsstretch
  \nobreak
  \ifcase#1\relax\else\interlinepenalty\@M\fi
  \parindent\z@
  \ifx\@nil#2%
    \PackageError{titletoc}{Unimplemented}%
    {The optional argument is currently mandatory}%
  \else
    \if@RTL\setlength\rightskip{#2}\else
    \setlength\leftskip{#2}\fi%
  \fi
  \if@RTL\setlength\leftskip{\@pnumwidth}\else\setlength\rightskip{\@pnumwidth}\fi%
  \let\contentsmargin\ttl@margin
  \def\ttl@makeline##1{##1}%
  #3%
  \addtolength{\parfillskip}{-\ttl@corr}%
  \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
  \let\ttl@leaders\leaders}
\renewcommand\ttl@margin[2][\z@]{%
  \def\ttl@corr{#1}%
  \advance\if@RTL\leftskip\else\rightskip\fi-\@pnumwidth\relax
  \advance\if@RTL\leftskip\else\rightskip\fi#2\relax
  \def\@pnumwidth{#2}}
\let\ttl@savel@part\l@part
\def\l@part{\ttl@lselect{part}}

\let\ttl@savel@chapter\l@chapter
\def\l@chapter{\ttl@lselect{chapter}}
```

119 File tocbibind-xetex-bidi.def

```
\ProvidesFile{tocbibind-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for tocbibind package
\if@dotocbib
  \@ifpackageloaded{natbib}{}{% natbib not loaded
    \renewcommand{\bibsection}{\t@cb@bchapsec}
    \renewenvironment{thebibliography}[1]{%
      \bibsection
      \begin{thebibitemlist}{#1}}{\end{thebibitemlist}}}
  \renewenvironment{thebibitemlist}[1]{
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
    \bidi@@thebibliography@font@hook%
    \list{\@biblabel{\@arabic\c@enumiv}}%
         {\settowidth\labelwidth{\@biblabel{#1}}%
          \leftmargin\labelwidth
          \advance\leftmargin\labelsep
```

```
18746          \@openbib@code
18747          \usecounter{enumiv}%
18748          \let\p@enumiv\@empty
18749          \renewcommand\theenumiv{\@arabic\c@enumiv}}%
18750    \sloppy
18751    \clubpenalty4000
18752    \@clubpenalty \clubpenalty
18753    \widowpenalty4000%
18754    \sfcode`\.\@m}
18755   {\def\@noitemerr
18756     {\@latex@warning{Empty `thebibliography' environment}}%
18757     \endlist}
18758
18759  \@ifpackagewith{chapterbib}{sectionbib}%
18760    {\renewcommand{\sectionbib}[2]{}}%
18761    {}
18762
18763 \fi
18764 \if@inltxdoc\else
18765   \renewenvironment{theindex}%
18766     {\if@twocolumn
18767        \@restonecolfalse
18768      \else
18769        \@restonecoltrue
18770      \fi
18771      \if@bibchapter
18772         \if@donumindex
18773           \refstepcounter{chapter}
18774           \twocolumn[\vspace*{2\topskip}%
18775                      \@makechapterhead{\indexname}]%
18776           \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
18777           \chaptermark{\indexname}
18778         \else
18779           \if@dotocind
18780             \twocolumn[\vspace*{2\topskip}%
18781                        \@makeschapterhead{\indexname}]%
18782             \prw@mkboth{\indexname}
18783             \addcontentsline{toc}{chapter}{\indexname}
18784           \else
18785             \twocolumn[\vspace*{2\topskip}%
18786                        \@makeschapterhead{\indexname}]%
18787             \prw@mkboth{\indexname}
18788           \fi
18789         \fi
18790      \else
18791         \if@donumindex
18792           \twocolumn[\vspace*{-1.5\topskip}%
18793                      \@nameuse{\@tocextra}{\indexname}]%
18794           \csname \@tocextra mark\endcsname{\indexname}
18795         \else
```

```
          \if@dotocind
            \twocolumn[\vspace*{-1.5\topskip}%
                       \toc@headstar{\@tocextra}{\indexname}]%
            \prw@mkboth{\indexname}
            \addcontentsline{toc}{\@tocextra}{\indexname}
          \else
            \twocolumn[\vspace*{-1.5\topskip}%
                       \toc@headstar{\@tocextra}{\indexname}]%
            \prw@mkboth{\indexname}
          \fi
        \fi
      \fi
    \thispagestyle{plain}\parindent\z@
    \parskip\z@ \@plus .3\p@\relax
    \let\item\@idxitem}
    {\if@restonecol\onecolumn\else\clearpage\fi}
\fi
```

120 File tocloft-xetex-bidi.def

```
\ProvidesFile{tocloft-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for tocloft package for
\let\cftdot\@SepMark
\if@cfthaspart
\renewcommand*{\l@part}[2]{
  \@cftdopartfalse
  \ifnum \c@tocdepth >-2\relax
    \if@cfthaschapter
      \@cftdoparttrue
    \fi
    \ifnum \c@tocdepth >\m@ne
      \if@cfthaschapter\else
        \@cftdoparttrue
      \fi
    \fi
  \fi
  \if@cftdopart
    \if@cfthaschapter
      \addpenalty{-\@highpenalty}
    \else
      \addpenalty\@secpenalty
    \fi
    \addvspace{\cftbeforepartskip}
    \begingroup
      {\if@RTL\rightskip\else\leftskip\fi \cftpartindent\relax
       \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
       \parindent \cftpartindent\relax\@afterindenttrue
       \interlinepenalty\@M
       \leavevmode
       \@tempdima \cftpartnumwidth\relax
```

```
18843       \let\@cftbsnum \cftpartpresnum
18844       \let\@cftasnum \cftpartaftersnum
18845       \let\@cftasnumb \cftpartaftersnumb
18846       \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
18847       {\cftpartfont \cftpartpresnum #1}
18848       \cftpartfillnum{#2}}
18849      \nobreak
18850      \if@cfthaschapter
18851        \global\@nobreaktrue
18852        \everypar{\global\@nobreakfalse\everypar{}}
18853      \else
18854        \if@compatibility
18855          \global\@nobreaktrue
18856          \everypar{\global\@nobreakfalse\everypar{}}
18857        \fi
18858      \fi
18859    \endgroup
18860  \fi}
18861 \fi
18862 \if@cfthaschapter
18863 \renewcommand*{\l@chapter}[2]{
18864   \ifnum \c@tocdepth >\m@ne
18865     \addpenalty{-\@highpenalty}
18866     \vskip \cftbeforechapskip
18867     {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
18868      \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
18869      \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18870      \parindent \cftchapindent\relax\@afterindenttrue
18871      \interlinepenalty\@M
18872      \leavevmode
18873      \@tempdima \cftchapnumwidth\relax
18874      \let\@cftbsnum \cftchappresnum
18875      \let\@cftasnum \cftchapaftersnum
18876      \let\@cftasnumb \cftchapaftersnumb
18877      \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
18878      {\cftchapfont #1}\nobreak
18879      \cftchapfillnum{#2}}
18880   \fi}
18881 \fi
18882 \renewcommand*{\l@section}[2]{%
18883   \ifnum \c@tocdepth >\z@
18884     \if@cfthaschapter
18885       \vskip \cftbeforesecskip
18886     \else
18887       \addpenalty\@secpenalty
18888       \addvspace{\cftbeforesecskip}
18889     \fi
18890     {\if@RTL\rightskip\else\leftskip\fi \cftsecindent\relax
18891      \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
18892      \parfillskip -\if@RTL\leftskip\else\rightskip\fi
```

```
18893     \parindent \cftsecindent\relax\@afterindenttrue
18894     \interlinepenalty\@M
18895     \leavevmode
18896     \@tempdima \cftsecnumwidth\relax
18897     \let\@cftbsnum \cftsecpresnum
18898     \let\@cftasnum \cftsecaftersnum
18899     \let\@cftasnumb \cftsecaftersnumb
18900     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
18901     {\cftsecfont #1}\nobreak
18902     \cftsecfillnum{#2}}
18903   \fi}
18904 \renewcommand*{\l@subsection}[2]{%
18905   \ifnum \c@tocdepth >\@ne
18906     \vskip \cftbeforesubsecskip
18907     {\if@RTL\rightskip\else\leftskip\fi \cftsubsecindent\relax
18908      \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
18909      \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18910      \parindent \cftsubsecindent\relax\@afterindenttrue
18911      \interlinepenalty\@M
18912      \leavevmode
18913      \@tempdima \cftsubsecnumwidth\relax
18914      \let\@cftbsnum \cftsubsecpresnum
18915      \let\@cftasnum \cftsubsecaftersnum
18916      \let\@cftasnumb \cftsubsecaftersnumb
18917      \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
18918      {\cftsubsecfont #1}\nobreak
18919      \cftsubsecfillnum{#2}}
18920   \fi}
18921 \renewcommand*{\l@subsubsection}[2]{%
18922   \ifnum \c@tocdepth >\tw@
18923     \vskip \cftbeforesubsubsecskip
18924     {\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
18925      \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
18926      \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18927      \parindent \cftsubsubsecindent\relax\@afterindenttrue
18928      \interlinepenalty\@M
18929      \leavevmode
18930      \@tempdima \cftsubsubsecnumwidth\relax
18931      \let\@cftbsnum \cftsubsubsecpresnum
18932      \let\@cftasnum \cftsubsubsecaftersnum
18933      \let\@cftasnumb \cftsubsubsecaftersnumb
18934      \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
18935      {\cftsubsubsecfont #1}\nobreak
18936      \cftsubsubsecfillnum{#2}}
18937   \fi}
18938 \renewcommand*{\l@paragraph}[2]{%
18939   \ifnum \c@tocdepth >3\relax
18940     \vskip \cftbeforeparaskip
18941     {\if@RTL\rightskip\else\leftskip\fi \cftparaindent\relax
18942      \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
```

```
18943     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18944     \parindent \cftparaindent\relax\@afterindenttrue
18945     \interlinepenalty\@M
18946     \leavevmode
18947     \@tempdima \cftparanumwidth\relax
18948     \let\@cftbsnum \cftparapresnum
18949     \let\@cftasnum \cftparaaftersnum
18950     \let\@cftasnumb \cftparaaftersnumb
18951     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
18952     {\cftparafont #1}\nobreak
18953     \cftparafillnum{#2}}
18954   \fi}
18955 \renewcommand*{\l@subparagraph}[2]{%
18956   \ifnum \c@tocdepth >4\relax
18957     \vskip \cftbeforesubparaskip
18958     {\if@RTL\rightskip\else\leftskip\fi \cftsubparaindent\relax
18959      \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
18960      \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18961      \parindent \cftsubparaindent\relax\@afterindenttrue
18962      \interlinepenalty\@M
18963      \leavevmode
18964      \@tempdima \cftsubparanumwidth\relax
18965      \let\@cftbsnum \cftsubparapresnum
18966      \let\@cftasnum \cftsubparaaftersnum
18967      \let\@cftasnumb \cftsubparaaftersnumb
18968      \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
18969      {\cftsubparafont #1}\nobreak
18970      \cftsubparafillnum{#2}}
18971   \fi}
18972 \renewcommand*{\l@figure}[2]{%
18973   \ifnum \c@lofdepth >\z@
18974     \vskip \cftbeforefigskip
18975     {\if@RTL\rightskip\else\leftskip\fi \cftfigindent\relax
18976      \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
18977      \parfillskip -\if@RTL\leftskip\else\rightskip\fi
18978      \parindent \cftfigindent\relax\@afterindenttrue
18979      \interlinepenalty\@M
18980      \leavevmode
18981      \@tempdima \cftfignumwidth\relax
18982      \let\@cftbsnum \cftfigpresnum
18983      \let\@cftasnum \cftfigaftersnum
18984      \let\@cftasnumb \cftfigaftersnumb
18985      \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
18986      {\cftfigfont #1}\nobreak
18987      \cftfigfillnum{#2}}
18988    \fi
18989   }
18990 \renewcommand*{\l@table}[2]{%
18991   \ifnum\c@lotdepth >\z@
18992     \vskip \cftbeforetabskip
```

```
    {\if@RTL\rightskip\else\leftskip\fi \cfttabindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cfttabindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cfttabnumwidth\relax
     \let\@cftbsnum \cfttabpresnum
     \let\@cftasnum \cfttabaftersnum
     \let\@cftasnumb \cfttabaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {\cfttabfont #1}\nobreak
     \cfttabfillnum{#2}}
   \fi
  }
\renewcommand{\@cftl@subfig}{
\renewcommand*{\l@subfigure}[2]{%
  \ifnum \c@lofdepth > \toclevel@subfigure
    \vskip \cftbeforesubfigskip
    {\if@RTL\rightskip\else\leftskip\fi \cftsubfigindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftsubfigindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftsubfignumwidth\relax
     \let\@cftbsnum \cftsubfigpresnum
     \let\@cftasnum \cftsubfigaftersnum
     \let\@cftasnumb \cftsubfigaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {\cftsubfigfont ##1}\nobreak
     \cftsubfigfillnum{##2}}
  \fi
  }
}
\renewcommand{\@cftl@subtab}{
\renewcommand*{\l@subtable}[2]{%
  \ifnum \c@lotdepth > \toclevel@subtable
    \vskip \cftbeforesubtabskip
    {\if@RTL\rightskip\else\leftskip\fi \cftsubtabindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftsubtabindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftsubtabnumwidth\relax
     \let\@cftbsnum \cftsubtabpresnum
     \let\@cftasnum \cftsubtabaftersnum
     \let\@cftasnumb \cftsubtabaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
```

```
    {\cftsubtabfont ##1}\nobreak
    \cftsubtabfillnum{##2}}
  \fi
  }
}
\renewcommand{\newlistentry}[4][\@empty]{%
  \@ifundefined{c@#2}{%    check & set the counter
    \ifx \@empty#1\relax
      \newcounter{#2}
    \else
      \@ifundefined{c@#1}{\PackageWarning{tocloft}%
                          {#1 has no counter for use as a `within'}
        \newcounter{#2}}%
      {\newcounter{#2}[#1]%
       \expandafter\edef\csname the#2\endcsname{%
         \expandafter\noexpand\csname the#1\endcsname\@SepMark\noexpand\arabic{#2}}}
    \fi
    \setcounter{#2}{0}
  }
  {\PackageError{tocloft}{#2 has been previously defined}{\@eha}}

  \@namedef{l@#2}##1##2{%
    \ifnum \@nameuse{c@#3depth} > #4\relax
      \vskip \@nameuse{cftbefore#2skip}
      {\if@RTL\rightskip\else\leftskip\fi \@nameuse{cft#2indent}\relax
       \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
       \parindent \@nameuse{cft#2indent}\relax\@afterindenttrue
       \interlinepenalty\@M
       \leavevmode
       \@tempdima \@nameuse{cft#2numwidth}\relax
       \expandafter\let\expandafter\@cftbsnum\csname cft#2presnum\endcsname
       \expandafter\let\expandafter\@cftasnum\csname cft#2aftersnum\endcsname
       \expandafter\let\expandafter\@cftasnumb\csname cft#2aftersnumb\endcsname
       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima \null\nobreak\hskip -\if@RTL\right
       {\@nameuse{cft#2font}##1}\nobreak
       \@nameuse{cft#2fillnum}{##2}}
    \fi
  }  % end of \l@#2

  \expandafter\newlength\csname cftbefore#2skip\endcsname
    \setlength{\@nameuse{cftbefore#2skip}}{\z@ \@plus .2\p@}
  \expandafter\newlength\csname cft#2indent\endcsname
  \expandafter\newlength\csname cft#2numwidth\endcsname
  \ifcase #4\relax  % 0
    \setlength{\@nameuse{cft#2indent}}{0em}
    \setlength{\@nameuse{cft#2numwidth}}{1.5em}
  \or               % 1
    \setlength{\@nameuse{cft#2indent}}{1.5em}
    \setlength{\@nameuse{cft#2numwidth}}{2.3em}
```

```
  \or               % 2
    \setlength{\@nameuse{cft#2indent}}{3.8em}
    \setlength{\@nameuse{cft#2numwidth}}{3.2em}
  \or               % 3
    \setlength{\@nameuse{cft#2indent}}{7.0em}
    \setlength{\@nameuse{cft#2numwidth}}{4.1em}
  \else             % anything else
    \setlength{\@nameuse{cft#2indent}}{10.0em}
    \setlength{\@nameuse{cft#2numwidth}}{5.0em}
  \fi
  \@namedef{cft#2font}{\normalfont}
  \@namedef{cft#2presnum}{}
  \@namedef{cft#2aftersnum}{}
  \@namedef{cft#2aftersnumb}{}
  \@namedef{cft#2dotsep}{\cftdotsep}
  \@namedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}}
  \@namedef{cft#2pagefont}{\normalfont}
  \@namedef{cft#2afterpnum}{}
  \@namedef{toclevel@#2}{#4}
  \@namedef{cft#2fillnum}##1{%
    {\@nameuse{cft#2leader}}\nobreak
    \hb@xt@\@pnumwidth{\hfil\@nameuse{cft#2pagefont}##1}\@nameuse{cft#2afterpnum}\par}
} % end \newlistentry
\renewcommand{\cftchapterprecistoc}[1]{\addtocontents{toc}{%
  {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
   \advance\if@RTL\righskip\else\leftskip\fi \cftchapnumwidth\relax
   \if@RTL\leftskip\else\rightskip\fi \@tocrmarg\relax
   \textit{#1}\protect\par}}}
```

121 File tocbasic-xetex-bidi.def

```
\ProvidesFile{tocbasic-xetex-bidi.def}[2016/09/14 v0.2 bidi adaptations for tocbasic package f
\bidi@undef\scr@dte@def@l@undottedtocline
\bidi@undef\scr@dte@undottedtocline@init
\DeclareTOCEntryStyle{undottedtocline}[{%
  \DefineTOCEntryLengthOption{indent}%
    {scr@tso@}{@indent}{entry indent}%
  \DefineTOCEntryLengthOption{numwidth}%
    {scr@tso@}{@numwidth}{entry number width}%
  \@ifundefined{#1tocdepth}{%
    \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
      \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
        \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
          \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
            \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
              \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
                \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
                  \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
                    \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
                      \expandafter\let\csname #1tocdepth\expandafter\endcsname
```

```
                    \csname #1numdepth\endcsname
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
  }%
}{}%
\@ifundefined{scr@tso@#1@indent}{%
  \@ifundefined{scr@#1@tocindent}{%
    \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
      \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
        \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
          \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
            \scr@ifundefinedorrelax{l@chapter}{%
              \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
                \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@indent}{3.8em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@indent}{7em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@indent}{10em}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }{%
              \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@indent}{7.0em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@indent}{10em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@indent}{12em}%
                      }{%
                      }%
                    }%
                  }%
                }%
```

```
              }%
            }%
          }%
        }%
      }%
    }%
    \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
  }%
}{}%
\@ifundefined{scr@tso@#1@numwidth}{%
  \@ifundefined{scr@#1@tocnumwidth}{%
    \ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
      \ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
        \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
          \scr@ifundefinedorrelax{chapter}{%
            \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
              \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
                \ifstr{#1}{subsubsection}{%
                  \@namedef{scr@tso@#1@numwidth}{3.2em}%
                }{%
                  \ifstr{#1}{paragraph}{%
                    \@namedef{scr@tso@#1@numwidth}{4.1em}%
                  }{%
                    \ifstr{#1}{subparagraph}{%
                      \@namedef{scr@tso@#1@numwidth}{5m}%
                    }{%
                    }%
                  }%
                }%
              }%
            }%
          }{%
            \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
              \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
                \ifstr{#1}{subsubsection}{%
                  \@namedef{scr@tso@#1@numwidth}{3.1em}%
                }{%
                  \ifstr{#1}{paragraph}{%
                    \@namedef{scr@tso@#1@numwidth}{5em}%
                  }{%
                    \ifstr{#1}{subparagraph}{%
                      \@namedef{scr@tso@#1@numwidth}{6em}%
                    }{%
                    }%
                  }%
                }%
              }%
            }%
          }%
```

```
          }%
        }%
      }%
    }{%
      \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
    }%
  }{}%
}]{%
  \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
    \ifnum \@nameuse{#1tocdepth}<\@ne
      \scr@ifundefinedorrelax{chapter}{%
        \addpenalty\@secpenalty
        \addvspace{1.0em \@plus\p@}%
      }{%
        \addpenalty{-\@highpenalty}%
        \vskip 1.0em \@plus\p@
      }%
    \else
      \addpenalty\@secpenalty
      \addvspace{1.0em \@plus\p@}%
    \fi
    \setlength\@tempdima{\@nameuse{scr@tso@#1@numwidth}}%
    \begingroup
      \parindent \z@ \bidi@rightskip \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode
      \bfseries
      \advance\bidi@leftskip\@tempdima
      \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
      \hskip -\dimexpr \bidi@leftskip-\@nameuse{scr@tso@#1@indent}\relax
      ##1%
      \nobreak
      \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
      \par
      \penalty\@highpenalty
    \endgroup
  \fi
}

\bidi@undef\scr@dte@def@l@largetocline
\bidi@undef\scr@dte@largetocline@init
\DeclareTOCEntryStyle{largetocline}[{%
  \DefineTOCEntryLengthOption{indent}%
    {scr@tso@}{@indent}{entry indent}%
  \@ifundefined{#1tocdepth}{%
    \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
      \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
        \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
          \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
            \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
```

```
              \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
                \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
                  \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
                    \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
                      \expandafter\let\csname #1tocdepth\expandafter\endcsname
                      \csname #1numdepth\endcsname
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
  }%
}{}%
\@ifundefined{scr@tso@#1@indent}{%
  \@ifundefined{scr@#1@tocindent}{%
    \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
      \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
        \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
          \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
            \scr@ifundefinedorrelax{l@chapter}{%
              \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
                \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@indent}{3.8em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@indent}{7em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@indent}{10em}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }{%
              \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@indent}{7.0em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@indent}{10em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@indent}{12em}%
```

```
                        }{%
                        }%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }{%
      \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
    }%
  }{}%
}]{%
  \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
    \ifnum \@nameuse{#1tocdepth}<\@ne
      \scr@ifundefinedorrelax{chapter}{%
        \addpenalty\@secpenalty
        \addvspace{2.25em \@plus\p@}%
      }{%
        \addpenalty{-\@highpenalty}%
        \addvspace{2.25em \@plus\p@}%
      }%
    \else
      \addpenalty\@secpenalty
      \addvspace{2.25em \@plus\p@}%
    \fi
    \setlength\@tempdima{3em}%
    \begingroup
      \parindent \z@ \bidi@rightskip \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode
      \large
      \bfseries
      \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
      ##1%
      \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
      \par
      \nobreak
      \ifnum 0=
        \scr@ifundefinedorrelax{chapter}{\if@compatibility 1\else 0\fi}{1}\relax
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi
}
```

```
\renewcommand*{\scr@dte@tocline}[3]{%
  \ifnum \@nameuse{#1tocdepth}>\c@tocdepth
  \else
    \tocbasic@DependOnPenaltyAndTOCLevel{#1}%
    \addvspace{\@nameuse{scr@tso@#1@beforeskip}}\relax
    {%
      \bidi@leftskip \@nameuse{scr@tso@#1@indent}\relax
      \bidi@rightskip \@tocrmarg
      \parfillskip -\bidi@rightskip
      \@nameuse{Ifscr@tso@#1@raggedpage}{%
        \addtolength{\parfillskip}{\z@ \@plus 1fil}%
      }{}%
      \parindent \@nameuse{scr@tso@#1@indent}\relax
      \@afterindenttrue
      \interlinepenalty\@M
      \expandafter\ifx\csname ragged#1entry\endcsname\raggedright
        \addtolength\bidi@rightskip\@flushglue
      \else
        \def\reserved@a{\raggedright}%
        \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
          \addtolength\bidi@rightskip\@flushglue
        \else
          \renewcommand\reserved@a{\raggedright}%
          \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
            \addtolength\bidi@rightskip\@flushglue
          \fi
        \fi
      \fi
      \leavevmode
      \@tempdima \@nameuse{scr@tso@#1@numwidth}\relax
      \@nameuse{Ifscr@tso@#1@dynnumwidth}{%
        \scr@ifundefinedorrelax{scr@dte@#1@lastmaxnumwidth}{}{%
          \ifdim \@nameuse{scr@dte@#1@lastmaxnumwidth}>\@tempdima
            \@tempdima\@nameuse{scr@dte@#1@lastmaxnumwidth}\relax
          \fi
        }%
      }{}%
      \advance\bidi@leftskip \@tempdima
      \null\nobreak\hskip -\bidi@leftskip
      {%
        \usetocbasicnumberline
        \let\scr@dte@numberline@box\numberline@box
        \def\numberline@box##1{%
          \sbox\scr@dte@tocline@numbox{\@nameuse{scr@tso@#1@numberformat}{##1}}%
          \global\scr@dte@tocline@numberwidth
          \dimexpr\wd\scr@dte@tocline@numbox+\@nameuse{scr@tso@#1@numsep}\relax
          \ifdim \scr@dte@tocline@numberwidth
                 >\@nameuse{scr@dte@#1@maxnumwidth}\relax
            \global\@nameuse{scr@dte@#1@maxnumwidth}\scr@dte@tocline@numberwidth
          \fi
```

```
          \@nameuse{Ifscr@tso@#1@dynnumwidth}{}{%
            \ifdim \scr@dte@tocline@numberwidth
                  >\dimexpr \@nameuse{scr@tso@#1@numwidth}%
                            +\@nameuse{scr@tso@#1@numsep}\relax
              \PackageWarning{tocbasic%
              }{%
                number width of #1 toc entries should be
                increased!\MessageBreak
                Currently used number width =
                \the\wd\scr@dte@tocline@numbox,\MessageBreak
                Wanted number separation
                \space\space\space =
                \the\dimexpr\@nameuse{scr@tso@#1@numsep}\relax,\MessageBreak
                Reserved number width \space\space\space\space\space =
                \the\dimexpr\@nameuse{scr@tso@#1@numwidth}\relax%
              }%
            \fi
          }%
          \scr@dte@numberline@box{\@nameuse{scr@tso@#1@numberformat}{##1}}%
          \@nameuse{Ifscr@tso@#1@breakafternumber}{%
            {\parfillskip\@flushglue\par}\nobreak\hskip-\bidi@leftskip
          }{}%
        }%
        \@nameuse{scr@tso@#1@entryformat}{%
          #2%
          \nobreak
          {%
            \normalfont\normalsize\@nameuse{scr@tso@#1@linefill}%
            \nobreak
            \@nameuse{scr@tso@#1@pagenumberbox}{%
              \@nameuse{scr@tso@#1@pagenumberformat}{#3}%
            }%
          }%
          \@par
        }%
      }%
    }%
    \tocbasic@SetPenaltyByTOCLevel{#1}%
  \fi
}

\bidi@undef\scr@dte@def@l@tocline
\bidi@undef\scr@dte@tocline@init
\DeclareTOCEntryStyle{tocline}[{%
  \DefineTOCEntryLengthOption{beforeskip}%
    {scr@tso@}{@beforeskip}{vertical skip before the entry}%
  \DefineTOCEntryIfOption{breakafternumber}%
    {scr@tso@}{@breakafternumber}{line break after number flag}%
  \DefineTOCEntryIfOption{dynnumwidth}%
    {scr@tso@}{@dynnumwidth}{dynamic number width flag}%
```

```
\DefineTOCEntryCommandOption{entryformat}%
  {scr@tso@}{@entryformat}[1]{entry format}%
\DefineTOCEntryCommandOption{entrynumberformat}%
  {scr@tso@}{@numberformat}[1]{entry number format}%
\DefineTOCEntryCommandOption{linefill}[\TOCLineLeaderFill]%
  {scr@tso@}{@linefill}{filling between text and page number}%
\DefineTOCEntryLengthOption{numsep}%
  {scr@tso@}{@numsep}{entry number separation}%
\DefineTOCEntryCommandOption{onstarthigherlevel}%
  {scr@tso@}{@LastTOCLevelWasLower}{start higher level entry hook}%
\DefineTOCEntryCommandOption{onstartlowerlevel}%
  {scr@tso@}{@LastTOCLevelWasHigher}{start lower level entry hook}%
\DefineTOCEntryCommandOption{onstartsamelevel}%
  {scr@tso@}{@LastTOCLevelWasSame}{start same level entry hook}%
\DefineTOCEntryCommandOption{pagenumberbox}%
  {scr@tso@}{@pagenumberbox}[1]{page number box}%
\DefineTOCEntryCommandOption{pagenumberformat}%
  {scr@tso@}{@pagenumberformat}[1]{page number format}%
\DefineTOCEntryOption{raggedentrytext}[true]{%
  \FamilySetBool{KOMAarg}{raggedentrytext}{@tempswa}{##1}%
  \ifx\FamilyKeyState\FamilyKeyStateProcessed
    \if@tempswa
      \expandafter\let\csname ragged\scr@dte@current entry\endcsname
      \raggedright
    \else
      \expandafter\let\csname ragged\scr@dte@current entry\endcsname
      \relax
    \fi
  \fi
}%
\DefineTOCEntryIfOption{raggedpagenumber}%
  {scr@tso@}{@raggedpage}{page number ragged flag}%
\DefineTOCEntryLengthOption{indent}%
  {scr@tso@}{@indent}{entry indent}%
\DefineTOCEntryLengthOption{numwidth}%
  {scr@tso@}{@numwidth}{entry number width}%
\scr@ifundefinedorrelax{#1tocdepth}{%
  \ifstrstart{#1}{sub}{%
    \scr@ifundefinedorrelax{\scr@dte@nosub{#1}tocdepth}{}{%
      \expandafter\edef\csname #1tocdepth\endcsname{%
        \the\numexpr \noexpand\@nameuse{\scr@dte@nosub{#1}tocdepth}+\@ne\relax
      }%
    }%
  }{}%
}{}%
\@ifundefined{#1tocdepth}{%
  \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
    \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
      \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
        \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
```

```
            \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
              \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
                \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
                  \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
                    \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
                      \expandafter\let\csname #1tocdepth\expandafter\endcsname
                      \csname #1numdepth\endcsname
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
  }%
}{}%
\scr@ifundefinedorrelax{scr@tso@#1@indent}{%
  \@ifundefined{scr@#1@tocindent}{%
    \ifstrstart{#1}{sub}{%
      \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@indent}{%
        \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}{%
          \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
            \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
            \relax
          }%
        }%
      }{%
        \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{%
          \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
            \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
            \relax
          }%
        }{%
          \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
            \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
                      +\noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
            \relax
          }%
        }%
      }%
    }{}%
  }{%
    \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
  }%
}{}%
\@ifundefined{scr@tso@#1@indent}{%
    \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
      \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
        \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
```

```
            \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
              \scr@ifundefinedorrelax{l@chapter}{%
                \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
                  \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                    \ifstr{#1}{subsubsection}{%
                      \@namedef{scr@tso@#1@indent}{3.8em}%
                    }{%
                      \ifstr{#1}{paragraph}{%
                        \@namedef{scr@tso@#1@indent}{7em}%
                      }{%
                        \ifstr{#1}{subparagraph}{%
                          \@namedef{scr@tso@#1@indent}{10em}%
                        }{%
                        }%
                      }%
                    }%
                  }%
                }%
              }{%
                \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                  \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
                    \ifstr{#1}{subsubsection}{%
                      \@namedef{scr@tso@#1@indent}{7.0em}%
                    }{%
                      \ifstr{#1}{paragraph}{%
                        \@namedef{scr@tso@#1@indent}{10em}%
                      }{%
                        \ifstr{#1}{subparagraph}{%
                          \@namedef{scr@tso@#1@indent}{12em}%
                        }{%
                        }%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
}{}%
\scr@ifundefinedorrelax{scr@tso@#1@numwidth}{%
  \scr@ifundefinedorrelax{scr@#1@tocnumwidth}{%
    \ifstrstart{#1}{sub}{%
      \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}{%
        \expandafter\edef\csname scr@tso@#1@numwidth\endcsname{%
          \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
                    +.9em%
          \relax
        }%
```

```
      }%
    }{}%
  }{%
    \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
  }%
}{}%
\@ifundefined{scr@tso@#1@numwidth}{%
    \ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
      \ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
        \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
          \scr@ifundefinedorrelax{chapter}{%
            \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
              \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
                \ifstr{#1}{subsubsection}{%
                  \@namedef{scr@tso@#1@numwidth}{3.2em}%
                }{%
                  \ifstr{#1}{paragraph}{%
                    \@namedef{scr@tso@#1@numwidth}{4.1em}%
                  }{%
                    \ifstr{#1}{subparagraph}{%
                      \@namedef{scr@tso@#1@numwidth}{5m}%
                    }{%
                    }%
                  }%
                }%
              }%
            }%
          }{%
            \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
              \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
                \ifstr{#1}{subsubsection}{%
                  \@namedef{scr@tso@#1@numwidth}{3.1em}%
                }{%
                  \ifstr{#1}{paragraph}{%
                    \@namedef{scr@tso@#1@numwidth}{5em}%
                  }{%
                    \ifstr{#1}{subparagraph}{%
                      \@namedef{scr@tso@#1@numwidth}{6em}%
                    }{%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
}{}%
\expandafter\renewcommand%
```

```
\csname scr@tso@#1@LastTOCLevelWasLower\endcsname{\LastTOCLevelWasLower}%
\expandafter\renewcommand%
\csname scr@tso@#1@LastTOCLevelWasSame\endcsname{\LastTOCLevelWasSame}%
\expandafter\renewcommand%
\csname scr@tso@#1@LastTOCLevelWasHigher\endcsname{\LastTOCLevelWasHigher}%
\@ifundefined{scr@tso@#1@beforeskip}{%
  \ifstr{#1}{part}{%
    \@namedef{scr@tso@#1@beforeskip}{\glueexpr 2.25em \@plus\p@\relax}%
  }{%
    \ifstr{#1}{chapter}{%
      \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
    }{%
      \ifstr{#1}{section}{%
        \scr@ifundefinedorrelax{l@chapter}{%
          \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
        }{}%
      }{}%
    }%
  }%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{\glueexpr \z@ plus .2\p@\relax}%
}{}%
\@ifundefined{scr@dte@#1@maxnumwidth}{%
  \expandafter\newlength\csname scr@dte@#1@maxnumwidth\endcsname
  \setlength{\@nameuse{scr@dte@#1@maxnumwidth}}{\z@}%
}{}%
\renewcommand*{\scr@dte@donumwidth}{}%
\g@addto@macro{\scr@dte@donumwidth}{\do{#1}}%
\expandafter\renewcommand\expandafter*%
\csname scr@tso@#1@numsep\endcsname{.4em}%
\expandafter\renewcommand%
\csname scr@tso@#1@numberformat\endcsname[1]{##1}%
\ifstr{#1}{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname[1]{\large\bfseries ##1}%
}{%
  \ifstr{#1}{chapter}{%
    \expandafter\renewcommand%
    \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
  }{%
    \scr@ifundefinedorrelax{l@chapter}{%
      \ifstr{#1}{section}{%
        \expandafter\renewcommand%
        \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
      }{}%
    }{}%
    \expandafter\renewcommand%
    \csname scr@tso@#1@entryformat\endcsname[1]{##1}%
  }%
}%
```

```
  \expandafter\renewcommand
  \csname Ifscr@tso@#1@breakafternumber\endcsname[2]{##2}%
  \@ifundefined{scr@tso@#1@linefill}{%
    \ifstr{#1}{part}{%
      \@namedef{scr@tso@#1@linefill}{\hfill}%
    }{%
      \ifstr{#1}{chapter}{%
        \@namedef{scr@tso@#1@linefill}{\hfill}%
      }{%
        \scr@ifundefinedorrelax{l@chapter}{%
          \ifstr{#1}{section}{%
            \@namedef{scr@tso@#1@linefill}{\hfill}%
          }{}
        }{}
        \expandafter\renewcommand%
        \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
      }%
    }%
  }{}%
  \expandafter\renewcommand\csname Ifscr@tso@#1@raggedpage\endcsname[2]{##2}%
  \ifstr{#1}{part}{%
    \expandafter\renewcommand%
    \csname scr@tso@#1@pagenumberformat\endcsname[1]{\large\bfseries ##1}%
  }{%
    \expandafter\renewcommand%
    \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
      {\normalfont\normalcolor ##1}}%
  }%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberbox\endcsname[1]{%
    \hb@xt@\@pnumwidth{\hfil ##1}}%
  \expandafter\renewcommand\csname Ifscr@tso@#1@dynnumwidth\endcsname[2]{##2}%
}]{%
  \scr@dte@tocline{#1}{##1}{##2}%
}
```

122 File tocstyle-xetex-bidi.def

```
\ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package f
\renewcommand*{\tocstyle@dottedtocline}[5]{%
  \let\numberline\tocstyle@numberline
  \ifnum #1>\c@tocdepth \else
    \if@tocstyle@penalties
      \begingroup
        \@tempcnta 20010
        \advance \@tempcnta by -#1
        \ifnum \@tempcnta>\lastpenalty
          \aftergroup\penalty\aftergroup\@lowpenalty
        \fi
```

```
    \endgroup
  \fi
  \edef\tocstyledepth{#1}%
  \tocstyle@activate@features
  \ifx\tocstyle@feature@entryvskip\relax
    \vskip \z@ \@plus.2\p@
  \else
    \addvspace{\tocstyle@feature@entryvskip}%
  \fi
  {%
    \parskip \z@ \parindent \z@ \if@RTL\rightskip\else\leftskip\fi \z@ \if@RTL\leftskip\else
    \tocstyle@feature@raggedhook
    \@tempdima #3\relax
    \@tempdimb #2\relax
    \typeout{m (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
    \ifnum #1>\z@\relax
      \@tempcnta #1\relax \advance\@tempcnta \m@ne
      \ifcsname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
        \ifcsname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
          \@tempdimb
          \csname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
          \advance\@tempdimb
          \csname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
        \fi
      \fi
    \fi
    \typeout{C (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
    \ifcsname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname
      \ifdim \@tempdimb>
      \csname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname\relax
        \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
        @#1\endcsname{\the\@tempdimb}%
      \fi
    \else
      \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
      @#1\endcsname{\the\@tempdimb}%
    \fi
    \iftocstyle@autolength
      \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
        \@tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
        \relax
      \fi
      \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
        \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
        \relax
      \fi
      \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
      \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
    \else
      \@tempdimb #2\relax
```

```
    \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
  \fi
  \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
    \ifdim \@tempdima>
    \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
      \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
      @\endcsname{\the\@tempdima}%
    \fi
  \else
    \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
    @\endcsname{\the\@tempdima}%
  \fi
  \ifcase\tocstyle@indentstyle\relax\else
    \@tempdimb \z@
    \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
      \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
      \relax
    \fi
    \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
    \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
  \fi
  \advance\parindent \@tempdimb\@afterindenttrue
  \advance\if@RTL\rightskip\else\leftskip\fi \parindent
  \advance\if@RTL\leftskip\else\rightskip\fi \@tocrmarg
  \parfillskip -\if@RTL\leftskip\else\rightskip\fi
  \ifx\tocstyle@feature@parfillskip\relax\else
    \advance\parfillskip \tocstyle@feature@parfillskip\relax
  \fi
  \interlinepenalty\@M
  \leavevmode
  \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
  \null\nobreak
  \iftocstyle@indentnotnumbered\else
    \hskip -\if@RTL\rightskip\else\leftskip\fi
  \fi
  \tocstyle@feature@entryhook
  {#4}\nobreak
  \ifx\tocstyle@feature@leaders\relax
    \leaders\hbox{$\m@th
      \mkern \@dotsep mu\hbox{\tocstyle@feature@dothook .}%
      \mkern \@dotsep mu$}\hfill
  \else
    \tocstyle@feature@leaders
  \fi
  \nobreak
  \ifx\tocstyle@feature@pagenumberbox\relax
    \hb@xt@\@pnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
  \else
    \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
  \fi
```

```
      \par
    }%
    \if@tocstyle@penalties
      \bgroup
        \@tempcnta 20009
        \advance\@tempcnta by -#1
        \edef\reserved@a{\egroup\penalty\the\@tempcnta\relax}%
      \reserved@a
    \fi
  \fi}
\renewcommand*{\tocstyle@numberline}[1]{%
  \begingroup
    \ifx\tocstyle@feature@spaceafternumber\relax
      \settowidth\@tempdima{\tocstyle@@numberline{#1}\enskip}%
    \else
      \settowidth\@tempdima{\tocstyle@@numberline{#1}}%
      \advance \@tempdima \tocstyle@feature@spaceafternumber\relax
    \fi
    \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
      \ifdim \@tempdima >
      \csname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname\relax
        \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
        @\tocstyledepth\endcsname{\the\@tempdima}%
      \fi
    \else
      \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
      @\tocstyledepth\endcsname{\the\@tempdima}%
    \fi
  \endgroup
  \iftocstyle@indentnotnumbered
    \hskip -\if@RTL\rightskip\else\leftskip\fi
  \fi
  \ifcase \tocstyle@indentstyle
    \hb@xt@\@tempdima{\tocstyle@@numberline{#1}\hfil}%
  \or
    \hb@xt@\@tempdima{\tocstyle@@numberline{#1}\hfil}%
  \else
    \ifx\tocstyle@feature@spaceafternumber\relax
      \hbox{\tocstyle@@numberline{#1}\enskip}%
    \else
      \hbox{\tocstyle@@numberline{#1}\hskip
        \tocstyle@feature@spaceafternumber\relax}%
    \fi
  \fi
}
\AtBeginDocument{%
  \ifcsname l@part\endcsname
    \ifcsname l@chapter\endcsname
      \setbox\@tempboxa\vbox{\hsize\maxdimen
        \l@part{\tocstyle@l@define{part}{-1}}{}}%
```

```
  \else
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@part{\tocstyle@l@define{part}{0}}{}}%
  \fi
\fi
\ifcsname l@chapter\endcsname
  \setbox\@tempboxa\vbox{\hsize\maxdimen
    \l@chapter{\tocstyle@l@define{chapter}{0}}{}}%
\fi
\ifcsname l@section\endcsname
  \setbox\@tempboxa\vbox{\hsize\maxdimen
    \l@section{\tocstyle@l@define{section}{1}}{}}%
\fi
\ifcsname l@subsection\endcsname
  \setbox\@tempboxa\vbox{\hsize\maxdimen
    \l@subsection{\tocstyle@l@define{subsection}{2}}{}}%
\fi
\ifcsname l@subsubsection\endcsname
  \setbox\@tempboxa\vbox{\hsize\maxdimen
    \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}%
\fi
\ifcsname l@paragraph\endcsname
  \setbox\@tempboxa\vbox{\hsize\maxdimen
    \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}}%
\fi
\ifcsname l@subparagraph\endcsname
  \setbox\@tempboxa\vbox{\hsize\maxdimen
    \l@subparagraph{\tocstyle@l@define{subparagraph}{5}}{}}%
\fi
\ifcsname l@table\endcsname
  \setbox\@tempboxa\vbox{\hsize\maxdimen
    \l@table{\tocstyle@l@define{table}{1}}{}}%
\fi
\ifcsname l@figure\endcsname
  \setbox\@tempboxa\vbox{\hsize\maxdimen
    \l@figure{\tocstyle@l@define{figure}{1}}{}}%
\fi
\def\@tempa#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth \else
    \vskip \z@ \@plus.2\p@
    {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrma
     \parindent #2\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima #3\relax
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
     {#4}\nobreak
     \leaders\hbox{$\m@th
        \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
        mu$}\hfill
```

```
      \nobreak
      \hb@xt@\@pnumwidth{{\hfil \normalfont \normalcolor #5}}%
      \par}%
    \fi}%
  \ifx\@dottedtocline\@tempa\else
    \tocstyle@macrochangewarning\@dottedtocline
  \fi
  \let\tocstyle@saved@dottedtocline\@dottedtocline
  \def\@tempa#1{\hb@xt@\@tempdima{#1\autodot\hfil}}%
  \ifx\numberline\@tempa\else
    \def\@tempa#1{\hb@xt@\@tempdima{#1\hfil}}%
    \ifx\numberline@tempa\else
      \tocstyle@macrochangewarning\numberline
    \fi
  \fi
  \let\tocstyle@saved@numberline\numberline
}
\renewcommand*{\tocstyle@l@define}[2]{%
  \advance\if@RTL\rightskip\else\leftskip\fi-\@tempdima
  \edef\@tempa{%
    \noexpand\global\noexpand\let
    \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
    \expandafter\noexpand\csname l@#1\endcsname
    \noexpand\gdef
    \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
      \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\@tempdima}}%
    \noexpand\g@addto@macro\noexpand\tocstyle@activate@all@l{%
      \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
      \expandafter\noexpand\csname tocstyle@l@#1\endcsname
    }%
  }%
  \PackageInfo{tocstyle}{prepare \expandafter\string
    \csname l@#1\endcsname\space for redefinition}%
  \@tempa
}
```

123 File todonotes-xetex-bidi.def

```
\ProvidesFile{todonotes-xetex-bidi.def}[2016/11/08 v0.4 bidi adaptations for todonotes package
\newif\if@bidi@todonotes@textdirection@RTL
\newif\if@bidi@todonotes@figposition@right
\newcommand{\@bidi@todonotes@align}{}%
\define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}%
\newcommand{\@bidi@todonotes@textdirection}{}%
\define@choicekey{todonotes}{textdirection}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{rightt
  \ifcase\bidi@todonotes@tempb\relax
    \@bidi@todonotes@textdirection@RTLtrue
    \let\@bidi@todonotes@textdirection\RLE
  \or
    \@bidi@todonotes@textdirection@RTLfalse
```

```
    \let\@bidi@todonotes@textdirection\LRE
  \fi}
\define@choicekey{todonotes}{figposition}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right,le
  \ifcase\bidi@todonotes@tempb\relax
    \@bidi@todonotes@figposition@righttrue
  \or
    \@bidi@todonotes@figposition@rightfalse
  \fi}
\if@todonotes@disabled%
\else % \if@todonotes@disabled
\renewcommand{\@todonotes@drawInlineNote}{%
    \if@todonotes@dviStyle%
        {\par\noindent\begin{tikzpicture}[remember picture]%
            \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
            \if@todonotes@authorgiven%
                {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
            \else%
                {\noindent \@todonotes@sizecommand \@todonotes@text}%
            \fi
        {\par\noindent\begin{tikzpicture}[remember picture]%
            \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
    \else%
        {\par\noindent\begin{tikzpicture}[remember picture]%
           \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
            \draw node[inlinenotestyle,font=\@todonotes@sizecommand,align=\@bidi@todonotes@ali
                \if@todonotes@authorgiven%
                    {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
                \else%
                    {\noindent \@todonotes@sizecommand \@todonotes@text}%
                \fi};%
            \end{tikzpicture}\par}%
    \fi}%
\renewcommand{\@todonotes@drawMarginNoteWithLine}{%
\begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
    \node [coordinate] (inText) {};%
\end{tikzpicture}%
\marginpar[{% Draw note in left margin
    \@todonotes@drawMarginNote%
    \if@RTL\@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi%
}]{% Draw note in right margin
    \@todonotes@drawMarginNote%
    \if@RTL\@todonotes@drawLineToLeftMargin\else\@todonotes@drawLineToRightMargin\fi%
}%
}%
\renewcommand{\@todonotes@drawMarginNote}{%
\if@todonotes@dviStyle%
    \begin{tikzpicture}[remember picture]%
        \draw node[notestyle] {};%
    \end{tikzpicture}\\%
    \begin{minipage}{\@todonotes@textwidth}%
```

```
    \if@todonotes@authorgiven%
      \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
    \else%
      \@todonotes@sizecommand \@todonotes@text%
    \fi%
    \end{minipage}\\%
    \begin{tikzpicture}[remember picture]%
        \draw node[notestyle] (inNote) {};%
    \end{tikzpicture}%
\else%
    \let\originalHbadness\hbadness%
    \hbadness 100000%
    \begin{tikzpicture}[remember picture,baseline=(X.base)]%
       \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
        \node(X){\vphantom{X}};%
        \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@
            {\@todonotes@text};%
        \if@todonotes@authorgiven%
            \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonot
                {\@todonotes@sizecommand\@todonotes@author};%
            \node(Y)[below=of X]{};%
            \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonot
                {\@todonotes@text};%
        \else%
            \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonot
                {\@todonotes@text};%
        \fi%
    \end{tikzpicture}%
    \hbadness \originalHbadness%
\fi}%
\renewcommand{\missingfigure}[2][]{%
\setkeys{todonotes}{#1}%
\addcontentsline{tdo}{todo}{\@todonotes@MissingFigureText: #2}%
\par
\noindent
\begin{tikzpicture}
\draw[fill=\@todonotes@currentfigcolor, draw = black!40, line width=2pt]
    (-2, -2.5) rectangle +(\@todonotes@currentfigwidth, \@todonotes@currentfigheight);
\if@bidi@todonotes@figposition@right%
\begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
\fi%
\draw[red, fill=white, rounded corners = 5pt, line width=10pt]
    (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
\if@bidi@todonotes@figposition@right%
\end{scope}
\begin{scope}[xshift=-3.8cm]
\fi%
\if@bidi@todonotes@textdirection@RTL\setRTL\fi%
\draw (2, -0.3) node[right, text
    width=\@todonotes@currentfigwidth-4.5cm,align=\@bidi@todonotes@align] {#2};
```

```
\if@bidi@todonotes@figposition@right%
\end{scope}
\begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
\fi%
\draw (0, 0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@
\draw (0, -0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes
\if@bidi@todonotes@figposition@right%
\end{scope}
\fi%
\end{tikzpicture}\hfill
}% Ending \missingfigure command
\fi % Ending \@todonotes@ifdisabled
\presetkeys%
    {todonotes}%
    {align=left,%
    textdirection=lefttoright,%
    figposition=left}{}%
```

124 File wrapfig-xetex-bidi.def

```
\ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package for
\let\WF@@everypar\bidi@n@everypar
\def\WF@putfigmaybe{%
\ifinner
  \vskip-\parskip \global\WF@floatfalse
  \let\pagetotal\maxdimen % kludge flag for "not top of page"
\else % outer page
  \@tempdima\pagedepth % save page depth
   {\advance\parskip\@tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}% back up
   \penalty\interlinepenalty % update pg. parameters
   \@tempdimb\pagegoal \advance\@tempdimb-\pagetotal % room left on page
   \ifdim\@tempdimb<\z@ % \WF@info{Page overfull already;}%
      \global\WF@floatfalse
      \ifdim-\@tempdimb>\pageshrink \else \pagebreak \fi
   \else
      \ifdim\WF@size>\@tempdimb
         \ifWF@float \dimen@.5\baselineskip \else \dimen@ 2\baselineskip\fi
         \ifdim\pagestretch>\dimen@ \dimen@\pagestretch \fi
         \ifdim\pagefilstretch>\z@ \dimen@\@tempdimb \fi
         \ifdim\pagefillstretch>\z@ \dimen@\@tempdimb \fi
         \advance\dimen@.5\baselineskip
         \ifdim\dimen@>\@tempdimb % \WF@info{Page nearly full; can stretch}%
            \global\WF@floatfalse \pagebreak
         \fi
      \else % \WF@info{Fits in \the\@tempdimb;}%
         \global\WF@floatfalse
   \fi\fi
   \vskip\@tempdima\relax % (return erased page depth)
\fi
\noindent
```

```
\ifWF@float
  \WF@fltmes
\else % putting here;
  \WF@info{Put \WF@wfname here:}%
  {\ifodd\if@twoside\c@page\else\@ne\fi % assign l/r to i/o placement
    \lccode`i`l\lccode`o`r\else \lccode`i`r\lccode`o`l\fi
    \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
  \hbox to\z@{% llap or rlap depending on {l} or {r}; calc effective width
   \@tempdima\wd\WF@box \@tempdimb\WF@ovh
   \advance\@tempdima-\@tempdimb \advance\@tempdima\columnsep
   \@tempdimb\hsize \advance\@tempdimb-\@tempdima
   \xdef\WF@adjlw{\the\@tempdima}%
   \ifnum `l=\WF@place % fig on left
    \if@RTL%
     \kern\@tempdimb \kern\columnsep
    \def\@tempa{\hss}% position to left of the gap
     \else%
    \hss % figure overlaps space to the left
    \def\@tempa{\kern\columnsep}% position to left of the gap
    \fi%
   \else  %  fig on right
    \if@RTL%
     \hss
      \@tempdima\z@
      \def\@tempa{\kern\columnsep}
     \else%
    \@tempdima\z@ % no left indentation
    \kern\@tempdimb \kern\columnsep
    \def\@tempa{\hss}% figure overlaps space to the right
    \fi%
   \fi
   \ifdim\@tempdimb<\hsize
    \xdef\WF@wrapil{\the\@tempdima \the\@tempdimb}% indentation and length
    \xdef\WF@adjtlm{\the\@tempdima}%
   \else
    \xdef\WF@wrapil{\z@ \the\hsize}%
    \xdef\WF@adjlw{\z@}\xdef\WF@adjtlm{\z@}%
   \fi
   \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
    \global\advance\WF@size-\intextsep
   \else % \WF@info{Putting \WF@wfname in middle of page}%
    \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
   \fi \dp\WF@box\z@ \box\WF@box \@tempa
  }% end \hbox to 0pt
  \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
\fi}
```

125 File xcolor-xetex-bidi.def

```
\ProvidesFile{xcolor-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for xcolor package for X
```

```
\long\def\color@b@x#1#2#3%
 {\leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
  \setbox\z@\hbox{\kern\fboxsep{\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
  \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
  \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
  {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
\def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\
\DeclareRobustCommand\color
 {\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}
\def\@undeclaredcolor[#1]#2%
 {\begingroup
  \let\@@cls\@empty
  \XC@getmodclr12{#1}{#2}{}%
   {\ifblendcolors
      \ifx\colorblend\@empty\else
        \edef\@@mix{\expandafter\@gobble\colorblend}\@tempswafalse
        \XC@coremodel\@@mod\@@clr\@xcolor@{}{}\@@mod\@@clr
      \fi
    \fi
    \ifconvertcolorsU
      \edef\@@tmp{\XC@tgt@mod{\@@mod}}%
      \convertcolorspec\@@mod\@@clr\@@tmp\@@clr \let\@@mod\@@tmp
    \fi
    \ifmaskcolors
      \convertcolorspec\@@mod\@@clr\XC@mmod\@@clr
      \let\@@mod\XC@mmod
      \XC@inflate\@@mod\XC@mclr\@@clr\@@tmp
      \expandafter\XC@mul\@@tmp,\@@clr
    \fi
    \edef\@@tmp{\noexpand\XC@undeclaredcolor{\@@mod}{\@@clr}}%
    \expandafter\endgroup\@@tmp}}
\def\@declaredcolor#1%
 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
  \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
    \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
    \ifconvertcolorsU\XC@@tsttrue\fi
  \fi
  \ifXC@@tst
    \expandafter\XC@declaredcolor\else
    \expandafter\XC@declaredc@lor\fi}
\def\XC@undeclaredcolor#1#2%
 {\@ifundefinedmodel{#1}%
   {\c@lor@error{model `#1'}}%
   {\@nameuse{color@#1}\current@color{#2}%
    \edef\XC@current@color{\noexpand\xcolor@{}{\current@color}{#1}{#2}}%
    \XC@display}\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\def\XC@declaredc@lor
 {\XC@let@Nc\XC@current@color{\string\color@\XC@@tmp}%
  \edef\current@color{\XC@current@color}%
  \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
```

```
\DeclareRobustCommand\bidicolor
 {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
\def\@bidiundeclaredcolor[#1]#2%
 {\begingroup
  \let\@@cls\@empty
  \XC@getmodclr12{#1}{#2}{}%
   {\ifblendcolors
      \ifx\colorblend\@empty\else
        \edef\@@mix{\expandafter\@gobble\colorblend}\@tempswafalse
        \XC@coremodel\@@mod\@@clr\@xcolor@{}{}\@@mod\@@clr
      \fi
    \fi
    \ifconvertcolorsU
      \edef\@@tmp{\XC@tgt@mod{\@@mod}}%
      \convertcolorspec\@@mod\@@clr\@@tmp\@@clr \let\@@mod\@@tmp
    \fi
    \ifmaskcolors
      \convertcolorspec\@@mod\@@clr\XC@mmod\@@clr
      \let\@@mod\XC@mmod
      \XC@inflate\@@mod\XC@mclr\@@clr\@@tmp
      \expandafter\XC@mul\@@tmp,\@@clr
    \fi
    \edef\@@tmp{\noexpand\XC@bidiundeclaredcolor{\@@mod}{\@@clr}}%
    \expandafter\endgroup\@@tmp}}
\def\XC@bidiundeclaredcolor#1#2%
 {\@ifundefinedmodel{#1}%
   {\c@lor@error{model `#1'}}%
   {\@nameuse{color@#1}\current@color{#2}%
    \edef\XC@current@color{\noexpand\xcolor@{}{\current@color}{#1}{#2}}%
    \XC@display}}
\def\@bidideclaredcolor#1%
 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
  \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
    \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
    \ifconvertcolorsU\XC@@tsttrue\fi
  \fi
  \ifXC@@tst
    \expandafter\XC@bidideclaredcolor\else
    \expandafter\XC@bidideclaredc@lor\fi}
\def\XC@bidideclaredcolor
 {\XC@split\XC@@tmp
  \edef\@@tmp{\noexpand\@bidiundeclaredcolor[\@@mod]{\@@clr}}%
  \expandafter\endgroup\@@tmp}
\def\XC@bidideclaredc@lor
 {\XC@let@Nc\XC@current@color{\string\color@\XC@@tmp}%
  \edef\current@color{\XC@current@color}%
  \XC@display}
\def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
\def\color@fbox#1#2#3#{\protect\color@fb@x{#1}{#2}{#3}}
\def\color@fb@x#1#2#3#4%
```

```
 {\color@b@x{\fboxsep\z@\bidicolor#1{#2}\XC@fbox}%
   {\@ifxempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}}
\def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode\
```

126 File latex-xetex-bidi.def

```
\ProvidesFile{latex-xetex-bidi.def}[2018/02/22 v1.3.3 bidi adaptations  for `latex.ltx' for Xe
\newcommand{\TeXXeTOn}{\TeXXeTstate=1 }
\newcommand{\TeXXeTOff}{\TeXXeTstate=0 }
\TeXXeTOn
\def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox\
   \let\bidi@o@everypar=\everypar
   \newtoks\bidi@n@everypar
   \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
   \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
   \let\everypar=\bidi@n@everypar
\def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
\def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
\protected\def\hboxR{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginR
  \@hboxRconstructtrue
  \bgroup
  \aftergroup\endR
  \aftergroup\egroup
 }\hbox}
\protected\def\hboxL{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginL
  \@hboxRconstructfalse
  \bgroup
  \aftergroup\endL
  \aftergroup\egroup
 }\hbox}
\protected\def\vboxR{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLtrue
  \@RTLtabtrue
  \bgroup
  \aftergroup\egroup
 }\vbox}
\protected\def\vboxL{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
```

```
  \everyvbox{}%
  \@RTLfalse
  \@RTLtabfalse
  \bgroup
  \aftergroup\egroup
 }\vbox}
\newcommand*{\bidi@leftskip}{\if@RTL\rightskip\else\leftskip\fi}
\newcommand*{\bidi@rightskip}{\if@RTL\leftskip\else\rightskip\fi}
\def\LTR{\par\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse\hsize\linewidth\parshape\z@}
\def\endLTR{\par}
\def\RTL{\par\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue\hsize\linewidth\parshape\z@}
\def\endRTL{\par}
\def\setRTL{\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue}
\def\setLTR{\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse}
\let\unsetRTL=\setLTR
\let\unsetLTR=\setRTL
\let\LR=\LRE
\let\RL=\RLE
\def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
\def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
\let\@ensure@RL=\@ensure@RTL
\let\@ensure@LR=\@ensure@LTR
\def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
\let\@ensure@maindir=\@ensure@dir
\def\@@RTL{RTL}
\def\@@LTR{LTR}
\def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
\def\reset@dir{\ifx\saved@@dir\@@RTL\setRTL\else\ifx\saved@@dir\@@LTR\setLTR\else\relax\fi\fi
\let\@@TeX\TeX
\def\TeX{\@ensure@LTR{\@@TeX}}
\let\@@LaTeX\LaTeX
\def\LaTeX{\@ensure@LTR{\@@LaTeX}}
\let\@@LaTeXe\LaTeXe
\def\LaTeXe{\@ensure@LTR{\@@LaTeXe}}
\long\def\bidi@reflect@box#1{%
  \leavevmode
  \setbox\z@\hbox{{#1}}%
  \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}
  \hb@xt@\wd\z@{\kern\wd\z@\box\tw@\hss}%
}
\bidi@newrobustcmd*{\XeTeX}{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
  \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
\bidi@newrobustcmd*{\XeLaTeX}{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
  \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \LaTeX}}$}}
\let\setRL=\setRTL
\let\setLR=\setLTR
\let\unsetRL=\setLTR
\def\bidi@tabular@RTLcases{\let\@halignto\@empty\@bidi@tabular@RTLcases}
\@ifpackageloaded{array}{%
\def\@bidi@tabular@RTLcases{\@RTLtabtrue%
```

```
  \leavevmode
  \hbox \bgroup $\left.\col@sep\tabcolsep \let\d@llarbegin\begingroup
                                      \let\d@llarend\endgroup
  \@tabarray}
\def\endbidi@tabular@RTLcases{\endarray \right\rbrace$\egroup}
}{%
\def\@bidi@tabular@RTLcases{\@RTLtabtrue%
   \leavevmode \hbox \bgroup
   $\left.\let\@acol\@tabacol
   \let\@classz\@tabclassz
   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}

\def\endbidi@tabular@RTLcases{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                  \egroup\right\rbrace $\egroup}}
\def\RTLcases#1{\left.\vcenter{\normalbaselines\m@th
    \ialign{$##\hfil$&\quad{##}\hfil\crcr#1\crcr}}\,\right\}}
\renewenvironment{RTLcases}{%
  \bidi@matrix@check\RTLcases\env@RTLcases
}{%
  \endbidi@tabular@RTLcases%
}
\def\env@RTLcases{%
  \let\@ifnextchar\bidi@new@ifnextchar
  \def\arraystretch{1.2}%
  \bidi@tabular@RTLcases{@{}r@{\quad}r@{}}%
}
\def\SepMark#1{\gdef\@SepMark{#1}}
\SepMark{.}
\def\@thmcountersep{\@SepMark}
\def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
\def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
\def\setdefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
\newcommand*{\bidi@@thebibliography@font@hook}{}
\def\list#1#2{%
  \ifnum \@listdepth >5\relax
    \@toodeep
  \else
    \global\advance\@listdepth\@ne
  \fi
  \rightmargin\z@
  \listparindent\z@
  \itemindent\z@
  \csname @list\romannumeral\the\@listdepth\endcsname
  \def\@itemlabel{#1}%
  \let\makelabel\@mklab
  \@nmbrlistfalse
  #2\relax
  \@trivlist
  \parskip\parsep
  \parindent\listparindent
```

```
  \advance\linewidth -\rightmargin
  \advance\linewidth -\leftmargin
  \if@bidi@list@minipage@parbox
  \if@RTL
  \advance\@totalleftmargin \leftmargin
  \else
  \advance\@totalleftmargin \rightmargin
  \fi
  \else
  \if@hboxRconstruct
  \if@bidi@list@minipage@parbox@not@nob
  \if@RTL
    \advance\@totalleftmargin \rightmargin
  \else
    \advance\@totalleftmargin \leftmargin
  \fi
  \else
  \if@RTL
  \advance\@totalleftmargin \leftmargin
  \else
  \advance\@totalleftmargin \rightmargin
  \fi\fi
  \else
  \if@RTL
    \advance\@totalleftmargin \rightmargin
  \else
    \advance\@totalleftmargin \leftmargin
  \fi\fi\fi
  \parshape \@ne \@totalleftmargin \linewidth
  \ignorespaces}
\long\def\@iiiparbox#1#2[#3]#4#5{%
  \leavevmode
  \@pboxswfalse
  \if@hboxRconstruct
    \@bidi@list@minipage@parbox@not@nobtrue
  \fi
  \if@RTL
    \ifx#1t%
      \@bidi@list@minipage@parboxtrue
    \else
      \ifx#1b%
        \@bidi@list@minipage@parboxtrue
      \fi
    \fi
  \fi
  \setlength\@tempdima{#4}%
  \@begin@tempboxa\vbox{\hsize\@tempdima\@parboxrestore#5\@@par}%
    \ifx\relax#2\else
      \setlength\@tempdimb{#2}%
      \edef\@parboxto{to\the\@tempdimb}%
```

```
    \fi
    \if#1b\vbox
    \else\if #1t\vtop
    \else\ifmmode\vcenter
    \else\@pboxswtrue $\vcenter
    \fi\fi\fi
    \@parboxto{\let\hss\vss\let\unhbox\unvbox
       \csname bm@#3\endcsname}%
    \if@pboxsw \m@th$\fi
  \@end@tempboxa}
\def\bidi@lrbox#1{%
  \edef\reserved@a{%
    \endgroup
    \setbox#1\hbox{%
      \begingroup\aftergroup}%
        \def\noexpand\@currenvir{\@currenvir}%
        \def\noexpand\@currenvline{\on@line}}%
  \reserved@a
    \@endpefalse
    \color@begingroup
      \ignorespaces}
\def\endbidi@lrbox{\unskip\color@endgroup}
\newenvironment{LTRitems}
                 {\par\@RTLfalse\@RTLtabfalse
                  \if@bidi@list@minipage@parbox
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
                  \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
                  \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi\f
                  \ignorespaces}{\vskip\z@}
\newenvironment{RTLitems}
                 {\par\@RTLtrue\@RTLtabtrue
                  \if@bidi@list@minipage@parbox
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
                  \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
                  \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi\f
                  \ignorespaces}{\vskip\z@}
\newenvironment{LTRbibitems}
                 {\par\@RTLfalse\@RTLtabfalse
                  \if@bidi@list@minipage@parbox
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
                  \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
                  \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi\f
                  \ignorespaces}{\vskip\z@}
\newenvironment{RTLbibitems}
```

```
                {\par\@RTLtrue\@RTLtabtrue
                 \if@bidi@list@minipage@parbox
                 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
                 \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
                 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
                 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
                 \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi\f
                 \ignorespaces}{\vskip\z@}
\def\raggedright{%
  \let\\\@centercr\@rightskip\@flushglue \rightskip\@rightskip
  \leftskip\z@skip
  \parindent\z@\parfillskip\z@skip}
\let\bidi@orig@raggedleft\raggedleft
\let\bidi@orig@raggedright\raggedright
\renewcommand\raggedleft{\if@bidi@list@minipage@parbox\bidi@orig@raggedright\else\if@hboxRcons
\renewcommand\raggedright{\if@bidi@list@minipage@parbox\bidi@orig@raggedleft\else\if@hboxRcons
\newcommand{\bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
\newcommand{\bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
\def\centerline#1{%
\if@RTL\@@line{\hss\beginR#1\endR\hss}
\else\@@line{\hss#1\hss}\fi}
\def\leftline#1{%
\if@RTL\@@line{\beginR#1\endR\hss}
\else\@@line{#1\hss}\fi}
\def\rightline#1{%
\if@RTL\@@line{\hss\beginR#1\endR}
\else\@@line{\hss#1}\fi}
\let\bidi@orig@leftline\leftline
\let\bidi@orig@rightline\rightline
\def\leftline#1{\ifhmode\if@RTL\bidi@orig@rightline{#1}\else\bidi@orig@leftline{#1}\fi\else\if
\def\rightline#1{\ifhmode\if@RTL\bidi@orig@leftline{#1}\else\bidi@orig@rightline{#1}\fi\else\i
\def\bidirlap#1{\hb@xt@\z@{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
\def\bidillap#1{\hb@xt@\z@{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
\def\@hangfrom#1{\setbox\@tempboxa\hbox{{#1}}%
      \hangindent \if@RTL-\else\fi\wd\@tempboxa\noindent\box\@tempboxa}
\def\narrower{%
  \advance\if@RTL\rightskip\else\leftskip\fi\parindent
  \advance\if@RTL\leftskip\else\rightskip\fi\parindent}
\def\underline#1{%
  \relax
  \ifmmode\@@underline{#1}%
  \else
\if@RTL $\@@underline{\hbox{\beginR#1\endR}}\m@th$\relax
\else
$\@@underline{\hbox{#1}}\m@th$\relax\fi\fi}
\if@compatibility
   \let\undertext=\underline
\fi
\def\@tabular{%
   \leavevmode \hbox \bgroup \if@RTLtab\beginR \fi
```

```
  $\let\@acol\@tabacol
  \let\@classz\@tabclassz
  \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
\def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                \egroup $\if@RTLtab\endR\fi\egroup}
\expandafter \let \csname endtabular*\endcsname = \endtabular
\def\@array[#1]#2{%
  \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
  \bgroup
  \setbox\@arstrutbox\hbox{%
    \vrule \@height\arraystretch\ht\strutbox
           \@depth\arraystretch \dp\strutbox
           \@width\z@}%
  \@mkpream{#2}%
  \edef\@preamble{%
    \ialign \noexpand\@halignto
      \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
  \let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
  \let\tabularnewline\\%
    \let\par\@empty
    \let\@sharp##%
    \set@typeset@protect
    \lineskip\z@skip\baselineskip\z@skip
    \ifhmode \@preamerr\z@ \@@par\fi
  \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
    \@preamble}
\def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
 \let\@classiv\@arrayclassiv
 \let\\\@arraycr\let\@halignto\@empty\@RTLtabfalse\@tabarray}
\def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4 \else
    \ifnum \@lastchclass=3 5 \else
     \z@ \if #1c\@chnum \z@ \else
                               \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
                               \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
          \@chclass \if #1|\@ne \else
                    \if #1@\tw@ \else
                    \if #1p3 \else \z@ \@preamerr 0\fi
  \fi  \fi  \fi  \fi  \fi  \fi
\fi}
\def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
\def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
\def\bm@t{\unhbox\@tempboxa\hss}
\def\bm@b{\hss\unhbox\@tempboxa}
\def\@dottedtocline#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth \else
    \vskip \z@ \@plus.2\p@
    {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parindent #2\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
```

```
20675      \@tempdima #3\relax
20676      \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
20677      {#4}\nobreak
20678      \leaders\hbox{$\m@th
20679         \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
20680         mu$}\hfill
20681      \nobreak
20682      \hb@xt@\@pnumwidth{{\hfil\normalfont \normalcolor #5}}%
20683      \par}%
20684   \fi}
20685
20686 \newcount\bidi@column@check@number
20687
20688 \def\bidi@column@status#1{\gdef\bidi@current@column@status{#1}}
20689
20690 \def\bidi@set@column@status#1#2{%
20691    \global\expandafter\let\csname #1\endcsname\bidi@current@column@status}
20692
20693 \if@twocolumn
20694 \newcommand\DetectColumn[3][1]{%
20695  \ifx\bidi@firstcolumn@status@write\relax
20696      \PackageError{bidi}%
20697       {Option 'DetectColumn' not selected}%
20698       {\string\DetectColumn\space
20699        requires the use of the 'DetectColumn'
20700        option on the package}%
20701  \fi
20702  \global\advance\bidi@column@check@number\@ne
20703  \edef\bidi@column@type{\expandafter\ifx
20704                \csname bidi@column-\the\bidi@column@check@number\endcsname\relax
20705                   0\else
20706                   \csname bidi@column-\the\bidi@column@check@number\endcsname
20707                \fi}%
20708  \ifcase \bidi@column@type\relax
20709      \ifcase #1\or #2\or#3\fi   % 0 not known use first column as default
20710   \or
20711      #2%  % 1 First column
20712   \or
20713      #3%  % 2 Second (Last column)
20714   \else
20715     \ERROR
20716   \fi
20717   \edef\next{\write\@auxout
20718      {\string\bidi@set@column@status{bidi@column-\the\bidi@column@check@number}%
20719                                  {\bidi@column@type}}}%
20720   \next
20721 }
20722
20723 \AtEndDocument{\def\bidi@set@column@status#1#2{%
20724      \ifnum #2=\bidi@current@column@status\else
```

```
        \@tempswatrue
      \fi}%
}
\fi

\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
       \hskip \columnwidth
       \hfil
       {\normalcolor\vrule \@width\columnseprule}%
       \hfil
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hskip -\textwidth
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
       \box\@outputbox \hss}%
       \hskip \columnsep
      \hskip \columnwidth }}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
    \endgroup
```

```
  \fi}%

\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hfil
        {\normalcolor\vrule \@width\columnseprule}%
        \hfil
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
       \box\@outputbox \hss}}}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
    \endgroup
  \fi}%


\renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}
\newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
\newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}
\def\LTRmarginpar{%
```

```
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@LTRxmpar\@LTRympar}
\long\def\@LTRxmpar[#1]#2{%
  \@LTRsavemarbox\@marbox{#1}%
  \@LTRsavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@LTRympar#1{%
  \@LTRsavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@LTRsavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@LTRmarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@LTRmarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\beginL}%
}
\def\RTLmarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
```

```
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@RTLxmpar\@RTLympar}
\long\def\@RTLxmpar[#1]#2{%
  \@RTLsavemarbox\@marbox{#1}%
  \@RTLsavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@RTLympar#1{%
  \@RTLsavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@RTLsavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@RTLmarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@RTLmarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\beginR}%
}
\def\@addmarginpar{\@next\@marbox\@currlist{\@cons\@freelist\@marbox
    \@cons\@freelist\@currbox}\@latexbug\@tempcnta\@ne
    \if@twocolumn
        \if@firstcolumn \@tempcnta\m@ne \fi
    \else
      \if@mparswitch
         \ifodd\c@page \else\@tempcnta\m@ne \fi
      \fi
      \if@reversemargin \@tempcnta -\@tempcnta \fi
    \fi
    \ifnum\@tempcnta <\z@  \global\setbox\@marbox\box\@currbox \fi
    \@tempdima\@mparbottom
    \advance\@tempdima -\@pageht
```

```
    \advance\@tempdima\ht\@marbox
    \ifdim\@tempdima >\z@
      \@latex@warning@no@line {Marginpar on page \thepage\space moved}%
    \else
      \@tempdima\z@
    \fi
    \global\@mparbottom\@pageht
    \global\advance\@mparbottom\@tempdima
    \global\advance\@mparbottom\dp\@marbox
    \global\advance\@mparbottom\marginparpush
    \advance\@tempdima -\ht\@marbox
    \global\setbox \@marbox
                   \vbox {\vskip \@tempdima
                          \box \@marbox}%
    \global \ht\@marbox \z@
    \global \dp\@marbox \z@
    \kern -\@pagedp
    \nointerlineskip
    \hb@xt@\columnwidth
      {\if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL\f
          \hskip\columnwidth \hskip\marginparsep
       \else
          \hskip -\marginparsep \hskip -\marginparwidth
       \fi
       \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR\el
    \nointerlineskip
    \hbox{\vrule \@height\z@ \@width\z@ \@depth\@pagedp}}
\long\def\@ympar#1{%
  \@savemarbox\@marbox{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginpar
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\def\setRTLmarginpar{\@RTLmarginpartrue\@LTRmarginparfalse}
\def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}
\def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}
\def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse
   \@tempdima\@totalleftmargin \advance\@tempdima\linewidth
\hbox to\@tempdima{\if@RTL\beginR\fi\@itemfudge\hskip\dimen\@curtabmar
   \box\@curline\hfil\box\@curfield\if@RTL\endR\fi}\else\@addfield
   \hbox to\linewidth{\if@RTL\beginR\fi\@itemfudge
   \hskip\dimen\@curtabmar\box\@curline\hfil\if@RTL\endR\fi}%
\fi}

\newcommand*{\bidi@font@@outputpage}{}

\def\@outputpage{%
\begingroup           % the \endgroup is put in by \aftergroup
  \let \protect \noexpand
  \@resetactivechars
  \global\let\@@if@newlist\if@newlist
  \global\@newlistfalse
```

```
\@parboxrestore
\global\let\bidi@BeforeOutputPageShipOut\@firstofone
\bidi@beforeoutputpageshipouthook
\shipout \vbox{%
  \set@typeset@protect
  \aftergroup \endgroup
  \aftergroup \set@typeset@protect
                              % correct? or just restore by ending
                              % the group?
\if@specialpage
  \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
\fi
\if@twoside
  \ifodd\count\z@ \let\@thehead\@oddhead \let\@thefoot\@oddfoot
     \if@RTLmain
        \let\@themargin\evensidemargin
      \else
        \let\@themargin\oddsidemargin
      \fi
  \else \let\@thehead\@evenhead \let\@thefoot\@evenfoot
     \if@RTLmain
       \let\@themargin\oddsidemargin
     \else
       \let\@themargin\evensidemargin
     \fi
  \fi
  \ifx\@thehead\@empty \let\@thehead\hfil \fi
  \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
  \else %% not @twoside
  \ifx\@oddhead\@empty \let\@thehead\hfil \fi
  \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
\fi
\reset@font
\normalsize
\bidi@font@@outputpage
\normalsfcodes
\let\label\@gobble
\let\index\@gobble
\let\glossary\@gobble
\baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
  \@begindvi
  \vskip \topmargin
  \moveright\@themargin \vbox {%
    \global\let\bidi@BeforeHeader\@firstofone
    \bidi@beforeheaderhook
    \setbox\@tempboxa \vbox to\headheight{%
      \vfil
      \color@hbox
        \normalcolor
        \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if@R
```

```
21025         \color@endbox
21026         }%                          %% 22 Feb 87
21027       \dp\@tempboxa \z@
21028       \box\@tempboxa
21029       \vskip \headsep
21030       \global\let\bidi@BeforeOutputBoxOutputPage\@firstofone
21031       \bidi@beforeoutputboxoutputpagehook
21032       \box\@outputbox
21033       \global\let\bidi@AfterOutputBoxOutputPage\@firstofone
21034       \bidi@afteroutputboxoutputpagehook
21035       \ifvoid\@bidi@copyins@
21036       \else
21037         \vskip\skip\@bidi@copyins@
21038         \unvbox\@bidi@copyins@
21039       \fi
21040       \global\let\bidi@BeforeFooter\@firstofone
21041       \bidi@beforefooterhook
21042       \baselineskip \footskip
21043       \color@hbox
21044         \normalcolor
21045         \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@RTL
21046       \color@endbox
21047       \global\let\bidi@AfterFooter\@firstofone
21048       \bidi@afterfooterhook
21049       }%
21050     }%
21051   \global\let\bidi@AfterOutputPageShipOut\@firstofone
21052   \bidi@afteroutputpageshipouthook
21053   \global\let\if@newlist\@@if@newlist
21054   \global \@colht \textheight
21055   \stepcounter{page}%
21056   \let\firstmark\botmark
21057   \global\let\bidi@AtEndOutputPage\@firstofone
21058   \bidi@atendoutputpagehook
21059 }
21060 \long\def\@makecaption#1#2{%
21061   \vskip\abovecaptionskip
21062   \sbox\@tempboxa{#1: #2}%
21063   \ifdim \wd\@tempboxa >\hsize
21064     \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
21065   \else
21066     \global \@minipagefalse
21067     \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
21068   \fi
21069   \vskip\belowcaptionskip}
21070 \let\bidi@saved@eqno=\eqno
21071 \let\bidi@saved@leqno=\leqno
21072 \def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
21073 \def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
21074 \@ifpackageloaded{amsmath}{}{
```

```
\def\@eqnnum{{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}
}
\input{footnote-xetex-bidi.def}
\if@twocolumn
  \let\autofootnoterule\relax
  \let\leftfootnoterule\relax
  \let\rightfootnoterule\relax
  \textwidthfootnoterule
\fi
\if@bidi@csundef{@idxitem}{}{%
\renewcommand\@idxitem{\par\hangindent \if@RTL-\fi40\p@}%
}
\@ifpackageloaded{tocbasic}{\input{tocbasic-xetex-bidi.def}}{}
\@ifclassloaded{article}{\@ifclassloaded{svmult}{}{\input{article-xetex-bidi.def}}}{}
\@ifclassloaded{extarticle}{\input{extarticle-xetex-bidi.def}}{}
\@ifclassloaded{artikel1}{\input{artikel1-xetex-bidi.def}}{}
\@ifclassloaded{artikel2}{\input{artikel2-xetex-bidi.def}}{}
\@ifclassloaded{artikel3}{\input{artikel3-xetex-bidi.def}}{}
\@ifclassloaded{amsart}{\input{amsart-xetex-bidi.def}}{}
\@ifclassloaded{letter}{\input{letter-xetex-bidi.def}}{}
\@ifclassloaded{scrlettr}{\input{scrlettr-xetex-bidi.def}}{}
\@ifclassloaded{extletter}{\input{extletter-xetex-bidi.def}}{}
\@ifclassloaded{memoir}{\input{memoir-xetex-bidi.def}}{}
\@ifclassloaded{refrep}{\input{refrep-xetex-bidi.def}}{}
\@ifclassloaded{extreport}{\input{extreport-xetex-bidi.def}}{}
\@ifclassloaded{report}{\@ifpackageloaded{flowfram}{}{\input{report-xetex-bidi.def}}}{}
\@ifclassloaded{rapport1}{\input{rapport1-xetex-bidi.def}}{}
\@ifclassloaded{rapport3}{\input{rapport3-xetex-bidi.def}}{}
\@ifclassloaded{scrartcl}{\input{scrartcl-xetex-bidi.def}}{}
\@ifclassloaded{scrbook}{\input{scrbook-xetex-bidi.def}}{}
\@ifclassloaded{scrreprt}{\input{scrreprt-xetex-bidi.def}}{}
\@ifclassloaded{amsbook}{\input{amsbook-xetex-bidi.def}}{}
\@ifclassloaded{extbook}{\input{extbook-xetex-bidi.def}}{}
\@ifclassloaded{boek}{\input{boek-xetex-bidi.def}}{}
\@ifclassloaded{boek3}{\input{boek3-xetex-bidi.def}}{}
\@ifclassloaded{book}{\@ifpackageloaded{flowfram}{}{\input{book-xetex-bidi.def}}}{}
\@ifclassloaded{bookest}{\input{bookest-xetex-bidi.def}}{}
\@ifclassloaded{combine}{\input{combine-xetex-bidi.def}}{}
\@ifclassloaded{imsproc}{\input{imsproc-xetex-bidi.def}}{}
\@ifpackageloaded{amsmath}{}{%
\@iftagsloaded{leqno}{\input{leqno-xetex-bidi.def}}{}
\@iftagsloaded{fleqn}{\input{fleqn-xetex-bidi.def}}{}
}
\@ifpackageloaded{mathtools}{%
  \RequirePackage{graphicx}%
  \input{mathtools-xetex-bidi.def}%
  }{}
\@ifpackageloaded{crop}{\RequirePackage{graphicx}}{}
\@ifpackageloaded{sidecap}{\RequirePackage{ragged2e}}{}
\@ifpackageloaded{floatrow}{\RequirePackage{color}}{}
```

```
\@ifpackageloaded{algorithm2e}{\input{algorithm2e-xetex-bidi.def}}{}
\@ifpackagewith{algorithm2e}{algonl}{%
\renewcommand{\theAlgoLine}{\expandafter\csname the\algocf@float\endcsname\@SepMark\arabic{Alg
}}{}
\@ifpackagewith{algorithm2e}{algopart}{\renewcommand{\algocf@within}{part}}{}
\@ifpackagewith{algorithm2e}{algochapter}{\renewcommand{\algocf@within}{chapter}}{}
\@ifpackagewith{algorithm2e}{algosection}{\renewcommand{\algocf@within}{section}}{}
\@ifpackageloaded{amsmath}{\input{amsmath-xetex-bidi.def}}{}
\@ifpackageloaded{amstext}{\input{amstext-xetex-bidi.def}}{}
\@ifpackageloaded{amsthm}{\input{amsthm-xetex-bidi.def}}{}
\@ifpackageloaded{breqn}{\input{breqn-xetex-bidi.def}}{}
\@ifpackageloaded{cals}{\input{cals-xetex-bidi.def}}{}
\@ifpackageloaded{caption}{\input{caption-xetex-bidi.def}}{}
\@ifpackageloaded{caption3}{\input{caption3-xetex-bidi.def}}{}
\@ifpackageloaded{floatrow}{\input{floatrow-xetex-bidi.def}}{}
\@ifpackageloaded{crop}{\@ifclassloaded{memoir}{}{\input{crop-xetex-bidi.def}}}{}
\@ifpackageloaded{color}{\input{color-xetex-bidi.def}}{}
\@ifpackageloaded{cutwin}{\input{cutwin-xetex-bidi.def}}{}
\@ifpackageloaded{cuted}{\input{cuted-xetex-bidi.def}}{}
\@ifpackageloaded{xcolor}{\input{xcolor-xetex-bidi.def}}{}
\@ifpackageloaded{colortbl}{\input{colortbl-xetex-bidi.def}}{}
\@ifpackageloaded{float}{\@ifpackageloaded{floatrow}{}{\input{float-xetex-bidi.def}}}{}
\@ifpackageloaded{flowfram}{\input{flowfram-xetex-bidi.def}}{}
\@ifpackageloaded{xltxtra}{\input{xltxtra-xetex-bidi.def}}{}
\@ifpackageloaded{wrapfig}{\input{wrapfig-xetex-bidi.def}}{}
\@ifpackageloaded{graphicx}{\input{graphicx-xetex-bidi.def}}{}
\@ifpackageloaded{geometry}{\input{geometry-xetex-bidi.def}}{}
\@ifpackageloaded{hvfloat}{\input{hvfloat-xetex-bidi.def}}{}
\@ifpackageloaded{ntheorem}{\input{ntheorem-xetex-bidi.def}}{}
\@ifpackageloaded{tabularx}{\input{tabularx-xetex-bidi.def}}{}
\@ifpackageloaded{longtable}{\input{longtable-xetex-bidi.def}}{}
\@ifpackageloaded{hyperref}{\input{hyperref-xetex-bidi.def}}{}
\@ifpackageloaded{ntheorem-hyper}{\input{ntheorem-hyper-xetex-bidi.def}}{}
\@ifpackageloaded{fancybox}{\input{fancybox-xetex-bidi.def}}{}
\@ifpackageloaded{fancyhdr}{\input{fancyhdr-xetex-bidi.def}}{}
\@ifpackageloaded{fix2col}{\input{fix2col-xetex-bidi.def}}{}
\@ifpackageloaded{ftnright}{\input{ftnright-xetex-bidi.def}}{}
\@ifpackageloaded{midfloat}{\input{midfloat-xetex-bidi.def}}{}
\@ifpackageloaded{draftwatermark}{\input{draftwatermark-xetex-bidi.def}}{}
\@ifpackageloaded{dblfnote}{\input{dblfnote-xetex-bidi.def}}{}
\@ifpackageloaded{diagbox}{\input{diagbox-xetex-bidi.def}}{}
\@ifpackageloaded{eso-pic}{\input{eso-pic-xetex-bidi.def}}{}
\@ifpackageloaded{empheq}{\input{empheq-xetex-bidi.def}}{}
\@ifpackageloaded{framed}{\input{framed-xetex-bidi.def}}{}
\@ifpackageloaded{overpic}{\input{overpic-xetex-bidi.def}}{}
\@ifpackageloaded{pdfbase}{\input{pdfbase-xetex-bidi.def}}{}
\@ifpackageloaded{pdfpages}{\input{pdfpages-xetex-bidi.def}}{}
\@ifpackageloaded{lettrine}{\input{lettrine-xetex-bidi.def}}{}
\@ifpackageloaded{lineno}{\input{lineno-xetex-bidi.def}}{}
\@ifpackageloaded{listings}{\input{listings-xetex-bidi.def}}{}
```

```
\@ifpackageloaded{media9}{\RequirePackage{bidi-media9}}{}
\@iftexfileloaded{pstricks}{\input{pstricks-xetex-bidi.def}}{}
\@iftexfileloaded{pgfcorescopes.code}{\input{pgfcorescopes.code-xetex-bidi.def}}{}
\@ifpackageloaded{titlesec}{\input{titlesec-xetex-bidi.def}}{}
\@ifpackageloaded{titletoc}{\input{titletoc-xetex-bidi.def}}{}
\@ifpackageloaded{array}{\input{array-xetex-bidi.def}}{}
\@ifpackageloaded{sidecap}{\input{sidecap-xetex-bidi.def}}{}
\@ifpackagewith{sidecap}{innercaption}{%
\if@RTL  \renewcommand*{\SC@FLOAT}[2]{%
    \isSC@ODD{{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}}
  \renewcommand*\SC@justify@caption{%
    \isSC@ODD{\RaggedRight}{\RaggedLeft}}\else
  \renewcommand*{\SC@FLOAT}[2]{%
    \isSC@ODD{{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}}
  \renewcommand*\SC@justify@caption{%
    \isSC@ODD{\RaggedLeft}{\RaggedRight}}\fi
}{}
\@ifpackagewith{sidecap}{rightcaption}{%
  \if@RTL\renewcommand*{\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
  \def\SC@justify@caption{\RaggedLeft}\else%
  \renewcommand*{\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
  \def\SC@justify@caption{\RaggedRight}\fi%
}{}
\@ifpackagewith{sidecap}{leftcaption}{%
\if@RTL  \renewcommand*{\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
  \def\SC@justify@caption{\RaggedRight}\else%
  \renewcommand*{\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
  \def\SC@justify@caption{\RaggedLeft}\fi%
}{}
\@ifpackageloaded{soul}{\input{soul-xetex-bidi.def}}{}
\@ifpackageloaded{stabular}{\input{stabular-xetex-bidi.def}}{}
\@ifpackageloaded{subfigure}{\input{subfigure-xetex-bidi.def}}{}
\@ifpackageloaded{arydshln}{\input{arydshln-xetex-bidi.def}}{}
\@ifpackageloaded{mdframed}{\input{mdframed-xetex-bidi.def}}{}
\@ifpackageloaded{multicol}{\input{multicol-xetex-bidi.def}}{}
\@ifpackageloaded{adjmulticol}{\input{adjmulticol-xetex-bidi.def}}{}
\@ifpackageloaded{multienum}{\input{multienum-xetex-bidi.def}}{}
\@ifpackageloaded{natbib}{\input{natbib-xetex-bidi.def}}{}
\@ifpackageloaded{newfloat}{\input{newfloat-xetex-bidi.def}}{}
\@ifpackageloaded{minitoc}{\input{minitoc-xetex-bidi.def}}{}
\@ifpackageloaded{picinpar}{\input{picinpar-xetex-bidi.def}}{}
\@ifpackageloaded{quotchap}{\input{quotchap-xetex-bidi.def}}{}
\@ifpackageloaded{ragged2e}{\input{ragged2e-xetex-bidi.def}}{}
\@ifpackageloaded{rotating}{\input{rotating-xetex-bidi.def}}{}
\@ifpackageloaded{tabls}{\input{tabls-xetex-bidi.def}}{}
\@ifpackageloaded{tabulary}{\input{tabulary-xetex-bidi.def}}{}
\@ifpackageloaded{tcolorbox}{\input{tcolorbox-xetex-bidi.def}}{}
\@ifpackageloaded{tocstyle}{\input{tocstyle-xetex-bidi.def}}{}
\@ifpackageloaded{tocbibind}{\@ifclassloaded{memoir}{}{\input{tocbibind-xetex-bidi.def}}}{}
\@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}{}{\input{tocloft-xetex-bidi.def}}}{}
```

```
\@ifdefinitionfileloaded{tc-xetex}{\input{tc-xetex-bidi.def}}{}
\@ifpackageloaded{todonotes}{\input{todonotes-xetex-bidi.def}}{}
```

127 File xltxtra-xetex-bidi.def

```
\ProvidesFile{xltxtra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltxtra package fo
\let\@@XeTeX\XeTeX
\def\XeTeX{\@ensure@LTR{\@@XeTeX}}
\let\@@XeLaTeX\XeLaTeX
\def\XeLaTeX{\@ensure@LTR{\@@XeLaTeX}}
```

128 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols

\# . . 2934, 2980, 3089, 3097
\% 11467
\' 11587, 13583, 15483, 15497
\(. 13684
\) 13685
\, ... 5131, 11721, 16063, 16106, 20049, 20060, 20440
\- 1741, 11586, 13582, 15482, 15496
\. 93, 306, 589, 721, 984, 1234, 1740, 6325, 6513, 6825, 8346, 8620, 10673, 12781, 14871, 15631, 16025, 16222, 16425, 16833, 17413, 18096, 18754
\/ 1984
\: 13726, 13785
\; 184, 203
\< 18391
\= 11587, 13583, 15483, 15497
\> 18392
\@ 3004
\@@ 18570, 18572
\@@@bidi@AfterClass 3817, 3822
\@@@bidi@AfterPackage 3862, 3866
\@@H@@footnotetext 8662, 8677
\@@H@@mpfootnotetext 8665, 8683
\@@HLTR@@LTRfootnotetext 8663, 8679
\@@HLTR@@mpLTRfootnotetext 8666, 8685
\@@HRTL@@RTLfootnotetext 8664, 8681
\@@HRTL@@mpRTLfootnotetext 8667, 8687
\@@LTR 15333, 15335, 20400, 20402
\@@LaTeX . . . 20405, 20406
\@@LaTeXe . . 20407, 20408
\@@RTL 15332, 15335, 20399, 20402
\@@TeX 15336, 15337, 20403, 20404
\@@XeLaTeX . 21230, 21231
\@@XeTeX . . . 21228, 21229
\@@author 5747, 5750, 5753
\@@bidi@AfterClass 3816, 3833
\@@bidi@AfterPackage 3861, 3876
\@@bidi@PreventPackageFromLoading . . . 3907, 3909, 3911
\@@bidi@pop 3525, 3528, 3529, 3532, 3534
\@@bidi@popinto 3525, 3528, 3529
\@@clr . . 20244, 20249, 20252, 20254, 20255, 20257, 20287, 20292, 20295, 20297, 20298, 20300, 20319
\@@cls 20239, 20282
\@@date . . 5748, 5751, 5754
\@@end 3218, 3219
\@@endpbox . . . 13458, 18467, 18505, 20642
\@@if@newlist . 10995, 11030, 20973, 21053
\@@input 3715, 3732
\@@italiccorr 346, 6869, 13563
\@@line 8925, 8929, 16451, 16460, 16498, 16509, 20594, 20595, 20597, 20598, 20600, 20601
\@@makecaption 16875, 16954, 16976, 17455, 17534, 17556, 18138, 18217, 18239

\@@makefnmark . 16597, 16599, 17146, 17148, 17716, 17717, 17845, 17847
\@@math 6860
\@@mix 20243, 20286
\@@mod . . 20244, 20248, 20249, 20252, 20253, 20254, 20257, 20287, 20291, 20292, 20295, 20296, 20297, 20300, 20319
\@@par . . 13581, 15481, 15495, 16058, 16101, 16580, 16587, 17129, 17136, 17702, 17707, 17828, 17835, 18679, 18681, 20521, 20648
\@@protect 2865
\@@startpbox . . 13457, 18467, 18505, 20642
\@@title . 5746, 5749, 5752
\@@tmp 20248, 20249, 20254, 20255, 20257, 20258, 20291, 20292, 20297, 20298, 20300, 20301, 20319, 20320
\@@underline 20615, 20617, 20619
\@DEBUGfalse 2264
\@False 6848, 6850
\@LTRbibitemsfalse 20454, 20456
\@LTRbibitemstrue 20455
\@LTRbidituftesidenote@sidenote . . . 5247, 5306, 5310
\@LTRbidituftesidenotemarginparreset 4882, 4889
\@LTRbidituftesidenotesavemarbox 4869, 4870, 4873, 4876
\@LTRbidituftesidenotexmpar 4867, 4868
\@LTRbidituftesidenoteympar 4867, 4872
\@LTRfootnotetext 64, 81, 155, 156, 157, 276, 294, 2120, 2242, 5176, 5259, 5266, 5982, 5993, 6206, 6220, 7818, 7819, 8663, 8678, 8679, 8733, 8789, 8797, 8941, 9092, 9236, 9387, 9538, 9689, 9840, 9991, 10142, 10335, 11253, 11259, 11303, 11329, 11387, 11412, 11418, 12220, 12248, 12327, 12346, 12540, 12544, 12564, 12565, 13518, 13639, 14762, 14763, 14764, 16562, 16568, 16881, 16882, 16892, 17111, 17117, 17461, 17462, 17472, 17810, 17816, 18144, 18145, 18155, 18536, 18553, 18645
\@LTRmarginparfalse 20956, 20958
\@LTRmarginparreset 20855, 20862
\@LTRmarginpartrue 20957
\@LTRsavemarbox 20842, 20843, 20846, 20849
\@LTRxmpar . 20840, 20841
\@LTRympar . 20840, 20845
\@M . 6, 92, 105, 211, 235, 397, 561, 625, 626, 650, 754, 877, 932, 933, 1006, 1126, 1127, 1133, 1256, 2047, 2052, 5478, 6246, 6247, 6253, 6367, 6423, 6424, 6430, 6544, 6594, 6789, 6797, 6864, 8313, 8326, 8583, 8592, 8925, 8929, 10639, 10647, 10968, 12780, 12794, 12818, 14627, 14639, 14651, 15421, 15529, 15530, 15554, 15664, 15803, 15926, 15979, 15980, 16041, 16042, 16396, 16404, 18561, 18665, 18706, 18840, 18871, 18894, 18911, 18928, 18945, 18962, 18979, 18997, 19016, 19036, 19071, 19404, 19865, 19979, 20673
\@MM . . . 41, 55, 71, 254, 268, 283, 7816, 7837, 7884, 7891, 7936, 7943, 8878, 11276, 11293, 11309
\@Mi 6860, 13532
\@Mii . 2195, 4810, 4854, 4898, 7339, 7348, 7358, 7513, 7522, 7532, 20827, 20871
\@Miii 2197, 4812, 4856, 4900, 20829, 20873
\@RTL@footnotefalse . . . 1684, 11096, 11263, 15316, 15321, 20383, 20388
\@RTL@footnotetrue . . . 1682, 11096, 11262, 15318, 15320, 20385, 20387
\@RTLbibitemsfalse 20455, 20456
\@RTLbibitemstrue 20454
\@RTLbidituftesidenote@sidenote . . . 5276, 5307, 5311
\@RTLbidituftesidenotemarginparreset 4926, 4933
\@RTLbidituftesidenotesavemarbox

. . . . . 4913, 4914, 4917, 4920
\@RTLbidituftesidenotexmpar 4911, 4912
\@RTLbidituftesidenoteympar 4911, 4916
\@RTLcolumnfootnotesfalse 8805
\@RTLcolumnfootnotestrue 8804
\@RTLfalse 36, 66, 87, 249, 278, 300, 575, 710, 973, 1223, 1642, 1648, 1666, 2490, 6314, 6502, 6811, 6830, 6842, 6855, 8335, 8606, 8703, 8735, 8750, 8763, 8953, 8963, 8998, 9010, 9104, 9113, 9146, 9157, 9248, 9258, 9293, 9305, 9399, 9409, 9444, 9456, 9550, 9560, 9594, 9606, 9701, 9711, 9745, 9757, 9852, 9862, 9897, 9909, 10003, 10013, 10048, 10060, 10154, 10164, 10199, 10211, 10309, 10320, 10662, 11271, 11304, 11347, 11361, 12775, 13072, 13095, 13099, 13106, 13115, 13572, 14380, 14862, 15032, 15080, 15278, 15312, 15316, 15321, 15370, 15620, 16014, 16208, 16411, 16811, 17391, 18074, 18740, 20341, 20376, 20383, 20388, 20548, 20566, 20953, 21024, 21045
\@RTLfootnotetext 48, 80, 159, 160, 161, 261, 293, 2121, 2243, 5194, 5288, 5295, 5983, 5994, 6207, 6221, 7839, 7840, 8664, 8680, 8681, 8717, 8790, 8798, 8942, 9093, 9237, 9388, 9539, 9690, 9841, 9992, 10143, 10336, 11244, 11250, 11287, 11328, 11388, 11427, 11433, 12219, 12237, 12312, 12347, 12539, 12543, 12561, 12562, 13519, 13640, 14766, 14767, 14768, 16563, 16572, 16883, 16884, 16894, 17112, 17121, 17463, 17464, 17474, 17811, 17820, 18146, 18147, 18157, 18537, 18554, 18646
\@RTLmainfalse . 1592, 1596, 1808, 1812
\@RTLmaintrue . 1595, 1811
\@RTLmarginparfalse 20957, 20958
\@RTLmarginparreset 20899, 20906
\@RTLmarginpartrue 20956
\@RTLsavemarbox 20886, 20887, 20890, 20893
\@RTLtabfalse . . 412, 1570, 1654, 20377, 20383, 20388, 20548, 20566, 20653
\@RTLtabtrue 1569, 1652, 20368, 20385, 20387, 20424, 20431, 20557, 20575
\@RTLtrue 36, 50, 87, 249, 263, 300, 575, 710, 973, 1223, 1640, 1646, 1664, 2490, 6314, 6502, 6811, 6869, 6871, 8335, 8606, 8703, 8719, 8750, 8776, 8953, 8973, 8998, 9023, 9104, 9122, 9146, 9169, 9248, 9268, 9293, 9318, 9399, 9419, 9444, 9469, 9550, 9570, 9594, 9619, 9701, 9721, 9745, 9770, 9852, 9872, 9897, 9922, 10003, 10023, 10048, 10073, 10154, 10174, 10199, 10224, 10309, 10320, 10662, 11271, 11288, 11333, 11361, 12775, 13072, 13095, 13106, 13115, 13575, 14380, 14862, 15279, 15304, 15318, 15320, 15620, 16014, 16208, 16411, 16811, 17391, 18074, 18740, 20342, 20367, 20385, 20387, 20557, 20575, 20953, 21024, 21045
\@RTLxmpar . 20884, 20885
\@RTLympar . 20884, 20889
\@SepMark 19, 20, 21, 22, 168, 224, 225, 226, 227, 344, 353, 549, 550, 551, 552, 703, 704, 705, 706, 957, 958, 959, 960, 1216, 1217, 1218, 1219,

6340, 6341, 6342, 6343, 6344, 6346, 6348, 6350, 6517, 6518, 6519, 6520, 6521, 6523, 6525, 6527, 6768, 6770, 6772, 6774, 6775, 6776, 6777, 6778, 8446, 8447, 8448, 8449, 8562, 8564, 8566, 8568, 8569, 8570, 8571, 8572, 10765, 10766, 10767, 10768, 10769, 10771, 10773, 10775, 10935, 10941, 11066, 11068, 11070, 11072, 11073, 11074, 11075, 11076, 11079, 11081, 11083, 11085, 11086, 11087, 11088, 11089, 12831, 12832, 12833, 12834, 13132, 14267, 14269, 14271, 14273, 14275, 14276, 14278, 14279, 14280, 14905, 14913, 14915, 15635, 15636, 15637, 15638, 15639, 15641, 15643, 15645, 16000, 16001, 16002, 16003, 16004, 16006, 16008, 16010, 16195, 16197, 16199, 16200, 16201, 16202, 16203, 16204, 16377, 16379, 16381, 16383, 16384, 16385, 16386, 16387, 16785, 16786, 16788, 16790, 16792, 17333, 17336, 17338, 17342, 17344, 17346, 17348, 17352, 17354, 17360, 17362, 17368, 17370, 18032, 18034, 18037, 18039, 18041, 18043, 18046, 18050, 18054, 18814, 19058, 20451, 20453, 21127

\@True . . . 6843, 6849, 6881

\@Undottedtocline 14634

\@Undottedtoclinep 14646

\@acci 11587, 13583, 15483, 15497

\@accii 11587, 13583, 15483, 15497

\@acciii 11587, 13583, 15483, 15497

\@acol 1440, 1448, 2129, 13454, 18451, 20433, 20625, 20651

\@acolampacol . . 1438, 1440, 1446, 1448

\@addamp 1439, 1447

\@addfield 20962

\@addmarginpar . . . 20912

\@address 2382, 7673, 7674, 7771, 7773

\@addresscolour 2351, 2368, 7672, 7770

\@addtofilelist 3715, 3731

\@addtopreamble 1411, 1474, 6942

\@addtoreset 342, 10938, 14903, 14909, 14911

\@addviper 7286

\@afterheading 571, 2030, 2040, 8323, 8331, 13595

\@afterindentfalse . . 2030, 2040, 13594

\@afterindenttrue . . . 650, 877, 1133, 5477, 6253, 6430, 14626, 14638, 14650, 15554, 15926, 18839, 18870, 18893, 18910, 18927, 18944, 18961, 18978, 18996, 19015, 19035, 19070, 19403, 19858, 19978, 20672

\@algocf@finish . . . 190

\@algocf@post@boxed 172

\@algocf@post@boxruled 174

\@algocf@pre@boxed 171

\@algocf@pre@boxruled 173

\@algocf@start 175

\@algoinsideskip 187, 191

\@algoskip 176, 199

\@ampacol 1438, 1446

\@arabic 168, 549, 550, 551, 552, 577, 584, 703, 704, 705, 706, 712, 719, 957, 958, 959, 960, 975, 982, 1216, 1217, 1218, 1219, 1225, 1232, 2502, 6316, 6323, 6340, 6341, 6342, 6343, 6344, 6346, 6348, 6350, 6504, 6511, 6517, 6518, 6519, 6520, 6521, 6523, 6525, 6527, 6768, 6770, 6772, 6773, 6774, 6775, 6776, 6777, 6778, 6813, 6820, 8337, 8344, 8446, 8447, 8448, 8449, 8562, 8564, 8566, 8567, 8568, 8569, 8570, 8571, 8572, 8608, 8615, 10664, 10671, 10765, 10766, 10767, 10768, 10769, 10771,

10773, 10775, 11066, 11068, 11070, 11071, 11072, 11073, 11074, 11075, 11076, 11079, 11081, 11083, 11084, 11085, 11086, 11087, 11088, 11089, 13132, 13134, 14267, 14269, 14271, 14273, 14275, 14278, 14279, 14280, 15622, 15629, 15635, 15636, 15637, 15638, 15639, 15641, 15643, 15645, 16000, 16001, 16002, 16003, 16004, 16006, 16008, 16010, 16016, 16023, 16195, 16197, 16199, 16200, 16201, 16202, 16203, 16204, 16210, 16217, 16377, 16379, 16381, 16382, 16383, 16384, 16385, 16386, 16387, 16413, 16420, 16786, 16788, 16790, 16792, 16814, 16830, 17340, 17342, 17344, 17346, 17348, 17356, 17364, 17372, 17394, 17410, 18035, 18037, 18039, 18041, 18043, 18047, 18051, 18055, 18077, 18093, 18742, 18749

\@argdef 2825

\@array 387, 408, 1373, 1374, 18488, 20631

\@arrayacol 20651

\@arrayclassiv . . . 20652

\@arrayclassz 1438, 18492, 20651

\@arraycr 407, 13463, 20653

\@arrayleft 400

\@arrayparboxrestore . 13521, 15478, 15492

\@arrayright 409

\@arrayrule 1393, 1394, 1395, 1431, 1432, 1433

\@arstdepth 18485, 18490, 18508

\@arstheight 18490, 18508

\@arstrut 397, 13477, 18466, 20641

\@arstrutbox . . . 390, 13465, 13522, 18459, 18500, 18504, 18508, 20634

\@author 431, 445, 481, 502, 765, 767, 785, 830, 849, 1017, 1019, 1037, 1082, 1101, 1267, 1269, 1287, 1332, 1352, 1363, 1929, 5679, 5681, 5750, 6378, 6380, 6398, 6555, 6557, 6575, 6650, 6664, 6700, 6721, 8373, 8385, 8419, 8438, 8468, 8482, 8518, 8539, 10692, 10704, 10738, 10757, 14236, 15675, 15677, 15695, 15740, 15759, 15814, 15816, 15836, 15883, 15905, 15916, 16072, 16086, 16127, 16148, 16259, 16273, 16309, 16330, 16654, 16717, 16768, 17203, 17266, 17317, 17902, 17965, 18016

\@auxout 1702, 1706, 6153, 20717

\@badmath . . 10900, 10914

\@begin@tempboxa 11730, 11826, 11833, 20521

\@begindvi . 10966, 21015

\@beginparpenalty 2043, 2052, 10903, 10917

\@bib@break 16806, 17386, 18069

\@biblabel . . 89, 302, 577, 578, 712, 713, 975, 976, 1225, 1226, 6316, 6317, 6504, 6505, 6813, 6814, 8337, 8338, 8608, 8609, 10664, 10665, 12777, 14864, 15622, 15623, 16016, 16017, 16210, 16211, 16413, 16414, 16814, 16816, 17394, 17396, 18077, 18079, 18742, 18743

\@bibsetup 14864

\@bibtitlestyle 84, 297, 12772

\@bidi@AfterClass 3817, 3838, 3843, 3850

\@bidi@AfterPackage 3862, 3881, 3885, 3892

\@bidi@EqualStringX . . . 3320, 3321, 3322

\@bidi@PreventPackageFromLoading . . . 3902, 3903, 3905

\@bidi@UnPreventPackageFromLoading . . . 3994, 3995, 3998

\@bidi@after@Hy@hyperfootnotes 8672, 8802, 8950, 9101, 9245, 9396, 9547, 9698, 9849, 10000, 10151, 10344

\@bidi@append@to@cslist . . . 3467, 3471, 3477
\@bidi@append@to@list 3471, 3473, 3475, 3478, 3485
\@bidi@before@Hy@hyperfootnotes 8658, 8795, 8939, 9090, 9234, 9385, 9536, 9687, 9838, 9989, 10140, 10333
\@bidi@copy@stacktop 3531, 3534
\@bidi@copyins@ 1607, 1608, 1609, 1610, 1611, 1823, 1824, 1825, 1826, 1827, 11022, 11024, 11025, 15345, 15347, 15348, 21035, 21037, 21038
\@bidi@emptytoks 2526, 2531, 2555
\@bidi@envbody 2525, 2527, 2529, 2530, 2531, 2551, 2553, 2554, 2555
\@bidi@fi 3401, 3402, 3403, 3404, 3408, 3409, 3413, 3414, 3418, 3419, 3424, 3425, 3429, 3430
\@bidi@ifnxtc 3368, 3371, 3372
\@bidi@info 1509, 1533, 1535, 1765, 1789, 1791
\@bidi@inslogo@ 1611, 1715, 1717, 1827, 1852, 1877
\@bidi@list@minipage@parbox@not@nobtrue 11376, 20509
\@bidi@list@minipage@parboxtrue 11377, 20513, 20516
\@bidi@logo 1619, 1635, 1835, 1851
\@bidi@logo@ 1611, 1635, 1717, 1827, 1851, 1852
\@bidi@logo@hb@xt@ 1612, 1635, 1828, 1851
\@bidi@lst@makecaption 13069, 13085, 13086, 13117, 13118, 13119, 13123, 13125
\@bidi@mdf@RTLtrue 13571
\@bidi@patch@AfterPackage 4187, 4190
\@bidi@pdfcreator 1582, 1750, 1853, 1867
\@bidi@pdfcustomproperties 1588, 1753, 1859, 1870
\@bidi@pdfm@markfalse 1724, 1875
\@bidi@pdfm@marktrue 1722, 1874
\@bidi@pdfproducer 1585, 1751, 1856, 1868
\@bidi@prepend@to@cslist . . . 3469, 3517, 3519
\@bidi@removefromreset . . . 2652, 2653, 2655
\@bidi@replacefilewithext . . . 3779, 3783, 3786
\@bidi@saveprimitive 2513
\@bidi@tabular@RTLcases . 20422, 20424, 20431
\@bidi@todonotes@align 20025, 20026, 20058, 20099, 20102, 20105, 20108, 20133, 20138, 20139
\@bidi@todonotes@figposition@leftfalse 20040
\@bidi@todonotes@figposition@rightrue 20038
\@bidi@todonotes@textdirection . . 20027, 20031, 20034, 20138, 20139
\@bidi@todonotes@textdirection@RTLfalse 20033
\@bidi@todonotes@textdirection@RTLtrue 20030
\@bidi@unreplacefilewithext . . . 3788, 3794, 3797
\@bidi@w@w 3450
\@bidi@ww 3444
\@bidideclaredcolor 6994, 7001, 20279, 20308
\@bidituftеLTRsidenote@normal@cite 5042, 5121, 5241, 5270, 5299, 5321, 5330, 5339
\@bidituftеRTLsidenote@normal@cite 5061, 5122, 5242, 5271, 5300, 5322, 5331, 5340
\@bidituftefloat@caption 4415, 4448
\@bidituftefloat@caption@box 4407, 4472, 4483, 4484, 4507, 4742, 4747
\@bidituftefloat@caption@fill 4356, 4365, 4366, 4747
\@bidituftefloat@caption@font 4321, 4322, 4376, 4573, 4744, 4750, 4763
\@bidituftefloat@caption@justification . . . 4263, 4379, 4573
\@bidituftefloat@caption@vertical@offset 4410, 4411, 4419, 4483, 4484, 4511
\@bidituftefloat@checkoddpage 4338, 4435
\@bidituftefloat@figure@box 4406, 4465, 4483, 4484, 4506
\@bidituftefloat@float@contents@width 4427, 4463, 4464, 4466
\@bidituftefloat@float@debug 4396, 4402, 4404, 4405, 4437, 4438, 4441, 4443, 4444, 4521, 4528, 4535, 4536, 4539, 4540
\@bidituftefloat@float@debug@info . . . 4395, 4397, 4398, 4399, 4496, 4503
\@bidituftefloat@float@fullwidth 4483, 4531
\@bidituftefloat@float@textwidth 4484, 4513

\@bidituftefloat@fps 4425, 4440
\@bidituftefloat@fullwidth 4355, 4361, 4362, 4363, 4463
\@bidituftefloat@justification 4323
\@bidituftefloat@justification@bi 4263, 4393
\@bidituftefloat@label 4422, 4449
\@bidituftefloat@margin@floatbox . . . 4371, 4374, 4385
\@bidituftefloat@margin@par 4293, 4380
\@bidituftefloat@marginfont 4320, 4321
\@bidituftefloat@orig@caption . . . 4446, 4474, 4504
\@bidituftefloat@orig@endfloat . . . 4409, 4487, 4738
\@bidituftefloat@orig@float . . . 4408, 4461, 4737
\@bidituftefloat@orig@label 4447, 4455, 4475, 4505
\@bidituftefloat@overhang 4354, 4358, 4359, 4557, 4558, 4597, 4598
\@bidituftefloat@pkgname . . . 4238, 4239, 4241
\@bidituftefloat@stored@caption 4413, 4420, 4474, 4509
\@bidituftefloat@stored@label 4414, 4423, 4475, 4491, 4493, 4510
\@bidituftefloat@stored@shortcaption 4412, 4417, 4418, 4474, 4508
\@bidituftegeneralstructure@bi 5523, 5529
\@bidituftheading@newlinetospace 4579, 4588
\@bidituftheading@newlinetospace@i 4580, 4582
\@bidituftheading@orig@cr 4587, 4591
\@bidituftesidenote@LTRcite@bi . . . 4949, 4958, 5048
\@bidituftesidenote@LTRmarginfont 4940, 4943, 4946, 4949
\@bidituftesidenote@LTRmarginnote@font . . . 4946, 4955, 5327
\@bidituftesidenote@LTRsidenote@bi 4943, 4952
\@bidituftesidenote@RTLcite@bi 4950, 4959
\@bidituftesidenote@RTLmarginfont 4941, 4944, 4947, 4950
\@bidituftesidenote@RTLmarginnote@font . . . 4947, 4956, 5336
\@bidituftesidenote@RTLsidenote@bi 4944, 4953
\@bidituftesidenote@add@citation 5083, 5116
\@bidituftesidenote@check@multiple@sidenotes 5141, 5149
\@bidituftesidenote@citation 4948, 4957, 5029, 5067, 5095
\@bidituftesidenote@citation@justification 4962, 5096
\@bidituftesidenote@citations 5082, 5084, 5085, 5087, 5092, 5101, 5220, 5249, 5278, 5317, 5326, 5335
\@bidituftesidenote@infootnotecite 5115, 5219, 5248, 5277, 5316, 5325, 5334
\@bidituftesidenote@justification@bi 4960, 4961, 4962, 4963
\@bidituftesidenote@margin@par 4964, 5097, 5164, 5182, 5200, 5318, 5327, 5336
\@bidituftesidenote@marginfont 4939, 4942, 4945, 4948
\@bidituftesidenote@marginnote@font 4945, 4954, 5318
\@bidituftesidenote@marginnote@justification 4961, 5318, 5327, 5336
\@bidituftesidenote@normal@cite 5023, 5120, 5240, 5269, 5298, 5320, 5329, 5338
\@bidituftesidenote@print@citations 5238, 5239, 5268, 5297, 5319, 5328, 5337
\@bidituftesidenote@sidenote . . . 5218, 5305, 5309
\@bidituftesidenote@sidenote@citations 5114
\@bidituftesidenote@sidenote@font 4942, 4951, 5127, 5128, 5131
\@bidituftesidenote@sidenote@justification . . . 4960, 5127, 5128
\@bidituftesidenote@sidenote@vertical@offset 5215, 5216, 5222, 5224, 5230, 5237, 5251, 5259, 5266, 5280, 5282, 5288, 5295
\@bidituftesidenote@trim@b 4993, 5000
\@bidituftesidenote@trim@c 4997, 5000, 5005
\@bidituftesidenote@trim@spaces 4982, 4985, 5034, 5036, 5053, 5055, 5072, 5074, 5104, 5106
\@bidituftesidenotemarginparreset 4838, 4845
\@bidituftesidenotesavemarbox 4825, 4826, 4829, 4832
\@bidituftesidenotexmpar 4823, 4824
\@bidituftesidenoteympar 4823, 4828
\@bidituftetoc@lof@line 5470, 5486
\@bidituftetoc@pkgname 5346, 5347
\@bidiundeclaredcolor 6994, 6995, 20279, 20280, 20319
\@bscontmark 14259
\@bsmjustification 14240
\@bsmtitlempty . . . 14228
\@bsphack 2194, 4809, 4853, 4897, 20826, 20870

\@bsthanksheadpost 14242
\@bsthanksheadpre 14242
\@caption 4564, 14362, 14365
\@captionabovefalse . 16994, 17574, 18257
\@captionabovetrue . 16992, 17572, 18255
\@captype 2134, 2182, 2230, 4377, 14355, 14359, 14362, 16435, 16478
\@cclv 7851, 7908, 10551, 10552, 10575, 10585, 13536, 13541, 13553, 15339
\@cclvi 10351, 10353, 10468, 10470
\@centercr 5551, 15429, 15442, 15455, 18658, 18687, 20584
\@cftasnum . . . 18844, 18875, 18898, 18915, 18932, 18949, 18966, 18983, 19001, 19020, 19040, 19075
\@cftasnumb . . . 18845, 18876, 18899, 18916, 18933, 18950, 18967, 18984, 19002, 19021, 19041, 19076
\@cftbsnum . . . 18843, 18874, 18897, 18914, 18931, 18948, 18965, 18982, 19000, 19019, 19039, 19074
\@cftdopartfalse . 18817
\@cftdoparttrue 18820, 18824
\@cftl@subfig 19008
\@cftl@subtab 19028
\@chapapp . 6589, 6784, 8578, 10635, 16392
\@chapterlistsgap@off 14897
\@chapterlistsgap@on 14904, 14912
\@chclass . . 355, 367, 378, 1380, 1392, 1405, 1425, 1430, 18589, 18605, 18616, 20654, 20659
\@checkend 2544, 2568, 4072, 4073
\@chnum . 356, 363, 374, 1381, 1388, 1401, 1411, 1427, 1428, 1429, 1442, 1450, 1476, 6944, 18590, 18597, 18612, 20656, 20657, 20658
\@circlefnt 10794
\@classiv 2131, 13455, 18453, 20435, 20627, 20652
\@classx . 1408, 1467, 6938
\@classz 1408, 1467, 1501, 1502, 2130, 6938, 13455, 18452, 18492, 20434, 20626, 20651
\@cleartopmattertags 129, 12854
\@cliptoboxdim . . . 18619
\@clsextension 3786, 3797, 3813, 3823, 3832, 3835, 3844
\@clubpenalty 587, 6823, 8618, 16220, 16423, 18752
\@colht 7363, 7364, 7374, 7375, 7382, 7397, 7431, 7434, 7456, 7457, 7526, 7538, 7539, 7549, 7550, 7557, 7574, 7578, 10541, 10989, 13547, 13548, 14403, 14406, 14408, 14410, 14415, 14416, 14417, 14436, 14437, 14438, 14442, 14503, 14506, 14508, 14510, 14515, 14516, 14517, 14536, 14537, 14538, 14542, 21054
\@colourfalse 2294
\@colourgreenfalse 7591, 7689
\@colourgreentrue 7592, 7690
\@colourgreyfalse 7595, 7693
\@colourgreytrue 7596, 7694
\@colourorangefalse 7589, 7687
\@colourorangetrue 7590, 7688
\@colourredfalse 7593, 7691
\@colourredtrue 7594, 7692
\@colourtrue 2293
\@colroom 7352, 7375, 7378, 7380, 7381, 7550, 7553, 7555, 7556, 7851, 7908, 13547, 13556
\@combinedblfloats 7207, 7266, 10853, 10889, 10970, 11649, 11701, 14467, 14564, 20766, 20809
\@combinefloats . . 10536
\@compactenum@ 5533
\@cons 20912, 20913
\@contcshortstyle 14310
\@contcstyle 14315, 14321, 14326
\@contcwidth 14304, 14305
\@contdelim 14298, 14309, 14313, 14320, 14325
\@contfield 6170, 6185, 6217
\@contfinal 14298, 14310, 14316, 14322, 14326
\@contfmark . 14297, 14300
\@contfnote . 14296, 14299
\@contindw 14321

\@contnfont . . . . . .
. . 14298, 14309, 14313, 14320, 14325
\@contpost 14330
\@contpre 14308, 14314, 14319, 14324
\@conttfont . . . . . .
. . 14298, 14310, 14316, 14322, 14326
\@curfield . . . . . .
6169, 6184, 6204, 6218, 6228, 20962
\@curline 6167, 6182, 20962, 20964
\@currbox . 2202, 2233, 2237, 4774, 4777, 4818, 4821, 4826, 4830, 4862, 4865, 4870, 4874, 4906, 4909, 4914, 4918, 20835, 20838, 20843, 20847, 20879, 20882, 20887, 20891, 20913, 20922, 20954
\@currentHlabel . . .
. 12305, 12320, 12335
\@currentHref . . . . .
. . 12306, 12321, 12336, 12395, 12433, 12466, 12497, 12528, 12750, 12761, 12763
\@currentlabel 43, 57, 73, 256, 270, 285, 5166, 5184, 5202, 8709, 8725, 8741, 8754, 8767, 8780, 8957, 8967, 8977, 9003, 9016, 9028, 9055, 9068, 9108, 9117, 9126, 9151, 9163, 9174, 9200, 9212, 9252, 9262, 9272, 9298, 9311, 9323, 9350, 9363, 9403, 9413, 9423, 9449, 9462, 9474, 9501, 9514, 9554, 9564, 9574, 9600, 9613, 9625, 9652, 9665, 9705, 9715, 9725, 9751, 9764, 9776, 9803, 9816, 9856, 9866, 9876, 9902, 9915, 9927, 9954, 9967, 10007, 10017, 10027, 10053, 10066, 10078, 10105, 10118, 10158, 10168, 10178, 10204, 10217, 10229, 10256, 10269, 10363, 10375, 10387, 10413, 10427, 10441, 10481, 10495, 11278, 11295, 11311, 11339, 11353, 11367
\@currentlabelname
. . . . . 12307, 12322, 12337, 12396, 12434, 12467, 12498, 12529
\@currenvir 2530, 2533, 2534, 2554, 2557, 2558, 2585, 20540
\@currenvline 20541
\@currlist 20912
\@curtabmar . 20961, 20964
\@cvtheme 2374, 2377
\@cvthemeoptions . .
. . . . . 2375, 2377
\@date . . 434, 446, 482, 505, 773, 775, 787, 832, 852, 1025, 1027, 1039, 1084, 1104, 1275, 1277, 1289, 1334, 1355, 1364, 1930, 5697, 5751, 6386, 6388, 6400, 6563, 6565, 6577, 6653, 6665, 6701, 6724, 8376, 8386, 8420, 8441, 8471, 8483, 8519, 8542, 8627, 8632, 10695, 10705, 10739, 10760, 12863, 12868, 14237, 15683, 15685, 15697, 15742, 15762, 15822, 15824, 15838, 15885, 15908, 15917, 16075, 16087, 16128, 16150, 16262, 16274, 16310, 16333, 16658, 16718, 16772, 17207, 17267, 17321, 17788, 17789, 17792, 17797, 17906, 17966, 18020
\@datefield 17728
\@dblarg 14362
\@dblfloatplacement
. . . . 7211, 7270, 10854, 10893, 10977, 11653, 11705, 14471, 14568, 20770, 20813
\@declaredcolor 6979, 6980, 20236, 20259
\@dedication . . . . . .
. . 16674, 16676, 16727, 16775, 16777, 17223, 17225, 17276, 17324, 17326, 17922, 17924, 17975, 18023, 18025
\@dedicatory 333
\@defaultskiptotal 202
\@definitionfileextension
. . . . . 2599, 2602
\@depth . . . 392, 13467, 18432, 18461, 18501, 20636, 20951
\@dgroup 6842
\@dischyph . . . 11586, 13582, 15482, 15496
\@displaypagenumbersfalse
. 2473
\@displaypagenumberstrue
. 2472

\@dmath 6830, 6859
\@docolbox 11046
\@dodynamicthefoot 10967
\@dodynamicthehead 10967
\@dofilelist 4083, 4084, 4086
\@dotsep 19876, 19877, 19985, 20679
\@dottedtocline 19991, 19992, 19994, 20012, 20668
\@dseries 6855
\@eha 2521, 19062
\@ehc 2624, 2626, 2632, 2634, 2640, 2642, 2648, 2650, 2841, 3656, 13038, 13045, 13534, 14609, 14615
\@ehd 14356
\@eightcol@footgroupv@r 9845
\@eightcolLTRfootfmt . . . 9869, 9890, 9918
\@eightcolLTRfootnotetext 9840, 9862
\@eightcolRTLfootfmt . . . 9879, 9893, 9930
\@eightcolRTLfootnotetext 9841, 9872
\@eightcolfootfmt . . . 9859, 9887, 9905
\@eightcolfootnotetext 9839, 9852
\@elt 2654, 2657, 4662, 4663, 4664, 4665, 4666, 4667, 4668, 4669, 4670, 4671, 4672, 4673, 4703, 4704, 4705, 4706, 4707, 4708, 4709, 4710, 4711, 4712, 4713, 4714, 4715, 4716, 4717, 4718, 4719, 4720, 6881, 7817, 7838, 7844, 7879, 7881, 7883, 7889, 7901, 7931, 7933, 7935, 7941, 18520, 18522
\@email . . 2386, 7679, 7777
\@emathdisplay . 188, 204
\@empty . . 86, 115, 134, 136, 299, 407, 444, 445, 446, 447, 480, 481, 482, 483, 583, 718, 784, 785, 786, 787, 829, 830, 831, 832, 981, 1036, 1037, 1038, 1039, 1081, 1082, 1083, 1084, 1231, 1286, 1287, 1288, 1289, 1331, 1332, 1333, 1334, 1717, 1852, 1928, 1929, 1930, 1931, 2189, 2501, 2510, 2542, 2566, 3486, 3899, 3912, 3913, 3919, 3942, 3972, 3980, 3999, 4002, 4013, 4017, 4027, 4033, 4034, 4035, 4048, 4060, 4064, 4131, 4142, 5025, 5044, 5063, 5084, 5091, 5679, 5746, 5747, 5748, 6322, 6397, 6398, 6399, 6400, 6510, 6574, 6575, 6576, 6577, 6663, 6664, 6665, 6666, 6699, 6700, 6701, 6702, 6819, 6845, 7175, 7238, 7878, 7930, 8343, 8384, 8385, 8386, 8387, 8418, 8419, 8420, 8421, 8481, 8482, 8483, 8484, 8517, 8518, 8519, 8520, 8614, 8625, 8641, 8645, 10359, 10371, 10383, 10408, 10422, 10436, 10535, 10670, 10703, 10704, 10705, 10706, 10737, 10738, 10739, 10740, 10833, 10869, 11423, 11438, 11628, 11676, 11714, 11715, 11716, 11717, 11718, 12307, 12322, 12337, 12396, 12434, 12467, 12498, 12529, 12774, 12840, 12861, 13090, 13096, 13119, 13123, 13125, 13481, 14234, 14235, 14236, 14237, 14396, 14496, 14891, 15387, 15628, 15694, 15695, 15696, 15697, 15739, 15740, 15741, 15742, 15835, 15836, 15837, 15838, 15882, 15883, 15884, 15885, 16022, 16085, 16086, 16087, 16088, 16126, 16127, 16128, 16129, 16216, 16272, 16273, 16274, 16275, 16308, 16309, 16310, 16311, 16419, 16579, 16632, 16637, 16644, 16650, 16674, 16716, 16717, 16718, 16719, 16720, 16721, 16722, 16723, 16724, 16725, 16726, 16727, 16745, 16749, 16757, 16763, 16775, 16799, 16829, 16854,

16855, 17128, 17181, 17186, 17193, 17199, 17223, 17265, 17266, 17267, 17268, 17269, 17270, 17271, 17272, 17273, 17274, 17275, 17276, 17294, 17298, 17306, 17312, 17324, 17378, 17409, 17434, 17435, 17701, 17729, 17730, 17731, 17732, 17733, 17734, 17735, 17736, 17740, 17746, 17752, 17758, 17764, 17770, 17776, 17782, 17788, 17797, 17827, 17880, 17885, 17892, 17898, 17922, 17964, 17965, 17966, 17967, 17968, 17969, 17970, 17971, 17972, 17973, 17974, 17975, 17993, 17997, 18005, 18011, 18023, 18061, 18092, 18117, 18118, 18390, 18507, 18555, 18748, 19048, 19050, 20239, 20242, 20282, 20285, 20422, 20644, 20653, 20742, 20789, 21001, 21002, 21004, 21005

\@emptycol 7367, 7370, 7386, 7389, 7542, 7545, 7561, 7564

\@emptytoks 6844

\@end@tempboxa 11737, 11831, 11848, 20534

\@endalgoln 184

\@endfloatbox 2254

\@endmodernpoem 6180, 6200

\@endparenv 6084, 6197, 14938, 14958

\@endparpenalty 2047, 2056, 10904, 10918

\@endpbox 1418, 1419, 1460, 1484, 1485, 1486, 6952, 6953, 6954, 13452, 13458, 18467, 18505, 20642

\@endpefalse 20543

\@endtraditionalpoem 6064, 6136

\@ensure@LR . 15329, 20396

\@ensure@LTR .. 15327, 15329, 15337, 20394, 20396, 20404, 20406, 20408, 21229, 21231

\@ensure@RL . 15328, 20395

\@ensure@RTL .. 15326, 15328, 20393, 20395

\@ensure@dir .. 15330, 15331, 20397, 20398

\@ensure@maindir 15331, 20398

\@enumctr 5534, 5535

\@eqnnum 10925, 12857, 21075

\@evenfoot 1892, 10960, 20994

\@evenhead . 10959, 20994

\@expandtwoargs ... 4018

\@extrafootnotefeaturesfalse 1696

\@extrafootnotefeaturestrue 1694

\@extrainfo 2387, 7680, 7778

\@extratitle 16632, 16633, 16721, 16745, 16746, 17181, 17182, 17270, 17294, 17295, 17880, 17881, 17969, 17993, 17994

\@familyname 2319, 2321, 2322, 2380, 7654, 7744, 7765

\@familynamecolour 2349, 2366

\@fax 2385, 7678, 7776

\@ff@do@allframes 10969, 10974

\@ff@fbox 11055

\@ff@setoffset ... 11052

\@ffbackground ... 11042

\@filebordercolor 12608, 12610

\@filecolor 12626

\@filef@und ... 3715, 3732

\@finalstrut ... 8714, 8730, 8746, 8760, 8773, 8786, 11283, 11300, 11316, 11343, 11357, 11371

\@firstampfalse 1440, 1448

\@firstcolfirstmark 7174, 7175, 7179, 7237, 7238, 7242, 10832, 10833, 10837, 10868, 10869, 10873, 11627, 11628, 11632, 11675, 11676, 11680, 14395, 14396, 14400, 14495, 14496, 14500, 20741, 20742, 20746, 20788, 20789, 20793

\@firstcoltopmark 7172, 7180, 7235, 7243, 10830, 10838, 10866, 10874, 11625, 11633, 11673, 11681, 14393, 14401, 14493, 14501, 20739, 20747, 20786, 20794

\@firstcolumnfalse 7165, 7228, 7582,

10824, 10860, 10984, 11616, 11664, 14386, 14486, 20732, 20779
\@firstcolumntrue . 7183, 7246, 7536, 10840, 10877, 10948, 11637, 11685, 14445, 14545, 20750, 20797
\@firstdetailselementfalse 7759
\@firstdetailselementtrue 7756
\@firstfooterelementfalse 7675, 7676, 7677, 7678, 7679, 7680
\@firstfooterelementtrue 7660
\@firstname 2319, 2321, 2322, 2379, 7654, 7744, 7765
\@firstnamecolour 2348, 2365
\@firstofone . . . 3173, 3180, 3186, 3200, 3206, 3214, 3220, 4185, 10997, 11013, 11017, 11020, 11028, 11034, 12732, 12733, 12734, 12735, 14360, 16954, 17534, 18217, 20976, 21018, 21030, 21033, 21040, 21047, 21051, 21057
\@firstoftwo . . . 1539, 1545, 1551, 2663, 2671, 2675, 2683, 2687, 2695, 2701, 2705, 2718, 2726, 2732, 2736, 2744, 2750, 2753, 2756, 2770, 2777, 2950, 2968, 2974, 2998, 3025, 3055, 3115, 3125, 3723, 14872
\@fivecol@footgroupv@r 9392
\@fivecolLTRfootfmt . . . 9416, 9437, 9465
\@fivecolLTRfootnotetext 9387, 9409
\@fivecolRTLfootfmt . . . 9426, 9440, 9477
\@fivecolRTLfootnotetext 9388, 9419
\@fivecolfootfmt 9406, 9434, 9452
\@fivecolfootnotetext 9386, 9399
\@float 4408, 4737
\@floatboxreset . . . 2252
\@floatpenalty . 2195, 2197, 2200, 4810, 4812, 4816, 4820, 4854, 4856, 4860, 4864, 4898, 4900, 4904, 4908, 20827, 20829, 20833, 20837, 20871, 20873, 20877, 20881
\@fltovf 2235, 4821, 4865, 4909, 20838, 20882
\@flushglue 5966, 5967, 13588, 15489, 16184, 19406, 19410, 19414, 19460, 20584
\@fnsymbol . 456, 748, 807, 1000, 1059, 1250, 1309, 1916, 6361, 6538, 6675, 8396, 8493, 10715, 15658, 15717, 15797, 15858, 16054, 16097, 16284, 16629, 16693, 17178, 17242, 17877, 17941
\@footgroupv@r 8868, 8918, 8946, 9097, 9241, 9392, 9543, 9694, 9845, 9996, 10147, 10340
\@footnote 5628
\@footnotemark . 2162, 2170, 2178, 5137, 5230, 5237, 5259, 5266, 5288, 5295, 6118, 6125, 6132, 11244, 11250, 11253, 11259, 12348, 12537, 12541, 12555, 12556
\@footnotetext . . 34, 79, 151, 152, 153, 247, 292, 2119, 2241, 5158, 5230, 5237, 5981, 5992, 6205, 6219, 7797, 7798, 8662, 8676, 8677, 8701, 8788, 8796, 8940, 9091, 9235, 9386, 9537, 9688, 9839, 9990, 10141, 10334, 11270, 11327, 11386, 12218, 12226, 12297, 12345, 12538, 12542, 12558, 12559, 13517, 13638, 14758, 14759, 14760, 16561, 16564, 16879, 16880, 16890, 17110, 17113, 17459, 17460, 17470, 17809, 17812, 18142, 18143, 18153, 18535, 18552, 18642, 18644
\@footstartv@r 8868
\@for 3940, 4001, 4014, 4036, 4040, 5026, 5031, 5045, 5050, 5064, 5069, 5092, 5101, 7143
\@fourcol@footgroupv@r 9241
\@fourcolLTRfootfmt . . . 9265, 9286, 9314
\@fourcolLTRfootnotetext 9236, 9258

\@fourcolRTLfootfmt . . . 9275, 9289, 9326
\@fourcolRTLfootnotetext 9237, 9268
\@fourcolfootfmt 9255, 9283, 9301
\@fourcolfootnotetext 9235, 9248
\@fps 2183, 2184, 2186, 2189, 2206
\@fpsadddefault 2187, 2190
\@freelist 2202, 4662, 4703, 4818, 4819, 4862, 4863, 4906, 4907, 10534, 20835, 20836, 20879, 20880, 20912, 20913
\@fs@capt 4751, 4764, 4772
\@fs@cfont 4744, 4750, 4760, 4763, 4771, 10929, 10930
\@fs@iftopcapt 4755, 4768, 4781
\@fs@mid . 4754, 4767, 4779
\@fs@post 4753, 4766, 4780
\@fs@pre . 4752, 4765, 4773
\@g@tnextcol 10946
\@getcirc 10790
\@gnewline . . . 15431, 15444, 15457, 15468
\@gobble . . 2099, 2541, 2565, 2587, 2592, 3078, 3079, 3080, 3081, 3082, 3175, 3188, 3192, 3234, 3248, 3260, 3274, 3929, 4064, 4241, 5801, 5866, 11005, 11006, 11007, 14357, 16880, 16882, 16884, 17460, 17462, 17464, 18143, 18145, 18147, 20243, 20286, 21011, 21012, 21013
\@gobbletwo 2612, 2613, 2616, 2617, 12905
\@gtempa 2794, 2795
\@halignto 396, 411, 18465, 18503, 20422, 20640, 20653
\@hangfrom . . . 16907, 16919, 16921, 17487, 17499, 17501, 18170, 18182, 18184, 20608
\@hboxRconstructfalse 15295, 20358
\@hboxRconstructtrue 407, 15285, 18472, 18511, 20348, 20649
\@height 391, 1498, 6966, 11567, 13466, 13522, 13608, 16607, 16614, 17156, 17163, 17855, 17862, 18432, 18460, 18501, 20635, 20951
\@highpenalty . . 6267, 6283, 6290, 6300, 6444, 6460, 6467, 6477, 6731, 6746, 6756, 8549, 10603, 10618, 10628, 15568, 15584, 15591, 15601, 15940, 15956, 15963, 15973, 16156, 16170, 16180, 16340, 16355, 16365, 18830, 18865, 19254, 19274, 19362
\@hintcolour . . 2356, 2372
\@holdpg . . 7297, 7303, 7310, 7321, 7331, 7431, 7432, 7434, 7437, 7441, 7446, 7451, 7455, 7463, 7475, 7488, 7496, 7504
\@hyper@launch . . . 12631
\@idxitem 102, 107, 232, 237, 606, 621, 870, 1122, 5592, 5599, 6242, 6419, 6630, 12791, 12796, 15525, 15780, 16240, 18810, 21085
\@ifclasslater 4227, 4232
\@ifclassloaded 3847, 4226, 4231, 4261, 5641, 5643, 6632, 8803, 11064, 11077, 21088, 21089, 21090, 21091, 21092, 21093, 21094, 21095, 21096, 21097, 21098, 21099, 21100, 21101, 21102, 21103, 21104, 21105, 21106, 21107, 21108, 21109, 21110, 21111, 21112, 21113, 21140, 21223, 21224
\@ifdefinable . . 2782, 2785, 2788, 2797, 2828, 2843, 11167
\@ifdefinitionfileloaded 2602, 21225
\@ifempty . . 7, 212, 12819
\@ifl@aded 2601, 2602, 2603
\@ifnextchar . . . 163, 408, 2067, 2097, 2112, 2818, 3816, 3817, 3861, 3862, 3906, 4823, 4867, 4911, 6979, 6994, 11242, 11251, 11410, 11425, 11803, 12545, 12569, 14770, 14942, 14962, 20236, 20279, 20447, 20840, 20884
\@ifpackagelater 4225, 4230, 11113
\@ifpackageloaded . 1457, 3011, 3889, 3949, 4184, 4202, 4224, 4229, 4730, 4735, 4788, 8248, 8249, 8922, 10307, 12342, 12362,

12440, 12739, 13112, 13237, 13494, 14336, 16962, 17542, 18225, 18734, 20423, 21074, 21087, 21100, 21110, 21114, 21118, 21122, 21123, 21124, 21125, 21132, 21133, 21134, 21135, 21136, 21137, 21138, 21139, 21140, 21141, 21142, 21143, 21144, 21145, 21146, 21147, 21148, 21149, 21150, 21151, 21152, 21153, 21154, 21155, 21156, 21157, 21158, 21159, 21160, 21161, 21162, 21163, 21164, 21165, 21166, 21167, 21168, 21169, 21170, 21171, 21172, 21173, 21174, 21175, 21178, 21179, 21180, 21181, 21204, 21205, 21206, 21207, 21208, 21209, 21210, 21211, 21212, 21213, 21214, 21215, 21216, 21217, 21218, 21219, 21220, 21221, 21222, 21223, 21224, 21226

\@ifpackagewith ... 7120, 13024, 13027, 18759, 21126, 21129, 21130, 21131, 21182, 21192, 21198

\@ifstar .. 2935, 3815, 3860, 3902, 3994, 4580, 8252, 11806

\@iftagsloaded 2601, 21115, 21116

\@iftexfileloaded . 2603, 21176, 21177

\@ifundefined 340, 341, 2476, 2622, 2625, 2630, 2633, 2638, 2641, 2646, 2649, 3804, 3808, 3958, 4051, 4972, 5455, 5463, 5578, 5580, 5585, 5675, 5692, 6981, 6988, 6996, 7002, 10932, 11160, 12742, 12743, 13048, 13059, 13122, 13124, 13129, 15051, 19049, 19053, 19129, 19151, 19152, 19200, 19201, 19284, 19306, 19307, 19535, 19558, 19586, 19646, 19695, 19712, 19742

\@ifundefinedmodel 20269, 20303

\@ifxempty 20329

\@ignoretrue 6866

\@iiiminipage 11373

\@iiiparbox 8905, 11404, 20505

\@indextitlestyle 100, 230, 12789

\@inlabelfalse 6833

\@insertfalse . 7288, 7396

\@inserttrue .. 7361, 7535

\@iprintcites 15423

\@itemfudge . 20961, 20963

\@itemlabel 20468

\@ixpt 5492

\@keywords 334

\@kludgeins 10538

\@komalongtablefalse . 16962, 17542, 18225

\@lastchclass .. 356, 357, 358, 359, 361, 1381, 1382, 1383, 1384, 1386, 1425, 1426, 1438, 1446, 18590, 18591, 18592, 18593, 18595, 20654, 20655

\@lastvipertrue 7372, 7391, 7547, 7566

\@latex@error 2520, 3923, 14356, 14609, 14615

\@latex@warning 95, 308, 591, 723, 986, 1236, 2506, 6327, 6515, 6827, 8348, 8622, 10675, 12783, 15633, 16027, 16224, 16427, 16837, 16844, 17417, 17424, 18100, 18107, 18756

\@latex@warning@no@line 7365, 7383, 7540, 7558, 20927

\@latexbug 20913

\@leftcolumn ... 7166, 7192, 7229, 7251, 7404, 7432, 7438, 7447, 10825, 10846, 10861, 10882, 11617, 11642, 11665, 11694, 14387, 14446, 14459, 14487, 14546, 14555, 20733, 20759, 20780, 20802

\@let@token ... 2578, 2581

\@lettrine 12883

\@listI 4278

\@listdepth 11226, 11389, 11591, 11595, 20459, 20462, 20467

\@listi .. 4278, 4286, 5496

\@loadwithoptions . . . 3739, 3741, 3748
\@lowertitleback 16671, 16726, 17220, 17275, 17919, 17974
\@lowpenalty . 2043, 19785
\@m 93, 306, 589, 721, 984, 1234, 6325, 6513, 6825, 8346, 8620, 10673, 11618, 11666, 12781, 14871, 15631, 16025, 16222, 16425, 16833, 17413, 18096, 18754
\@mainaux 15002
\@mainmatterfalse 5828, 5858, 6807, 8602
\@mainmattertrue 5825, 5841
\@makecaption 4575, 6927, 14293, 14343, 14375, 16948, 17528, 18211, 21060
\@makechapterhead 311, 6584, 6779, 8573, 10631, 15414, 16388, 18775
\@makecol 10594, 10595, 13542, 13554
\@makefnmark . . . 457, 808, 1310, 1917, 5133, 5144, 6676, 7802, 7823, 8397, 8494, 10716, 12806, 14241, 15718, 15859, 16055, 16098, 16285, 16630, 16631, 16694, 16695, 17179, 17180, 17243, 17244, 17878, 17879, 17942, 17943
\@makefntext 45, 59, 75, 258, 272, 287, 458, 745, 810, 997, 1060, 1247, 1312, 1918, 5131, 5170, 5188, 5206, 6358, 6535, 6677, 8398, 8495, 8712, 8728, 8744, 8758, 8771, 8784, 10717, 11282, 11299, 11315, 11342, 11356, 11370, 11719, 14243, 15655, 15720, 15794, 15861, 16057, 16100, 16286, 16577, 17126, 17700, 17825
\@makeother 2934, 2980, 3089, 3097
\@makeschapterhead 6238, 6415, 6604, 6625, 6793, 8588, 10643, 15521, 15776, 16235, 16400, 18781, 18786
\@makespecialcolbox 10539
\@maketitle 120, 326, 330, 463, 465, 470, 479, 489, 814, 816, 821, 828, 838, 1066, 1068, 1073, 1080, 1090, 1316, 1318, 1323, 1330, 1340, 1921, 1927, 6682, 6684, 6689, 6698, 6708, 8403, 8405, 8410, 8417, 8427, 8500, 8502, 8507, 8516, 8526, 10722, 10724, 10729, 10736, 10746, 12845, 14246, 14248, 14255, 15724, 15726, 15731, 15738, 15748, 15865, 15867, 15872, 15881, 15891, 16109, 16111, 16116, 16125, 16135, 16291, 16293, 16298, 16307, 16317, 16698, 16700, 16705, 16715, 16740, 17247, 17249, 17254, 17264, 17289, 17946, 17948, 17953, 17963, 17988
\@maketitle@hook 118, 12843
\@makewincaption . 15142
\@marbox 4819, 4821, 4825, 4829, 4830, 4863, 4865, 4869, 4873, 4874, 4907, 4909, 4913, 4917, 4918, 20836, 20838, 20842, 20846, 20847, 20880, 20882, 20886, 20890, 20891, 20912, 20922, 20925, 20933, 20935, 20936, 20938, 20939, 20940, 20949, 20953, 20954
\@mathmargin . . . 8204, 8211, 8219, 8226
\@mathsemicolon 184, 203
\@maxdepth 8866, 10550, 10563, 10582, 10593
\@memtempa . . . 14293, 14295, 14309, 14316, 14320, 14325
\@menubordercolor 12702, 12704
\@menucolor 12713
\@midlist . . 10534, 10535
\@minipagefalse 2256, 4840, 4849, 4884, 4893, 4928, 4937, 8902, 11401, 13081, 14349, 16938, 17518, 18201,

20857, 20866, 20901, 20910, 21066
\@minipagerestore 11390
\@minipagetrue 4848, 4892, 4936, 20865, 20909
\@minus 2423, 2509, 4274, 4276, 4283, 4285, 4287, 4288, 5493, 5495, 5497, 5498, 11505, 11543, 14868, 17061, 17071, 17081, 17091, 17101, 17650, 17660, 17670, 17680, 17690, 18333, 18343, 18353, 18363, 18373, 18397
\@mkboth 574, 602, 618, 709, 867, 972, 1119, 1222, 6239, 6313, 6416, 6501, 6626, 6810, 8334, 8605, 10661, 15522, 15619, 15777, 16013, 16207, 16236, 16410
\@mklab 20469
\@mkpream . 395, 13471, 18463, 18495, 20638
\@mobile . 2383, 7676, 7774
\@modernpoem . . 6156, 6200
\@mpLTRfootnotetext 8666, 8684, 8685, 8762, 8792, 8800, 8948, 9099, 9243, 9394, 9545, 9696, 9847, 9998, 10149, 10342, 11345, 11387, 12248, 12263, 12286, 12350, 13639, 18645
\@mpRTLfootnotetext 8667, 8686, 8687, 8775, 8793, 8801, 8949, 9100, 9244, 9395, 9546, 9697, 9848, 9999, 10150, 10343, 11331, 11388, 12237, 12262, 12275, 12351, 13640, 18646
\@mparbottom 20923, 20931, 20932, 20933, 20934
\@mpargs 8905, 11379, 11404
\@mparswitchfalse . 4257
\@mparswitchtrue . . 4252
\@mpeightcol@footgroupv@r 9851
\@mpeightcolLTRfootnotetext 9847, 9908
\@mpeightcolRTLfootnotetext 9848, 9921
\@mpeightcolfootnotetext 9846, 9896
\@mpfivecol@footgroupv@r 9398
\@mpfivecolLTRfootnotetext 9394, 9455
\@mpfivecolRTLfootnotetext 9395, 9468
\@mpfivecolfootnotetext 9393, 9443
\@mpfn 2137, 2140, 2143, 2159, 2167, 2175, 5228, 5234, 5257, 5263, 5286, 5292, 6095, 6098, 6101, 6115, 6122, 6129, 11242, 11247, 11251, 11256, 11385, 11415, 11430, 12223, 12234, 12245, 12445, 12476, 12507, 12570, 13635, 18577, 18584
\@mpfootins 8750, 8751, 8763, 8764, 8776, 8777, 8886, 8895, 8896, 8899, 11333, 11334, 11347, 11348, 11361, 11362, 11395, 11396, 11399, 13624, 13629
\@mpfootinsv@r . 8885, 8919, 8998, 8999, 9010, 9011, 9023, 9024, 9146, 9147, 9157, 9158, 9169, 9170, 9293, 9294, 9305, 9306, 9318, 9319, 9444, 9445, 9456, 9457, 9469, 9470, 9595, 9596, 9607, 9608, 9620, 9621, 9746, 9747, 9758, 9759, 9771, 9772, 9897, 9898, 9909, 9910, 9922, 9923, 10048, 10049, 10060, 10061, 10073, 10074, 10199, 10200, 10211, 10212, 10224, 10225, 10407, 10410, 10421, 10424, 10435, 10438
\@mpfootnotetext 8665, 8682, 8683, 8749, 8791, 8799, 8947, 9098, 9242, 9393, 9544, 9695, 9846, 9997, 10148, 10341, 11359, 11386, 12226, 12261, 12264, 12349, 13638, 18642, 18644
\@mpfourcol@footgroupv@r 9247
\@mpfourcolLTRfootnotetext 9243, 9304
\@mpfourcolRTLfootnotetext 9244, 9317
\@mpfourcolfootnotetext 9242, 9292
\@mplistdepth 11226, 11389
\@mpninecol@footgroupv@r 10002
\@mpninecolLTRfootnotetext 9998, 10059
\@mpninecolRTLfootnotetext 9999, 10072
\@mpninecolfootnotetext 9997, 10047

\@mppara@footgroupv@r 10346
\@mpparaLTRfootnotetext 10342, 10420
\@mpparaRTLfootnotetext 10343, 10434
\@mpparafootnotetext 10341, 10406
\@mpsevencol@footgroupv@r 9700
\@mpsevencolLTRfootnotetext 9696, 9757
\@mpsevencolRTLfootnotetext 9697, 9770
\@mpsevencolfootnotetext 9695, 9745
\@mpsixcol@footgroupv@r 9549
\@mpsixcolLTRfootnotetext 9545, 9606
\@mpsixcolRTLfootnotetext 9546, 9619
\@mpsixcolfootnotetext 9544, 9594
\@mptencol@footgroupv@r 10153
\@mptencolLTRfootnotetext 10149, 10210
\@mptencolRTLfootnotetext 10150, 10223
\@mptencolfootnotetext 10148, 10198
\@mpthreecol@footgroupv@r 9103
\@mpthreecolLTRfootnotetext 9099, 9156
\@mpthreecolRTLfootnotetext 9100, 9168
\@mpthreecolfootnotetext 9098, 9145
\@mptwocol@footgroupv@r 8952
\@mptwocolLTRfootnotetext 8948, 9009
\@mptwocolRTLfootnotetext 8949, 9022
\@mptwocolfootnotetext 8947, 8997
\@namedef . 3808, 3959, 6153, 8907, 8938, 9045, 9046, 9074, 9079, 9084, 9089, 9190, 9191, 9223, 9228, 9233, 9340, 9341, 9369, 9374, 9379, 9384, 9491, 9492, 9520, 9525, 9530, 9535, 9642, 9643, 9671, 9676, 9681, 9686, 9793, 9794, 9822, 9827, 9832, 9837, 9944, 9945, 9973, 9978, 9983, 9988, 10095, 10096, 10124, 10129, 10134, 10139, 10246, 10247, 10275, 10280, 10285, 10332, 10459, 10460, 10461, 10509, 10518, 10526, 13562, 19064, 19103, 19104, 19105, 19106, 19107, 19108, 19109, 19110, 19111, 19112, 19130, 19131, 19132, 19133, 19134, 19135, 19136, 19137, 19138, 19153, 19154, 19155, 19156, 19158, 19159, 19161, 19164, 19167, 19175, 19176, 19178, 19181, 19184, 19197, 19202, 19203, 19204, 19206, 19207, 19209, 19212, 19215, 19223, 19224, 19226, 19229, 19232, 19244, 19285, 19286, 19287, 19288, 19289, 19290, 19291, 19292, 19293, 19308, 19309, 19310, 19311, 19313, 19314, 19316, 19319, 19322, 19330, 19331, 19333, 19336, 19339, 19352, 19536, 19537, 19538, 19539, 19540, 19541, 19542, 19543, 19544, 19583, 19587, 19588, 19589, 19590, 19592, 19593, 19595, 19598, 19601, 19609, 19610, 19612, 19615, 19618, 19643, 19647, 19648, 19649, 19651, 19652, 19654, 19657, 19660, 19668, 19669, 19671, 19674, 19677, 19697, 19700, 19704, 19744, 19747, 19751
\@nameuse . 3805, 6151, 8134, 8184, 8187, 8233, 9042, 9044, 9045, 9046, 9051, 9053, 9056, 9058, 9063, 9064, 9066, 9069, 9071, 9076, 9077, 9081, 9082, 9086, 9087, 9187, 9189, 9190, 9191, 9196, 9198, 9201, 9203, 9207, 9208, 9210, 9213, 9215, 9220, 9221, 9225, 9226, 9230, 9231, 9337, 9339, 9340, 9341, 9346, 9348, 9351, 9353, 9358, 9359, 9361, 9364,

9366, 9371, 9372, 9376, 9377, 9381, 9382, 9488, 9490, 9491, 9492, 9497, 9499, 9502, 9504, 9509, 9510, 9512, 9515, 9517, 9522, 9523, 9527, 9528, 9532, 9533, 9639, 9641, 9642, 9643, 9648, 9650, 9653, 9655, 9660, 9661, 9663, 9666, 9668, 9673, 9674, 9678, 9679, 9683, 9684, 9790, 9792, 9793, 9794, 9799, 9801, 9804, 9806, 9811, 9812, 9814, 9817, 9819, 9824, 9825, 9829, 9830, 9834, 9835, 9941, 9943, 9944, 9945, 9950, 9952, 9955, 9957, 9962, 9963, 9965, 9968, 9970, 9975, 9976, 9980, 9981, 9985, 9986, 10092, 10094, 10095, 10096, 10101, 10103, 10106, 10108, 10113, 10114, 10116, 10119, 10121, 10126, 10127, 10131, 10132, 10136, 10137, 10243, 10245, 10246, 10247, 10252, 10254, 10257, 10259, 10264, 10265, 10267, 10270, 10272, 10277, 10278, 10282, 10283, 10287, 10288, 10456, 10458, 10459, 10460, 10461, 10466, 10477, 10479, 10482, 10485, 10490, 10491, 10493, 10496, 10499, 10506, 10507, 10510, 10515, 10519, 10523, 10531, 10952, 17335, 17351, 17359, 17367, 18793, 19065, 19066, 19067, 19070, 19073, 19078, 19079, 19084, 19088, 19089, 19091, 19092, 19094, 19095, 19097, 19098, 19100, 19101, 19108, 19113, 19114, 19197, 19244, 19248, 19249, 19261, 19268, 19269, 19352, 19356, 19357, 19376, 19391, 19394, 19396, 19399, 19402, 19419, 19420, 19422, 19423, 19433, 19435, 19437, 19438, 19440, 19442, 19443, 19452, 19454, 19458, 19459, 19463, 19467, 19469, 19470, 19530, 19563, 19570, 19575, 19576, 19583, 19636, 19643, 19714, 20271, 20305, 20985

\@ne 137, 142, 356, 365, 368, 462, 813, 1065, 1315, 1381, 1390, 1393, 1394, 1395, 1428, 1431, 1432, 1433, 1737, 1742, 1743, 2212, 3386, 3537, 3608, 3669, 4166, 4175, 6681, 7131, 8402, 8499, 10721, 11332, 11346, 11360, 11605, 12578, 12579, 12584, 12985, 13036, 13043, 13052, 13063, 13473, 14245, 14322, 14585, 14941, 14961, 15723, 15864, 16061, 16104, 16108, 16290, 16583, 16697, 17132, 17246, 17705, 17831, 17945, 18525, 18529, 18590, 18599, 18606, 18905, 19248, 19249, 19356, 19357, 19530, 20185, 20462, 20503, 20550, 20552, 20553, 20554, 20559, 20561, 20562, 20563, 20568, 20570, 20571, 20572, 20577, 20579, 20580, 20581, 20657, 20659, 20702, 20913

\@newlistfalse 10996, 20974

\@next 2202, 4818, 4819, 4862, 4863, 4906, 4907, 20835, 20836, 20879, 20880, 20912

\@nextchar 362, 364, 365, 366, 368, 369, 370, 371, 372, 375, 376, 377, 1387, 1389, 1390, 1391, 1393, 1394,

1395, 1396, 1397, 1398, 1399, 1402, 1403, 1404, 1416, 1418, 1419, 1484, 1485, 1486, 6952, 6953, 6954, 18596, 18598, 18599, 18600, 18601, 18602, 18603, 18604, 18606, 18607, 18608, 18609, 18610, 18613, 18614, 18615
\@nil 1469, 1470, 1472, 1473, 6941, 7845, 7902, 12745, 12754, 12756, 12768, 18708
\@ninecol@footgroupv@r 9996
\@ninecolLTRfootfmt . 10020, 10041, 10069
\@ninecolLTRfootnotetext 9991, 10013
\@ninecolRTLfootfmt . 10030, 10044, 10081
\@ninecolRTLfootnotetext 9992, 10023
\@ninecolfootfmt . . . 10010, 10038, 10056
\@ninecolfootnotetext 9990, 10003
\@nmbrlistfalse . . 20470
\@nobreakfalse . 523, 675, 919, 1158, 6277, 6454, 6741, 8558, 10613, 15578, 15950, 16165, 16350, 18852, 18856, 19384
\@nobreaktrue . . 522, 674, 918, 1157, 6276, 6453, 6740, 8557, 10612, 15577, 15949, 16164, 16349, 18851, 18855, 19383
\@nocnterr 341
\@nocounterr 340
\@nodocument 2181
\@noitemerr 95, 308, 590, 722, 985, 1235, 2506, 6326, 6514, 6826, 8347, 8621, 10674, 12783, 14878, 15632, 16026, 16223, 16426, 16836, 16843, 17416, 17423, 18099, 18106, 18755
\@nonlatinfalse 1565, 1658, 13070, 13114
\@nonlatintrue . 1566, 1660, 13070, 13114
\@normalcr 13591
\@notprerr . . . 3175, 3188
\@nx 124, 125, 344, 12849, 12850
\@nxtcol 10944, 10946, 10987
\@oddfoot 1887, 10957, 10964, 20988, 21005
\@oddhead 10956, 10963, 20988, 21004
\@oldmakefnmark 16630, 16631, 16694, 16695, 17179, 17180, 17243, 17244, 17878, 17879, 17942, 17943
\@onefilewithoptions . . . 3755, 3756, 3763
\@onelevel@sanitize 2184
\@onlypreamble 3978, 3988, 3992
\@openbib@code 581, 716, 979, 1229, 2499, 2510, 6320, 6508, 6817, 8341, 8612, 10668, 15626, 16020, 16214, 16417, 16819, 17399, 18082, 18746
\@otarlinesep 18485, 18491
\@outerparskip 6081, 6194
\@outputbox 7166, 7169, 7170, 7184, 7196, 7201, 7203, 7229, 7232, 7233, 7247, 7257, 7260, 7262, 8865, 8867, 10541, 10543, 10544, 10549, 10562, 10564, 10575, 10585, 10825, 10828, 10841, 10850, 10861, 10864, 10878, 10888, 10969, 10974, 11019, 11617, 11622, 11623, 11638, 11648, 11665, 11670, 11671, 11686, 11698, 14387, 14390, 14391, 14421, 14446, 14449, 14451, 14463, 14487, 14490, 14491, 14521, 14546, 14549, 14551, 14561, 15010, 15013, 15022, 20733, 20736, 20737, 20751, 20763, 20780, 20783, 20784, 20798, 20808, 21032
\@outputdblcol 10943, 20821, 20822, 20823
\@outputpage . . . 7209, 7213, 7268, 7272, 10853, 10856, 10891, 10895, 10971, 10975, 10980, 10991, 11651, 11655, 11703, 11707, 13543, 13555, 14469, 14474, 14566, 14571, 14999, 15000, 20768, 20772, 20811, 20815, 20969
\@ovbtrue 10779
\@ovdx 10792, 10800

\@ovdy 10793, 10801
\@ovhorz . . . 10798, 10799
\@ovltrue 10779
\@ovri 10791
\@ovro 10791, 10800, 10801
\@ovrtrue 10779
\@ovttrue 10779
\@ovvert . . . 10796, 10797
\@ovxx 10781, 10782, 10785, 10792, 10797, 10798, 10802, 10803
\@ovyy . . 10783, 10784, 10785, 10793, 10799
\@pagedp . . . 20941, 20951
\@pageht 7289, 7398, 20924, 20931
\@par 19473
\@para@footgroupv@r 10340
\@paraLTRfootfmt . . . 10379, 10398, 10431
\@paraLTRfootnotetext 10335, 10370
\@paraRTLfootfmt . . . 10391, 10402, 10445
\@paraRTLfootnotetext 10336, 10382
\@parafootRTLfalse 8700
\@parafootRTLtrue . 8699
\@parafootfmt 10367, 10394, 10417
\@parafootnotetext 10334, 10358
\@parboxrestore . 42, 56, 72, 255, 269, 284, 2251, 4569, 4837, 4881, 4925, 6871, 8753, 8766, 8779, 8881, 9002, 9014, 9027, 9067, 9150, 9161, 9173, 9211, 9297, 9309, 9322, 9362, 9448, 9460, 9473, 9513, 9599, 9611, 9624, 9664, 9750, 9762, 9775, 9815, 9901, 9913, 9926, 9966, 10052, 10064, 10077, 10117, 10203, 10215, 10228, 10268, 10412, 10426, 10440, 10494, 10513, 10996, 11277, 11294, 11310, 11338, 11352, 11366, 11384, 14370, 14584, 20521, 20854, 20898, 20975
\@parboxto . 20524, 20531
\@parmoderr 2200, 4815, 4859, 4903, 20832, 20876
\@part 553, 8305
\@pboxswfalse 11375, 20507
\@pboxswtrue 20529
\@pdfm@mark 12586, 12602, 12636, 12667, 12696
\@pdfremotestartview 12617
\@phone . . 2384, 7677, 7775
\@photo 2389, 7650, 7652, 7781, 7783
\@photowidth . . . 2388, 2389, 7652, 7748
\@pkgextension 3783, 3794, 3858, 3867, 3875, 3878, 3886
\@plus 24, 103, 233, 513, 530, 605, 620, 649, 652, 665, 683, 690, 869, 876, 879, 892, 909, 927, 1121, 1132, 1135, 1148, 1166, 1174, 2423, 2509, 4274, 4275, 4276, 4283, 4284, 4285, 4287, 4288, 5493, 5494, 5495, 5497, 5498, 5564, 6241, 6252, 6255, 6268, 6284, 6291, 6418, 6429, 6432, 6445, 6461, 6468, 6629, 6732, 6747, 8281, 8295, 8550, 10396, 10400, 10404, 10505, 10604, 10619, 11505, 11543, 12792, 12812, 14636, 14648, 14868, 15524, 15553, 15556, 15569, 15585, 15592, 15779, 15925, 15928, 15941, 15957, 15964, 16157, 16171, 16239, 16341, 16356, 16605, 16612, 16636, 16659, 16677, 16748, 16773, 16861, 16866, 17019, 17038, 17061, 17062, 17071, 17072, 17081, 17082, 17091, 17101, 17154, 17161, 17185, 17208, 17226, 17297, 17322, 17441, 17446, 17599, 17618, 17650, 17651, 17660, 17661, 17670, 17671, 17680, 17690, 17853, 17860, 17884, 17907, 17925, 17996, 18021, 18124, 18129, 18282, 18301, 18333, 18334, 18343, 18344, 18353, 18354, 18363, 18373, 18396, 18659, 18688, 18809, 19084, 19252, 19255, 19259, 19360, 19363, 19367, 19400, 19697,

19700, 19704, 19792, 19976, 20670
\@pnumwidth . . . 13, 15, 218, 220, 516, 517, 519, 533, 534, 538, 668, 669, 671, 693, 694, 698, 895, 896, 900, 912, 913, 915, 1151, 1152, 1154, 1177, 1178, 1182, 6271, 6272, 6274, 6294, 6295, 6299, 6448, 6449, 6451, 6471, 6472, 6476, 6735, 6736, 6738, 6750, 6751, 6755, 7016, 7021, 7022, 8284, 8285, 8289, 8298, 8299, 8301, 8552, 8553, 8555, 10607, 10608, 10610, 10622, 10623, 10627, 12825, 12827, 14656, 15572, 15573, 15575, 15595, 15596, 15600, 15944, 15945, 15947, 15967, 15968, 15972, 16159, 16160, 16162, 16174, 16175, 16179, 16344, 16345, 16347, 16359, 16360, 16364, 18715, 18724, 18726, 19114, 19263, 19264, 19272, 19371, 19372, 19378, 19770, 19883, 19988, 20682
\@preamble 396, 397, 407, 409, 1441, 1449, 13477, 18464, 18466, 18473, 18503, 18504, 18512, 20639, 20641, 20650
\@preameightfmt 9882, 9888, 9891, 9894, 9974
\@preamerr 378, 1405, 1435, 18616, 20648, 20661
\@preamfivefmt . 9429, 9435, 9438, 9441, 9521
\@preamfntext . . 8707, 8723, 8739, 8876, 8956, 8966, 8976, 9054, 9107, 9116, 9125, 9199, 9251, 9261, 9271, 9349, 9402, 9412, 9422, 9500, 9553, 9563, 9573, 9651, 9704, 9714, 9724, 9802, 9855, 9865, 9875, 9953, 10006, 10016, 10026, 10104, 10157, 10167, 10177, 10255, 10362, 10374, 10386, 10480
\@preamfourfmt . 9278, 9284, 9287, 9290, 9370
\@preamninefmt 10033, 10039, 10042, 10045, 10125
\@preamsevenfmt 9731, 9737, 9740, 9743, 9823
\@preamsixfmt . . 9580, 9586, 9589, 9592, 9672
\@preamtenfmt 10184, 10190, 10193, 10196, 10276
\@preamthreefmt 9131, 9137, 9140, 9143, 9219
\@preamtwofmt . . 8983, 8989, 8992, 8995, 9075
\@printcites 15425
\@pstrickserr 15379
\@ptsize 2287, 2288, 2289, 2290, 2297
\@publisher . . . 5656, 5709
\@publishers 16660, 16724, 16774, 17209, 17273, 17323, 17908, 17972, 18022
\@quote 2390, 7656, 7658, 7785, 7787
\@quotebox 15424
\@quotecolour 2352, 2369, 2479
\@r@m@msize 18498
\@raggedtwoe@everyselectfont 15438, 15451, 15464, 15475
\@raggedtwoe@gnewline . 15431, 15444, 15457
\@raggedtwoe@raggedrightboxes@opt 15477, 15506
\@raggedtwoe@saved@gnewline 15468
\@raggedtwoe@savedcr 15428, 15441, 15454, 15467
\@raggedtwoe@spaceskipfalse 15474
\@raggedtwoe@spaceskiptrue . 15437, 15450, 15463
\@rc@ifdefinable 2797, 2843
\@reffalse 17728
\@reftrue 17729, 17730, 17731, 17732, 17733, 17734, 17735, 17736
\@regtocline . . . 646, 684, 701, 873, 903, 928, 1129, 1167, 1185, 6249, 6285, 6303, 6426, 6462, 6480, 15550, 15586, 15604, 15922, 15958, 15976
\@rememsize . 18495, 18498
\@removefromreset 14887, 14889
\@reqcolroom 7289, 7290, 7291, 7292, 7352, 7397, 7398, 7399, 7400, 7401, 7402, 7526
\@resetactivechars 10994, 20972
\@resetdyn@mics . . 10982
\@resetst@tics . . . 10981

\@restonecolfalse . . . 98, 228, 595, 611, 860, 1112, 6232, 6409, 6619, 12787, 15515, 15770, 16229, 18767
\@restonecoltrue . . . 98, 228, 597, 613, 862, 1114, 6234, 6411, 6621, 12787, 15517, 15772, 16231, 18769
\@resumename . . 2322, 2378
\@revlabeltrue . 746, 998, 1248, 6359, 6536, 15656, 15795
\@rightcolumn . 14413, 14418, 14419, 14428, 14429, 14437, 14441, 14447, 14513, 14518, 14519, 14528, 14529, 14537, 14541, 14547
\@rightskip 13587, 15433, 15434, 15446, 15447, 15459, 15460, 15470, 15471, 15488, 20584
\@rjfieldfalse . . . 20959
\@runbordercolor 12642, 12644
\@runcolor 12658
\@s@@size 18498
\@s@bidi@AfterClass 3815, 3824, 3836, 3845
\@s@bidi@AfterPackage 3860, 3868, 3879, 3887
\@sarray 18457
\@savemarbox 20953
\@secondoftwo . . 1541, 1547, 1553, 2665, 2669, 2677, 2681, 2689, 2693, 2699, 2707, 2720, 2729, 2738, 2747, 2753, 2756, 2767, 2772, 2779, 2941, 2951, 2952, 2953, 2954, 2960, 2969, 2975, 2999, 3027, 3055, 3104, 3116, 3117, 3126, 3720, 3848, 3890
\@secpenalty . . 5, 210, 512, 529, 664, 682, 689, 891, 908, 926, 1147, 1165, 1173, 8280, 8294, 12817, 18700, 18832, 18887, 19251, 19258, 19359, 19366
\@sectiontitlecolour 2353, 2370
\@seesize . . 18495, 18498
\@setcol 10988
\@setcolbox . 10949, 10985
\@setcopyright 112, 12837
\@setfontsize 4273, 4282, 5492, 5502, 5503, 5504, 5505, 5506, 5507, 5508
\@setfpsbit 2216, 2219, 2222
\@setmarks 7176, 7178, 7208, 7239, 7241, 7267, 10834, 10836, 10853, 10870, 10872, 10890, 11629, 11631, 11650, 11677, 11679, 11702, 14397, 14399, 14468, 14497, 14499, 14565, 20743, 20745, 20767, 20790, 20792, 20810
\@setminipage . . 4571, 11391, 11599, 14372
\@setpar 16058, 16101, 16580, 16587, 17129, 17136, 17702, 17707, 17828, 17835
\@settab 6161
\@sevencol@footgroupv@r 9694
\@sevencolLTRfootfmt . . . 9718, 9739, 9767
\@sevencolLTRfootnotetext 9689, 9711
\@sevencolRTLfootfmt . . . 9728, 9742, 9779
\@sevencolRTLfootnotetext 9690, 9721
\@sevencolfootfmt . . . 9708, 9736, 9754
\@sevencolfootnotetext 9688, 9701
\@sharp 403, 1443, 1444, 1445, 1451, 1452, 1453, 12745, 12751, 13469, 18469, 18504, 18510, 20645
\@sixcol@footgroupv@r 9543
\@sixcolLTRfootfmt . . . 9567, 9588, 9616
\@sixcolLTRfootnotetext 9538, 9560
\@sixcolRTLfootfmt . . . 9577, 9591, 9628
\@sixcolRTLfootnotetext 9539, 9570
\@sixcolfootfmt 9557, 9585, 9603
\@sixcolfootnotetext 9537, 9550
\@skip@bove . 18489, 18491
\@spaces 18527, 18568, 18573
\@spart 8324
\@specialpagefalse 10951, 20985
\@specialstyle 10952, 20985
\@stabarray 18453
\@stabular 18449
\@star@or@long . 2792, 2813, 2837, 2848
\@startdblcolumn 7212, 7214, 7271, 7273, 10854, 10856, 10894, 10895, 10978, 10980, 11654,

11656, 11706, 11708, 14472, 14475, 14569, 14572, 20771, 20773, 20814, 20816
\@startfield 6203
\@startpbox 1418, 1419, 1484, 1485, 1486, 6952, 6953, 6954, 13456, 13457, 13463, 18467, 18505, 20642
\@startsection 23, 12811
\@starttoc . . . 5459, 5467
\@stopfield 6168, 6183, 6187, 6215, 20959
\@stopline . . 6187, 20959
\@strip 14581
\@subjclass 334
\@subject 16644, 16645, 16723, 16757, 16758, 17193, 17194, 17272, 17306, 17307, 17892, 17893, 17971, 18005, 18006
\@subsectioncolour 2355, 2371
\@subtitle 16650, 16720, 16763, 17199, 17269, 17312, 17898, 17968, 18011
\@tabacol 2129, 13454, 18451, 20433, 20625
\@tabarray . 384, 408, 412, 2131, 13441, 13443, 20428, 20435, 20627, 20653
\@tabclassiv 2131, 13455, 18453, 20435, 20627
\@tabclassz 1446, 2130, 13455, 18452, 20434, 20626
\@tabcr 6164, 6174
\@tabminus 6162
\@tabplus 6161
\@tabular 380, 2117, 20623
\@tabularcr 2131, 13459, 18453, 20435, 20627
\@tagsextension 2598, 2601
\@tarlinesep . . 18491, 18492, 18493, 18494, 18497, 18499
\@temp@bibkey . . 5026, 5045, 5064, 5092
\@temp@bibkeyx 5031, 5032, 5034, 5035, 5036, 5037, 5050, 5051, 5053, 5054, 5055, 5056, 5069, 5070, 5072, 5073, 5074, 5075, 5101, 5102, 5104, 5105, 5106, 5107
\@temp@last@bibkey 5025, 5026, 5032, 5044, 5045, 5051, 5063, 5064, 5070, 5091, 5092, 5102
\@tempa 123, 126, 133, 134, 135, 136, 793, 795, 797, 801, 1045, 1047, 1049, 1053, 1295, 1297, 1299, 1303, 2514, 2515, 2518, 2621, 2622, 2625, 2627, 2629, 2630, 2633, 2635, 2637, 2638, 2641, 2643, 2645, 2646, 2649, 2651, 10780, 11768, 11769, 11770, 11771, 11808, 11811, 11812, 11818, 11829, 11830, 11836, 11841, 11842, 11844, 11847, 11904, 11905, 11906, 11907, 12364, 12368, 12371, 12383, 12402, 12406, 12409, 12421, 12848, 12851, 13524, 13525, 13527, 13528, 14890, 14891, 14892, 14895, 14902, 14908, 15703, 15705, 15707, 15711, 15844, 15846, 15848, 15852, 16435, 16436, 16478, 16479, 16579, 16821, 16824, 17128, 17401, 17404, 17701, 17827, 18084, 18087, 18576, 18578, 18583, 18585, 19974, 19991, 19995, 19996, 19997, 20006, 20020, 20196, 20199, 20205, 20209, 20223
\@tempb 2514, 2515, 2517, 2518, 11768, 11769, 11809, 11811, 11839, 11841, 11842, 11844, 11847, 14894, 14895, 14901, 14902, 14907, 14908
\@tempboxa 4821, 4865, 4909, 7312, 7336, 7345, 7404, 7448, 7489, 7510, 7519, 7868, 7869, 7870, 7871, 7873, 7922, 7923, 7924, 7925, 7927, 8905, 10791, 10795, 10803, 10804, 10929, 10930, 10931, 11380, 11404, 11442, 11487, 11494, 11504, 11507, 11511, 11513, 11519, 11553,

11555, 11561, 11574, 11578, 11579, 11734, 11830, 11847, 11996, 12177, 12179, 12938, 12939, 13073, 13078, 13082, 13486, 13487, 13490, 14298, 14301, 14305, 14307, 14313, 14315, 14316, 14345, 14346, 14350, 15143, 15144, 15147, 16885, 16899, 16903, 16905, 16928, 16929, 16931, 16932, 16934, 16939, 16944, 17465, 17479, 17483, 17485, 17508, 17509, 17511, 17512, 17514, 17519, 17524, 18148, 18162, 18166, 18168, 18191, 18192, 18194, 18195, 18197, 18202, 18207, 18550, 18570, 19935, 19938, 19943, 19947, 19951, 19955, 19959, 19963, 19967, 19971, 20608, 20609, 20664, 20665, 20666, 20667, 20838, 20882, 21020, 21027, 21028, 21062, 21063, 21067

\@tempc . 11810, 11812, 11818, 12915, 12920

\@tempcnta 1409, 1468, 1469, 1470, 1472, 1473, 2204, 2210, 2212, 2225, 2226, 2232, 2233, 6939, 6941, 7843, 7900, 12952, 12954, 12957, 12980, 12981, 12985, 14966, 14968, 14969, 14975, 14979, 14992, 15049, 15051, 15055, 15058, 15060, 16683, 16685, 16878, 16897, 17232, 17234, 17458, 17477, 17931, 17933, 18141, 18160, 18563, 19782, 19783, 19784, 19803, 19804, 19805, 19807, 19809, 19891, 19892, 19893, 20913, 20915, 20918, 20920, 20922, 20944

\@tempcntb 2230, 2231, 2232, 14967, 14968, 14975, 14979, 14992, 16878, 16896, 17458, 17476, 18141, 18159

\@tempdima 8, 10, 12, 14, 213, 215, 217, 219, 388, 389, 391, 514, 531, 536, 654, 667, 691, 696, 881, 882, 893, 898, 911, 1137, 1150, 1175, 1180, 1463, 1464, 1496, 1497, 1498, 2284, 2286, 5480, 5481, 6257, 6270, 6292, 6297, 6434, 6447, 6469, 6474, 6733, 6748, 6753, 6964, 6965, 6966, 7014, 7019, 7293, 7362, 7363, 7377, 7378, 7382, 7459, 7537, 7538, 7552, 7553, 7557, 7573, 7574, 7814, 7815, 7816, 7817, 7835, 7836, 7837, 7838, 7844, 7846, 7847, 7851, 7852, 7853, 7854, 7855, 7863, 7867, 7870, 7871, 7872, 7886, 7887, 7888, 7901, 7903, 7904, 7908, 7909, 7910, 7911, 7912, 7918, 7921, 7924, 7925, 7926, 7938, 7939, 7940, 8084, 8086, 8087, 8088, 8092, 8099, 8101, 8103, 8110, 8134, 8135, 8140, 8141, 8142, 8143, 8144, 8259, 8261, 8263, 8282, 8287, 8297, 10350, 10351, 10354, 10355, 10467, 10468, 10471, 10472, 10551, 10553, 10606, 10620, 10625, 10792, 10793, 10796, 10797, 11378, 11382, 11827, 11829, 11834, 11836, 11837, 11839, 11852, 11857, 11862, 11866, 12820, 12822, 12824, 12826, 12930, 12936, 12937, 12943, 12944, 12949, 12950, 12955, 13451, 13461, 13466, 14416, 14420, 14516, 14520, 14581, 14606, 14629,

14641, 14642, 14653, 14654, 14970, 15558, 15571, 15593, 15598, 15930, 15943, 15965, 15970, 16059, 16060, 16061, 16102, 16103, 16104, 16172, 16177, 16342, 16357, 16362, 16480, 16481, 16581, 16582, 16583, 16588, 16589, 16592, 16902, 16903, 16928, 16929, 16930, 16932, 17130, 17131, 17132, 17137, 17138, 17141, 17482, 17483, 17508, 17509, 17510, 17512, 17703, 17704, 17705, 17708, 17709, 17712, 17829, 17830, 17831, 17836, 17837, 17840, 18165, 18166, 18191, 18192, 18193, 18195, 18496, 18499, 18501, 18564, 18623, 18624, 18625, 18842, 18846, 18873, 18877, 18896, 18900, 18913, 18917, 18930, 18934, 18947, 18951, 18964, 18968, 18981, 18985, 18999, 19003, 19018, 19022, 19038, 19042, 19073, 19077, 19261, 19267, 19369, 19419, 19422, 19423, 19427, 19799, 19801, 19830, 19833, 19840, 19843, 19847, 19852, 19855, 19867, 19900, 19902, 19903, 19906, 19909, 19913, 19920, 19922, 19981, 19982, 19995, 19997, 20005, 20012, 20158, 20159, 20178, 20189, 20190, 20191, 20192, 20204, 20207, 20213, 20214, 20520, 20521, 20675, 20676, 20923, 20924, 20925, 20926, 20929, 20932, 20935, 20937, 20960, 20961

\@tempdimb 6933, 7295, 7298, 7299, 7300, 7301, 7304, 7305, 7306, 7307, 7308, 7309, 7310, 7461, 7464, 7465, 7467, 7469, 7472, 7476, 7479, 7482, 7486, 7488, 7814, 7815, 7835, 7836, 7887, 7889, 7892, 7939, 7941, 7944, 8090, 8092, 8105, 8106, 8107, 8108, 8110, 8137, 8140, 10352, 10353, 10354, 10469, 10470, 10471, 10785, 10786, 10787, 10788, 10790, 11828, 11829, 11835, 11836, 11838, 11839, 12950, 12951, 12953, 14581, 14606, 16590, 16591, 16592, 17139, 17140, 17141, 17710, 17711, 17712, 17838, 17839, 17840, 18496, 18499, 18501, 19800, 19806, 19808, 19813, 19815, 19818, 19822, 19826, 19834, 19836, 19837, 19850, 19856, 19858, 20161, 20162, 20164, 20166, 20169, 20170, 20172, 20175, 20189, 20190, 20191, 20195, 20208, 20212, 20213, 20523, 20524

\@tempdimc 6934, 16578, 16585, 16586, 16596, 17127, 17134, 17135, 17145, 17826, 17833, 17834, 17844

\@tempskipa 6080, 6081, 6082, 6193, 6194, 6195

\@tempswafalse . 3995, 4042, 7855, 7912, 11775, 20243, 20286

\@tempswatrue 3994, 4039, 7849, 7906, 20725

\@temptokena 121, 125, 12846, 12850, 15035

\@tempx 6095, 6096, 12442, 12454

\@tempxi 6098, 6099, 12473, 12485

\@tempxii 6101, 6102, 12504, 12516

\@tempy 2137, 2138

\@tempyi 2140, 2141

\@tempyii 2143, 2144

\@tencol@footgroupv@r 10147
\@tencolLTRfootfmt . 10171, 10192, 10220
\@tencolLTRfootnotetext 10142, 10164
\@tencolRTLfootfmt . 10181, 10195, 10232
\@tencolRTLfootnotetext 10143, 10174
\@tencolfootfmt 10161, 10189, 10207
\@tencolfootnotetext 10141, 10154
\@testopt 2815, 2833, 13448, 13449
\@testpach 355, 1380, 1425, 18589, 20654
\@texfileextension 2600, 2603
\@textbottom 10546, 16605, 16612, 16861, 16866, 17154, 17161, 17441, 17446, 17853, 17860, 18124, 18129
\@textsuperscript . 457, 460, 747, 809, 811, 999, 1063, 1249, 1311, 1313, 1917, 1920, 5131, 5133, 6360, 6537, 6676, 6679, 8397, 8400, 8494, 8497, 10716, 10719, 14241, 15657, 15719, 15721, 15796, 15860, 15862, 16056, 16063, 16099, 16106, 16285, 16288
\@texttop 10542
\@tfor 2205, 10780
\@thanks 436, 444, 472, 480, 778, 784, 823, 829, 1030, 1036, 1075, 1081, 1280, 1286, 1325, 1331, 1922, 1928, 6391, 6397, 6568, 6574, 6655, 6663, 6691, 6699, 8378, 8384, 8412, 8418, 8473, 8481, 8509, 8517, 10697, 10703, 10731, 10737, 11406, 11420, 11423, 14234, 14257, 15688, 15694, 15733, 15739, 15827, 15835, 15874, 15882, 16077, 16085, 16118, 16126, 16264, 16272, 16300, 16308, 16663, 16707, 16716, 17212, 17256, 17265, 17911, 17955, 17964
\@thefnmark 44, 58, 74, 257, 271, 286, 457, 460, 747, 809, 811, 999, 1063, 1249, 1311, 1313, 1917, 1920, 2160, 2168, 2176, 5131, 5133, 5167, 5185, 5203, 5229, 5235, 5258, 5264, 5287, 5293, 6116, 6123, 6130, 6360, 6537, 6676, 6679, 8397, 8400, 8494, 8497, 8710, 8726, 8742, 8755, 8768, 8781, 8825, 8829, 8831, 8837, 8841, 8843, 8849, 8853, 8855, 8958, 8968, 8978, 9004, 9017, 9029, 9109, 9118, 9127, 9152, 9164, 9175, 9253, 9263, 9273, 9299, 9312, 9324, 9404, 9414, 9424, 9450, 9463, 9475, 9555, 9565, 9575, 9601, 9614, 9626, 9706, 9716, 9726, 9752, 9765, 9777, 9857, 9867, 9877, 9903, 9916, 9928, 10008, 10018, 10028, 10054, 10067, 10079, 10159, 10169, 10179, 10205, 10218, 10230, 10364, 10376, 10388, 10414, 10428, 10442, 10716, 10719, 11243, 11248, 11252, 11257, 11279, 11296, 11312, 11340, 11354, 11368, 11411, 11416, 11426, 11431, 11721, 12224, 12235, 12246, 12257, 12375, 12413, 12446, 12477, 12508, 12571, 12808, 15657, 15719, 15721, 15796, 15860, 15862, 16056, 16063, 16099, 16106, 16285, 16288
\@thefoot 10957, 10960, 10964, 20988, 20994, 21002, 21005, 21045
\@thehead 10956, 10959, 10963, 20988, 20994, 21001, 21004, 21024
\@themargin . . . 11011, 11872, 11874, 11879, 11881, 11885, 11887, 20990, 20992, 20996, 20998, 21017
\@thm 14923, 14944
\@thmcountersep 353, 20453
\@threecol@footgroupv@r

. 9097
\@threecolLTRfootfmt
. . . 9120, 9139, 9166
\@threecolLTRfootnotetext
. . . . . 9092, 9113
\@threecolRTLfootfmt
. . . 9129, 9142, 9177
\@threecolRTLfootnotetext
. . . . . 9093, 9122
\@threecolfootfmt .
. . . 9111, 9136, 9154
\@threecolfootnotetext
. . . . . 9091, 9104
\@title 330,
426, 447, 483, 497,
756, 758, 786, 831,
844, 1008, 1010,
1038, 1083, 1096,
1258, 1260, 1288,
1333, 1347, 1358,
1931, 2320, 2381,
5664, 5749, 6369,
6371, 6399, 6546,
6548, 6576, 6645,
6666, 6702, 6716,
7766, 8368, 8387,
8421, 8433, 8463,
8484, 8520, 8534,
10687, 10706,
10740, 10752,
14235, 15666,
15668, 15696,
15741, 15754,
15805, 15807,
15837, 15884,
15900, 15911,
16067, 16088,
16129, 16143,
16254, 16275,
16311, 16325,
16648, 16719,
16761, 17197,
17268, 17310,
17896, 17967, 18009
\@titlecolour . 2350, 2367
\@titlehead . . . . . .
. . 16637, 16639,
16722, 16749,
16751, 17186,
17188, 17271,
17298, 17300,
17885, 17887,
17970, 17997, 17999
\@tocextra . . . . . .
. . 18793, 18794,
18798, 18800, 18803
\@tocline . . 2, 207, 12814
\@tocpagenum 15, 220, 12827
\@tocrmarg . . . 14625,
14637, 14649,
18837, 18868,
18891, 18908,
18925, 18942,
18959, 18976,
18994, 19013,
19033, 19068,
19119, 19397,
19860, 19977, 20671
\@todonotes@MissingFigureDown
. 20139
\@todonotes@MissingFigureText
. 20116
\@todonotes@MissingFigureUp
. 20138
\@todonotes@author
. 20049,
20060, 20085, 20103
\@todonotes@currentfigcolor
. 20120
\@todonotes@currentfigheight
. 20121
\@todonotes@currentfigwidth
. 20121,
20123, 20133, 20136
\@todonotes@drawInlineNote
. 20044
\@todonotes@drawLineToLeftMargin
. . . . . 20072, 20075
\@todonotes@drawLineToRightMargin
. . . . . 20072, 20075
\@todonotes@drawMarginNote
. 20071, 20074, 20078
\@todonotes@drawMarginNoteWithLine
. 20066
\@todonotes@ifdisabled
. 20145
\@todonotes@sizecommand
. 20049,
20051, 20058,
20060, 20062,
20085, 20087,
20099, 20102,
20103, 20105, 20108
\@todonotes@text . .
. . 20049, 20051,
20060, 20062,
20085, 20087,
20100, 20106, 20109
\@todonotes@textwidth
. 20083
\@toodeep 20460
\@topnum . . . 111, 324,
469, 820, 1072,
1322, 5742, 6688,
8409, 8506, 10728,
12836, 14254,
15730, 15871,
16115, 16297,
16704, 17253, 17952
\@topsep . . . 14937, 14957
\@topsepadd . . . . . .
. 2048, 14938, 14958
\@totalleftmargin .
. . 11589, 11593,
11596, 11605,
13586, 14940,
14941, 14960,
14961, 15487,
15501, 20479,
20481, 20487,
20489, 20493,
20495, 20499,
20501, 20503,
20550, 20552,
20553, 20554,
20559, 20561,
20562, 20563,
20568, 20570,
20571, 20572,
20577, 20579,
20580, 20581, 20960
\@traditionalpoem .
. . . . . 6037, 6136
\@trivlist . . . . . .
. 14934, 14954, 20472
\@twocol@footgroupv@r
. 8946
\@twocolLTRfootfmt
. . . 8970, 8991, 9019

\@twocolLTRfootnotetext 8941, 8963
\@twocolRTLfootfmt . . . 8980, 8994, 9031
\@twocolRTLfootnotetext 8942, 8973
\@twocolfootfmt 8960, 8988, 9006
\@twocolfootnotetext 8940, 8953
\@twosidefalse 4257
\@twosidetrue 4252
\@typeset@protect 2076, 2082, 2088, 2103
\@undeclaredcolor 6979, 6987, 20236, 20237
\@undefined 2134, 13453, 14355
\@undottedtocline 14622
\@unexpandable@protect 2866, 4154
\@unrecurse . 18486, 18489
\@uppertitleback 16667, 16725, 17216, 17274, 17915, 17973
\@urlbordercolor 12673, 12675
\@urlcolor 12687
\@viiipt 4282, 5502, 14978, 14991
\@viipt 5502, 14978, 14991
\@viper 7215, 7217, 7219, 7274, 7276, 7278, 7291, 7355, 7401, 7529, 7578, 14582, 14597, 14599, 14604
\@viperoutput . 7221, 7280
\@vipt 5503
\@vpt 5503
\@whilenum 12981
\@whilesw . 7213, 7272, 10855, 10895, 10979, 11655, 11707, 14473, 14570, 20772, 20815
\@wholewidth 10782, 10784, 10802
\@width 31, 245, 393, 543, 728, 963, 1208, 1498, 6332, 6485, 6761, 6966, 7188, 7253, 7328, 7502, 7796, 8352, 8651, 8698, 10653, 10884, 11190, 11192, 11567, 11644, 11690, 12805, 12876, 13468, 13522, 13608, 14455, 14557, 14700, 14714, 14788, 15609, 16032, 16188, 16370, 16607, 16862, 17156, 17442, 17855, 18125, 18462, 18501, 20637, 20755, 20804, 20951
\@x 6153, 6154
\@x@sf 5140, 5145, 5151, 5154
\@xLTRfootnote 2125, 2247, 5987, 5998, 6211, 6225, 11251, 11254
\@xLTRfootnotenext 2124, 2246, 5986, 5997, 6210, 6224, 11410, 11413, 12243, 18536
\@xRTLfootnote 2127, 2249, 5989, 6000, 6213, 6227, 11242, 11245
\@xRTLfootnotenext 2126, 2248, 5988, 5999, 6212, 6226, 11425, 11428, 12232, 18537
\@xaddress 331
\@xauthor 331
\@xcolor@ . . 20244, 20287
\@xcurraddr 332
\@xemail 332
\@xepersian@pdfcustomproperties 1755
\@xfloat 2180
\@xfootnote 2123, 2245, 5985, 5996, 6209, 6223, 12569
\@xfootnotemark . . 12254
\@xfootnotenext 2122, 2244, 5984, 5995, 6208, 6222, 12221, 18535
\@xiipt 5505
\@xipt 5504
\@xivpt 313, 5506
\@xmakefntext . . 810, 1312, 15720, 15861
\@xp 121, 318, 343, 344, 6880, 12846
\@xpt 4273
\@xthm 14942, 14962
\@xtitle 330
\@xxpt 5507
\@xxxii 2231
\@xympar 4827, 4831, 4871, 4875, 4915, 4919, 20844, 20848, 20888, 20892, 20955
\@yargdef 2835
\@ympar 20952
\@ythm 14942, 14962
\[. 6161, 10899
\\ 122, 407, 754, 799, 1006, 1051, 1256, 1301, 2131, 2428, 2434, 2513, 3276, 3292, 3296, 3517, 3519, 3520, 3521, 3529, 3534, 3535, 3537, 4587, 4588, 4589, 4591, 5551, 5920, 6058, 6367, 6544, 7654, 7655, 7658, 7674, 7761, 7766, 7773, 7783, 7787, 8631, 8635, 8644, 12076, 12079, 12092, 12095, 12195, 12616, 12631, 12650, 12847, 12867, 12871,

13035, 13036, 13042, 13043, 13446, 13591, 15053, 15065, 15428, 15429, 15441, 15442, 15454, 15455, 15467, 15664, 15709, 15803, 15850, 17803, 18453, 18468, 18484, 18485, 18658, 18687, 20082, 20089, 20435, 20584, 20627, 20643, 20653
\{ 1993, 13728, 13772
\} 1994, 13728, 20440
\] .. 188, 204, 6162, 10909
\^ 1764, 5937, 5938, 5940, 5941
\` 11587, 13583, 15483, 15497
\| ... 11466, 11467, 11582

Numbers

\0 1742
\1 ... 13670, 13721, 13773
\9 1742

\␣ 1600, 1816, 5033, 5037, 5052, 5056, 5071, 5075, 5103, 5107, 11459, 11461, 17797

A

\abovecaptionskip 13071, 13510, 13512, 14294, 14344, 16952, 16956, 16971, 16979, 17532, 17536, 17551, 17559, 18215, 18219, 18234, 18242, 21061
\abovedisplayshortskip ... 4275, 4284, 5494
\abovedisplayskip . 4274, 4277, 4283, 4290, 4324, 5493, 5500
\abstractname 632, 638, 641, 939, 945, 947, 1191, 1197, 1200, 6308, 6496, 15536, 15542, 15545, 15986, 15992, 15995
\Acrobatmenu 12692
\active 5937, 5938, 5940, 5941
\add@strip 14606
\addcontentsline 556, 558, 2425, 4566, 8308, 8310, 13102, 13107, 14367, 18776, 18783, 18800, 20116
\addfontfeature 2348, 2349, 2350, 2351, 2352, 2353, 2355, 2356
\addpenalty 5, 210, 512, 529, 664, 682, 689, 891, 908, 926, 1147, 1165, 1173, 6267, 6283, 6290, 6444, 6460, 6467, 6731, 6746, 8280, 8294, 8549, 10603, 10618, 12817, 15568, 15584, 15591, 15940, 15956, 15963, 16156, 16170, 16340, 16355, 18700, 18702, 18830, 18832, 18865, 18887, 19251, 19254, 19258, 19359, 19362, 19366
\address 331, 2382
\addresscolour 2351, 7606, 7704, 7710, 7716, 7722, 7728
\addressfont 2360, 2368, 2479, 7644, 7672, 7736, 7770
\addresssymbol 2342, 7674, 7773
\addresstyle 2368
\addtocontents ... 19116
\addtocounter 12977, 12978
\addtolength ... 183, 2302, 2303, 2304, 2305, 2306, 2307, 2405, 2406, 2408, 2410, 2411, 2414, 4359, 4362, 4363, 4366, 5517, 7752, 7753, 7754, 8143, 11929, 11930, 12933, 12937, 12939, 12941, 12942, 12943, 12944, 12963, 12965, 12966, 12968, 12969, 12971, 12972, 12973, 12983, 12984, 16582, 16585, 16586, 16589, 16591, 16929, 16930, 17131, 17134, 17135, 17138, 17140, 17509, 17510, 17704, 17709, 17711, 17830, 17833, 17834, 17837, 17839, 18192, 18193, 18719, 18720, 19400, 19406, 19410, 19414
\addvspace 5, 210, 513, 530, 665, 683, 690, 892, 909, 927, 1148, 1166, 1174, 5545, 5602, 6268, 6284, 6445, 6461, 6732, 8281, 8295, 8550, 10604, 12817, 15569, 15585, 15941, 15957, 16157, 16341, 18834, 18888, 19252, 19259, 19360, 19363, 19367, 19394, 19794
\adjmc@inner 134

\adjmc@outer 136
\adjmc@page@sofar@orig 164
\adjmult@cols 163
\adjmulticols 132
\adl@act@classz . . . 1501
\adl@act@CT@setup 1459, 1466
\adl@activate . 1376, 1459
\adl@argarraydashrule 1395, 1433
\adl@array . . . 1373, 1378
\adl@arraydashrule 1394, 1432
\adl@arrayinit 1375
\adl@arrayrestore . 1370
\adl@arrayrule 1393, 1431
\adl@box . 1416, 1418, 1419
\adl@class@iiiorvii 1422, 1455
\adl@class@start 1421, 1454
\adl@CT@setup 1458, 1461, 1462
\adl@depth 1465
\adl@endarray 1370
\adl@endmbox 1417
\adl@everyvbox 1374, 1375
\adl@extract@arc . . 1470
\adl@extract@dgc . . 1473
\adl@extract@drsc . 1471
\adl@height 1464
\adl@inactivate 1376, 1458
\adl@LT@array 12743
\adl@noalign 1377
\adl@org@activate . 1459
\adl@org@classz . . . 1502
\adl@org@endpbox . . 1460
\adl@org@inactivate 1458
\adl@putlrc 1413, 1414, 1415, 1443, 1444, 1445, 1451, 1452, 1453
\adl@startmbox 1416
\advance 12, 90, 217, 303, 321, 389, 536, 580, 696, 715, 882, 898, 978, 1180, 1228, 1463, 1497, 1742, 1743, 1890, 1895, 2212, 2226, 2232, 2498, 3386, 3537, 3543, 3553, 3608, 3625, 3634, 4166, 4775, 5481, 5556, 5907, 5915, 5916, 6081, 6194, 6297, 6319, 6474, 6507, 6753, 6816, 6965, 6973, 6974, 7014, 7126, 7291, 7292, 7301, 7362, 7363, 7378, 7398, 7401, 7402, 7411, 7413, 7419, 7420, 7423, 7426, 7429, 7472, 7537, 7538, 7553, 7573, 7574, 7804, 7814, 7815, 7825, 7835, 7836, 7852, 7853, 7854, 7871, 7880, 7887, 7909, 7910, 7911, 7925, 7932, 7939, 8087, 8088, 8101, 8103, 8106, 8107, 8108, 8287, 8340, 8611, 8932, 8934, 10625, 10667, 10782, 10784, 10786, 10792, 10793, 10800, 10801, 10802, 10972, 10973, 11462, 11476, 11489, 11490, 11522, 11527, 11528, 11531, 11540, 11604, 11732, 12578, 12588, 12778, 12824, 12951, 12954, 12955, 12985, 13461, 13473, 13539, 14408, 14410, 14437, 14438, 14441, 14508, 14510, 14537, 14538, 14541, 14595, 14596, 14597, 14598, 14607, 14629, 14642, 14654, 14667, 14935, 14939, 14940, 14955, 14959, 14960, 14968, 15060, 15082, 15110, 15117, 15159, 15164, 15165, 15166, 15195, 15196, 15222, 15233, 15388, 15390, 15395, 15398, 15421, 15598, 15625, 15970, 16019, 16060, 16103, 16177, 16213, 16362, 16416, 16481, 16818, 17398, 17801, 18081, 18414, 18485, 18499, 18509, 18529, 18624, 18659, 18675, 18688, 18692, 18724, 18725, 18745, 18846, 18877, 18900, 18917, 18934, 18951, 18968, 18985, 19003, 19022, 19042, 19077, 19118, 19267, 19268, 19376, 19427, 19783, 19803, 19808, 19858, 19859, 19860, 19863, 19867, 19892, 19903, 19982, 20005, 20159, 20161, 20171, 20190, 20191, 20220, 20231, 20232, 20462, 20475, 20476, 20479, 20481,

20487, 20489, 20493, 20495, 20499, 20501, 20611, 20612, 20676, 20702, 20924, 20925, 20932, 20933, 20934, 20935, 20960
\afterassignment .. 1602, 1604, 1818, 1820, 2867, 3617, 5005, 18559, 18560
\aftergroup 2030, 2040, 3824, 3826, 3836, 3838, 3848, 3850, 3868, 3870, 3879, 3881, 3890, 3892, 4989, 5004, 6977, 6979, 6986, 6992, 7011, 11000, 11002, 15278, 15279, 15282, 15287, 15288, 15292, 15297, 15298, 15302, 15306, 15310, 15314, 18693, 19785, 20225, 20234, 20236, 20273, 20277, 20330, 20341, 20342, 20345, 20350, 20351, 20355, 20360, 20361, 20365, 20370, 20374, 20379, 20539, 20970, 20980, 20981
\AlFnt 185
\ALG@floatstyle 4790, 4791, 4792
\algocf@algobox ... 177
\algocf@algoframe . .. 171, 172, 173, 174
\algocf@endline ... 188
\algocf@float 21127
\algocf@makethealgo 198
\algocf@within 166, 168, 21129, 21130, 21131
\algomargin 180, 183
\algowidth . 178, 180, 201
\alignL 6912
\alignR 6919
\allowbreak 7810, 7831, 8990, 8993, 8996, 9077, 9138, 9141, 9144, 9221, 9285, 9288, 9291, 9372, 9436, 9439, 9442, 9523, 9587, 9590, 9593, 9674, 9738, 9741, 9744, 9825, 9889, 9892, 9895, 9976, 10040, 10043, 10046, 10127, 10191, 10194, 10197, 10278
\Alph 14276
\AM@CheckAtEnd ... 15073
\AM@ClearShipoutPicture 15075
\AM@currentdocname 15038, 15044
\AM@findfile 15042
\AM@output 15071
\AM@pagecount 15040
\AM@pageref . 15055, 15058
\AM@pagestemp 15048, 15053, 15054, 15057, 15065, 15066, 15070
\AM@readlist 15070
\AM@split@options 15034
\AM@temp ... 15035, 15036
\AM@threadname 15033, 15043, 15044
\AM@xrprefix 15051, 15055, 15058
\and 451, 487, 765, 791, 794, 836, 1017, 1043, 1046, 1088, 1267, 1293, 1296, 1338, 1360, 1935, 6378, 6404, 6555, 6581, 6670, 6706, 8391, 8425, 8488, 8524, 10710, 10744, 14232, 15037, 15675, 15701, 15704, 15746, 15814, 15842, 15845, 15889, 15913, 16092, 16133, 16279, 16315, 16738, 17287, 17986
\andify 116, 12841
\andname .. 799, 1051, 1301, 15709, 15850
\andnext 14233
\AppendToList 3485
\arabic 19, 20, 21, 22, 86, 224, 225, 226, 227, 299, 339, 10935, 10941, 12774, 12831, 12832, 12833, 12834, 19058, 21127
\array 410, 20651
\arraycolsep 410
\arraylinesep 18492
\arrayrulecolor ... 1470
\arrayrulewidth .. 18509
\arraystretch 391, 392, 2024, 2035, 13466, 13467, 18460, 18461, 18496, 20448, 20635, 20636
\aslice . 15202, 15203, 15205, 15207, 15208, 15210, 15223, 15224, 15226
\At@ViperColsBreak ... 7440, 7450, 7454
\AtBeginCaption .. 13113
\AtBeginDocument 1593, 1715, 2317, 2377, 2474, 3179, 4219, 4368, 4595, 4729, 4734, 4787, 5598, 5798, 5863, 7683, 7797, 7818, 7839, 8247, 11319, 12193, 13121, 13128, 13211, 18475, 19932
\AtBeginPackage .. 14337
\AtEndDocument . 1746, 2481, 3192, 4071,

6090, 6146, 13713, 13764, 13782, 20723
\AtEndOfClass 2316
\AtPageLowerLeft . . 8077
\AtPageUpperLeft 8077, 8091, 8109
\AtTextUpperLeft 8081, 8097
\author 331, 449, 485, 789, 834, 1041, 1086, 1291, 1336, 1933, 5648, 5680, 6402, 6579, 6668, 6704, 8389, 8423, 8486, 8522, 10708, 10742, 15699, 15744, 15840, 15887, 16090, 16131, 16277, 16313, 16728, 17277, 17976
\auto@footnoterule 11206, 11217
\autodot 16785, 17333, 18032, 19995
\autofootnoterule . 1670, 7790, 8692, 11215, 11717, 21079

B

\backmatter 5852, 6801, 8596
\baselineskip . . 405, 727, 729, 733, 735, 1207, 1209, 1213, 1215, 2807, 4301, 4303, 4306, 4308, 4310, 4313, 4468, 5098, 5165, 5183, 5201, 5318, 5327, 5336, 5417, 5424, 5431, 5438, 5445, 5545, 5602, 5945, 6006, 6070, 6076, 6331, 6333, 6337, 6339, 6484, 6486, 6490, 6492, 7127, 7128, 7145, 7149, 7364, 7539, 11008, 11477, 12930, 12949, 12957, 13482, 13492, 13589, 13606, 15157, 15160, 15174, 15198, 15202, 15207, 15211, 15223, 15234, 15261, 15490, 15504, 15608, 15610, 15614, 15616, 16031, 16033, 16037, 16039, 17795, 17798, 17800, 17805, 18471, 18510, 20159, 20167, 20171, 20647, 21014, 21042
\baselinestretch 2332, 5161, 5179, 5197, 8704, 8720, 8736, 8752, 8765, 8778, 8954, 8964, 8974, 9000, 9012, 9025, 9052, 9065, 9080, 9085, 9105, 9114, 9123, 9148, 9159, 9171, 9197, 9209, 9224, 9229, 9249, 9259, 9269, 9295, 9307, 9320, 9347, 9360, 9375, 9380, 9400, 9410, 9420, 9446, 9458, 9471, 9498, 9511, 9526, 9531, 9551, 9561, 9571, 9597, 9609, 9622, 9649, 9662, 9677, 9682, 9702, 9712, 9722, 9748, 9760, 9773, 9800, 9813, 9828, 9833, 9853, 9863, 9873, 9899, 9911, 9924, 9951, 9964, 9979, 9984, 10004, 10014, 10024, 10050, 10062, 10075, 10102, 10115, 10130, 10135, 10155, 10165, 10175, 10201, 10213, 10226, 10253, 10266, 10281, 10286, 10348, 10360, 10372, 10384, 10409, 10423, 10437, 10465, 10478, 10492, 10514, 10522
\BCmd 2029
\BDefaboveskip 2044, 2059, 2062
\BDefbelowskip 2048, 2060, 2063
\BDefinlineskip 2053, 2061, 2064
\begin 171, 173, 177, 415, 425, 430, 493, 501, 739, 752, 763, 842, 848, 991, 1004, 1015, 1094, 1100, 1241, 1254, 1265, 1345, 1351, 1360, 1362, 1363, 2023, 2025, 2034, 2036, 2039, 2432, 2436, 2438, 2440, 2442, 2446, 2454, 2457, 2492, 2537, 2541, 2561, 2565, 2592, 3227, 3233, 3255, 3259, 3928, 4374, 4375, 4388, 4391, 4465, 4466, 4472, 4473, 4480, 4481, 4506, 4507, 4544, 4547, 4550, 4553, 4557, 4558, 4742, 4743, 5361, 5417, 5424, 5431, 5438, 5445, 5458, 5466, 5588, 5593, 5726, 5773, 5796, 6178, 6352, 6365, 6376, 6529, 6542, 6553, 6597, 6609, 6634, 6644,

6649, 6712, 6720, 7030, 7040, 7053, 7063, 7076, 7086, 7099, 7109, 7658, 7764, 7769, 7787, 7956, 7959, 7963, 7965, 7970, 7972, 7976, 7979, 7982, 7986, 7988, 7992, 7994, 7998, 8001, 8004, 8008, 8010, 8015, 8017, 8166, 8232, 8359, 8367, 8372, 8431, 8437, 8452, 8462, 8467, 8530, 8538, 8630, 10678, 10686, 10691, 10750, 10756, 10902, 11944, 11949, 11967, 12070, 12072, 12086, 12088, 12866, 14382, 14975, 15649, 15662, 15673, 15752, 15758, 15786, 15801, 15812, 15896, 15904, 15913, 15915, 15916, 16046, 16066, 16071, 16147, 16243, 16253, 16258, 16321, 16329, 16618, 16638, 16643, 16653, 16666, 16670, 16750, 16756, 16767, 16809, 17167, 17187, 17192, 17202, 17215, 17219, 17299, 17305, 17316, 17389, 17866, 17886, 17891, 17901, 17914, 17918, 17998, 18004, 18015, 18072, 18738, 20046, 20053, 20056, 20067, 20080, 20083, 20090, 20096, 20119, 20123, 20129, 20136

\begin@bidi@stack 2531, 2541, 2542, 2555, 2565, 2566

\begingroup 6, 119, 211, 312, 325, 382, 394, 455, 515, 532, 666, 692, 806, 894, 910, 1058, 1149, 1176, 1308, 1489, 1915, 2158, 2166, 2174, 2513, 2532, 2556, 2775, 2794, 2933, 2979, 2986, 3016, 3032, 3048, 3088, 3096, 3129, 3177, 3467, 3469, 3491, 3501, 3511, 3641, 3718, 3742, 3757, 3823, 3834, 3846, 3867, 3877, 3888, 4038, 4152, 4164, 4199, 4568, 4987, 5233, 5262, 5291, 5665, 5682, 5698, 5710, 5743, 6047, 6114, 6121, 6128, 6158, 6269, 6293, 6446, 6470, 6674, 6734, 6749, 6838, 6957, 7011, 7020, 7210, 7269, 8082, 8098, 8283, 8296, 8395, 8492, 8551, 10347, 10464, 10605, 10621, 10714, 10854, 10892, 10976, 10992, 11246, 11255, 11414, 11429, 11436, 11488, 11521, 11652, 11704, 11757, 11773, 11943, 12222, 12233, 12244, 12255, 12353, 12373, 12411, 12444, 12475, 12506, 12740, 12755, 12818, 12844, 12898, 13105, 13470, 14239, 14369, 14470, 14567, 14771, 14775, 14779, 15031, 15079, 15370, 15570, 15594, 15716, 15857, 15942, 15966, 16096, 16158, 16173, 16283, 16343, 16358, 16692, 16808, 16901, 17241, 17388, 17481, 17940, 18071, 18164, 18558, 18672, 18696, 18835, 19262, 19370, 19781, 19898, 20238, 20281, 20330, 20426, 20539, 20769, 20812, 20970

\beginL 1474, 1629, 1845, 2479, 4849, 4893, 6942, 6971, 6977, 6979, 7011, 8963, 9015, 9113, 9162, 9258, 9310, 9409, 9461, 9560, 9612, 9711, 9763, 9862, 9914, 10013, 10065, 10164, 10216, 10367, 10379, 10417, 10431, 10795, 10906, 10921, 11091, 11723, 11729, 11738, 11758, 11774, 11784, 12577, 13074,

15080, 15272, 15278, 15294, 15370, 16528, 16539, 16546, 16556, 18626, 20229, 20234, 20236, 20330, 20335, 20341, 20357, 20866, 20944, 21024, 21045
\beginR 346, 351, 382, 407, 1475, 2128, 4849, 4937, 6869, 6943, 6972, 6977, 6986, 6992, 7011, 8075, 8925, 8929, 10367, 10391, 10417, 10445, 10931, 11725, 11730, 11787, 11826, 11833, 12202, 12210, 12592, 12628, 12660, 12689, 12715, 12721, 12728, 12859, 13074, 13486, 13550, 13553, 13563, 13654, 13662, 13853, 14179, 14345, 14347, 15147, 15272, 15279, 15284, 15366, 15367, 15368, 16522, 16532, 16543, 16550, 16944, 17524, 18207, 18450, 18472, 18511, 18633, 20230, 20234, 20273, 20277, 20330, 20335, 20342, 20347, 20594, 20597, 20600, 20617, 20624, 20649, 20910, 20944, 20961, 20963, 21024, 21045, 21064, 21067, 21075
\belowcaptionskip 13084, 13510, 13512, 14335, 14352, 16950, 16958, 16969, 16981, 17530, 17538, 17549, 17561, 18213, 18221, 18232, 18244, 21069
\belowdisplayshortskip . . . 4276, 4285, 5495
\belowdisplayskip 4277, 4290, 4325, 5500
\bf 1851, 15143, 15145
\bfseries . . . 25, 313, 519, 535, 564, 567, 671, 695, 897, 915, 1154, 1179, 1635, 1979, 2449, 5725, 6274, 6296, 6451, 6473, 6598, 6610, 6738, 6752, 6784, 6790, 6798, 8286, 8301, 8316, 8319, 8328, 8555, 8578, 8584, 8593, 10610, 10624, 10635, 10640, 10648, 12813, 15575, 15597, 15947, 15969, 16143, 16162, 16176, 16347, 16361, 16392, 16397, 16405, 19266, 19375, 19724, 19728, 19733, 19762
\bgroup 179, 180, 382, 397, 402, 407, 640, 1199, 1475, 1606, 1822, 2118, 2240, 5979, 6204, 6218, 6871, 6943, 10906, 10907, 10921, 11380, 11541, 13474, 13476, 13516, 13550, 13553, 13573, 14582, 15091, 15280, 15286, 15290, 15296, 15300, 15305, 15308, 15313, 15544, 15994, 18450, 18458, 18466, 18472, 18503, 18507, 18511, 19890, 20343, 20349, 20353, 20359, 20363, 20369, 20372, 20378, 20426, 20432, 20624, 20633, 20641, 20649
\bib@after@hook 16853, 16855, 17433, 17435, 18116, 18118
\bib@before@hook 16803, 16854, 17383, 17434, 18066, 18117
\bib@beginhook 16796, 16802, 17376, 17382, 18059, 18065
\bib@endhook 16857, 17437, 18120
\bib@heading 16798, 17381, 18064
\bibcleanup 14882
\bibentry 5035, 5037, 5054, 5056, 5073, 5075, 5105, 5107
\bibfont 14861
\bibindent . . . 2483, 2484
\bibitem@fin 14876
\bibliofont 85, 298, 12773
\bibliographyitemlabel 2485, 2492
\bibname . . 5581, 5582, 6312, 6313, 6500, 6501, 6809, 6810, 8604, 8605, 10660, 10661, 15618, 15619, 16012,

16013, 16206, 16207, 16409, 16410
\bibpostamble 14877
\bibpreamble 14860, 16799, 16800, 17378, 17379, 18061, 18062
\bibsection 5576, 5579, 5581, 5582, 14379, 14858, 18735, 18737
\bidi@@convert@dimen@t@pt 2713
\bidi@@convert@dimen@t@unit 2710
\bidi@@diagbox@double@ii 7957, 7961
\bidi@@diagbox@double@iii 7960, 7968
\bidi@@diagbox@triple@setbox@SE@tabular@i@i ... 7977, 7980, 7984
\bidi@@diagbox@triple@setbox@SE@tabular@ii@i 7983, 7990
\bidi@@diagbox@triple@setbox@SE@tabular@ii@ii 7999, 8006
\bidi@@diagbox@triple@setbox@SE@tabular@iii@i ... 8002, 8005, 8013
\bidi@@end ... 3218, 3222
\bidi@@footnotetext@font .. 38, 251, 5163, 11266, 11273, 11364
\bidi@@loadwithoptions 3737, 3744, 3747, 3751
\bidi@@LTRfootnotetext@font .. 68, 280, 5181, 11267, 11306, 11350
\bidi@@null ... 3359, 3360
\bidi@@onefilewithoptions ... 3759, 3762, 3765
\bidi@@patchcmd 2981, 2983
\bidi@@RTLfootnotetext@font .. 52, 265, 5199, 11268, 11290, 11336
\bidi@@thebibliography@font@hook ... 88, 301, 576, 711, 974, 1224, 2491, 6315, 6503, 6812, 8336, 8607, 10663, 12776, 14381, 14863, 15621, 16015, 16209, 16412, 16812, 17392, 18075, 18741, 20457
\bidi@addto@envbody ... 2527, 2545, 2547
\bidi@addto@long@envbody ... 2551, 2569, 2571
\bidi@AfterAtEndOfClass 3826, 3831
\bidi@AfterAtEndOfPackage 3870, 3874
\bidi@AfterClass .. 3814
\bidi@AfterEndDocument ... 3209, 3214, 3220
\bidi@afterenddocumenthook 3209, 3210, 3215, 3221
\bidi@AfterEndEnvironment 3264, 3274
\bidi@afterendpreamble 3182, 3186, 3188, 3194, 4221, 5739, 5762
\bidi@afterendpreamblehook 3181, 3183, 3187, 3189
\bidi@AfterFile 3811, 16961, 17541, 18224
\bidi@AfterFooter 3161, 21047
\bidi@afterfooterhook .. 3161, 3162, 21048
\bidi@AfterLastShipout ... 3194, 3200, 3206
\bidi@afterlastshipouthook 3194, 3195, 3201, 3207
\bidi@AfterOutputBoxOutputPage . 3155, 11020, 21033
\bidi@afteroutputboxoutputpagehook 3155, 3156, 11021, 21034
\bidi@AfterOutputPageShipOut 3165, 11028, 21051
\bidi@afteroutputpageshipouthook 3165, 3166, 11029, 21052
\bidi@AfterPackage 3859
\bidi@AfterPreamble .. 3179, 3180, 13018
\bidi@AfterReadingMainAux 4141, 4144
\bidi@append .. 3090, 3140
\bidi@append@cslist@to@cslist 3476, 3545
\bidi@append@list@to@list 3474, 3554
\bidi@append@to@list 3455, 3473
\bidi@append@toks@cs@to@list 3478
\bidi@appto 2869, 2913, 3185, 4181
\bidi@apptocmd 3086, 3087
\bidi@are@these@correct 3452, 3455
\bidi@AtBeginEnvironment 3224, 3234
\bidi@AtEndEnvironment 3238, 3248
\bidi@AtEndOutputPage . 3168, 11034, 21057
\bidi@atendoutputpagehook 3168, 3169, 11035, 21058
\bidi@AtEndPreamble 3143, 3173, 3175, 3180, 4221, 5019, 13087
\bidi@autofootnoterulefalse . 11194, 11198, 11201
\bidi@autofootnoteruletrue 11216
\bidi@backslash 3276, 3277
\bidi@BeforeBeginEnvironment 3252, 3260
\bidi@BeforeClass . 3812
\bidi@BeforeClosingMainAux 4104, 4115, 4119, 4122, 4130, 4133
\bidi@BeforeFile .. 3810
\bidi@BeforeFooter 3158, 21040
\bidi@beforefooterhook .. 3158, 3159, 21041
\bidi@BeforeHeader . 3149, 11013, 21018
\bidi@beforeheaderhook 3149, 3150, 11014, 21019

\bidi@BeforeOutputBoxOutputPage . 3152, 11017, 21030
\bidi@beforeoutputboxoutputpagehook 3152, 3153, 11018, 21031
\bidi@BeforeOutputPageShipOut . 3146, 10997, 20976
\bidi@beforeoutputpageshipouthook 3146, 3147, 10998, 20977
\bidi@BeforePackage 3857
\bidi@bswitch . 3418, 3420
\bidi@CharsBefore . 3333, 3335, 3336, 3341, 3345, 3346, 3351
\bidi@CharsBeforeNC 3334
\bidi@clearpage 3203, 3205
\bidi@collect@@body 2533, 2540
\bidi@collect@body 2528
\bidi@collect@long@@body 2557, 2564
\bidi@collect@long@body 2552
\bidi@column@check@number . . 20686, 20702, 20704, 20706, 20718
\bidi@column@status . . 1703, 1707, 20688
\bidi@column@type . . 20703, 20708, 20719
\bidi@copy@stacktop 3530
\bidi@cs@a . . . 3361, 3362
\bidi@cs@e 3524, 3525, 3527, 3528, 3531, 3533
\bidi@cs@lista 3497, 3498, 3499, 3500, 3509, 3510
\bidi@cs@listb 3494, 3496
\bidi@cs@liste 3492, 3497
\bidi@csappto 2913
\bidi@csarg 3288, 3304, 3378, 3385, 3403, 3408, 3413, 3418, 3424, 3429, 3471, 3483, 3488, 3499, 3509, 3518, 3528, 3532, 3536
\bidi@csdefcs 2781
\bidi@cseappto 2914, 2917
\bidi@csepreto 2923, 2926
\bidi@csgappto . 2915, 3235, 3239, 3253, 3265
\bidi@csgpreto 2924
\bidi@cslet 2787
\bidi@csletcs 2784
\bidi@csname . . . 3300, 3451, 3457, 3494, 3528
\bidi@cspreto 2922
\bidi@csprotect . . . 3597
\bidi@csuse 2856, 3229, 3243, 3256, 3269
\bidi@cswitch . 3413, 3415
\bidi@csxappto 2916, 2918
\bidi@csxpreto 2925, 2927
\bidi@current@column@status . 20688, 20691, 20724
\bidi@dbg@fail 2941, 2951, 2952, 2953, 2954, 2960, 2969, 2975, 3082, 3104, 3116, 3117, 3126
\bidi@dbg@info . 2942, 2944, 2947, 2949, 2950, 2961, 2963, 2965, 2967, 2968, 2970, 2972, 2974, 3080, 3105, 3107, 3109, 3112, 3118, 3120
\bidi@dbg@init . 2939, 2958, 3079, 3102
\bidi@dbg@succ . 2985, 3081, 3113, 3121, 3123
\bidi@dbg@trce . 2932, 2978, 3078, 3087, 3095
\bidi@default 3403, 3408, 3413, 3418, 3424, 3429
\bidi@del@tok@from@list 3491
\bidi@digits 1736, 1742, 1743
\bidi@digits@charclass 1738, 1742, 1743, 1744
\bidi@dummies 3383, 3385, 3386
\bidi@eappto 2873, 2886, 2914
\bidi@empty 3358, 3361, 3362
\bidi@empty@stack 3535, 3541
\bidi@empty@toks . . . 3548, 3551, 3555
\bidi@endpreamblehook 3143, 3144, 3174, 3176
\bidi@ensure@new@command 2792, 2793
\bidi@ensure@newcommand 2792, 8699, 8700, 8794, 8804, 8805, 8806, 8812, 8813, 8819, 8820, 8821, 8822, 8834, 8846, 8863, 8864, 8870, 8871, 8872, 8873, 8876, 8882, 8884, 8890, 8891, 8906, 8918, 8920, 8923, 8928, 8931, 8933, 8937, 8953, 8963, 8973, 8983, 8988, 8991, 8994, 8997, 9009, 9022, 9034, 9049, 9061, 9073, 9078, 9083, 9088, 9104, 9113, 9122, 9131, 9136, 9139, 9142, 9145, 9156, 9168, 9179, 9194, 9205, 9217, 9222, 9227, 9232, 9248, 9258, 9268, 9278, 9283, 9286, 9289, 9292, 9304, 9317, 9329, 9344, 9356, 9368, 9373, 9378, 9383, 9399, 9409, 9419, 9429, 9434, 9437, 9440, 9443, 9455, 9468, 9480, 9495, 9507, 9519, 9524, 9529, 9534, 9550, 9560, 9570, 9580, 9585, 9588, 9591, 9594, 9606, 9619, 9631, 9646,

9658, 9670, 9675, 9680, 9685, 9701, 9711, 9721, 9731, 9736, 9739, 9742, 9745, 9757, 9770, 9782, 9797, 9809, 9821, 9826, 9831, 9836, 9852, 9862, 9872, 9882, 9887, 9890, 9893, 9896, 9908, 9921, 9933, 9948, 9960, 9972, 9977, 9982, 9987, 10003, 10013, 10023, 10033, 10038, 10041, 10044, 10047, 10059, 10072, 10084, 10099, 10111, 10123, 10128, 10133, 10138, 10154, 10164, 10174, 10184, 10189, 10192, 10195, 10198, 10210, 10223, 10235, 10250, 10262, 10274, 10279, 10284, 10289, 10297, 10304, 10308, 10319, 10328, 10330, 10331, 10358, 10370, 10382, 10394, 10398, 10402, 10406, 10420, 10434, 10448, 10475, 10488, 10502, 10508, 10517, 10525, 10533, 10537, 10548, 10549

\bidi@ensure@newlength 2799, 8816, 8817, 8818, 8874

\bidi@epreto 2895, 2908, 2923

\bidi@eqs@a . . . 3314, 3315

\bidi@eqs@b . . . 3314, 3315

\bidi@EqualString . 3314

\bidi@EqualStringX 3319

\bidi@error 2801, 2841, 3388, 3487, 3656

\bidi@everyjob . 1534, 1535, 1790, 1791

\bidi@excludedpackages 3898, 3899, 3919, 3955, 3972, 3980, 3990, 4012, 4013, 4021, 4022, 4027, 4040

\bidi@expandonce . . 2861, 2872, 2876, 2880, 2884, 2894, 2898, 2902, 2906, 3124

\bidi@ff@box 11042, 11060

\bidi@firstcolumn@status@write 1701, 1709, 7191, 7250, 10845, 10881, 11641, 11693, 14458, 14554, 20695, 20758, 20801

\bidi@font@@outputpage 20967, 21009

\bidi@footdir@footnote 79, 292, 11321, 11323, 11327

\bidi@fswitch . 3429, 3431

\bidi@gappto . . . 2877, 2915, 3143, 3146, 3149, 3152, 3155, 3158, 3161, 3165, 3168, 3182, 3194, 3209

\bidi@gobbleopt 4061, 4070

\bidi@gpreto . . 2899, 2924

\bidi@hook@acma 4085, 4129, 4142, 4143, 4148

\bidi@hook@bcma 4079, 4128, 4131, 4132, 4138

\bidi@hooktocmd 3090, 3098, 3100

\bidi@hooktocmd@i 3114, 3128

\bidi@hop@ES . . 3322, 3324

\bidi@ifblank@i 2753, 2754, 2756

\bidi@ifdefmacro 2759, 2761, 2762, 2763

\bidi@ifdefparam 3060, 3062, 3063, 3064

\bidi@ifdefprotected 3069, 3071, 3072, 3073

\bidi@ifEmpty 3361

\bidi@ifempty 3359

\bidi@ifEmptyX 3360

\bidi@ifhashcheck 2946, 3031, 3111

\bidi@ifhashcheck@i 3035, 3037

\bidi@ifhashcheck@ii 3039, 3042, 3043, 3044

\bidi@ifNextChar . . 3369

\bidi@ifpatchable 2935, 2937, 2984

\bidi@ifpatchable@i 2935, 2956

\bidi@ifpattern 2948, 3047

\bidi@ifscanable 2945, 2966, 3015, 3110

\bidi@in@front@of@cslist 3500, 3501

\bidi@in@front@of@list 3499

\bidi@info 2803

\bidi@invert@csstack 3540

\bidi@IsEmptyList . 3362

\bidi@isloaded 3007, 13137, 13138, 13139, 13140, 13141, 13142, 13143, 13144, 13145, 13146, 13147, 13148, 13149, 13150, 13151, 13152, 13153, 13154, 13155, 13156, 13157, 13158, 13159, 13160, 13161, 13162, 13163, 13164, 13165, 13166, 13167, 13168, 13169, 13170, 13171,

13172, 13173, 13174, 13175, 13176, 13177, 13178, 13179, 13180, 13181, 13182, 13183, 13184, 13185, 13186, 13187, 13188, 13189, 13190, 13191, 13192, 13193, 13194, 13195, 13196, 13197, 13198, 13199, 13200, 13201, 13202, 13203, 13204, 13205, 13206, 13207, 13208, 13209, 13210, 13213, 13216, 13219, 13222, 13225, 13228, 13231, 13234, 13238, 13241, 13244, 13247, 13250, 13253, 13256, 13259, 13262, 13265, 13268, 13271, 13274, 13277, 13280, 13283, 13286, 13289, 13292, 13295, 13298, 13301, 13304, 13307, 13310, 13313, 13316, 13319, 13322, 13325, 13328, 13331, 13334, 13337, 13340, 13343, 13346, 13349, 13352, 13355, 13358, 13361, 13364, 13367, 13370, 13373, 13376, 13379, 13382, 13385, 13388, 13391, 13394, 13397, 13400, 13403, 13406, 13409, 13412, 13415, 13418, 13421, 13424, 13427

\bidi@lastcolumn@status@write 1705, 1710, 7195, 7256, 10849, 10887, 11647, 11697, 14462, 14560, 20762, 20807

\bidi@leftskip 19267, 19268, 19269, 19376, 19396, 19427, 19428, 19460, 20381

\bidi@length@of@csstack . . . 3536, 3537, 3540

\bidi@length@of@stack 3536, 3550

\bidi@load@hook 3730, 3733, 3766, 3803

\bidi@loadwithoptions . . . 3738, 3739, 3744

\bidi@local@in@front@of@list 3504, 3521

\bidi@local@push@onto 3520

\bidi@looprepeat@comp . . . 3614, 3650, 3655

\bidi@looprepeat@csarg 3592, 3644

\bidi@looprepeat@csargromannumeral 3594, 3609, 3610, 3611, 3612, 3613, 3616, 3621, 3622, 3623, 3624, 3625, 3627, 3633, 3646, 3648, 3649, 3650, 3657, 3658, 3660, 3665, 3673

\bidi@looprepeat@csromannumeral 3593, 3617, 3625, 3628, 3644, 3672

\bidi@looprepeat@depth 3593, 3594, 3596, 3608, 3634

\bidi@looprepeat@dxbody 3617, 3621

\bidi@looprepeat@setup 3614, 3640

\bidi@looprepeat@sign . . . 3614, 3625, 3655

\bidi@looprepeat@tmp 3615, 3616, 3643, 3645, 3648, 3653, 3660, 3663, 3665, 3668

\bidi@looprepeat@traceexit 3599, 3634

\bidi@looprepeat@traceinit 3599, 3607

\bidi@looprepeat@zero . . . 3614, 3633, 3671

\bidi@lrbox 20535

\bidi@lst@caption@direction 13036, 13037, 13049, 13052

\bidi@lst@caption@script 13043, 13044, 13060, 13063

\bidi@lst@ensure@caption@direction 13047, 13072, 13074, 13076, 13095, 13099, 13106, 13115

\bidi@lst@ensure@caption@script . 13058, 13070, 13114

\bidi@makecolbf 10583, 10595

\bidi@matrix@check 2584, 20442

\bidi@matrix@error 2586, 2590

\bidi@mopfn@bottom . . . 8908, 10554, 10565, 10596, 10597

\bidi@mopfootnotebf 10561, 10589

\bidi@mpfootnoterule . . 11098, 11332, 11346, 11360, 11398, 13628, 18652

\bidi@mswitch . 3424, 3426

\bidi@multicol@align@columns 14682, 14736, 14739, 14741

\bidi@n@everypar 15274, 15275, 15276, 15277,

20152, 20337, 20338, 20339, 20340
\bidi@namelongdef . 2790, 9041, 9043, 9050, 9062, 9186, 9188, 9195, 9206, 9218, 9336, 9338, 9345, 9357, 9487, 9489, 9496, 9508, 9638, 9640, 9647, 9659, 9789, 9791, 9798, 9810, 9940, 9942, 9949, 9961, 10091, 10093, 10100, 10112, 10242, 10244, 10251, 10263, 10455, 10457, 10476, 10489, 10503
\bidi@new@command 2813, 2815, 2844, 2852
\bidi@new@ifnch 2578, 2580
\bidi@new@ifnextchar 2575, 20447
\bidi@newcommand 2815, 2817
\bidi@newrobustcmd 1601, 1603, 2812, 2813, 2837, 2848, 2869, 2873, 2877, 2881, 2886, 2887, 2891, 2895, 2899, 2903, 2908, 2909, 2913, 2914, 2915, 2916, 2917, 2918, 2922, 2923, 2924, 2925, 2926, 2927, 2931, 2977, 3076, 3086, 3094, 3143, 3146, 3149, 3152, 3155, 3158, 3161, 3165, 3168, 3179, 3182, 3194, 3209, 3224, 3238, 3252, 3264, 20415, 20417
\bidi@next 3335, 3336, 3338, 3340, 3341, 3343, 3348, 3350, 3351, 3353
\bidi@NextChar 3366
\bidi@notblank . 2755, 2763, 3064, 3073
\bidi@nxt@a 3367, 3370, 3372
\bidi@nxt@b 3367, 3370, 3373
\bidi@nxt@c 3368, 3371, 3372
\bidi@nxt@ch 3367, 3370, 3372
\bidi@o@everypar 15273, 15275, 15276, 20336, 20338, 20339
\bidi@oldwbuskip 3486, 3489
\bidi@onefilewithoptions . . . 3754, 3755, 3759
\bidi@orig@leftline . 20602, 20604, 20605
\bidi@orig@raggedleft . 20587, 20589, 20590
\bidi@orig@raggedright . 20588, 20589, 20590
\bidi@orig@rightline . 20603, 20604, 20605
\bidi@oswitch 3408
\bidi@p@ftn 2072, 2135, 2137, 2138, 2140, 2141, 2143, 2144, 2148, 2151, 2154, 2259
\bidi@p@ftntext 2119, 2136, 2241
\bidi@p@LTRftntext . . . 2120, 2139, 2242
\bidi@p@RTLftntext . . . 2121, 2142, 2243
\bidi@p@xfootnote . . . 2123, 2157, 2245
\bidi@p@xftntext 2122, 2147, 2162, 2244
\bidi@p@xLTRfootnote . . . 2125, 2165, 2247
\bidi@p@xLTRftntext 2124, 2150, 2170, 2246
\bidi@p@xRTLfootnote . . . 2127, 2173, 2249
\bidi@p@xRTLftntext 2126, 2153, 2178, 2248
\bidi@patch@@AfterPackage 4193, 4198
\bidi@patch@Add 4180, 4209
\bidi@patch@AfterPackage 4183, 5131, 5133, 5136, 5157, 5308, 5358, 5414, 5658
\bidi@patch@counter 4161, 4165, 4168, 4174, 4175, 4194
\bidi@patch@gtemp 4201, 4208
\bidi@patch@list 4179, 4181, 4219, 4221, 4228
\bidi@patch@OrgIfClassLater 4227, 4232
\bidi@patch@OrgIfClassLoaded 4226, 4231
\bidi@patch@OrgIfPackageLater 4225, 4230
\bidi@patch@OrgIfPackageLoaded 4224, 4229
\bidi@patch@stepcounter . . . 4163, 4173, 4192
\bidi@patch@temp 4191, 4195
\bidi@patch@try 4210, 4213
\bidi@patchcmd 2977, 2978, 3197, 3212, 3227, 3241, 3267, 4452, 7955, 7958, 7975, 7978, 7981, 7997, 8000, 8003, 8021, 8029, 8037, 8046, 8055, 8064, 11870, 12994, 13000, 13008, 13088, 13101, 18641, 18649
\bidi@patchcmd@scantoks . . . 2995, 3001, 3136
\bidi@pdfm@mark 1863, 1878
\bidi@pickescape . . 3309
\bidi@pop@cs@into 3524, 3543
\bidi@pop@into 3527, 3553
\bidi@prepend . 3098, 3141

\bidi@preto 2891, 2922, 3171
\bidi@pretocmd 3094, 3095, 3255
\bidi@PreventPackageFromLoading 3901, 3915, 3945, 3978
\bidi@process@envbody 2530, 2534, 2535, 2549, 2554, 2558, 2559, 2573
\bidi@protected 2864, 2886, 2887, 2908, 2909, 2917, 2918, 2926, 2927
\bidi@protected@cseappto 2917
\bidi@protected@csepreto 2926
\bidi@protected@csxappto 2918
\bidi@protected@csxpreto 2927
\bidi@protected@eappto 2886
\bidi@protected@epreto 2908
\bidi@protected@immediate@write 3722, 3746, 3761, 3799
\bidi@protected@xappto 2887
\bidi@protected@xpreto 2909
\bidi@provide@command 2848, 2850
\bidi@providerobustcmd 2848
\bidi@push@begins . . . 2537, 2538, 2541
\bidi@push@cs@onto@cs 3517, 3544
\bidi@push@long@begins . . . 2561, 2562, 2565
\bidi@push@onto . . . 3518
\bidi@push@onto@cs 3518, 3519
\bidi@raggedleft 2426, 2433, 2438, 2457, 7654, 7770, 10813, 10819, 11986, 20592
\bidi@raggedright . . . 10811, 10817, 14792, 14795, 14797, 14800, 14802, 14804, 14807, 14809, 14811, 14813, 14816, 14818, 14820, 14822, 14824, 14827, 14829, 14832, 14834, 14837, 14839, 14841, 14844, 14846, 14848, 14851, 14853, 14855, 20591
\bidi@redefine@newpage 4095, 4135
\bidi@reflect@box . . 15351, 15358, 20409, 20416, 20418
\bidi@renew@command . . . 2837, 2839, 2853
\bidi@renewrobustcmd 2837
\bidi@ReplaceClass 3785
\bidi@replacefile@msg 3722, 3746, 3761, 3799
\bidi@ReplaceInput 3769
\bidi@ReplacePackage 3782
\bidi@RequirePackage . . . 3921, 3981, 4032
\bidi@ResetPreventPackageFromLoading 3973, 3979, 3988, 4027
\bidi@resrvda 2987, 2988, 2989, 2992, 2993, 2994, 2995, 2996, 2997, 3002, 3005, 3017, 3018, 3019, 3020, 3021, 3023, 3024, 3033, 3035, 3049, 3050, 3052, 3054, 3055, 3130, 3131, 3132, 3133, 3134, 3135, 3136, 3137, 3138
\bidi@resrvdb . 2989, 2990
\bidi@restore@newpage . . . 4080, 4097, 4127
\bidi@restorecatcode 3293
\bidi@rightskip 19263, 19371, 19397, 19398, 19406, 19410, 19414, 20382
\bidi@RTL@everypar . . 10359, 10371, 10383, 10408, 10422, 10436, 15272, 15276, 18390, 20335, 20339
\bidi@s@tfftextcol 11039, 11043
\bidi@saved@checkend . . . 4072, 4075, 4093
\bidi@saved@clearpage . . . 4077, 4078, 4081
\bidi@saved@dofilelist 4083, 4086, 4087, 4094
\bidi@saved@eqno 15362, 15364, 15365, 21070, 21072, 21073
\bidi@saved@leqno 15363, 15364, 15365, 21071, 21072, 21073
\bidi@saved@newpage 4096, 4107
\bidi@saved@RequirePackage . . . 3900, 3920, 3931, 3983, 3985, 4063
\bidi@sepmark@charclass 1739, 1740, 1741, 1744
\bidi@set@column@status . 20690, 20718, 20723
\bidi@set@cslist 3510, 3511
\bidi@set@list 3509
\bidi@set@load@hook 3807, 3810, 3811, 3813, 3832, 3844, 3858, 3875, 3886
\bidi@SOUL@ulleaders 18431, 18437

\bidi@stack@length 3535, 3537, 3538, 3542, 3543, 3552, 3553
\bidi@storecatcode 3286
\bidi@StorePreventPackageFromLoading 3989, 3992
\bidi@StringBefore 3344
\bidi@StringBeforeNC 3332
\bidi@switch . . . 3392, 3403, 3405, 3410
\bidi@switch@exit . 3402, 3403, 3404, 3408, 3409, 3413, 3414, 3418, 3419, 3424, 3425, 3429, 3430
\bidi@t@w@w 3453
\bidi@tabular@RTLcases 20422, 20449
\bidi@tempa 1638, 1644, 1650, 1656, 1662, 1668, 1680, 1686, 1692, 1699, 1713, 1720
\bidi@tempb 1638, 1639, 1644, 1645, 1650, 1651, 1656, 1657, 1662, 1663, 1668, 1669, 1680, 1681, 1686, 1687, 1692, 1693, 1699, 1700, 1713, 1714, 1720, 1721
\bidi@tempcountb 3280, 3541, 3542, 3551, 3552
\bidi@temptoksa 3281, 3541, 3544, 3545, 3546, 3548, 3551, 3555
\bidi@temptoksb 3282, 3543, 3544, 3545, 3546
\bidi@todonotes@tempa 20028, 20036
\bidi@todonotes@tempb 20028, 20029, 20036, 20037
\bidi@tok@SM . . 3492, 3497
\bidi@toks@lista . . 3465, 3467, 3468, 3469, 3470, 3493, 3495, 3501, 3502, 3504, 3506, 3511, 3512
\bidi@toks@listb 3465, 3493, 3495
\bidi@undef 2997, 3076, 3138, 3176, 3188, 19122, 19123, 19279, 19280, 19481, 19482
\bidi@undefined . . . 3076
\bidi@undefinedcs . 3378, 3385, 3440, 3444, 3450, 3454, 3487
\bidi@UnPreventPackageFromLoading 3993
\bidi@UnReplaceClass 3796
\bidi@UnReplaceInput 3773
\bidi@UnReplacePackage 3793
\bidi@version . . 1506, 1507, 1521, 1536, 1538, 1544, 1550, 1583, 1586, 1589, 1762, 1777, 1795, 1797, 1854, 1857, 1860
\bidi@w@w 3440
\bidi@warning . . 2802, 3232, 3246, 3258, 3272
\bidi@willbeunhskip . . . 3480, 3486, 3489
\bidi@x@stack@to@list 3550
\bidi@xappto 2881, 2887, 2916
\bidi@xargdef . 2819, 2827
\bidi@xpreto 2903, 2909, 2925
\bidicolor 6937, 6993, 7008, 7010, 11040, 20278, 20325, 20328, 20329
\bidics 3277
\bididate . 1505, 1507, 1521, 1583, 1586, 1760, 1777, 1854, 1857
\bidiGscale@@box 11806, 11807
\bidiGscale@box 11783, 11784, 11803
\bidiGscale@box@dd . 11815, 11819, 11825
\bidiGscale@box@dddd 11821, 11832
\bidillap 20607
\bidipdfinfooff . . . 1875
\bidipdfinfoon 1874, 1880
\bidipoem@@hvlen 5903, 5909, 5912, 5915, 5924
\bidipoem@half@verses . . . 5929, 5930, 5933
\bidipoem@half@verses@next . . . 5929, 5930, 5931
\bidipoem@hvind . . . 5903, 5906, 5907, 5915, 5916, 5919, 5922
\bidipoem@hvlen 5902, 5907, 5909, 5920, 5922
\bidipoem@hvsep 5902, 5915, 5916, 5923
\bidipoem@next 5908, 5909
\bidipoem@openbox 5947, 5952
\bidipoem@p@ftn 5954, 5964, 6095, 6096, 6098, 6099, 6101, 6102, 6105, 6108, 6111, 6216, 12443, 12453, 12474, 12484, 12505, 12515
\bidipoem@p@ftntext 5981, 5992, 6094, 6205, 6219, 12441
\bidipoem@p@LTRftntext 5982, 5993, 6097, 6206, 6220, 12472
\bidipoem@p@RTLftntext 5983, 5994, 6100, 6207, 6221, 12503
\bidipoem@p@xfootnote 5985, 5996, 6113, 6209, 6223
\bidipoem@p@xftntext 5984, 5995, 6104, 6118, 6208, 6222
\bidipoem@p@xLTRfootnote 5987, 5998, 6120, 6211, 6225
\bidipoem@p@xLTRftntext 5986, 5997,

6107, 6125, 6210, 6224
\bidipoem@p@xRTLfootnote 5989, 6000, 6127, 6213, 6227
\bidipoem@p@xRTLftntext 5988, 5999, 6110, 6132, 6212, 6226
\bidipoem@set@@verse . . . 5909, 5912, 5914
\bidipoem@set@verseI 5908, 5911
\bidipoem@spreadbox 5898, 5920, 5922, 5923, 5924
\bidirlap 20606
\bidituftefloatDebugInfoNL 4240, 4328, 4332, 4627, 4676
\bidituftefloatError 4239, 4722
\bidituftefloatInfoNL . . . 4240, 4241, 4791
\bidituftefloatRecalculate 4357, 4368
\bidituftehyperrefLoadHyperref 5616, 5627
\bidituftesidenotemarginpar . . . 4807, 5159, 5318
\biditufteTocError . . . 5347, 5394, 5403
\bidiversion . . 1536, 1792
\bigskip 15413
\bigskipamount 8909, 8914, 10527
\bl 15178, 15179, 15182, 15183, 15184, 15188, 15243, 15250, 15254
\blacktriangleleft 11457, 11459
\blacktriangleright 11457, 11459
\bm@b 20667
\bm@l 20664
\bm@r 20665
\bm@t 20666
\bool . . . 13654, 13662, 13793, 13810, 13811, 13855, 13861, 13876, 13899, 13902, 13922, 13927, 13939, 13956, 13957, 13960, 13977, 14002, 14009, 14015, 14021, 14031, 14038, 14060, 14172, 14175, 14183, 14184, 15006, 15008, 15021
\boolean 181, 186, 194, 4240, 4300, 4302, 4305, 4309, 4312, 4315, 4340, 4436, 4451, 4462, 4482, 4489, 4497, 4514, 4534, 4538, 4556, 4557, 4560, 4561, 4596, 4605, 4616, 5361, 5365, 5413, 5626, 5763, 5832, 5843, 11054, 15037
\botmark . . . 11033, 21056
\bref 172, 174, 1630, 1846, 4777, 6844, 6908, 6976, 7133, 7136, 7153, 7157, 7192, 7196, 7202, 7203, 7251, 7257, 7261, 7262, 7318, 7321, 7326, 7331, 7355, 7494, 7496, 7500, 7504, 7529, 7811, 7832, 7848, 7905, 8923, 8928, 10301, 10316, 10326, 10575, 10585, 10846, 10850, 10882, 10888, 10931, 11019, 11057, 11062, 11555, 11562, 11565, 11579, 11642, 11648, 11694, 11698, 11734, 11751, 11754, 11797, 11800, 11830, 11847, 13082, 13490, 13544, 13550, 13872, 14130, 14141, 14146, 14180, 14181, 14182, 14183, 14185, 14316, 14350, 14459, 14463, 14555, 14561, 14698, 14704, 14722, 14730, 15005, 15013, 15022, 15147, 15151, 15167, 15201, 15205, 15210, 15214, 15226, 15237, 15251, 15254, 15258, 15263, 15339, 15355, 15400, 15403, 16453, 16462, 16500, 16511, 16934, 16944, 17514, 17524, 17744, 17750, 17756, 17762, 17768, 17774, 17780, 17786, 17792, 18197, 18207, 18633, 18676, 18694, 20222, 20223, 20233, 20413, 20609, 20759, 20763, 20802, 20808, 20922, 20938, 20949, 20962, 20964, 21028, 21032, 21067
\boxdef 2021, 2023, 2029, 2034, 2039
\boxmaxdepth . . . 7803, 7808, 7824, 7829, 7856, 7913, 8866, 10550, 10563, 10778, 11508, 11510
\br 15178, 15180, 15182, 15183, 15184, 15188,

15244, 15250, 15258
\BR@b@bibitem . 5012, 5013
\BR@bibitem ... 5015, 5016
\BR@c@bibitem 5017
\bracetext 1605, 1821, 15278, 15279, 20341, 20342
\break 13447
\BreakBibliography 16805, 16838, 16840, 16846, 17385, 17418, 17420, 17426, 18068, 18101, 18103, 18109
\breaklooprepeat 3578, 3580, 3632, 3633, 3651, 3662, 3667, 3681
\breakrepeatloop .. 3607
\bs 1989, 1990, 1992
\bslice 15198, 15199, 15201, 15211, 15212, 15214, 15234, 15235, 15237, 15261, 15262, 15263
\bx@A 4662, 4703
\bx@a 4636, 4668, 4709
\bx@AA ... 4675, 4677, 4715
\bx@B 4662, 4703
\bx@b 4637, 4668, 4709
\bx@BB 4678, 4715
\bx@C 4662, 4703
\bx@c 4638, 4668, 4709
\bx@CC 4679, 4715
\bx@D 4662, 4703
\bx@d 4639, 4668, 4709
\bx@DD 4680, 4715
\bx@E 4662, 4703
\bx@e 4640, 4668, 4709
\bx@EE 4681, 4715
\bx@F 4663, 4704
\bx@f 4641, 4669, 4710
\bx@FF 4682, 4716
\bx@G 4663, 4704
\bx@g 4642, 4669, 4710
\bx@GG 4683, 4716
\bx@H 4663, 4704
\bx@h 4643, 4669, 4710
\bx@HH 4684, 4716
\bx@I 4663, 4704
\bx@i 4644, 4669, 4710
\bx@II 4685, 4716
\bx@J 4663, 4704
\bx@j 4645, 4669, 4710
\bx@JJ 4686, 4716
\bx@K 4664, 4705
\bx@k 4646, 4670, 4711
\bx@KK 4687, 4717
\bx@L 4664, 4705
\bx@l 4647, 4670, 4711
\bx@LL 4688, 4717
\bx@M 4664, 4705
\bx@m 4648, 4670, 4711
\bx@MM 4689, 4717
\bx@N 4664, 4705
\bx@n 4649, 4670, 4711
\bx@NN 4690, 4717
\bx@O 4665, 4706
\bx@o 4650, 4671, 4712
\bx@OO 4691, 4718
\bx@P 4665, 4706
\bx@p 4651, 4671, 4712
\bx@PP 4692, 4718
\bx@Q 4665, 4706
\bx@q 4652, 4671, 4712
\bx@QQ 4693, 4718
\bx@R 4665, 4706
\bx@r 4653, 4671, 4712
\bx@RR 4694, 4718
\bx@S 4626, 4628, 4666, 4707
\bx@s 4654, 4672, 4713
\bx@SS 4695, 4719
\bx@T 4629, 4666, 4707
\bx@t 4655, 4672, 4713
\bx@TT 4696, 4719
\bx@U 4630, 4666, 4707
\bx@u 4656, 4672, 4713
\bx@UU 4697, 4719
\bx@V 4631, 4666, 4707
\bx@v 4657, 4672, 4713
\bx@VV 4698, 4719
\bx@W 4632, 4667, 4708
\bx@w 4658, 4673, 4714
\bx@WW 4699, 4720
\bx@X 4633, 4667, 4708
\bx@x 4659, 4673, 4714
\bx@XX 4700, 4720
\bx@Y 4634, 4667, 4708
\bx@y 4660, 4673, 4714
\bx@YY 4701, 4720
\bx@Z 4635, 4667, 4708
\bx@z 4661, 4673, 4714
\bx@ZZ 4702, 4720
\bye 1878
\bystep 3560, 3572, 3656, 3669, 3679, 3692, 3705, 3706

C

\c 13856, 13857, 13871, 13928, 14133, 14214
\c@abspage 11129
\c@addvipersep 14403, 14421, 14426, 14448, 14478, 14503, 14521, 14526, 14548, 14575
\c@algocf 168
\c@chapter 6346, 6348, 6350, 6523, 6525, 6527, 6768, 6770, 6772, 6773, 8562, 8564, 8566, 8567, 10771, 10773, 10775, 11066, 11068, 11070, 11071, 11079, 11081, 11083, 11084, 13132, 14278, 14905, 15641, 15643, 15645, 16006, 16008, 16010, 16195, 16197, 16199, 16377, 16379, 16381, 16382
\c@colht 14403, 14415, 14441, 14442, 14503, 14515, 14541, 14542
\c@curpg 10945, 10972, 10973
\c@DFNsloppiness 7801, 7822
\c@enumiv 577, 584, 712, 719, 975, 982, 1225, 1232, 2502, 6316, 6323, 6504, 6511,

6813, 6820, 8337, 8344, 8608, 8615, 10664, 10671, 15622, 15629, 16016, 16023, 16210, 16217, 16413, 16420, 16814, 16823, 16830, 17394, 17403, 17410, 18077, 18086, 18093, 18742, 18749
\c@equation 6346, 6523, 6768, 8176, 8245, 8562, 10771, 11066, 11079, 14278, 15641, 16010, 16195, 16377, 17372, 18055
\c@figure . 6348, 6525, 6770, 8564, 10773, 11068, 11081, 14279, 15643, 16006, 16197, 16379, 17356, 18047
\c@footnote 128, 328, 456, 748, 807, 1000, 1059, 1250, 1309, 1916, 6361, 6538, 6675, 8396, 8493, 10715, 11407, 11421, 12256, 12366, 12374, 12404, 12412, 12853, 13524, 13527, 15658, 15717, 15797, 15858, 16054, 16097, 16284, 16629, 16693, 17178, 17242, 17877, 17941
\c@Hy@AnnotLevel 12578, 12579, 12584, 12588
\c@L@depth 12978
\c@L@lines . 12979, 12981
\c@ll@chapseci 7018
\c@ll@chapsecii ... 7013
\c@lofdepth . 18973, 19010
\c@lor@error 6982, 6989, 6997, 7003, 20270, 20304
\c@lotdepth . 18991, 19030
\c@lstlisting 13132, 13134
\c@LT@chunks 13473
\c@mpfootnote 11332, 11346, 11360, 11385, 13637
\c@NAT@ctr 14864
\c@page 5770, 8083, 8100, 10945, 10972, 20185, 20918
\c@paragraph 551, 705, 959, 1218, 6343, 6520, 6777, 8448, 8571, 10768, 11075, 11088, 14273, 15638, 16003, 16203, 16386, 16790, 17346, 18041
\c@poem@no 6039, 6089, 6140, 6151
\c@secnumdepth 314, 554, 563, 6587, 6782, 8306, 8315, 8576, 10634, 15417, 16391
\c@section 6340, 6517, 6774, 8568, 10765, 11072, 11085, 14267, 14915, 15635, 16000, 16200, 16383, 17340, 18035
\c@subparagraph 552, 706, 960, 1219, 6344, 6521, 6778, 8449, 8572, 10769, 11076, 11089, 14275, 15639, 16004, 16204, 16387, 16792, 17348, 18043
\c@subsection 549, 703, 957, 1216, 6341, 6518, 6775, 8446, 8569, 10766, 11073, 11086, 14269, 15636, 16001, 16201, 16384, 16786, 17342, 18037
\c@subsubsection 550, 704, 958, 1217, 6342, 6519, 6776, 8447, 8570, 10767, 11074, 11087, 14271, 15637, 16002, 16202, 16385, 16788, 17344, 18039
\c@table .. 6350, 6527, 6772, 8566, 10775, 11070, 11083, 14280, 15645, 16008, 16199, 16381, 17364, 18051
\c@thisframe 10944, 10949, 10985, 10987, 10988
\c@tocdepth ... 3, 208, 511, 528, 647, 663, 681, 874, 907, 925, 1130, 1146, 1164, 6250, 6266, 6282, 6427, 6443, 6459, 6730, 6745, 8279, 8293, 8548, 10602, 10617, 12815, 14623, 14635, 14647, 15551, 15567, 15583, 15923, 15939, 15955, 16155, 16169, 16339, 16354, 18818, 18822, 18864, 18883, 18905, 18922, 18939, 18956, 19248, 19356, 19391, 19779, 19975, 20669
\c@twb 7143
\c@twcompctr 7124
\c@twcompoddctr ... 7140
\c@twfirst 7125, 7131, 7138, 7142, 7151, 7154
\c@twlftside 7129

\c@twlspec 7143, 7146, 7150
\c@twprune 7129, 7130, 7146, 7150
\c@twrounds 7141, 7144, 7147, 7159
\c@twrtside 7130
\c@twslicea 7127, 7129, 7133, 7136, 7145, 7146, 7153, 7157
\c@twsliceb 7128, 7130, 7133, 7136, 7149, 7150, 7153, 7157
\c@twwinlines . 7126, 7139
\c@zabspage 11129
\cals@activate@rtl 6892
\cals@AtBeginTable 6909
\cals@AtEndTable . . 6911
\cals@backup@row . . 6908
\cals@borderB 6907
\cals@borderL 6904
\cals@borderR 6905
\cals@borderT 6906
\cals@current@context 6898
\cals@last@context 6897
\cals@paddingL . 6914, 6916, 6921, 6923
\cals@paddingR 6918, 6925
\cals@set@tohsize . 6901
\cals@setcellprevdepth 6901
\cals@setpadding . . 6901
\cals@setup@alignment 6885, 6900
\cals@table@alignment 6890, 6891
\cals@tbreak@tokens 6895
\cals@tfoot@height 6896
\cals@tfoot@tokens 6894, 6911
\cals@thead@tokens 6893
\cals@vfillAdd . 6886, 6888, 6914, 6923
\cals@vfillDrop 6887, 6888, 6916, 6918, 6921, 6925
\CAny 2010
\cAny 2018
\cap@indent 16911, 16914, 16919, 16921, 16922, 17491, 17494, 17499, 17501, 17502, 18174, 18177, 18182, 18184, 18185
\cap@left 16933, 16944, 17513, 17524, 18196, 18207
\cap@margin 16876, 17456, 18139
\cap@right . . . 16935, 16944, 17515, 17524, 18198, 18207
\cap@width 16899, 16902, 16905, 17479, 17482, 17485, 18162, 18165, 18168
\capfont 16886, 16907, 16912, 16917, 16921, 16940, 16944, 17466, 17487, 17492, 17497, 17501, 17520, 17524, 18149, 18170, 18175, 18180, 18184, 18203, 18207
\caplabelfont . 16887, 16908, 16913, 16918, 16923, 16941, 17467, 17488, 17493, 17498, 17503, 17521, 18150, 18171, 18176, 18181, 18186, 18204
\caption 4445, 4446, 4448, 4504, 11959, 11977, 13450, 14354, 14356
\caption@@make . . . 13511
\caption@@par 6929
\caption@begin . . . 13507
\caption@end 13513
\caption@hangindent 6930
\caption@iftop 13510, 13512
\caption@LT@make . 13496
\caption@LT@setup 13503
\caption@makecaption 6927, 13117
\caption@normalsize 13508
\caption@parindent 6930
\caption@prepare@stepcounter 13506
\caption@setautoposition 13504
\caption@setoptions 13501, 13502
\caption@settype . 13497
\caption@starfalse 13118, 13505
\caption@startrue . . . 13119, 13125, 13505
\captionabove . 16992, 16997, 17572, 17577, 18255, 18260
\captionbelow . 16994, 16999, 17574, 17579, 18257, 18262
\captionformat 16887, 16908, 16913, 16918, 16923, 16941, 17467, 17488, 17493, 17498, 17503, 17521, 18150, 18171, 18176, 18181, 18186, 18204
\captionlabelfalse 13123
\catcode 1761, 1879, 3004, 3289, 3290, 3291, 3331, 4984, 5006, 5937, 5938, 5940, 5941, 11466, 11467, 11582
\Centering 15427
\centering 313, 7658, 7671, 7787, 10812, 10818, 11989, 12074, 12090, 14301, 14303, 14305, 16676, 17225, 17924
\CenteringLeftskip 15432
\CenteringParfillskip 15435

\CenteringParindent 15436
\CenteringRightskip 15433
\centerline 317, 11562, 11579, 15366, 20593
\cftbeforechapskip 18866
\cftbeforefigskip 18974
\cftbeforeparaskip 18940
\cftbeforepartskip 18834
\cftbeforesecskip 18885, 18888
\cftbeforesubfigskip 19011
\cftbeforesubparaskip 18957
\cftbeforesubsecskip 18906
\cftbeforesubsubsecskip 18923
\cftbeforesubtabskip 19031
\cftbeforetabskip 18992
\cftchapaftersnum 18875
\cftchapaftersnumb 18876
\cftchapfillnum . . 18879
\cftchapfont 18878
\cftchapindent 18867, 18870, 19117
\cftchapnumwidth 18873, 19118
\cftchappresnum . . 18874
\cftchapterprecistoc 19116
\cftdot 18814
\cftdotfill 19108
\cftdotsep 19107
\cftfigaftersnum . 18983
\cftfigaftersnumb 18984
\cftfigfillnum . . . 18987
\cftfigfont 18986
\cftfigindent 18975, 18978
\cftfignumwidth . . 18981
\cftfigpresnum . . . 18982
\cftparaaftersnum 18949
\cftparaaftersnumb 18950
\cftparafillnum . . 18953
\cftparafont 18952
\cftparaindent 18941, 18944
\cftparanumwidth . 18947
\cftparapresnum . . 18948
\cftpartaftersnum 18844
\cftpartaftersnumb 18845
\cftpartfillnum . . 18848
\cftpartfont 18847
\cftpartindent 18836, 18839
\cftpartnumwidth . 18842
\cftpartpresnum 18843, 18847
\cftsecaftersnum . 18898
\cftsecaftersnumb 18899
\cftsecfillnum . . . 18902
\cftsecfont 18901
\cftsecindent 18890, 18893
\cftsecnumwidth . . 18896
\cftsecpresnum . . . 18897
\cftsubfigaftersnum 19020
\cftsubfigaftersnumb 19021
\cftsubfigfillnum 19024
\cftsubfigfont . . . 19023
\cftsubfigindent 19012, 19015
\cftsubfignumwidth 19018
\cftsubfigpresnum 19019
\cftsubparaaftersnum 18966
\cftsubparaaftersnumb 18967
\cftsubparafillnum 18970
\cftsubparafont . . 18969
\cftsubparaindent 18958, 18961
\cftsubparanumwidth 18964
\cftsubparapresnum 18965
\cftsubsecaftersnum 18915
\cftsubsecaftersnumb 18916
\cftsubsecfillnum 18919
\cftsubsecfont . . . 18918
\cftsubsecindent 18907, 18910
\cftsubsecnumwidth 18913
\cftsubsecpresnum 18914
\cftsubsubsecaftersnum 18932
\cftsubsubsecaftersnumb 18933
\cftsubsubsecfillnum 18936
\cftsubsubsecfont 18935
\cftsubsubsecindent 18924, 18927
\cftsubsubsecnumwidth 18930
\cftsubsubsecpresnum 18931
\cftsubtabaftersnum 19040
\cftsubtabaftersnumb 19041
\cftsubtabfillnum 19044
\cftsubtabfont . . . 19043
\cftsubtabindent 19032, 19035
\cftsubtabnumwidth 19038
\cftsubtabpresnum 19039
\cfttabaftersnum . 19001
\cfttabaftersnumb 19002
\cfttabfillnum . . . 19005
\cfttabfont 19004
\cfttabindent 18993, 18996
\cfttabnumwidth . . 18999
\cfttabpresnum . . . 19000
\chapnumfont 15416
\chapter 5359, 5387, 5457, 5465, 5581, 5587, 6312, 6500, 6809, 8604, 10660, 15618, 16012, 16206, 16409
\chapterheadendvskip 15422
\chapterheadstartvskip 15414
\chaptermark . 5844, 18777
\chaptername . . 318, 14287
\chapterstyle 14282
\char 1745, 1993, 1994, 3277
\chardef 3276, 11466, 13036, 13037, 13043, 13044
\check@floats . 7376, 7551

\CheckCommand . . 3713, 12363, 12401, 15478
\checkoddpage 4339
\CIIIAny 2011
\ciiiAny 2019
\circle 7032, 7035, 7042, 7045, 7055, 7058, 7065, 7068, 7078, 7081, 7088, 7091, 7101, 7104, 7111, 7114
\cite 5021, 5113, 5119, 5120, 5214, 5219, 5240, 5248, 5269, 5277, 5298, 5316, 5320, 5325, 5329, 5334, 5338, 14873, 14874
\citeasnoun 14874
\citeN 14873
\cites 5114
\cl@@ckpt 18521
\ClassInfo 5801, 5866, 17003, 17583, 18266
\ClassWarning 16686, 17235, 17934
\ClassWarningNoLine 14338
\clear 4118
\cleardoubleemptypage 16633, 16678, 17182, 17227, 17881, 17926
\cleardoublepage 5723, 5768, 5770, 5827, 5840, 5854, 6803, 8598
\clearpage . 607, 623, 872, 1124, 3198, 3199, 3203, 3204, 4077, 4078, 4081, 4723, 5735, 5770, 5856, 6244, 6421, 6631, 6805, 8600, 15527, 15782, 16241, 16741, 17290, 17989, 18811
\clipbox@@ 15402
\CloneTOCEntryStyle 17009, 17022, 17041, 17047, 17589, 17602, 17621, 17627, 18272, 18285, 18304, 18310
\closing 8638, 17800
\clubpenalty 92, 305, 586, 587, 720, 983, 1233, 2503, 6055, 6324, 6512, 6822, 6823, 8345, 8617, 8618, 10672, 12780, 14870, 15630, 16024, 16219, 16220, 16422, 16423, 16832, 17412, 18095, 18751, 18752
\coffeefont 14643
\col@number 132, 137, 139, 142, 143, 150, 462, 813, 1065, 1315, 6681, 8402, 8499, 10721, 14245, 14585, 14667, 14672, 14708, 14743, 14744, 14746, 14749, 14750, 14757, 15723, 15864, 16108, 16290, 16697, 17246, 17945
\col@sep 382, 410, 6933, 6934, 13462, 20426
\color 181, 1950, 1951, 1952, 1953, 1954, 2426, 6978, 6981, 6984, 7002, 7005, 7652, 7655, 7665, 7783, 12904, 13600, 20235
\color@ 20275, 20322
\color@b@x 6970, 7008, 7010, 20228, 20325, 20328
\color@begingroup 5169, 5187, 5205, 6214, 6228, 8711, 8727, 8743, 8756, 8769, 8782, 8959, 8969, 8979, 9005, 9018, 9030, 9057, 9070, 9110, 9119, 9128, 9153, 9165, 9176, 9202, 9214, 9254, 9264, 9274, 9300, 9313, 9325, 9352, 9365, 9405, 9415, 9425, 9451, 9464, 9476, 9503, 9516, 9556, 9566, 9576, 9602, 9615, 9627, 9654, 9667, 9707, 9717, 9727, 9753, 9766, 9778, 9805, 9818, 9858, 9868, 9878, 9904, 9917, 9929, 9956, 9969, 10009, 10019, 10029, 10055, 10068, 10080, 10107, 10120, 10160, 10170, 10180, 10206, 10219, 10231, 10258, 10271, 10366, 10378, 10390, 10416, 10430, 10444, 10484, 10498, 10556, 10567, 11281, 11298, 11314, 11341, 11355, 11369, 11381, 13574, 20544
\color@block . 6975, 20233
\color@box . . 7008, 20325
\color@endbox . . 2260, 4843, 4887, 4931, 16525, 16535, 16553, 20860, 20904, 21025, 21046
\color@endgroup 5173, 5191, 5209, 6216, 8715, 8731, 8747, 8761, 8774, 8787, 8903, 8961, 8971, 8981, 9007, 9020, 9032, 9059, 9072, 9112,

9121, 9130, 9155, 9167, 9178, 9204, 9216, 9256, 9266, 9276, 9302, 9315, 9327, 9354, 9367, 9407, 9417, 9427, 9453, 9466, 9478, 9505, 9518, 9558, 9568, 9578, 9604, 9617, 9629, 9656, 9669, 9709, 9719, 9729, 9755, 9768, 9780, 9807, 9820, 9860, 9870, 9880, 9906, 9919, 9931, 9958, 9971, 10011, 10021, 10031, 10057, 10070, 10082, 10109, 10122, 10162, 10172, 10182, 10208, 10221, 10233, 10260, 10273, 10368, 10380, 10392, 10418, 10432, 10446, 10486, 10500, 10560, 10571, 11284, 11301, 11317, 11344, 11358, 11372, 11402, 20546

\color@fb@x . 20326, 20327

\color@fbox . . 7009, 20326

\color@hbox 16522, 16532, 16550, 21022, 21043

\color@setgroup 7011, 20330

\color@vbox 2238, 4834, 4878, 4922, 20851, 20895

\colorA . . 6589, 6598, 6610

\colorB 6595, 6601, 6607, 6613

\colorblend . . . 20242, 20243, 20285, 20286

\colorbox 2066, 2068, 2069

\columncolor . . 1469, 6941

\columnsep 99, 229, 600, 616, 865, 1117, 1899, 2335, 6237, 6414, 6624, 7197, 7322, 7497, 10851, 11699, 12788, 14465, 14582, 14675, 14724, 15520, 15775, 16234, 20190, 20195, 20199, 20205, 20208, 20764

\columnseprule 99, 229, 599, 615, 864, 1116, 1900, 2336, 6236, 6413, 6623, 7188, 7253, 7316, 7328, 7493, 7502, 10843, 10884, 11644, 11690, 12788, 14455, 14557, 14700, 14714, 15519, 15774, 16233, 20755, 20804

\columnseprulecolor 14699, 14713

\columnwidth . . 28, 41, 55, 71, 242, 254, 268, 283, 543, 547, 734, 968, 1214, 2250, 6338, 6491, 6761, 6765, 6873, 7186, 7190, 7194, 7198, 7249, 7255, 7315, 7317, 7320, 7323, 7325, 7330, 7492, 7494, 7496, 7498, 7500, 7504, 7801, 7822, 8352, 8356, 8651, 8655, 8698, 8708, 8724, 8740, 8753, 8766, 8779, 9002, 9014, 9027, 9067, 9150, 9161, 9173, 9211, 9297, 9309, 9322, 9362, 9448, 9460, 9473, 9513, 9599, 9611, 9624, 9664, 9750, 9762, 9775, 9815, 9901, 9913, 9926, 9966, 10052, 10064, 10077, 10117, 10203, 10215, 10228, 10268, 10352, 10412, 10426, 10440, 10469, 10494, 10653, 10657, 10842, 10844, 10848, 10852, 10880, 10886, 11187, 11190, 11192, 11277, 11294, 11310, 11337, 11351, 11365, 11383, 11597, 11604, 11640, 11646, 11688, 11692, 11696, 11700, 11931, 11932, 12802, 12876, 12880, 13577, 14453, 14457, 14461, 14464, 14553, 14559, 14582, 14611, 14617, 14773, 14777, 14781, 14785, 15615, 16038, 16188, 16192, 16370, 16374, 16614, 16862, 16867, 17163, 17442, 17447, 17722, 17726, 17862, 18125, 18130, 20753, 20757, 20761, 20765, 20800, 20806, 20943, 20945

\contentslabel . 5418, 5425, 5432, 5439, 5446

\contentsline 12194

\contentsmargin . . 18716

\contentspush 18690

\convertcolorspec 20249,

20252, 20292, 20295
\Coord 2007
\coord 2012
\CoordIII 2009
\coordiii 2014
\Coordn 2008
\coordn 2013
\Coordx 2004, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2018, 2019
\coordx 2015
\Coordy 2005, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2018, 2019
\coordy 2016
\Coordz 2006, 2009, 2011, 2014, 2019
\coordz 2017
\copy 4830, 4874, 4918, 6877, 7166, 7229, 7297, 7303, 7463, 7475, 7812, 7833, 10825, 10861, 11617, 11665, 11742, 11788, 13541, 13553, 13557, 14387, 14487, 15271, 15354, 15424, 20412, 20733, 20780, 20847, 20891, 20954
\cor@height . . . 14410, 14411, 14438, 14439, 14478, 14510, 14511, 14538, 14539, 14575
\count 1610, 1826, 2233, 3587, 4819, 4863, 4907, 8915, 8944, 9048, 9095, 9193, 9239, 9343, 9390, 9494, 9541, 9645, 9692, 9796, 9843, 9947, 9994, 10098, 10145, 10249, 10338, 10463, 10955, 11618, 11666, 11871, 11877, 20836, 20880, 20988
\count@ . . . 1409, 1468, 2605, 2610, 4165, 4166, 4168, 6939, 14662, 14663, 14665, 14667, 14674, 14695, 14696, 14698, 14718, 14719, 14722, 14971, 14979, 14992, 18560
\counterwithout 14283, 14284, 14285, 14286
\cr 398, 6002, 6009, 6065, 8926, 8930, 8932, 13477, 18466, 18504, 20641
\crcr . 409, 2132, 6005, 18454, 18484, 20437, 20440, 20628
\CROP@@llc 7074
\CROP@@lrc 7097
\CROP@@ulc 7028
\CROP@@urc 7051
\CROP@execopt 7121
\cs 13711, 13762, 13780, 13834, 13849, 14137, 14139, 14999, 15000
\cs@a 3362
\csname . . 8, 44, 58, 74, 166, 168, 213, 257, 271, 286, 343, 344, 386, 1372, 2095, 2096, 2110, 2111, 2137, 2140, 2143, 2159, 2167, 2175, 2230, 2533, 2534, 2557, 2558, 2585, 2612, 2616, 2627, 2635, 2643, 2651, 2653, 2655, 2659, 2660, 2724, 2766, 2776, 2782, 2783, 2785, 2786, 2788, 2789, 2791, 2834, 2835, 2858, 2913, 2914, 2915, 2916, 2922, 2923, 2924, 2925, 3008, 3009, 3012, 3013, 3228, 3230, 3242, 3244, 3295, 3300, 3304, 3320, 3338, 3340, 3348, 3350, 3359, 3360, 3440, 3444, 3475, 3483, 3484, 3497, 3505, 3507, 3534, 3555, 3592, 3593, 3594, 3610, 3611, 3612, 3613, 3719, 3722, 3726, 3743, 3746, 3748, 3758, 3761, 3763, 3770, 3775, 3780, 3790, 3806, 3809, 3823, 3835, 3867, 3878, 3962, 3965, 4005, 4054, 4194, 4215, 4566, 4567, 4574, 4575, 5167, 5185, 5203, 5234, 5263, 5292, 5534, 6060, 6095, 6098, 6101, 6115, 6122, 6129, 6137, 6138, 6176, 6201, 6202, 6984, 6990, 6998, 7005, 7577, 8710, 8726, 8742, 8755, 8768, 8781, 8958, 8968, 8978, 9004, 9017, 9029, 9047, 9048, 9056, 9069, 9109, 9118, 9127, 9152, 9164, 9175, 9192, 9193, 9201, 9213, 9253, 9263, 9273, 9299, 9312, 9324, 9342, 9343, 9351, 9364, 9404, 9414, 9424, 9450, 9463, 9475, 9493, 9494, 9502, 9515, 9555, 9565, 9575, 9601, 9614, 9626, 9644, 9645, 9653, 9666, 9706, 9716,

9726, 9752, 9765, 9777, 9795, 9796, 9804, 9817, 9857, 9867, 9877, 9903, 9916, 9928, 9946, 9947, 9955, 9968, 10008, 10018, 10028, 10054, 10067, 10079, 10097, 10098, 10106, 10119, 10159, 10169, 10179, 10205, 10218, 10230, 10248, 10249, 10257, 10270, 10364, 10376, 10388, 10414, 10428, 10442, 10462, 10463, 10482, 10496, 10780, 10933, 10934, 10939, 10940, 11048, 11049, 11050, 11051, 11053, 11055, 11056, 11057, 11058, 11060, 11061, 11062, 11119, 11143, 11161, 11247, 11256, 11279, 11296, 11312, 11340, 11354, 11368, 11415, 11430, 12196, 12199, 12201, 12205, 12209, 12223, 12234, 12245, 12445, 12476, 12507, 12820, 12908, 12911, 13330, 13396, 14367, 14368, 14375, 16566, 16570, 16574, 17012, 17014, 17016, 17019, 17025, 17034, 17036, 17038, 17044, 17115, 17119, 17123, 17592, 17594, 17596, 17599, 17605, 17613, 17615, 17618, 17624, 17814, 17818, 17822, 18275, 18277, 18279, 18282, 18288, 18296, 18298, 18301, 18307, 18456, 18482, 18484, 18516, 18538, 18540, 18556, 18557, 18577, 18584, 18794, 19057, 19058, 19074, 19075, 19076, 19083, 19085, 19086, 19139, 19140, 19294, 19295, 19405, 19409, 19413, 19512, 19515, 19529, 19545, 19546, 19562, 19569, 19574, 19635, 19690, 19692, 19694, 19710, 19713, 19719, 19721, 19724, 19728, 19733, 19737, 19741, 19755, 19759, 19762, 19765, 19769, 19771, 19807, 19809, 19816, 19817, 19821, 19826, 19830, 19841, 19842, 19846, 19852, 19907, 19908, 19912, 20008, 20009, 20011, 20014, 20015, 20019, 20467, 20532, 20630, 20691, 20704, 20706, 21127

\CT@@do@color 6936
\CT@cell@color 1493, 6961
\CT@color 6935
\CT@column@color 1491, 6959
\CT@do@color 1494, 6936, 6962
\CT@extract . . . 1469, 6941
\CT@row@color . 1492, 6960
\CT@setup 1458, 1459, 1461, 1462, 1466, 1490, 6932, 6958
\cumpartcl 15175
\cumtcl 15175
\curraddr 332
\current@color 6977, 6983, 6990, 6998, 7004, 11444, 11449, 20234, 20271, 20272, 20276, 20305, 20306, 20323
\CurrentOption 5782, 5783, 5784, 5785, 5786, 5806, 5807, 5808, 5809, 5810, 7598, 7696
\customername 17760
\CustomFBox 11446
\cvcomputer 2458
\cvdoubleitem . 2435, 2459
\cventry 2447
\cvlanguage 2456
\cvline 2430, 2431, 2436, 2440, 2442, 2448, 2457
\cvlistdoubleitem . 2441
\cvlistitem 2439
\cvtheme 2373, 2376

D

\d 13681
\d@llarbegin 382, 411, 1413, 1414, 1415, 1478, 1481, 1482, 6946, 6949, 6950, 20426

\d@llarend 383, 411, 1413, 1414, 1415, 1480, 1481, 1482, 6948, 6949, 6950, 20427
\dashgapcolor 1473
\date 450, 486, 790, 835, 1042, 1087, 1292, 1337, 1934, 5648, 5696, 6403, 6580, 6669, 6705, 8390, 8424, 8487, 8523, 10709, 10743, 15700, 15745, 15841, 15888, 16091, 16132, 16278, 16314, 16737, 17286, 17985
\datename 17790
\deadcycles . . . 3213, 3216
\debugfootnotedirection 11106
\DeclareOption 2265, 2268, 2271, 2274, 2277, 2280, 2283, 2288, 2289, 2290, 2291, 2292, 2294, 4244, 4246, 4248, 4251, 4256, 5353, 5354, 5612, 5613, 5638, 5639, 5782, 5783, 5784, 5785, 5786, 5806, 5807, 5808, 5809, 5810, 7588, 7590, 7592, 7594, 7596, 7597, 7686, 7688, 7690, 7692, 7694, 7695
\DeclareRobustCommand 1992, 1993, 1994, 1995, 1996, 1997, 1998, 4579, 4586, 6978, 6993, 20235, 20278
\DeclareSectionCommand 17049, 17057, 17067, 17077, 17087, 17097, 17629, 17638, 17646, 17656, 17666, 17676, 17686, 18312, 18321, 18329, 18339, 18349, 18359, 18369
\DeclareTOCEntryStyle . 19124, 19281, 19483
\DecMargin 194
\dedication 16736, 17285, 17984
\dedicatory 333
\def 2, 23, 26, 30, 34, 48, 64, 95, 98, 107, 108, 109, 110, 122, 132, 133, 135, 171, 172, 173, 174, 184, 188, 207, 228, 237, 238, 239, 240, 244, 247, 261, 276, 308, 311, 323, 329, 346, 348, 353, 355, 380, 385, 387, 408, 409, 410, 411, 457, 458, 489, 553, 590, 722, 745, 746, 754, 793, 794, 796, 801, 803, 808, 810, 838, 985, 997, 998, 1006, 1045, 1046, 1048, 1053, 1055, 1060, 1061, 1090, 1235, 1247, 1248, 1256, 1295, 1296, 1298, 1303, 1305, 1310, 1312, 1340, 1360, 1370, 1371, 1374, 1380, 1408, 1421, 1422, 1425, 1438, 1446, 1454, 1455, 1458, 1459, 1462, 1467, 1505, 1506, 1602, 1604, 1605, 1701, 1705, 1760, 1762, 1792, 1809, 1817, 1818, 1819, 1820, 1821, 1827, 1828, 1835, 1851, 1852, 1853, 1856, 1859, 1863, 1874, 1875, 1878, 1887, 1892, 1917, 1918, 2000, 2001, 2002, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2024, 2035, 2066, 2067, 2068, 2069, 2076, 2082, 2088, 2096, 2101, 2103, 2111, 2116, 2117, 2132, 2136, 2139, 2142, 2147, 2150, 2153, 2157, 2165, 2173, 2180, 2182, 2183, 2185, 2254, 2348, 2349, 2350, 2351, 2352, 2353, 2355, 2356, 2374, 2375, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2506, 2527, 2528, 2531, 2537, 2540, 2551, 2552, 2555, 2561, 2564, 2575, 2577, 2580, 2584, 2590, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2611, 2612, 2616, 2621, 2629, 2637, 2645, 2652, 2654, 2754, 2762, 2783, 2791, 2792, 2793, 2799, 2801, 2802, 2803, 2813, 2815, 2817, 2823, 2827, 2830, 2839, 2850, 2852, 2853, 2864, 2937, 2956, 2988, 2989, 2990, 3001, 3015, 3018, 3019, 3031, 3043, 3047, 3050, 3063, 3072, 3100, 3128, 3131, 3132, 3140,

3141, 3175, 3188,
3204, 3219, 3277,
3286, 3293, 3300,
3304, 3309, 3314,
3319, 3321, 3324,
3327, 3335, 3336,
3338, 3340, 3341,
3348, 3350, 3351,
3358, 3359, 3360,
3361, 3362, 3366,
3367, 3369, 3370,
3372, 3378, 3384,
3402, 3403, 3408,
3413, 3418, 3424,
3429, 3440, 3444,
3450, 3453, 3467,
3469, 3471, 3473,
3474, 3476, 3478,
3483, 3484, 3485,
3486, 3491, 3492,
3499, 3501, 3504,
3509, 3511, 3517,
3518, 3519, 3520,
3524, 3527, 3529,
3530, 3534, 3536,
3537, 3540, 3550,
3592, 3593, 3594,
3597, 3607, 3614,
3616, 3621, 3633,
3640, 3642, 3646,
3647, 3654, 3656,
3659, 3664, 3671,
3673, 3744, 3747,
3756, 3759, 3911,
3922, 3961, 4074,
4084, 4097, 4151,
4161, 4163, 4168,
4173, 4179, 4180,
4183, 4190, 4198,
4213, 4286, 4377,
4398, 4402, 4415,
4495, 4564, 4582,
4588, 4625, 4750,
4752, 4753, 4754,
4763, 4765, 4766,
4767, 4771, 4773,
4779, 4780, 4807,
4821, 4824, 4828,
4832, 4845, 4851,
4865, 4868, 4872,
4876, 4889, 4895,
4909, 4912, 4916,
4920, 4933, 4985,
5000, 5005, 5131,
5133, 5161, 5179,
5197, 5218, 5247,
5276, 5496, 5533,
5541, 5770, 5908,
5909, 5911, 5929,
5930, 5933, 5943,
5944, 5945, 5946,
5952, 5955, 5966,
5967, 5968, 5978,
6004, 6008, 6015,
6037, 6056, 6057,
6058, 6064, 6094,
6097, 6100, 6104,
6107, 6110, 6113,
6120, 6127, 6137,
6138, 6139, 6149,
6153, 6156, 6161,
6162, 6163, 6165,
6174, 6180, 6201,
6202, 6326, 6358,
6359, 6367, 6514,
6535, 6536, 6544,
6584, 6604, 6676,
6677, 6708, 6779,
6793, 6826, 6830,
6842, 6855, 6862,
6866, 6869, 6932,
6935, 6938, 6970,
6977, 6980, 6987,
6995, 7001, 7008,
7009, 7011, 7125,
7138, 7141, 7142,
7147, 7154, 7159,
7163, 7226, 7286,
7795, 7799, 7802,
7820, 7823, 7841,
7898, 8075, 8117,
8144, 8146, 8151,
8182, 8183, 8256,
8305, 8324, 8347,
8397, 8398, 8427,
8494, 8495, 8526,
8573, 8588, 8621,
8697, 8704, 8720,
8736, 8752, 8765,
8778, 8807, 8808,
8809, 8819, 8820,
8821, 8892, 8954,
8964, 8974, 9000,
9012, 9025, 9052,
9065, 9080, 9085,
9105, 9114, 9123,
9148, 9159, 9171,
9197, 9209, 9224,
9229, 9249, 9259,
9269, 9295, 9307,
9320, 9347, 9360,
9375, 9380, 9400,
9410, 9420, 9446,
9458, 9471, 9498,
9511, 9526, 9531,
9551, 9561, 9571,
9597, 9609, 9622,
9649, 9662, 9677,
9682, 9702, 9712,
9722, 9748, 9760,
9773, 9800, 9813,
9828, 9833, 9853,
9863, 9873, 9899,
9911, 9924, 9951,
9964, 9979, 9984,
10004, 10014,
10024, 10050,
10062, 10075,
10102, 10115,
10130, 10135,
10155, 10165,
10175, 10201,
10213, 10226,
10253, 10266,
10281, 10286,
10348, 10360,
10372, 10384,
10409, 10423,
10437, 10465,
10478, 10492,
10514, 10522,
10596, 10631,
10643, 10674,
10716, 10717,
10746, 10777,
10809, 10815,
10822, 10858,
10932, 10943,
10991, 11098,
11185, 11189,

11191, 11193, 11195, 11197, 11199, 11200, 11202, 11206, 11215, 11217, 11224, 11225, 11242, 11245, 11251, 11254, 11262, 11263, 11264, 11270, 11287, 11303, 11331, 11345, 11359, 11373, 11379, 11385, 11392, 11405, 11409, 11413, 11419, 11424, 11428, 11440, 11454, 11456, 11458, 11460, 11468, 11573, 11583, 11614, 11662, 11719, 11723, 11729, 11738, 11740, 11756, 11767, 11768, 11770, 11783, 11784, 11786, 11802, 11804, 11807, 11809, 11810, 11825, 11832, 11892, 11893, 11894, 11895, 11904, 11906, 11942, 12194, 12221, 12232, 12243, 12254, 12264, 12275, 12286, 12297, 12312, 12327, 12344, 12370, 12387, 12395, 12408, 12425, 12433, 12441, 12458, 12466, 12472, 12489, 12497, 12503, 12520, 12528, 12536, 12550, 12554, 12568, 12576, 12583, 12591, 12594, 12597, 12631, 12663, 12692, 12719, 12722, 12724, 12727, 12736, 12737, 12741, 12743, 12744, 12745, 12747, 12756, 12758, 12783, 12787, 12796, 12797, 12798, 12800, 12804, 12806, 12811, 12814, 12835, 12847, 12883, 12904, 12906, 12907, 12914, 12919, 12979, 13069, 13085, 13086, 13118, 13119, 13123, 13125, 13431, 13443, 13447, 13448, 13449, 13456, 13484, 13515, 13523, 13526, 13531, 13561, 13569, 13635, 13636, 14241, 14243, 14293, 14295, 14343, 14354, 14365, 14384, 14484, 14581, 14589, 14622, 14634, 14646, 14660, 14693, 14707, 14743, 14771, 14775, 14779, 14783, 14787, 14878, 14892, 14894, 14901, 14907, 14987, 15040, 15044, 15048, 15050, 15066, 15078, 15092, 15142, 15149, 15268, 15269, 15271, 15272, 15278, 15279, 15280, 15290, 15300, 15308, 15316, 15317, 15318, 15319, 15320, 15321, 15326, 15327, 15330, 15332, 15333, 15334, 15335, 15337, 15338, 15351, 15357, 15364, 15365, 15366, 15367, 15368, 15370, 15371, 15510, 15511, 15632, 15655, 15656, 15664, 15703, 15704, 15706, 15711, 15713, 15718, 15720, 15748, 15794, 15795, 15803, 15844, 15845, 15847, 15852, 15854, 15859, 15861, 15891, 15913, 16026, 16055, 16057, 16098, 16100, 16135, 16223, 16285, 16286, 16317, 16388, 16400, 16426, 16430, 16473, 16520, 16523, 16530, 16533, 16541, 16548, 16551, 16577, 16579, 16599, 16783, 16784, 16836, 16843, 16992, 16994, 17126, 17128, 17148, 17332, 17416, 17423, 17572,

17574, 17700, 17717, 17721, 17724, 17728, 17800, 17825, 17827, 17847, 18031, 18099, 18106, 18255, 18257, 18389, 18393, 18410, 18431, 18434, 18449, 18454, 18457, 18480, 18484, 18488, 18498, 18514, 18520, 18528, 18549, 18558, 18559, 18575, 18579, 18582, 18586, 18589, 18619, 18661, 18695, 18717, 18723, 18726, 18728, 18731, 18755, 19408, 19432, 19974, 19995, 19997, 20153, 20196, 20199, 20205, 20209, 20228, 20234, 20237, 20259, 20268, 20274, 20280, 20302, 20308, 20317, 20321, 20325, 20326, 20327, 20330, 20335, 20341, 20342, 20343, 20353, 20363, 20372, 20383, 20384, 20385, 20386, 20387, 20388, 20393, 20394, 20397, 20399, 20400, 20401, 20402, 20404, 20406, 20408, 20409, 20422, 20424, 20429, 20431, 20437, 20439, 20446, 20448, 20451, 20453, 20454, 20455, 20456, 20458, 20468, 20505, 20535, 20540, 20541, 20546, 20583, 20593, 20596, 20599, 20604, 20605, 20606, 20607, 20608, 20610, 20613, 20623, 20628, 20631, 20651, 20654, 20664, 20665, 20666, 20667, 20668, 20688, 20690, 20723, 20730, 20777, 20824, 20838, 20841, 20845, 20849, 20862, 20868, 20882, 20885, 20889, 20893, 20906, 20912, 20952, 20956, 20957, 20958, 20959, 20969, 21060, 21072, 21073, 21075, 21194, 21196, 21200, 21202, 21229, 21231

\default@color 6977, 20234
\DefaultFindent .. 12890
\DefaultLhang 12886
\DefaultLoversize 12887
\DefaultLraise ... 12888
\DefaultNindent .. 12891
\DefaultOptionsFile . 12896, 12899, 12902
\DefaultSlope 12892
\deffootnote .. 16576, 16601, 17125, 17150, 17699, 17719, 17824, 17849
\define@choicekey 1638, 1644, 1650, 1656, 1662, 1668, 1680, 1686, 1692, 1699, 1713, 1720, 20028, 20036
\define@key 20026
\definecolor 1941, 1942, 1943, 1944, 1945, 2347, 2354, 7602, 7607, 7610, 7611, 7612, 7614, 7615, 7618, 7619, 7621, 7622, 7625, 7626, 7628, 7629, 7632, 7633, 7635, 7636, 7639, 7640, 7705, 7706, 7711, 7712, 7717, 7718, 7723, 7724, 7729, 7730, 8249
\DefineTOCEntryCommandOption 19490, 19492, 19494, 19498, 19500, 19502, 19504, 19506
\DefineTOCEntryIfOption . 19486, 19488, 19520
\DefineTOCEntryLengthOption .. 19125, 19127, 19282, 19484, 19496, 19522, 19524
\DefineTOCEntryOption 19508
\DefNewDummy .. 3384, 3401
\delimiter 11437
\DEPTH 18622, 18629
\depth 11732, 14182, 14189, 14214
\depthof .. 8124, 8129, 8138, 8139, 8143, 8148
\descriptionlabel . 5574
\DetectColumn 20694, 20698
\detokenize 2760, 2762, 2988, 2990, 2991, 3018, 3033, 3050, 3053, 3061, 3063, 3131, 3132, 3957
\dfn@afteroutput 7890, 7893, 7942, 7945
\dfn@boxa . 7799, 7804, 7807, 7811, 7812,

7813, 7820, 7825, 7828, 7832, 7833, 7834, 7847, 7854, 7857, 7859, 7866, 7874, 7904, 7911, 7914, 7916, 7920, 7928
\dfn@boxb 7813, 7834, 7851, 7852, 7859, 7864, 7908, 7909, 7916, 7919
\dfn@countins . 7843, 7900
\dfn@dima 7804, 7805, 7806, 7817, 7825, 7826, 7827, 7838, 7842, 7859, 7879, 7899, 7916, 7931
\dfn@dimb 7879, 7880, 7882, 7883, 7885, 7931, 7932, 7934, 7935, 7937
\dfn@elt@adjust 7879, 7931
\dfn@elt@getht 7844, 7901
\dfn@fnht . 7815, 7836, 7877, 7880, 7886, 7887, 7888, 7929, 7932, 7938, 7939, 7940
\dfn@fnmaxdp 7803, 7808, 7813, 7824, 7829, 7834, 7856, 7859, 7913, 7916
\dfn@footnoterule 7897, 7949
\dfn@footnotetext . 7798
\dfn@gobble . . . 7800, 7821
\dfn@ins . . 7808, 7809, 7810, 7812, 7829, 7830, 7831, 7833, 7847, 7848, 7904, 7905
\dfn@latex@footnotetext 7797
\dfn@latex@LTRfootnotetext 7803, 7818
\dfn@latex@makecol 7896, 7948
\dfn@latex@RTLfootnotetext 7824, 7839
\dfn@list . 7817, 7838, 7845, 7878, 7880, 7883, 7889, 7902, 7930, 7932, 7935, 7941
\dfn@LTRfootnotetext 7799, 7819
\dfn@LTRmakecol 7898, 7950, 7952
\dfn@makecol 7950, 7951, 7952
\dfn@makefnmark 7802, 7823
\dfn@RTLfootnotetext 7820, 7840
\dfn@RTLmakecol 7841, 7950, 7951
\dfn@split 7813, 7834, 7847, 7859, 7904, 7916
\DFNalwaysdouble . . 7953
\DFNcolumnsep 7862, 7875, 7919
\DFNcolumnwidth 7796, 7801, 7822, 7861, 7863, 7866, 7876, 7918, 7920
\diagbox@double 7955, 7958
\diagbox@double@pict@NE 8029, 8036
\diagbox@double@pict@NW 8028
\diagbox@double@pict@SE 8021, 8028
\diagbox@double@pict@SW 8036
\diagbox@font 7956, 7959, 7963, 7965, 7970, 7972, 7976, 7979, 7982, 7986, 7988, 7992, 7994
\diagbox@ht 8023, 8026, 8031, 8034
\diagbox@insepl . . . 7956, 7963, 7965, 7976, 7979, 7986, 7988, 7998, 8008, 8010
\diagbox@insepr . . . 7959, 7970, 7972, 7982, 7992, 7994, 8001, 8004, 8015, 8017
\diagbox@setlinecolor 8022, 8025, 8030, 8033, 8038, 8042, 8047, 8051, 8056, 8060, 8065, 8069
\diagbox@triple@pict@NE 8046
\diagbox@triple@pict@NW 8037
\diagbox@triple@pict@SE 8064
\diagbox@triple@pict@SW 8055
\diagbox@triple@setbox@NE 8020
\diagbox@triple@setbox@NW 7975, 7978, 7981, 7996
\diagbox@triple@setbox@SE 7997, 8000, 8003, 8020
\diagbox@triple@setbox@SW 7996
\diagbox@wd 8023, 8026, 8031, 8034
\DigitsDotDashInterCharToks 1744, 1745
\dim 13856, 13857, 14180, 14181, 14182
\dimen 1609, 1825, 8875, 8916, 8933, 8934, 8935, 8943, 9047, 9094, 9192, 9238, 9342, 9389, 9493, 9540, 9644, 9691, 9795, 9842, 9946, 9993, 10097, 10144, 10248, 10337, 10462, 14679, 14686, 14687, 14695, 14696, 14701, 14702, 14718, 14719, 14726, 14727, 20961, 20964
\dimen@ . . . 6973, 6974, 10543, 10545, 11476, 11477, 11478, 11488, 11489, 11490, 11493, 11494, 11495, 11501, 11511, 11513, 11522, 11524, 11531, 11532,

11533, 11534, 13538, 13539, 13540, 15339, 15344, 18412, 18414, 18420, 18426, 20167, 20168, 20169, 20170, 20171, 20172, 20231, 20232
\dimen@i 18413, 18414, 18419, 18425
\dimen@ii 11526, 11527, 11528, 11534, 11536, 11539, 11540, 11541
\dimexpr 28, 242, 734, 968, 1214, 2711, 2714, 2807, 6338, 6491, 12802, 13606, 13615, 14582, 14785, 15615, 16038, 16604, 16611, 16614, 17153, 17160, 17163, 17852, 17859, 17862, 19269, 19435, 19442, 19452, 19454, 20550, 20552, 20553, 20554, 20559, 20561, 20562, 20563, 20568, 20570, 20571, 20572, 20577, 20579, 20580, 20581
\DiscardVskip 12893
\display@setup 6831, 6856
\displayindent 6872
\displaystyle 10906, 10922
\displaywidth 6872, 8120, 8122, 8127, 10925, 12858
\divide 3702, 5916, 8934, 10353, 10354, 10470, 10471, 10792, 10793, 11731, 11732, 15183, 15184, 18494
\do 329, 330, 331, 332, 333, 334, 2207, 3941, 4001, 4016, 4037, 4040, 5026, 5031, 5045, 5050, 5064, 5069, 5092, 5101, 7143, 10780, 12981, 19717
\do@@hvFloat 11892
\document 3171, 3185
\documentclass 3924, 3927
\doloopbody 3562, 3563, 3607, 3680, 3687, 3694, 3697, 3699, 3703, 3705, 3707, 3711
\doubleitemmaincolumnwidth 2396, 2409, 2410, 2411, 2412, 2436, 2438
\doublerulesepcolor 1472
\downtovalue . . . 3560, 3572, 3654, 3693
\dp 40, 54, 70, 253, 267, 282, 392, 1465, 1626, 1842, 6974, 6975, 7423, 7804, 7825, 7852, 7871, 7873, 7909, 7925, 7927, 8123, 8128, 8141, 8147, 8261, 8266, 8270, 8273, 8880, 10299, 10543, 10551, 10791, 10804, 11276, 11293, 11309, 11744, 11745, 11748, 11790, 11791, 11794, 12976, 13467, 13614, 13617, 14679, 14695, 14696, 14701, 14702, 14718, 14719, 14726, 14727, 15163, 15164, 15165, 15339, 15383, 16439, 16481, 16484, 16538, 16545, 16929, 16932, 17509, 17512, 18192, 18195, 18461, 18496, 18508, 18622, 18624, 20223, 20232, 20233, 20636, 20933, 20940, 21027
\dquad 6864, 6866
\draw 20047, 20054, 20058, 20081, 20091, 20099, 20102, 20105, 20108, 20120, 20125, 20132, 20138, 20139
\dseries@display@setup 6856

E

\edef 123, 362, 1387, 1441, 1449, 1509, 1534, 1765, 1790, 2094, 2109, 2137, 2140, 2143, 2514, 2517, 2530, 2534, 2541, 2554, 2558, 2565, 2758, 2761, 2871, 2872, 2875, 2876, 2893, 2894, 2897, 2898, 2987, 2992, 3002, 3017, 3020, 3033, 3037, 3042, 3049, 3052, 3059, 3062, 3068, 3071, 3124, 3130, 3133, 3288, 3298, 3376, 3385, 3447, 3494, 3497, 3524, 3527, 3531, 3615, 3620, 3621, 3643, 3648, 3660, 3665, 3762, 3770, 3780, 3912, 3955, 3999, 4021, 4035, 4063, 4155, 4167, 4174, 4191, 4995, 5140, 5151, 6095, 6098, 6101, 8173, 8176, 10933,

10939, 11047, 11049, 11050, 11051, 11136, 11157, 11508, 12364, 12371, 12402, 12409, 12442, 12473, 12504, 12848, 12982, 12986, 13524, 13527, 14890, 15035, 15054, 15057, 15083, 16435, 16478, 16821, 17401, 17701, 18084, 18464, 18489, 18503, 18521, 18576, 18583, 18596, 19057, 19529, 19562, 19569, 19574, 19635, 19789, 19893, 20006, 20243, 20248, 20257, 20272, 20276, 20286, 20291, 20300, 20306, 20319, 20323, 20524, 20536, 20639, 20703, 20717
\EdefEscapeName .. 12695
\egroup 192, 193, 196, 385, 409, 644, 1203, 1370, 1371, 1488, 2132, 2133, 2258, 6005, 6216, 6875, 6956, 8904, 10911, 10912, 10926, 11403, 11548, 11552, 13550, 13553, 14590, 15126, 15136, 15151, 15282, 15288, 15292, 15298, 15302, 15306, 15310, 15314, 15377, 15548, 15998, 18454, 18455, 18480, 18486, 19893, 20345, 20351, 20355, 20361, 20365, 20370, 20374, 20379, 20429, 20437, 20438, 20628, 20629
\eightcolumnfootnotes 9836
\eightcolumnfootstyle 9933
\eject 7433, 11479, 11548, 11568
\else 4, 12, 13, 25, 36, 87, 104, 116, 134, 136, 151, 155, 159, 167, 184, 209, 217, 218, 234, 249, 300, 315, 319, 356, 357, 358, 360, 361, 364, 365, 366, 368, 369, 370, 371, 372, 375, 376, 377, 401, 407, 453, 464, 467, 516, 533, 536, 537, 557, 560, 575, 596, 607, 612, 623, 627, 635, 639, 640, 644, 648, 651, 652, 657, 668, 679, 693, 696, 697, 700, 710, 757, 766, 774, 798, 802, 804, 815, 818, 861, 872, 875, 878, 879, 885, 895, 898, 899, 902, 912, 923, 934, 942, 946, 955, 973, 1009, 1018, 1026, 1050, 1054, 1056, 1067, 1070, 1113, 1124, 1128, 1131, 1134, 1135, 1140, 1151, 1162, 1177, 1180, 1181, 1184, 1194, 1198, 1199, 1203, 1223, 1259, 1268, 1276, 1300, 1304, 1306, 1317, 1320, 1357, 1362, 1363, 1376, 1381, 1382, 1383, 1385, 1386, 1389, 1390, 1391, 1393, 1394, 1395, 1396, 1397, 1398, 1399, 1402, 1403, 1404, 1424, 1425, 1426, 1427, 1428, 1429, 1431, 1432, 1433, 1434, 1435, 1540, 1546, 1552, 1594, 1596, 1605, 1615, 1796, 1810, 1812, 1821, 1831, 2078, 2084, 2090, 2105, 2188, 2196, 2201, 2211, 2450, 2451, 2452, 2454, 2490, 2516, 2519, 2538, 2546, 2562, 2570, 2586, 2656, 2664, 2670, 2676, 2682, 2688, 2694, 2700, 2706, 2719, 2727, 2731, 2737, 2745, 2749, 2771, 2778, 2822, 3026, 3309, 3322, 3323, 3336, 3337, 3339, 3341, 3349, 3351, 3373, 3387, 3440, 3444, 3450, 3456, 3488, 3657, 3666, 3721, 3745, 3760, 3825, 3837, 3869, 3880, 3918, 3930, 3931, 3948, 3957, 4002, 4017, 4020, 4047, 4048, 4062, 4343, 4349, 4544, 4547, 4550, 4553, 4583, 4811, 4817, 4849, 4855, 4861, 4899, 4905, 5084, 5481, 5482, 5770, 5855, 5908, 5921, 5930, 6020, 6041, 6066, 6078, 6146, 6166, 6167, 6182, 6187, 6191,

6233, 6244, 6248,
6251, 6254, 6255,
6260, 6271, 6280,
6294, 6297, 6298,
6302, 6314, 6370,
6379, 6387, 6410,
6421, 6425, 6428,
6431, 6432, 6437,
6448, 6457, 6471,
6474, 6475, 6479,
6502, 6547, 6556,
6564, 6586, 6597,
6599, 6620, 6631,
6672, 6683, 6686,
6735, 6750, 6753,
6754, 6781, 6795,
6804, 6811, 6834,
6864, 6890, 6915,
6922, 6971, 6976,
7014, 7015, 7021,
7039, 7062, 7085,
7108, 7133, 7134,
7136, 7148, 7153,
7155, 7157, 7177,
7182, 7200, 7216,
7240, 7245, 7259,
7275, 7293, 7301,
7324, 7342, 7369,
7373, 7388, 7395,
7414, 7424, 7436,
7445, 7459, 7471,
7499, 7516, 7544,
7548, 7563, 7572,
7664, 7746, 7760,
7805, 7809, 7811,
7826, 7830, 7832,
7841, 7846, 7855,
7866, 7870, 7878,
7898, 7903, 7912,
7920, 7924, 7930,
7950, 7964, 7971,
7987, 7993, 8009,
8016, 8078, 8085,
8102, 8126, 8208,
8223, 8238, 8239,
8240, 8241, 8268,
8284, 8287, 8288,
8298, 8309, 8312,
8325, 8335, 8393,
8404, 8407, 8490,
8501, 8504, 8552,
8575, 8590, 8599,
8606, 8627, 8628,
8630, 8635, 8641,
8643, 8647, 8703,
8750, 8827, 8830,
8839, 8842, 8851,
8854, 8868, 8885,
8895, 8953, 8998,
9104, 9146, 9248,
9293, 9399, 9444,
9550, 9594, 9701,
9745, 9852, 9897,
10003, 10048,
10154, 10199,
10309, 10320,
10367, 10417,
10540, 10576,
10588, 10607,
10622, 10625,
10626, 10633,
10645, 10662,
10712, 10723,
10726, 10785,
10835, 10840,
10871, 10876,
10901, 10914,
10931, 10958,
10962, 10983,
11023, 11092,
11096, 11122,
11146, 11228,
11231, 11271,
11322, 11360,
11361, 11377,
11395, 11439,
11457, 11459,
11475, 11480,
11500, 11529,
11535, 11551,
11558, 11563,
11576, 11606,
11630, 11635,
11678, 11683,
11723, 11725,
11728, 11729,
11730, 11736,
11738, 11746,
11752, 11755,
11758, 11765,
11772, 11774,
11780, 11784,
11787, 11792,
11798, 11801,
11814, 11817,
11820, 11826,
11833, 11843,
11856, 11865,
11873, 11880,
11883, 11886,
11905, 11908,
11914, 11915,
11918, 11925,
11927, 11933,
11944, 11952,
11954, 11955,
11956, 11959,
11964, 11970,
11972, 11973,
11974, 11977,
11987, 11989,
12002, 12008,
12011, 12015,
12021, 12024,
12027, 12033,
12038, 12041,
12045, 12047,
12050, 12054,
12056, 12058,
12062, 12067,
12071, 12078,
12083, 12087,
12094, 12099,
12103, 12107,
12109, 12112,
12116, 12118,
12120, 12124,
12128, 12132,
12138, 12141,
12145, 12151,
12154, 12157,
12163, 12178,
12188, 12197,
12208, 12228,
12239, 12250,
12268, 12279,
12290, 12301,
12316, 12331,
12391, 12429,
12462, 12493,

12524, 12577,
12589, 12592,
12609, 12618,
12628, 12643,
12651, 12660,
12674, 12689,
12703, 12715,
12775, 12793,
12813, 12816,
12824, 12825,
12841, 12863,
12864, 12866,
12871, 12894,
12895, 12897,
12910, 12926,
12935, 12958,
12979, 12982,
12986, 13003,
13013, 13021,
13051, 13062,
13080, 13090,
13096, 13133,
13212, 13215,
13218, 13221,
13224, 13227,
13230, 13233,
13236, 13240,
13243, 13246,
13249, 13252,
13255, 13258,
13261, 13264,
13267, 13270,
13273, 13276,
13279, 13282,
13285, 13288,
13291, 13294,
13297, 13300,
13303, 13306,
13309, 13312,
13315, 13318,
13321, 13324,
13327, 13330,
13333, 13336,
13339, 13342,
13345, 13348,
13351, 13354,
13357, 13360,
13363, 13366,
13369, 13372,
13375, 13378,
13381, 13384,
13387, 13390,
13393, 13396,
13399, 13402,
13405, 13408,
13411, 13414,
13417, 13420,
13423, 13426,
13434, 13435,
13436, 13437,
13460, 13489,
13498, 13504,
13535, 13550,
13552, 13624,
14247, 14250,
14261, 14262,
14263, 14264,
14265, 14266,
14295, 14311,
14317, 14323,
14348, 14358,
14380, 14398,
14414, 14427,
14440, 14444,
14498, 14514,
14527, 14540,
14544, 14600,
14608, 14614,
14623, 14625,
14629, 14630,
14635, 14637,
14642, 14647,
14649, 14654,
14664, 14677,
14710, 14742,
14758, 14762,
14766, 14862,
14867, 14900,
14906, 14914,
14917, 14941,
14961, 14976,
15056, 15080,
15138, 15146,
15180, 15206,
15244, 15245,
15246, 15272,
15326, 15327,
15330, 15334,
15335, 15338,
15340, 15346,
15364, 15365,
15370, 15378,
15387, 15397,
15403, 15406,
15413, 15415,
15421, 15432,
15434, 15445,
15447, 15458,
15460, 15469,
15471, 15488,
15510, 15511,
15516, 15527,
15531, 15539,
15543, 15544,
15548, 15552,
15555, 15556,
15561, 15572,
15581, 15595,
15598, 15599,
15603, 15620,
15667, 15676,
15684, 15708,
15712, 15714,
15725, 15728,
15771, 15782,
15806, 15815,
15823, 15849,
15853, 15855,
15866, 15869,
15910, 15915,
15916, 15924,
15927, 15928,
15933, 15944,
15953, 15967,
15970, 15971,
15975, 15981,
15989, 15993,
15994, 15998,
16014, 16043,
16094, 16110,
16113, 16159,
16174, 16177,
16178, 16183,
16184, 16208,
16230, 16241,
16281, 16292,
16295, 16344,
16359, 16362,
16363, 16390,
16402, 16411,

16443, 16488,
16522, 16524,
16528, 16532,
16534, 16539,
16543, 16546,
16550, 16552,
16556, 16583,
16584, 16592,
16605, 16612,
16632, 16637,
16644, 16650,
16674, 16681,
16685, 16699,
16702, 16745,
16749, 16757,
16763, 16775,
16783, 16784,
16797, 16799,
16811, 16826,
16842, 16852,
16861, 16866,
16869, 16870,
16871, 16873,
16898, 16910,
16915, 16920,
16937, 16951,
16957, 16970,
16980, 16998,
17028, 17132,
17133, 17141,
17154, 17161,
17181, 17186,
17193, 17199,
17223, 17230,
17234, 17248,
17251, 17294,
17298, 17306,
17312, 17324,
17332, 17337,
17353, 17361,
17369, 17377,
17378, 17391,
17406, 17422,
17432, 17441,
17446, 17449,
17450, 17451,
17453, 17478,
17490, 17495,
17500, 17517,
17531, 17537,
17550, 17560,
17578, 17608,
17705, 17706,
17712, 17729,
17730, 17731,
17732, 17733,
17734, 17735,
17736, 17740,
17743, 17746,
17749, 17752,
17755, 17758,
17761, 17764,
17767, 17770,
17773, 17776,
17779, 17782,
17785, 17788,
17791, 17796,
17797, 17803,
17831, 17832,
17840, 17853,
17860, 17880,
17885, 17892,
17898, 17922,
17929, 17933,
17947, 17950,
17993, 17997,
18005, 18011,
18023, 18031,
18060, 18061,
18074, 18089,
18105, 18115,
18124, 18129,
18132, 18133,
18134, 18136,
18161, 18173,
18178, 18183,
18200, 18214,
18220, 18233,
18243, 18261,
18291, 18383,
18386, 18422,
18439, 18472,
18485, 18493,
18506, 18511,
18590, 18591,
18592, 18594,
18595, 18598,
18599, 18600,
18601, 18602,
18603, 18604,
18606, 18607,
18608, 18609,
18610, 18613,
18614, 18615,
18675, 18692,
18699, 18701,
18706, 18711,
18712, 18715,
18720, 18724,
18725, 18740,
18764, 18768,
18778, 18784,
18790, 18795,
18801, 18811,
18823, 18831,
18836, 18837,
18838, 18846,
18853, 18867,
18868, 18869,
18877, 18886,
18890, 18891,
18892, 18900,
18907, 18908,
18909, 18917,
18924, 18925,
18926, 18934,
18941, 18942,
18943, 18951,
18958, 18959,
18960, 18968,
18975, 18976,
18977, 18985,
18993, 18994,
18995, 19003,
19012, 19013,
19014, 19022,
19032, 19033,
19034, 19042,
19052, 19067,
19068, 19069,
19077, 19099,
19117, 19118,
19119, 19257,
19365, 19382,
19392, 19407,
19411, 19514,
19779, 19793,
19797, 19820,
19835, 19845,
19849, 19859,

19860, 19861, 19862, 19867, 19869, 19870, 19878, 19884, 19901, 19911, 19917, 19923, 19926, 19937, 19975, 19977, 19982, 19991, 19996, 19998, 20005, 20012, 20043, 20050, 20055, 20061, 20072, 20075, 20086, 20093, 20107, 20157, 20164, 20165, 20167, 20175, 20183, 20185, 20186, 20197, 20201, 20206, 20215, 20221, 20229, 20233, 20242, 20261, 20266, 20285, 20310, 20315, 20335, 20381, 20382, 20393, 20394, 20397, 20401, 20402, 20461, 20480, 20483, 20488, 20491, 20494, 20497, 20500, 20514, 20522, 20527, 20528, 20529, 20551, 20552, 20554, 20560, 20561, 20563, 20569, 20570, 20572, 20578, 20579, 20581, 20589, 20590, 20591, 20592, 20595, 20598, 20601, 20604, 20605, 20606, 20607, 20609, 20611, 20612, 20616, 20618, 20632, 20649, 20654, 20655, 20656, 20657, 20658, 20659, 20660, 20661, 20664, 20665, 20669, 20671, 20676, 20705, 20714, 20724, 20744, 20749, 20791, 20796, 20821, 20828, 20834, 20872, 20878, 20916, 20918, 20928, 20944, 20946, 20949, 20953, 20962, 20991, 20994, 20997, 21003, 21024, 21036, 21045, 21065, 21072, 21073, 21186, 21194, 21200

\em 5574
\email 332, 2386
\emaillink 2468, 7679, 7777
\emailsymbol 2346, 7679, 7777
\empty 11905, 18392
\EmptyList 3484
\end . 172, 174, 197, 432, 435, 438, 503, 506, 769, 777, 780, 850, 853, 1021, 1029, 1032, 1102, 1105, 1271, 1279, 1282, 1353, 1356, 1361, 1362, 1363, 1878, 2027, 2038, 2039, 2434, 2436, 2438, 2440, 2442, 2446, 2454, 2457, 2507, 2530, 2538, 2540, 2541, 2547, 2554, 2562, 2564, 2565, 2571, 3241, 3247, 3267, 3273, 4383, 4384, 4389, 4392, 4469, 4470, 4477, 4478, 4485, 4486, 4506, 4507, 4545, 4548, 4551, 4554, 4561, 4562, 4745, 4746, 5365, 5421, 5428, 5435, 5442, 5449, 5460, 5468, 5595, 5596, 5732, 5775, 5797, 6188, 6382, 6390, 6393, 6559, 6567, 6570, 6599, 6611, 6651, 6654, 6657, 6722, 6725, 7038, 7048, 7061, 7071, 7084, 7094, 7107, 7117, 7658, 7767, 7779, 7787, 8170, 8244, 8374, 8377, 8380, 8439, 8442, 8469, 8472, 8475, 8540, 8543, 8632, 10693, 10696, 10699, 10758, 10761, 10913, 11962, 11980, 12082, 12098, 12189, 12868, 14382, 14995, 15679, 15687, 15690, 15760, 15763, 15818, 15826, 15829, 15906, 15909, 15914, 15915, 15916, 16073, 16076, 16079, 16151, 16260, 16263, 16266, 16331, 16334, 16431, 16474, 16640, 16655, 16662, 16668, 16672, 16680, 16752, 16769, 16779, 16807, 17189, 17204, 17211, 17217, 17221, 17229, 17301, 17318, 17328,

17387, 17888, 17903, 17910, 17916, 17920, 17928, 18000, 18017, 18027, 18070, 18545, 18738, 20047, 20054, 20064, 20069, 20082, 20089, 20092, 20111, 20128, 20135, 20141, 20143
\end@dblfloat 16518
\end@float 4409, 4738, 16469
\end@rotdblfloat . 16473
\end@rotfloat 16430, 16471, 16472
\endarray 385, 409, 1370, 1371, 18480, 18484, 20429
\endBCmd 2029
\endbidi@lrbox ... 20546
\endbidi@switch ... 3397, 3401, 3402
\endbidi@tabular@RTLcases . 20429, 20437, 20444
\endcsname . 8, 44, 58, 74, 166, 168, 213, 257, 271, 286, 343, 344, 386, 1372, 2095, 2096, 2110, 2111, 2137, 2140, 2143, 2159, 2167, 2175, 2230, 2533, 2534, 2557, 2558, 2585, 2613, 2617, 2627, 2635, 2643, 2651, 2653, 2655, 2659, 2660, 2717, 2723, 2724, 2766, 2776, 2782, 2783, 2785, 2786, 2788, 2789, 2791, 2834, 2835, 2857, 2858, 2913, 2914, 2915, 2916, 2922, 2923, 2924, 2925, 3008, 3009, 3012, 3013, 3228, 3230, 3242, 3244, 3295, 3300, 3304, 3320, 3338, 3340, 3348, 3350, 3359, 3360, 3440, 3444, 3475, 3483, 3484, 3497, 3505, 3507, 3534, 3555, 3592, 3593, 3594, 3610, 3611, 3612, 3613, 3719, 3722, 3727, 3743, 3746, 3748, 3758, 3761, 3763, 3770, 3774, 3775, 3780, 3789, 3790, 3806, 3809, 3823, 3835, 3867, 3878, 3963, 3965, 4003, 4005, 4011, 4054, 4194, 4215, 4566, 4567, 4574, 4575, 5167, 5185, 5203, 5234, 5263, 5292, 5534, 6060, 6095, 6098, 6101, 6115, 6122, 6129, 6137, 6138, 6176, 6201, 6202, 6984, 6990, 6998, 7005, 7577, 8710, 8726, 8742, 8755, 8768, 8781, 8958, 8968, 8978, 9004, 9017, 9029, 9047, 9048, 9056, 9069, 9109, 9118, 9127, 9152, 9164, 9175, 9192, 9193, 9201, 9213, 9253, 9263, 9273, 9299, 9312, 9324, 9342, 9343, 9351, 9364, 9404, 9414, 9424, 9450, 9463, 9475, 9493, 9494, 9502, 9515, 9555, 9565, 9575, 9601, 9614, 9626, 9644, 9645, 9653, 9666, 9706, 9716, 9726, 9752, 9765, 9777, 9795, 9796, 9804, 9817, 9857, 9867, 9877, 9903, 9916, 9928, 9946, 9947, 9955, 9968, 10008, 10018, 10028, 10054, 10067, 10079, 10097, 10098, 10106, 10119, 10159, 10169, 10179, 10205, 10218, 10230, 10248, 10249, 10257, 10270, 10364, 10376, 10388, 10414, 10428, 10442, 10462, 10463, 10482, 10496, 10780, 10933, 10935, 10939, 10941, 11048, 11049, 11050, 11051, 11053, 11055, 11056, 11057, 11058, 11060, 11061, 11062, 11119, 11143, 11161, 11247, 11256, 11279, 11296, 11312, 11340, 11354, 11368, 11415, 11430, 12196, 12199, 12201, 12205, 12209, 12223, 12234, 12245, 12445, 12476, 12507, 12820, 12908, 12911, 13330, 13396, 14367, 14368, 14375, 14886, 14896, 14910, 16566, 16570, 16574, 17012, 17014, 17016, 17019, 17025, 17034, 17036, 17038,

17044, 17115, 17119, 17123, 17592, 17594, 17596, 17599, 17605, 17613, 17615, 17618, 17624, 17814, 17818, 17822, 18275, 18277, 18279, 18282, 18288, 18296, 18298, 18301, 18307, 18456, 18482, 18484, 18516, 18538, 18540, 18556, 18557, 18577, 18584, 18794, 19057, 19058, 19074, 19075, 19076, 19083, 19085, 19086, 19139, 19140, 19294, 19295, 19405, 19409, 19413, 19512, 19515, 19529, 19545, 19546, 19562, 19569, 19574, 19635, 19690, 19692, 19694, 19710, 19713, 19719, 19721, 19724, 19728, 19733, 19737, 19741, 19755, 19759, 19762, 19765, 19769, 19771, 19804, 19805, 19807, 19809, 19814, 19816, 19818, 19822, 19825, 19826, 19829, 19830, 19839, 19841, 19843, 19847, 19851, 19852, 19905, 19907, 19909, 19913, 19933, 19934, 19942, 19946, 19950, 19954, 19958, 19962, 19966, 19970, 20008, 20009, 20011, 20014, 20015, 20019, 20467, 20532, 20630, 20691, 20704, 20706, 21127

\enddocument . . 3197, 3212

\endflushleft . 2049, 2057

\endgraf 13492, 13511, 16977, 17557, 18240

\endgroup . . . 17, 127, 222, 320, 327, 383, 399, 473, 525, 539, 677, 699, 824, 901, 921, 1076, 1160, 1183, 1326, 1495, 1923, 2161, 2169, 2177, 2524, 2543, 2567, 2775, 2794, 2938, 2957, 3002, 3024, 3034, 3051, 3101, 3172, 3468, 3470, 3498, 3503, 3512, 3670, 3718, 3742, 3757, 3828, 3840, 3852, 3872, 3883, 3894, 4058, 4157, 4167, 4207, 4576, 5003, 5005, 5236, 5265, 5294, 5671, 5688, 5704, 5715, 5755, 6074, 6117, 6124, 6131, 6189, 6278, 6301, 6455, 6478, 6692, 6742, 6757, 6963, 7223, 7282, 8094, 8112, 8290, 8303, 8413, 8510, 8559, 10356, 10473, 10614, 10629, 10732, 10856, 10896, 10980, 11001, 11249, 11258, 11417, 11432, 11451, 11492, 11523, 11657, 11709, 11766, 11781, 12187, 12225, 12236, 12247, 12258, 12359, 12384, 12422, 12455, 12486, 12517, 12746, 12757, 12829, 12852, 12913, 13109, 13478, 14258, 14376, 14476, 14573, 14774, 14778, 14782, 15074, 15124, 15129, 15131, 15134, 15139, 15376, 15407, 15579, 15602, 15734, 15875, 15951, 15974, 16119, 16166, 16181, 16301, 16351, 16366, 16708, 16808, 16946, 17257, 17388, 17526, 17956, 18071, 18209, 18559, 18680, 18859, 19275, 19386, 19787, 19915, 20225, 20258, 20301, 20320, 20427, 20537, 20774, 20817, 20970, 20980

\endL 1499, 1631, 1847, 2479, 6967, 6976, 6977, 6986, 6992, 7011, 10367, 10379, 10417, 10431, 10799, 10912, 10926, 11091, 11728, 11736, 11755, 11765, 11780, 11801,

12589, 13076, 15138, 15278, 15297, 15406, 16528, 16539, 16546, 16556, 18634, 20233, 20234, 20273, 20277, 20330, 20341, 20360, 20949, 21024, 21045
\endlist 96, 309, 592, 724, 955, 987, 1237, 5559, 5567, 5572, 6328, 6516, 6828, 8349, 8623, 10676, 12784, 14881, 15634, 16028, 16225, 16428, 16850, 17430, 18113, 18757
\endlooprepeat 3597, 3626, 3633
\endLTR 15317, 20384
\endMakeFramed ... 11465
\endmath 6861
\endmdf@lrbox 13609
\endminipage 8892, 11392, 18638
\endmodernpoem 6202
\endpgfpicture ... 15092
\endpspicture 15371
\endR 346, 351, 385, 409, 1370, 1371, 1488, 2132, 2133, 6869, 6956, 6972, 6977, 6979, 7011, 8075, 8926, 8930, 10367, 10391, 10417, 10445, 10931, 11725, 11730, 11787, 11826, 11833, 12202, 12210, 12592, 12628, 12660, 12689, 12715, 12725, 12728, 12859, 13076, 13486, 13550, 13553, 13563, 13654, 13662, 13853, 14179, 14345, 14347, 15147, 15279, 15287, 15366, 15367, 15368, 16524, 16534, 16543, 16552, 16944, 17524, 18207, 18454, 18455, 18480, 18486, 18633, 20230, 20234, 20236, 20330, 20342, 20350, 20437, 20594, 20597, 20600, 20617, 20628, 20629, 20949, 20962, 20964, 21024, 21045, 21064, 21067, 21075
\endrotate 16533
\endRTL 15319, 20386
\ends@math 6861
\endsideways 16551
\endsidewaysfigure 16471
\endsidewaystable 16472
\endstabular 18454, 18456
\endstrip 14589
\endtabular . 385, 386, 1371, 1372, 2132, 18480, 18482, 18566, 20628, 20630
\endtabularx 18517, 18546, 18557
\endtcb@lrbox 18638, 18639
\endtcb@savebox .. 18639
\endtcb@vbox 18649
\endtitlepage .. 634, 941, 1193, 6310, 6498, 15538, 15988
\endtraditionalpoem 6138
\endtrivlist 10927
\endturn 16523
\endwindow 15149
\enskip 19900, 19925
\enspace 318, 15143, 15145
\ensuremath 1536
\env@RTLcases 20442, 20446
\EQ 8117, 8123, 8124, 8128, 8129, 8138, 8139, 8141, 8143, 8144, 8146, 8147, 8148, 8149, 8151, 8152, 8153, 8165, 8168, 8170, 8172, 8173, 8175, 8178, 8180, 8182, 8183, 8185, 8186, 8188, 8191, 8192, 8193, 8196, 8199, 8207, 8214, 8222, 8229, 8231, 8234, 8238, 8239, 8240, 8241, 8253, 8255, 8256
\eq@addpunct 6866
\EQ@box 6871, 6877
\eq@group 6834, 6843
\eq@GRP@first@dmath 6843
\eq@if ... 2608, 2609, 2611
\eq@isIntertext ... 6881
\eq@prelim ... 6834, 6851
\eq@setnumber 6837
\eq@setup@a 6839
\eq@startup 6840
\eq@wdCond 6858
\eqnewif 1562, 1563, 1567, 1579, 2604
\eqno 337, 15362, 15364, 21070, 21072
\eqnumform 6869
\eqstyle 6836
\equal 2444, 2461, 2465, 2469, 4397, 4431, 4442, 4474, 4475, 4491, 4532, 4790, 5032, 5033, 5051, 5052, 5070, 5071, 5102, 5103, 7766, 11039
\errmessage 1606, 1822, 14677
\ERROR 20715
\escapechar 2513, 2605, 2610, 2794, 3287, 3292, 3294, 3296, 3309
\ESO@isMEMOIR 8080
\evenpage . 1884, 1887, 1888, 1889, 1891,

1892, 1893, 1894, 1896
\evensidemargin 1908, 8103, 11874, 11879, 11887, 20990, 20998
\everycr 13482
\everydisplay 6831
\everyhbox . . . 15281, 15283, 15291, 15293, 20344, 20346, 20354, 20356
\everyjob 1534, 1535, 1790, 1791
\everymath 349
\everypar . . 523, 675, 919, 1158, 4849, 4893, 4937, 6277, 6454, 6741, 8558, 10613, 10807, 15273, 15277, 15485, 15499, 15578, 15950, 16165, 16350, 18852, 18856, 19384, 20336, 20340, 20866, 20910
\everyvbox 1374, 1375, 15301, 15303, 15309, 15311, 20364, 20366, 20373, 20375
\ExecuteOptions 2295, 4261, 5642, 5644, 7599, 7697
\ExecuteOptionsX . . 1727
\exhyphenpenalty 626, 933, 1127, 6247, 6424, 15530, 15980, 16042
\exp 13730, 13733, 13787, 13962, 14016
\expandafter . . . 166, 362, 386, 756, 765, 773, 799, 802, 1008, 1017, 1025, 1051, 1054, 1258, 1267, 1275, 1301, 1304, 1372, 1387, 1469, 1470, 1471, 1473, 1539, 1541, 1545, 1547, 1551, 1553, 2077, 2079, 2083, 2085, 2089, 2091, 2095, 2096, 2104, 2106, 2110, 2111, 2135, 2138, 2141, 2144, 2148, 2151, 2154, 2205, 2206, 2259, 2527, 2529, 2533, 2534, 2538, 2541, 2551, 2553, 2557, 2558, 2562, 2565, 2585, 2587, 2592, 2612, 2613, 2616, 2617, 2653, 2655, 2659, 2663, 2665, 2669, 2671, 2675, 2677, 2681, 2683, 2687, 2689, 2693, 2695, 2699, 2701, 2705, 2707, 2718, 2720, 2724, 2725, 2726, 2728, 2729, 2732, 2736, 2738, 2743, 2744, 2746, 2747, 2750, 2759, 2766, 2770, 2772, 2775, 2776, 2777, 2779, 2782, 2783, 2785, 2786, 2788, 2789, 2791, 2795, 2829, 2830, 2831, 2832, 2833, 2835, 2858, 2862, 2913, 2914, 2915, 2916, 2922, 2923, 2924, 2925, 3008, 3009, 3023, 3024, 3025, 3027, 3034, 3035, 3038, 3053, 3060, 3069, 3290, 3291, 3300, 3304, 3359, 3360, 3372, 3373, 3468, 3470, 3475, 3477, 3478, 3497, 3499, 3502, 3505, 3506, 3507, 3509, 3512, 3517, 3580, 3592, 3594, 3610, 3611, 3612, 3613, 3651, 3662, 3667, 3681, 3718, 3719, 3720, 3723, 3726, 3742, 3743, 3757, 3758, 3770, 3775, 3780, 3790, 3806, 3809, 3835, 3878, 3940, 3949, 3961, 3963, 3964, 4004, 4014, 4015, 4036, 4053, 4064, 4066, 4193, 4194, 4993, 5534, 5964, 6096, 6099, 6102, 6105, 6108, 6111, 6137, 6138, 6201, 6202, 6216, 6369, 6378, 6386, 6546, 6555, 6563, 6831, 6941, 6983, 7004, 7171, 7173, 7234, 7236, 8905, 9047, 9048, 9192, 9193, 9342, 9343, 9493, 9494, 9644, 9645, 9795, 9796, 9946, 9947, 10097, 10098, 10248, 10249, 10462, 10463, 10829, 10831, 10865, 10867, 10933, 10934, 10939, 10940, 11040, 11057, 11062, 11121, 11124, 11145, 11148, 11161, 11175, 11176, 11177, 11178, 11180, 11404, 11492, 11514, 11515, 11523, 11624, 11626, 11672, 11674, 11771, 11809, 11810, 12227, 12229, 12238, 12240, 12249, 12251, 12354, 12368,

12382, 12406, 12420, 12453, 12484, 12515, 12746, 12747, 12754, 12768, 12908, 12916, 12921, 13090, 13091, 13096, 13097, 13479, 13525, 13528, 14357, 14360, 14392, 14394, 14492, 14494, 15036, 15053, 15065, 15070, 15275, 15666, 15675, 15683, 15709, 15712, 15805, 15814, 15822, 15850, 15853, 16436, 16448, 16458, 16479, 16494, 16506, 17011, 17013, 17015, 17018, 17024, 17033, 17035, 17037, 17043, 17591, 17593, 17595, 17598, 17604, 17612, 17614, 17617, 17623, 18274, 18276, 18278, 18281, 18287, 18295, 18297, 18300, 18306, 18456, 18482, 18515, 18518, 18538, 18541, 18543, 18545, 18556, 18557, 18565, 18569, 18571, 18578, 18580, 18585, 18587, 18596, 19057, 19058, 19074, 19075, 19076, 19083, 19085, 19086, 19139, 19294, 19405, 19409, 19413, 19512, 19515, 19529, 19545, 19562, 19569, 19574, 19635, 19689, 19691, 19693, 19709, 19713, 19718, 19720, 19723, 19727, 19732, 19736, 19740, 19754, 19759, 19761, 19764, 19768, 19771, 19817, 19821, 19842, 19846, 19908, 19912, 20008, 20009, 20011, 20014, 20015, 20018, 20243, 20255, 20258, 20266, 20267, 20286, 20298, 20301, 20315, 20316, 20320, 20338, 20630, 20691, 20703, 20738, 20740, 20785, 20787, 21127

\ExplSyntaxOff ... 15028
\ExplSyntaxOn 14998
\extrafeetendmini 8884, 8891
\extrafeetendminihook 8889, 8890
\extrafeetins . 8863, 8864
\extrafeetinshook 8869, 8870
\extrafeetminihook 8883
\extrainfo 2387
\extrarowheight 389, 13453, 13461
\extrarulesep 18509
\extratitle 16730, 17279, 17978

F

\f@nch@everypar .. 10807
\f@nch@foot 10815
\f@nch@head 10809
\f@nch@reset 10809, 10815
\f@nch@vbox . 10810, 10816
\f@size 350
\FamilyKeyState .. 19510
\FamilyKeyStateProcessed 19510
\familyname 2380
\familynamecolour 2349, 7603, 7701
\familynamefont 2358, 2366, 7643, 7737
\familynamestyle 2366, 7654, 7744, 7765
\FamilySetBool ... 19509
\fancy@@oval 10777
\fancyfoot 2479, 4617, 4618, 7669
\fancyhead 4606, 4607, 4608, 5833, 5834, 5845, 5846, 5847
\fancyhf .. 2328, 4604, 4613, 4623, 5831, 5842
\fancyhfoffset 4597, 4598
\fancypagestyle 2325, 2478, 4612, 4622, 7668
\FAX 2345
\fax 2385
\faxsymbol 2345, 7678, 7776
\fb@adjheight 11479, 11549, 11569
\fb@afterframe 11474, 11499, 11557
\FB@captype 10938, 10939, 10941
\fb@frh . 11486, 11490, 11505, 11540, 11543
\fb@put@frame . 11468, 11479, 11550, 11570
\fb@putboxa ... 11473, 11498, 11556, 11573
\fb@resto@set 11508, 11548, 11552
\fb@sizeofframe 11481, 11503
\fbox 2029, 2039, 7010, 8257, 12001, 12007, 12014, 12020,

12026, 12032, 12040, 12044, 12049, 12053, 12057, 12061, 12076, 12077, 12092, 12093, 12102, 12106, 12111, 12115, 12119, 12123, 12131, 12137, 12144, 12150, 12156, 12162, 15405
\fboxrule 1977, 11442, 11448, 11454, 11456, 11458, 11460
\fboxsep . . 1978, 2045, 2054, 6972, 6973, 6974, 7010, 11442, 11454, 11456, 11458, 11460, 15404, 20230, 20231, 20232, 20328
\fcolorbox 1979
\FeetAboveFloat 10594, 10598
\FeetAtBottom 10596
\FeetBelowFloat . . 10595
\FeetBelowRagged 10597, 10599
\ff@backcol 11051
\ff@col 11049
\ff@frametype 11047, 11058
\ff@txtcol 11039, 11040, 11050
\fi 12, 13, 18, 25, 36, 87, 98, 104, 107, 108, 109, 117, 134, 136, 142, 150, 154, 158, 162, 169, 184, 217, 218, 223, 228, 234, 237, 238, 239, 249, 300, 315, 319, 338, 346, 351, 365, 366, 378, 379, 382, 385, 401, 407, 409, 466, 471, 509, 516, 524, 526, 533, 536, 537, 540, 559, 560, 566, 575, 598, 607, 614, 623, 627, 640, 643, 644, 645, 651, 652, 657, 660, 668, 676, 678, 685, 686, 693, 696, 697, 702, 710, 749, 759, 768, 776, 800, 802, 817, 822, 856, 863, 872, 878, 879, 885, 888, 895, 898, 899, 904, 912, 920, 922, 929, 930, 934, 954, 955, 956, 973, 1001, 1011, 1020, 1028, 1052, 1054, 1069, 1074, 1108, 1115, 1124, 1128, 1134, 1135, 1140, 1143, 1151, 1159, 1161, 1168, 1169, 1177, 1180, 1181, 1186, 1199, 1202, 1203, 1204, 1223, 1251, 1261, 1270, 1278, 1302, 1304, 1319, 1324, 1362, 1363, 1365, 1368, 1370, 1371, 1376, 1390, 1391, 1405, 1406, 1420, 1428, 1429, 1435, 1436, 1440, 1445, 1448, 1453, 1456, 1464, 1465, 1474, 1475, 1487, 1488, 1499, 1542, 1548, 1554, 1597, 1598, 1605, 1606, 1617, 1643, 1649, 1655, 1661, 1667, 1679, 1685, 1691, 1697, 1711, 1718, 1725, 1735, 1745, 1752, 1798, 1813, 1814, 1821, 1822, 1833, 1869, 2080, 2086, 2092, 2107, 2128, 2132, 2133, 2135, 2191, 2192, 2198, 2213, 2214, 2217, 2220, 2223, 2227, 2228, 2236, 2450, 2451, 2452, 2454, 2482, 2490, 2522, 2523, 2538, 2548, 2562, 2572, 2581, 2588, 2658, 2666, 2672, 2678, 2684, 2690, 2696, 2702, 2708, 2721, 2730, 2733, 2739, 2748, 2751, 2773, 2780, 2824, 2859, 3010, 3028, 3309, 3314, 3319, 3322, 3323, 3324, 3332, 3342, 3344, 3352, 3359, 3362, 3366, 3373, 3378, 3389, 3401, 3402, 3440, 3444, 3451, 3455, 3457, 3488, 3580, 3614, 3652, 3658, 3662, 3667, 3681, 3724, 3750, 3764, 3776, 3791, 3827, 3839, 3871, 3882, 3936, 3938, 3939, 3968, 3970, 3974, 3975, 3984, 3986, 4007, 4008, 4010, 4024, 4025, 4027, 4028, 4043, 4056, 4057, 4065, 4082, 4137, 4147, 4158, 4345, 4351, 4544, 4547, 4550, 4553, 4572, 4583, 4813, 4822, 4849, 4857, 4866, 4901, 4910, 5086, 5143, 5145, 5155, 5481, 5482, 5599, 5600, 5601, 5779, 5857, 5909, 5922, 5930, 5961, 5962, 6017, 6018, 6022, 6029, 6034, 6043, 6072, 6083, 6085, 6088, 6090, 6144, 6146, 6150, 6169, 6171, 6172, 6173, 6184, 6186, 6187,

6196, 6198, 6235,
6244, 6248, 6254,
6255, 6260, 6263,
6271, 6279, 6286,
6287, 6294, 6297,
6298, 6304, 6314,
6346, 6348, 6350,
6362, 6372, 6381,
6389, 6412, 6421,
6425, 6431, 6432,
6437, 6440, 6448,
6456, 6463, 6464,
6471, 6474, 6475,
6481, 6502, 6523,
6525, 6527, 6539,
6549, 6558, 6566,
6586, 6592, 6593,
6597, 6599, 6622,
6631, 6685, 6690,
6728, 6735, 6743,
6750, 6753, 6754,
6758, 6768, 6770,
6772, 6781, 6787,
6788, 6795, 6806,
6811, 6830, 6832,
6833, 6834, 6842,
6853, 6855, 6864,
6869, 6871, 6886,
6887, 6888, 6890,
6892, 6917, 6924,
6930, 6942, 6943,
6955, 6956, 6967,
6971, 6972, 6976,
6977, 6979, 6986,
6992, 7011, 7014,
7015, 7021, 7026,
7049, 7072, 7095,
7118, 7133, 7136,
7137, 7153, 7157,
7158, 7160, 7181,
7206, 7213, 7222,
7224, 7244, 7265,
7272, 7281, 7283,
7293, 7332, 7339,
7348, 7351, 7358,
7371, 7379, 7385,
7390, 7392, 7393,
7394, 7427, 7428,
7444, 7453, 7458,
7459, 7505, 7513,
7522, 7525, 7532,
7546, 7554, 7560,
7565, 7567, 7568,
7569, 7570, 7584,
7619, 7626, 7633,
7640, 7665, 7714,
7720, 7726, 7732,
7746, 7761, 7807,
7810, 7811, 7828,
7831, 7832, 7857,
7873, 7874, 7876,
7885, 7894, 7895,
7914, 7927, 7928,
7937, 7946, 7947,
7950, 7966, 7973,
7989, 7995, 8011,
8018, 8075, 8078,
8089, 8092, 8104,
8110, 8130, 8214,
8229, 8238, 8239,
8240, 8241, 8271,
8284, 8287, 8288,
8291, 8298, 8304,
8311, 8312, 8318,
8325, 8335, 8406,
8411, 8445, 8503,
8508, 8546, 8552,
8560, 8562, 8564,
8566, 8575, 8581,
8582, 8590, 8601,
8606, 8627, 8630,
8633, 8635, 8642,
8643, 8647, 8668,
8688, 8703, 8750,
8832, 8833, 8844,
8845, 8856, 8857,
8868, 8888, 8900,
8925, 8926, 8929,
8930, 8932, 8953,
8963, 8998, 9015,
9104, 9113, 9146,
9162, 9248, 9258,
9293, 9310, 9399,
9409, 9444, 9461,
9550, 9560, 9594,
9612, 9701, 9711,
9745, 9763, 9852,
9862, 9897, 9914,
10003, 10013,
10048, 10065,
10154, 10164,
10199, 10216,
10309, 10320,
10329, 10367,
10417, 10547,
10578, 10590,
10607, 10615,
10622, 10625,
10626, 10630,
10633, 10638,
10645, 10662,
10725, 10730,
10764, 10771,
10773, 10775,
10785, 10789,
10796, 10797,
10798, 10799,
10839, 10855,
10857, 10875,
10895, 10897,
10908, 10915,
10931, 10953,
10961, 10965,
10979, 10986,
11026, 11066,
11068, 11070,
11079, 11081,
11083, 11091,
11094, 11096,
11111, 11125,
11149, 11233,
11235, 11271,
11324, 11332,
11346, 11360,
11361, 11376,
11377, 11400,
11443, 11457,
11459, 11469,
11537, 11538,
11566, 11571,
11580, 11593,
11594, 11595,
11609, 11634,
11655, 11658,
11682, 11707,
11710, 11723,
11725, 11728,
11729, 11730,
11736, 11738,
11749, 11755,

11758, 11765,
11774, 11780,
11782, 11784,
11787, 11795,
11801, 11816,
11822, 11823,
11826, 11833,
11845, 11846,
11859, 11869,
11875, 11882,
11888, 11889,
11905, 11909,
11914, 11918,
11919, 11929,
11930, 11935,
11936, 11937,
11945, 11954,
11956, 11957,
11958, 11959,
11960, 11972,
11974, 11975,
11976, 11977,
11978, 11983,
11989, 11990,
11991, 12004,
12010, 12017,
12023, 12029,
12035, 12036,
12037, 12042,
12046, 12051,
12055, 12059,
12063, 12064,
12065, 12066,
12073, 12081,
12089, 12097,
12104, 12108,
12113, 12117,
12121, 12125,
12126, 12127,
12134, 12140,
12147, 12153,
12159, 12165,
12166, 12167,
12168, 12169,
12170, 12171,
12180, 12185,
12186, 12190,
12202, 12210,
12214, 12215,
12230, 12241,
12252, 12272,
12283, 12294,
12309, 12324,
12339, 12398,
12436, 12469,
12500, 12531,
12557, 12560,
12563, 12566,
12575, 12577,
12581, 12587,
12589, 12592,
12606, 12611,
12620, 12628,
12640, 12645,
12653, 12660,
12671, 12676,
12682, 12689,
12700, 12705,
12715, 12721,
12725, 12728,
12756, 12760,
12775, 12787,
12793, 12796,
12797, 12798,
12813, 12824,
12825, 12830,
12842, 12859,
12863, 12866,
12869, 12871,
12894, 12895,
12912, 12922,
12928, 12945,
12960, 12961,
12979, 12982,
12986, 13005,
13015, 13023,
13054, 13055,
13065, 13066,
13083, 13092,
13098, 13132,
13135, 13214,
13217, 13220,
13223, 13226,
13229, 13232,
13235, 13239,
13242, 13245,
13248, 13251,
13254, 13257,
13260, 13263,
13266, 13269,
13272, 13275,
13278, 13281,
13284, 13287,
13290, 13293,
13296, 13299,
13302, 13305,
13308, 13311,
13314, 13317,
13320, 13323,
13326, 13329,
13332, 13335,
13338, 13341,
13344, 13347,
13350, 13353,
13356, 13359,
13362, 13365,
13368, 13371,
13374, 13377,
13380, 13383,
13386, 13389,
13392, 13395,
13398, 13401,
13404, 13407,
13410, 13413,
13416, 13419,
13422, 13425,
13428, 13434,
13436, 13439,
13448, 13449,
13464, 13486,
13491, 13500,
13504, 13545,
13546, 13550,
13551, 13553,
13558, 13563,
13571, 13575,
13608, 13630,
13654, 13662,
13853, 14179,
14249, 14253,
14256, 14261,
14262, 14263,
14264, 14265,
14266, 14278,
14292, 14295,
14301, 14305,
14306, 14327,
14328, 14329,
14334, 14345,
14347, 14351,

14361, 14373,
14380, 14402,
14409, 14412,
14433, 14443,
14473, 14479,
14480, 14502,
14509, 14512,
14533, 14543,
14570, 14576,
14577, 14582,
14602, 14612,
14613, 14618,
14619, 14625,
14629, 14630,
14633, 14637,
14642, 14645,
14649, 14654,
14658, 14666,
14677, 14691,
14696, 14702,
14719, 14727,
14733, 14742,
14749, 14757,
14761, 14765,
14769, 14862,
14869, 14888,
14893, 14898,
14905, 14915,
14916, 14919,
14920, 14921,
14926, 14931,
14935, 14941,
14947, 14952,
14955, 14961,
14980, 14993,
14994, 15045,
15059, 15067,
15068, 15072,
15080, 15095,
15103, 15138,
15147, 15148,
15166, 15170,
15177, 15178,
15180, 15182,
15183, 15184,
15190, 15215,
15217, 15228,
15239, 15246,
15252, 15254,
15257, 15258,
15272, 15326,
15327, 15330,
15334, 15335,
15338, 15343,
15344, 15349,
15364, 15365,
15366, 15367,
15368, 15370,
15373, 15381,
15392, 15397,
15402, 15405,
15406, 15413,
15415, 15419,
15421, 15430,
15432, 15434,
15443, 15445,
15447, 15456,
15458, 15460,
15469, 15471,
15488, 15510,
15511, 15518,
15527, 15531,
15544, 15547,
15548, 15549,
15555, 15556,
15561, 15564,
15572, 15580,
15587, 15588,
15595, 15598,
15599, 15605,
15620, 15641,
15643, 15645,
15659, 15669,
15678, 15686,
15710, 15712,
15727, 15732,
15766, 15773,
15782, 15798,
15808, 15817,
15825, 15851,
15853, 15868,
15873, 15915,
15916, 15918,
15921, 15927,
15928, 15933,
15936, 15944,
15952, 15959,
15960, 15967,
15970, 15971,
15977, 15981,
15994, 15997,
15998, 15999,
16006, 16008,
16010, 16014,
16043, 16112,
16117, 16153,
16159, 16167,
16174, 16177,
16178, 16182,
16183, 16184,
16195, 16197,
16199, 16208,
16232, 16241,
16294, 16299,
16337, 16344,
16352, 16359,
16362, 16363,
16367, 16377,
16379, 16381,
16390, 16395,
16402, 16411,
16445, 16449,
16459, 16490,
16495, 16496,
16507, 16508,
16522, 16524,
16528, 16532,
16534, 16539,
16543, 16546,
16550, 16552,
16556, 16583,
16592, 16594,
16605, 16612,
16635, 16641,
16647, 16650,
16673, 16678,
16679, 16691,
16701, 16706,
16709, 16746,
16747, 16753,
16760, 16763,
16778, 16783,
16784, 16785,
16801, 16804,
16811, 16828,
16849, 16856,
16861, 16866,
16869, 16870,
16871, 16873,
16900, 16924,

16925, 16926,
16944, 16945,
16953, 16959,
16972, 16982,
17000, 17006,
17030, 17132,
17141, 17143,
17154, 17161,
17184, 17190,
17196, 17199,
17222, 17227,
17228, 17240,
17250, 17255,
17258, 17295,
17296, 17302,
17309, 17312,
17327, 17332,
17333, 17336,
17339, 17352,
17355, 17360,
17363, 17368,
17371, 17380,
17384, 17391,
17408, 17429,
17436, 17441,
17446, 17449,
17450, 17451,
17453, 17480,
17504, 17505,
17506, 17524,
17525, 17533,
17539, 17552,
17562, 17580,
17586, 17610,
17705, 17712,
17713, 17729,
17730, 17731,
17732, 17733,
17734, 17735,
17736, 17743,
17745, 17749,
17751, 17755,
17757, 17761,
17763, 17767,
17769, 17773,
17775, 17779,
17781, 17785,
17787, 17791,
17793, 17797,
17799, 17803,
17831, 17840,
17842, 17853,
17860, 17883,
17889, 17895,
17898, 17921,
17926, 17927,
17939, 17949,
17954, 17957,
17994, 17995,
18001, 18008,
18011, 18026,
18031, 18032,
18063, 18067,
18074, 18091,
18112, 18119,
18124, 18129,
18132, 18133,
18134, 18136,
18163, 18187,
18188, 18189,
18207, 18208,
18216, 18222,
18235, 18245,
18263, 18269,
18293, 18384,
18387, 18429,
18445, 18450,
18454, 18455,
18472, 18480,
18486, 18493,
18500, 18506,
18511, 18542,
18599, 18600,
18616, 18617,
18633, 18668,
18675, 18677,
18692, 18703,
18706, 18713,
18714, 18715,
18720, 18724,
18725, 18740,
18763, 18770,
18788, 18789,
18805, 18806,
18807, 18811,
18812, 18821,
18825, 18826,
18827, 18833,
18836, 18837,
18838, 18846,
18857, 18858,
18860, 18861,
18867, 18868,
18869, 18877,
18880, 18881,
18889, 18890,
18891, 18892,
18900, 18903,
18907, 18908,
18909, 18917,
18920, 18924,
18925, 18926,
18934, 18937,
18941, 18942,
18943, 18951,
18954, 18958,
18959, 18960,
18968, 18971,
18975, 18976,
18977, 18985,
18988, 18993,
18994, 18995,
19003, 19006,
19012, 19013,
19014, 19022,
19025, 19032,
19033, 19034,
19042, 19045,
19059, 19067,
19068, 19069,
19077, 19080,
19102, 19117,
19118, 19119,
19260, 19276,
19368, 19382,
19385, 19387,
19415, 19416,
19417, 19424,
19439, 19456,
19478, 19517,
19518, 19786,
19788, 19795,
19797, 19810,
19811, 19812,
19819, 19823,
19828, 19832,
19838, 19844,
19848, 19854,
19857, 19859,
19860, 19861,

19864, 19867, 19870, 19871, 19880, 19886, 19895, 19896, 19904, 19910, 19914, 19917, 19918, 19929, 19930, 19940, 19941, 19945, 19949, 19953, 19957, 19961, 19965, 19969, 19973, 19977, 19982, 19990, 19993, 20000, 20001, 20005, 20012, 20035, 20041, 20052, 20057, 20063, 20065, 20072, 20075, 20088, 20097, 20110, 20113, 20124, 20130, 20131, 20137, 20142, 20145, 20159, 20164, 20167, 20168, 20169, 20170, 20174, 20177, 20179, 20185, 20186, 20200, 20210, 20211, 20218, 20223, 20226, 20229, 20230, 20233, 20234, 20236, 20245, 20246, 20250, 20256, 20262, 20263, 20264, 20267, 20273, 20277, 20288, 20289, 20293, 20299, 20311, 20312, 20313, 20316, 20330, 20335, 20381, 20382, 20393, 20394, 20397, 20401, 20402, 20437, 20463, 20482, 20490, 20496, 20502, 20510, 20517, 20518, 20519, 20525, 20530, 20533, 20553, 20554, 20562, 20563, 20571, 20572, 20580, 20581, 20589, 20590, 20591, 20592, 20595, 20598, 20601, 20604, 20605, 20606, 20607, 20609, 20611, 20612, 20619, 20622, 20624, 20628, 20629, 20632, 20648, 20649, 20657, 20658, 20661, 20662, 20663, 20664, 20665, 20671, 20676, 20684, 20701, 20707, 20709, 20716, 20726, 20728, 20748, 20772, 20775, 20795, 20815, 20818, 20821, 20830, 20839, 20874, 20883, 20915, 20918, 20919, 20920, 20921, 20922, 20930, 20944, 20948, 20949, 20953, 20961, 20962, 20963, 20964, 20965, 20986, 20993, 20999, 21000, 21001, 21002, 21004, 21005, 21006, 21024, 21039, 21045, 21064, 21067, 21068, 21072, 21073, 21075, 21083, 21085, 21190, 21196, 21202

\figcaption . 11954, 11972

\fill 5772, 5776, 11989, 12184, 13434, 13436, 13438

\filright .. 18655, 18684

\FirstFrameCommand 11456, 11502

\firstmark 7179, 7242, 10837, 10873, 11033, 11632, 11680, 14400, 14500, 20746, 20793, 21056

\firstname 2379

\firstnamecolour 2348, 7604, 7700

\firstnamefont 2357, 2365, 7642, 7643, 7734, 7737

\firstnamestyle 2365, 7654, 7744, 7765

\fivecolumnfootnotes 9383

\fivecolumnfootstyle 9480

\flnew@within 10938

\float@newx 10932

\floatalignment 4401, 4402, 4443, 4444, 4466, 4473, 4481, 4532, 4743

\FloatBarrier . 4373, 4723

\floatc@bidituftefloatplain 4741, 4751, 4758, 4764, 4772

\floatc@bidituftefloatplaintop 4758

\floatc@bidituftefloatruled 4759

\floatc@plain 10929

\floatingpenalty 41, 55, 71, 254, 268, 283, 7816, 7837, 7884, 7891, 7936, 7943, 8878, 11276, 11293, 11309

\floatstyle 4792
\flushleft . . . 2046, 2055
\FN@sf@@footnote 2073, 2077
\FN@sf@@footnotemark 2102, 2104
\FN@sf@@LTRfootnote 2074, 2083
\FN@sf@@RTLfootnote 2075, 2089
\FN@sf@gobble@bracket 2113, 2116
\FN@sf@gobble@opt 2079, 2085, 2091, 2094
\FN@sf@gobble@optonly 2106, 2109
\FN@sf@gobble@twobracket 2098, 2101
\font 18396, 18397
\fontdimen . 18396, 18397
\fontsize 313, 5727, 5729, 5731, 7642, 7734, 12808, 14978, 14991
\foo 15050, 15052, 15062, 15064
\footdir@abspage 11136, 11139, 11140, 11143, 11144, 11147
\footdir@debug 11108, 11116, 11120, 11123, 11133, 11140, 11144, 11147
\footdir@debugfalse 1690
\footdir@debugtrue 1688, 11106
\footdir@fntext 11154, 11171, 11173
\footdir@LeftRightElse . 11114, 11130, 11207
\footdir@name 11157, 11160, 11161
\footdir@ORG@bidi@amsart@footnotetext 79
\footdir@ORG@bidi@amsart@LTRfootnotetext 81
\footdir@ORG@bidi@amsart@RTLfootnotetext 80
\footdir@ORG@bidi@amsbook@footnotetext 292
\footdir@ORG@bidi@amsbook@LTRfootnotetext 294
\footdir@ORG@bidi@amsbook@RTLfootnotetext 293
\footdir@ORG@bidi@footnotetext 11327
\footdir@ORG@bidi@LTRfootnotetext 11329
\footdir@ORG@bidi@RTLfootnotetext 11328
\footdir@temp 79, 80, 81, 292, 293, 294, 11166, 11327, 11328, 11329
\footdir@toks 11107, 11174, 11175, 11176, 11180
\footdir@write 11101, 11131, 11170
\footersymbol 7661, 7662, 7677, 7678, 7679, 7680
\footfootmark 8822, 8990, 9138, 9285, 9436, 9587, 9738, 9889, 10040, 10191, 10397
\footfudgefactor . . . 10300, 10355, 10472
\footfudgefiddle . 10330
\footins 35, 49, 65, 248, 262, 277, 7816, 7837, 7841, 7842, 7853, 7856, 7860, 7884, 7890, 7898, 7899, 7910, 7913, 7917, 7936, 7942, 8702, 8718, 8734, 8875, 10555, 10559, 10566, 10570, 10574, 10587, 11270, 11287, 11303, 11618, 11619, 11666, 11667, 15340, 15341, 15343
\footinsmidtext 8874, 8875, 8916, 8947, 9047, 9094, 9192, 9238, 9342, 9393, 9493, 9540, 9644, 9691, 9795, 9842, 9942, 9993, 10097, 10144, 10248, 10337, 10462
\footinsv@r 8868, 8913, 8914, 8915, 8916, 8943, 8944, 8953, 8963, 8973, 9094, 9095, 9104, 9113, 9122, 9238, 9239, 9248, 9258, 9268, 9389, 9390, 9399, 9409, 9419, 9540, 9541, 9550, 9560, 9570, 9691, 9692, 9701, 9711, 9721, 9842, 9843, 9852, 9862, 9872, 9993, 9994, 10003, 10013, 10023, 10144, 10145, 10154, 10164, 10174, 10337, 10338, 10358, 10370, 10382
\footmarksep 8817
\footmarkstyle 8819, 8858
\footmarkwidth . 8816, 8823, 8824, 8826, 8828, 8831, 8835, 8836, 8838, 8840, 8843, 8847, 8848, 8850, 8852, 8855, 8861
\footnote 420, 494, 744, 843, 996, 1095, 1246, 1346, 2073, 2076, 5309, 5628, 5659, 6357, 6534, 6639, 6713, 8364, 8432, 8457, 8531, 10683, 10751, 14296, 14299, 15654, 15753, 15791, 15897, 16051, 16139, 16248, 16322, 16626,

16742, 17175, 17291, 17874, 17990
\footnotelayout 5127, 5128, 5131
\footnotemark 2102, 2103, 11405, 11419, 14297, 14300
\footnoterule . . 7795, 7857, 7863, 7868, 7896, 7897, 7914, 7918, 7922, 7948, 7949, 8697, 8887, 8898, 8912, 10532, 10558, 10569, 11098, 11195, 11199, 11202, 11217, 11222, 11223, 11225, 11718, 15342, 18650
\footnotes 5124
\footnotesep . . 29, 31, 40, 46, 54, 60, 70, 76, 243, 245, 253, 259, 267, 273, 282, 288, 7813, 7834, 7859, 7916, 8713, 8729, 8745, 8759, 8772, 8785, 8879, 11275, 11283, 11292, 11300, 11308, 11316, 11343, 11357, 11371, 12803, 12805
\footnotesize . . . 38, 52, 68, 106, 236, 251, 265, 280, 416, 740, 992, 1242, 2457, 2479, 4281, 4282, 4320, 4939, 4940, 4941, 5133, 5163, 5181, 5199, 6353, 6530, 6635, 8360, 8453, 8871, 8872, 8873, 10679, 11266, 11267, 11268, 11273, 11290, 11306, 11336, 11350, 11364, 12795, 15143, 15145, 15650, 15787, 16047, 16244, 16622, 17171, 17870
\footnotetext . . 2137, 2148, 6095, 6105
\footparindent 8818, 8862
\footrule 10816
\footrulewidth 2327, 4602
\footscript 8819, 8825, 8829, 8831
\footskip . . 10816, 21042
\foottextfont . . 8706, 8713, 8753, 8759, 8871, 8938, 8955, 8990, 9001, 9089, 9106, 9138, 9149, 9233, 9250, 9285, 9296, 9384, 9401, 9436, 9447, 9535, 9552, 9587, 9598, 9686, 9703, 9738, 9749, 9837, 9854, 9889, 9900, 9988, 10005, 10040, 10051, 10139, 10156, 10191, 10202, 10305, 10332, 10349, 10361, 10397, 10411
\forcerectofloat . . 4404
\forceversofloat . . 4405
\forvariable 3560, 3566, 3642, 3678, 3685, 3690, 3696, 3701, 3705, 3706
\fourcolumnfootnotes 9232
\fourcolumnfootstyle 9329
\fp 13951, 13952, 13953, 13954
\fps@figure 11942
\framebox 172, 174, 7652, 7783, 14611, 14617
\FrameCommand 11454
\FrameHeightAdjust 11528
\FrameRestore . 11462, 11466, 11582, 11583
\fromaddress 8625, 8631, 8641, 12861, 12867
\fromname 8646
\fromplace 17797
\fromsig 8645, 8647, 17804
\fromvalue 3560, 3646, 3669, 3691, 3706
\frontmatter 5826
\fs@bidituftefloatboxed 4770
\fs@bidituftefloatplain 4749, 4757
\fs@bidituftefloatplaintop 4757
\fs@bidituftefloatruled 4762
\fslice . 15160, 15161, 15163, 15164, 15167
\ftn@font 16597, 17146, 17845
\ftn@rule@height 16604, 16607, 16611, 16614, 17153, 17156, 17160, 17163, 17852, 17855, 17859, 17862
\ftn@rule@test@values 16603, 16610, 17152, 17159, 17851, 17858
\ftn@rule@width 16607, 16614, 17156, 17163, 17855, 17862
\ftnm@font 16599, 17148, 17847
\full@width 14669, 14681, 14732
\futurelet 793, 795, 1045, 1047, 1295, 1297, 2578, 3368, 3371, 15703, 15705, 15844, 15846

G

\g 8136, 8138, 8142, 8235, 13649, 13654, 13656, 13662, 13664, 13707, 13711, 13712, 13758, 13762,

13763, 13780, 13781, 13818, 13834, 13837, 13843, 13844, 13845, 13846, 13847, 13856, 13857, 13859, 13861, 13862, 13863, 13870, 13871, 13876, 13882, 13891, 13894, 13902, 13903, 13906, 13907, 13908, 13909, 13910, 13911, 13913, 13916, 13917, 13919, 13922, 13924, 13927, 13932, 13940, 13941, 13943, 13944, 13945, 13946, 13947, 13948, 13949, 13951, 13952, 13953, 13954, 13956, 13957, 13967, 13975, 13976, 13977, 13979, 13984, 13985, 13990, 13991, 13995, 14000, 14003, 14010, 14012, 14015, 14016, 14020, 14022, 14023, 14026, 14027, 14028, 14032, 14033, 14037, 14038, 14045, 14060, 14061, 14062, 14064, 14069, 14072, 14073, 14076, 14080, 14081, 14082, 14086, 14087, 14088, 14095, 14096, 14097, 14099, 14100, 14103, 14104, 14109, 14115, 14126, 14131, 14132, 14133, 14137, 14140, 14141, 14142, 14143, 14145, 14153, 14167, 14168, 14169, 14170, 14172, 14175, 14183, 14184, 14187, 14191, 14192, 14194, 14196, 14197, 14198, 14202, 14203, 14204, 14209, 14216, 15001, 15003, 15012, 15015, 15017, 15018

\g@addto@macro 3809, 4053, 4138, 4148, 4399, 5085, 5087, 8165, 8168, 8170, 19717, 20013

\g@mix@page@int .. 14089

\gdef .. 409, 411, 1976, 2348, 2349, 2350, 2351, 2352, 2353, 2355, 2356, 3332, 3334, 3344, 3346, 3655, 3657, 3658, 4132, 4143, 4417, 4418, 4420, 4423, 4503, 4508, 4509, 4510, 4662, 4703, 5082, 5220, 5249, 5278, 5317, 5326, 5335, 5664, 5681, 5697, 5709, 5749, 5750, 5751, 5938, 5941, 6203, 6215, 6217, 7178, 7241, 8119, 8132, 10572, 10583, 10594, 10595, 10836, 10872, 11161, 11221, 11631, 11679, 12909, 13131, 13134, 14399, 14499, 14923, 14944, 15334, 18394, 18656, 18657, 18662, 18685, 18686, 20010, 20401, 20451, 20688, 20745, 20792

\geometry 4303, 4306, 4310, 4313, 4317

\Gin@angle 14984

\Gin@bboxtrue 11759

\Gin@defaultbp 11760, 11761, 11762, 11763, 18621, 18622, 18625

\Gin@eheight 14986

\Gin@esetsize 11778

\Gin@ewidth . 14985, 14986

\Gin@exclamation .. . 11808, 14985, 14988

\Gin@gridfalse ... 14971

\Gin@ii 11767

\Gin@iii ... 11756, 11770

\Gin@llx 11760

\Gin@lly 11761

\Gin@outer@scalex 14982

\Gin@outer@scaley 14983

\Gin@scalex 14987

\Gin@scaley 14988

\Gin@urx 11762

\Gin@ury 11763

\Ginclude@graphics 11764, 11776

\Ginput@path 13849

\global 311, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 469, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 522, 523, 674, 675, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 820, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 918, 919, 1034,

1035, 1036, 1037,
1038, 1039, 1040,
1041, 1042, 1043,
1072, 1078, 1079,
1080, 1081, 1082,
1083, 1084, 1085,
1086, 1087, 1088,
1157, 1158, 1284,
1285, 1286, 1287,
1288, 1289, 1290,
1291, 1292, 1293,
1322, 1328, 1329,
1330, 1331, 1332,
1333, 1334, 1335,
1336, 1337, 1338,
1464, 1465, 1925,
1926, 1927, 1928,
1929, 1930, 1931,
1932, 1933, 1934,
1935, 2135, 2138,
2141, 2144, 2148,
2151, 2154, 2233,
2237, 2259, 2515,
2527, 2551, 2635,
2651, 3468, 3470,
3483, 3484, 3494,
3502, 3512, 3625,
3644, 3646, 3648,
3660, 3665, 4268,
4402, 4446, 4447,
4819, 4830, 4833,
4863, 4874, 4877,
4907, 4918, 4921,
4975, 5742, 5939,
5942, 5960, 5964,
5980, 5991, 6017,
6018, 6045, 6058,
6059, 6087, 6096,
6099, 6102, 6105,
6108, 6111, 6143,
6153, 6167, 6169,
6174, 6175, 6181,
6182, 6184, 6204,
6216, 6218, 6276,
6277, 6395, 6396,
6397, 6398, 6399,
6400, 6401, 6402,
6403, 6404, 6453,
6454, 6572, 6573,
6574, 6575, 6576,
6577, 6578, 6579,
6580, 6581, 6659,
6660, 6661, 6662,
6663, 6664, 6665,
6666, 6667, 6668,
6669, 6670, 6688,
6694, 6695, 6696,
6697, 6698, 6699,
6700, 6701, 6702,
6703, 6704, 6705,
6706, 6740, 6741,
6833, 6843, 6844,
6845, 6846, 6847,
6848, 6849, 6850,
6858, 6871, 6876,
6880, 6936, 7165,
7166, 7176, 7183,
7217, 7228, 7229,
7239, 7246, 7276,
7335, 7343, 7353,
7363, 7372, 7374,
7375, 7378, 7381,
7391, 7405, 7406,
7408, 7410, 7411,
7413, 7419, 7420,
7423, 7425, 7426,
7429, 7432, 7437,
7446, 7454, 7509,
7517, 7527, 7536,
7538, 7547, 7549,
7550, 7553, 7556,
7566, 7574, 7575,
7582, 7808, 7815,
7829, 7836, 7848,
7856, 7860, 7877,
7880, 7888, 7893,
7905, 7913, 7917,
7929, 7932, 7940,
7945, 8245, 8382,
8383, 8384, 8385,
8386, 8387, 8388,
8389, 8390, 8391,
8409, 8415, 8416,
8417, 8418, 8419,
8420, 8421, 8422,
8423, 8424, 8425,
8477, 8478, 8479,
8480, 8481, 8482,
8483, 8484, 8485,
8486, 8487, 8488,
8506, 8512, 8513,
8514, 8515, 8516,
8517, 8518, 8519,
8520, 8521, 8522,
8523, 8524, 8557,
8558, 8750, 8763,
8776, 8932, 8998,
9010, 9023, 9063,
9146, 9157, 9169,
9207, 9293, 9305,
9318, 9358, 9444,
9456, 9469, 9509,
9595, 9607, 9620,
9660, 9746, 9758,
9771, 9811, 9897,
9909, 9922, 9962,
10048, 10060,
10073, 10113,
10199, 10211,
10224, 10264,
10291, 10305,
10407, 10421,
10435, 10490,
10535, 10582,
10593, 10612,
10613, 10701,
10702, 10703,
10704, 10705,
10706, 10707,
10708, 10709,
10710, 10728,
10734, 10735,
10736, 10737,
10738, 10739,
10740, 10741,
10742, 10743,
10744, 10824,
10825, 10834,
10840, 10860,
10861, 10870,
10877, 10948,
10951, 10984,
10987, 10989,
10995, 10996,
10997, 11013,
11017, 11020,
11028, 11030,
11034, 11332,
11333, 11346,
11347, 11360,

11361, 11616, 11617, 11618, 11619, 11629, 11637, 11664, 11665, 11666, 11667, 11677, 11685, 12368, 12382, 12406, 12420, 12453, 12484, 12515, 12578, 12588, 13081, 13473, 13474, 13525, 13528, 13547, 13548, 13556, 14229, 14230, 14231, 14232, 14233, 14234, 14235, 14236, 14237, 14254, 14349, 14386, 14387, 14397, 14403, 14406, 14408, 14410, 14411, 14413, 14418, 14426, 14428, 14436, 14437, 14438, 14439, 14441, 14442, 14445, 14446, 14477, 14478, 14486, 14487, 14497, 14503, 14506, 14508, 14510, 14511, 14513, 14518, 14526, 14528, 14536, 14537, 14538, 14539, 14541, 14542, 14545, 14546, 14574, 14575, 14581, 14582, 14594, 14595, 14596, 14597, 14598, 14599, 14601, 14607, 14679, 14696, 14702, 14719, 14727, 14864, 15082, 15099, 15100, 15101, 15102, 15110, 15117, 15150, 15174, 15175, 15176, 15375, 15425, 15577, 15578, 15692, 15693, 15694, 15695, 15696, 15697, 15698, 15699, 15700, 15701, 15730, 15736, 15737, 15738, 15739, 15740, 15741, 15742, 15743, 15744, 15745, 15746, 15831, 15832, 15833, 15834, 15835, 15836, 15837, 15838, 15839, 15840, 15841, 15842, 15871, 15877, 15878, 15879, 15880, 15881, 15882, 15883, 15884, 15885, 15886, 15887, 15888, 15889, 15949, 15950, 16081, 16082, 16083, 16084, 16085, 16086, 16087, 16088, 16089, 16090, 16091, 16092, 16115, 16121, 16122, 16123, 16124, 16125, 16126, 16127, 16128, 16129, 16130, 16131, 16132, 16133, 16164, 16165, 16268, 16269, 16270, 16271, 16272, 16273, 16274, 16275, 16276, 16277, 16278, 16279, 16297, 16303, 16304, 16305, 16306, 16307, 16308, 16309, 16310, 16311, 16312, 16313, 16314, 16315, 16349, 16350, 16704, 16716, 16717, 16718, 16719, 16720, 16721, 16722, 16723, 16724, 16725, 16726, 16727, 16728, 16729, 16730, 16731, 16732, 16733, 16734, 16735, 16736, 16737, 16738, 16938, 16992, 16994, 17253, 17265, 17266, 17267, 17268, 17269, 17270, 17271, 17272, 17273, 17274, 17275, 17276, 17277, 17278, 17279, 17280, 17281, 17282, 17283, 17284, 17285, 17286, 17287, 17518, 17572, 17574, 17952, 17964, 17965, 17966, 17967, 17968, 17969, 17970, 17971, 17972, 17973, 17974, 17975, 17976, 17977, 17978, 17979, 17980, 17981, 17982, 17983, 17984, 17985, 17986,

18201, 18255, 18257, 18485, 18489, 18490, 18491, 18508, 18520, 18525, 18529, 18541, 18578, 18580, 18585, 18587, 18851, 18852, 18855, 18856, 19383, 19384, 19434, 19438, 20007, 20155, 20163, 20173, 20176, 20220, 20462, 20691, 20702, 20732, 20733, 20743, 20750, 20779, 20780, 20790, 20797, 20836, 20847, 20850, 20880, 20891, 20894, 20922, 20931, 20932, 20933, 20934, 20936, 20939, 20940, 20954, 20959, 20973, 20974, 20976, 20985, 21018, 21030, 21033, 21040, 21047, 21051, 21053, 21054, 21057, 21066
\GlobalSetatBoolean 2644
\GlobalSetBoolean 2628, 4404, 4405, 4432, 4433, 4437, 4438, 4731, 4732
\glossary .. 11007, 21013
\glueexpr 19563, 19570, 19575, 19636, 19697, 19700, 19704, 19710
\Gm@pageframes ... 11870
\Gm@vrule 11853, 11854, 11855, 11857, 11858, 11859, 11862, 11863, 11864, 11867, 11868, 11869
\Gm@vrules@mpi ... 11850
\Gm@vrules@mpii .. 11860
\grid 14979, 14992
\Grot@box 11728, 11736, 16528, 16539, 16546, 16556
\Grot@box@kv 11729
\Grot@box@std 11723
\Grot@setangle 11724, 11735, 16521, 16531, 16542, 16549
\Grot@x 11726, 11731, 16526, 16536, 16544, 16554
\Grot@y 11727, 11732, 16527, 16537, 16544, 16555
\group .. 13830, 13851, 14138, 14151, 14156, 14163, 14219
\grp@aligned 6849
\GRP@box . 6844, 6876, 6878
\grp@eqs@numbered . 6848
\grp@hasNumber 6853
\GRP@label 6845
\grp@linewidth 6847
\GRP@queue ... 6844, 6880
\grp@setnumber 6853
\grp@shiftnumber .. 6850
\grp@wdL 6846
\grp@wdNum 6847
\grp@wdR 6846
\grp@wdT 6846
\Gscale@box 11738, 11830, 11847
\Gscale@div 11829, 11836, 11839
\Gscale@end . 11742, 11788
\Gscale@start 11742, 11788
\Gscale@x .. 11740, 11786
\Gscale@y .. 11740, 11786
\gsetlength 4266, 4419, 4511, 4973, 5222, 5224, 5251, 5253, 5280, 5282

H

\H@@footnotemark 12259, 12348, 12541, 12555, 12572
\H@@footnotetext 8676, 12218, 12229, 12298, 12345, 12459, 12542, 12558, 12572
\H@@mpfootnotetext ... 8682, 12227, 12261, 12265, 12349
\H@refstepcounter 12748
\halign 5979, 13476
\hangafter .. 7026, 14322
\hangindent 107, 108, 109, 237, 238, 239, 650, 877, 1133, 5599, 5600, 5601, 6253, 6430, 6930, 7026, 12796, 12797, 12798, 14315, 14321, 15554, 15926, 20609, 21085
\hb@xt@ 459, 519, 538, 671, 698, 900, 915, 1062, 1154, 1182, 1919, 6274, 6299, 6451, 6476, 6678, 6738, 6755, 7016, 7185, 7190, 7194, 7248, 7249, 7255, 7313, 7317, 7320, 7325, 7330, 7490, 7494, 7496, 7500, 7504, 8289, 8301, 8399, 8496, 8555, 8824, 8831, 8836, 8843, 8848, 8855, 10610, 10627, 10718, 10879, 10880, 10886, 10906, 10921, 11043, 11639, 11640, 11646, 11687, 11692, 11696, 11751, 11797, 11852, 11857,

11862, 11866, 12857, 12995, 13002, 13009, 13014, 13082, 14350, 14452, 14457, 14461, 14552, 14553, 14559, 14656, 15575, 15600, 15947, 15972, 16063, 16106, 16179, 16287, 16347, 16364, 16904, 16944, 17484, 17524, 18167, 18207, 18432, 19114, 19272, 19378, 19770, 19883, 19920, 19922, 19988, 19995, 19997, 20413, 20606, 20607, 20682, 20752, 20757, 20761, 20799, 20800, 20806, 20943, 21024, 21045, 21067

\hbadness 4774, 7801, 7822, 18561, 18563, 20094, 20095, 20112

\hbox . 15, 28, 180, 220, 242, 348, 382, 390, 407, 547, 657, 734, 885, 968, 1140, 1214, 1416, 1475, 1621, 1837, 2118, 4378, 4466, 4468, 4473, 4506, 4507, 4516, 4523, 4743, 4776, 5094, 5133, 5160, 5178, 5196, 5318, 5327, 5336, 5771, 5779, 5898, 5948, 5952, 5963, 5980, 5991, 6204, 6218, 6260, 6338, 6437, 6491, 6765, 6877, 6943, 6972, 7132, 7135, 7152, 7156, 7860, 7863, 7866, 7917, 7918, 7920, 8122, 8127, 8133, 8356, 8655, 10298, 10311, 10316, 10321, 10326, 10512, 10521, 10657, 10795, 10809, 10810, 10815, 10817, 10841, 10844, 10848, 10925, 10929, 10931, 10969, 10974, 11187, 11720, 11721, 11725, 11730, 11741, 11742, 11787, 11788, 11826, 11833, 12802, 12808, 12827, 12880, 13465, 13485, 13490, 13550, 13553, 13835, 13851, 13852, 13870, 14130, 14132, 14142, 14178, 14213, 14629, 14663, 14679, 14681, 14785, 15010, 15012, 15015, 15018, 15094, 15143, 15147, 15167, 15200, 15204, 15209, 15213, 15225, 15236, 15253, 15263, 15280, 15289, 15290, 15299, 15353, 15354, 15355, 15357, 15358, 15384, 15402, 15413, 15561, 15615, 15933, 16038, 16162, 16192, 16374, 16543, 16597, 16599, 16614, 16867, 16975, 17146, 17148, 17163, 17447, 17555, 17716, 17717, 17726, 17742, 17748, 17754, 17760, 17766, 17772, 17778, 17784, 17790, 17845, 17847, 17862, 18130, 18238, 18411, 18459, 18472, 18500, 18511, 18550, 18620, 19875, 19876, 19925, 19927, 19984, 19985, 20188, 20222, 20224, 20230, 20343, 20352, 20353, 20362, 20411, 20412, 20415, 20416, 20417, 20418, 20426, 20432, 20538, 20608, 20617, 20619, 20624, 20634, 20649, 20678, 20679, 20951, 20961, 20963

\hboxL 1616, 1832, 11562, 11579, 12997, 15290, 20353

\hboxR 1614, 1830, 15280, 20343

\head@style 624, 931, 1125, 1358, 6245, 6422, 15528, 15911, 15978, 16040

\headheight 1901, 8107, 10810, 11015, 21020

\headrule 10813

\headrulewidth 2326, 4601

\headsep . . 1909, 1912, 8108, 11016, 21029

\headwidth 2416, 10809,

10811, 10812, 10813, 10815, 10817, 10818, 10819
\height . 11732, 11806, 12014, 12016, 12020, 12022, 12049, 12050, 12053, 12054, 12111, 12112, 12115, 12116, 12144, 12146, 12150, 12152, 14181, 14189, 14214
\hfil 15, 220, 519, 538, 671, 698, 900, 915, 1063, 1154, 1182, 1412, 1413, 1414, 1415, 1443, 1444, 1445, 1451, 1452, 1453, 1891, 1896, 5949, 5951, 6056, 6274, 6299, 6451, 6476, 6738, 6755, 7016, 7133, 7136, 7153, 7157, 7187, 7189, 7252, 7254, 7316, 7327, 7329, 7493, 7501, 7503, 8289, 8301, 8555, 8931, 10610, 10627, 10843, 10883, 10885, 10911, 10924, 10931, 11643, 11645, 11689, 11691, 11859, 11864, 12827, 13082, 13490, 14350, 14454, 14456, 14556, 14558, 14656, 15147, 15201, 15205, 15210, 15214, 15226, 15237, 15263, 15575, 15600, 15947, 15972, 16162, 16179, 16347, 16364, 19114, 19272, 19378, 19770, 19883, 19920, 19922, 19988, 19995, 19997, 20440, 20682, 20754, 20756, 20803, 20805, 20962, 20964, 21001, 21002, 21004, 21005, 21067
\hfill 180, 193, 1481, 1482, 2437, 2443, 2457, 4535, 4536, 4539, 4540, 5920, 5930, 6949, 6950, 7653, 10811, 10812, 10817, 10818, 14631, 14655, 14791, 14794, 14795, 14796, 14799, 14800, 14801, 14802, 14803, 14806, 14807, 14808, 14809, 14810, 14811, 14812, 14815, 14816, 14817, 14818, 14819, 14820, 14821, 14822, 14823, 14826, 14827, 14828, 14831, 14832, 14833, 14836, 14837, 14838, 14839, 14840, 14843, 14844, 14845, 14846, 14847, 14850, 14851, 14852, 14853, 14854, 15254, 15258, 16614, 17012, 17029, 17163, 17592, 17609, 17744, 17750, 17756, 17762, 17768, 17774, 17780, 17786, 17862, 18275, 18292, 18657, 18686, 19744, 19747, 19751, 19877, 19986, 20143, 20680
\hfilneg 8925, 8929
\hfuzz . 8120, 18562, 18564
\hintcolour 2356
\hintfont 2364, 2372, 2426, 2433, 2438
\hintscolumnwidth 2392, 2406, 2410, 2418, 2426, 2432, 2438, 2495
\hintstyle 2372
\hline 13442, 13444, 13450
\HLOFF 1981
\HLON 1975
\HLTR@@LTRfootnotetext ... 8678, 12220, 12251, 12328, 12346, 12388, 12490, 12544, 12564
\HLTR@@mpLTRfootnotetext ... 8684, 12249, 12263, 12287, 12350
\hoffset 1905
\hold@viper 7199, 7202, 7258, 7261, 7293, 7334, 7335, 7343, 7344, 7353, 7354, 7362, 7459, 7508, 7509, 7517, 7518, 7527, 7528, 7537, 7573, 7575, 7576
\holder . 15157, 15160, 15169, 15179, 15180, 15198, 15202, 15207, 15211, 15223, 15227, 15234, 15238
\href 2462, 2463, 2466, 2467, 2470, 2471
\HRTL@@mpRTLfootnotetext ... 8686, 12238, 12262, 12276, 12351
\HRTL@@RTLfootnotetext ... 8680, 12219, 12240, 12313,

12347, 12426, 12521, 12543, 12561
\hrule 31, 245, 543, 728, 963, 1208, 4765, 4766, 4776, 4777, 5950, 6332, 6485, 6595, 6601, 6607, 6613, 6761, 7796, 8352, 8651, 8698, 10653, 11190, 11192, 11224, 11567, 12805, 12876, 13608, 14788, 15255, 15609, 16032, 16188, 16370, 16607, 16614, 16862, 17156, 17163, 17442, 17722, 17855, 17862, 18125
\hrulefill 28, 242, 547, 734, 968, 1214, 6338, 6491, 6765, 8356, 8655, 10657, 11187, 12802, 12880, 14785, 15615, 16038, 16192, 16374, 16867, 17447, 17726, 18130
\hsize 41, 55, 71, 172, 174, 178, 183, 201, 254, 268, 283, 627, 934, 1128, 1851, 2250, 4775, 4776, 4836, 4880, 4924, 5521, 6248, 6425, 6873, 7133, 7136, 7153, 7157, 8708, 8724, 8740, 8753, 8766, 8779, 8924, 8984, 9002, 9014, 9027, 9067, 9132, 9150, 9161, 9173, 9211, 9279, 9297, 9309, 9322, 9362, 9430, 9448, 9460, 9473, 9513, 9581, 9599, 9611, 9624, 9664, 9732, 9750, 9762, 9775, 9815, 9883, 9901, 9913, 9926, 9966, 10034, 10052, 10064, 10077, 10117, 10185, 10203, 10215, 10228, 10268, 10310, 10365, 10377, 10389, 10412, 10415, 10426, 10429, 10440, 10443, 10483, 10494, 10497, 10930, 10931, 11277, 11294, 11310, 11337, 11351, 11365, 11382, 11383, 11462, 11567, 11597, 11600, 11604, 11607, 11608, 13078, 13082, 13476, 13487, 13490, 13520, 13577, 13578, 13585, 13608, 14346, 14350, 14583, 14663, 14665, 14673, 14712, 14716, 14720, 14723, 14728, 14731, 14772, 14776, 14780, 15316, 15318, 15486, 15500, 15531, 15981, 16043, 16059, 16102, 16581, 16588, 16590, 16904, 16905, 16944, 17130, 17137, 17139, 17484, 17485, 17524, 17703, 17708, 17710, 17829, 17836, 17838, 18167, 18168, 18207, 19935, 19938, 19943, 19947, 19951, 19955, 19959, 19963, 19967, 19971, 20191, 20212, 20216, 20383, 20385, 20521, 20853, 20897, 21063, 21067
\hskip 14, 28, 219, 242, 315, 319, 537, 547, 657, 658, 697, 734, 885, 886, 899, 947, 968, 1140, 1141, 1181, 1214, 1361, 1414, 1415, 1453, 1477, 1480, 2509, 5482, 5922, 5966, 5967, 5970, 5972, 5973, 5976, 6260, 6261, 6298, 6338, 6437, 6438, 6475, 6491, 6754, 6765, 6945, 6948, 7015, 7186, 7193, 7197, 7198, 7315, 7319, 7322, 7323, 7492, 7495, 7497, 7498, 7861, 7862, 7865, 7875, 7876, 7919, 8288, 8356, 8655, 10296, 10626, 10657, 10842, 10847, 10851, 10852, 10907, 10923, 11187, 11688, 11695, 11699, 11700, 11852, 11854, 11855, 11858, 11863, 11866, 11868, 11869, 12802, 12826, 12858, 12880, 12990, 14453, 14460, 14464, 14465, 14630, 14642,

14654, 14712,
14716, 14720,
14723, 14724,
14728, 14731,
14732, 14785,
14791, 14794,
14796, 14799,
14801, 14803,
14806, 14808,
14810, 14812,
14815, 14817,
14819, 14821,
14823, 14826,
14828, 14831,
14833, 14836,
14838, 14840,
14843, 14845,
14847, 14850,
14852, 14854,
14868, 15111,
15118, 15561,
15562, 15599,
15615, 15914,
15933, 15934,
15971, 16038,
16178, 16192,
16363, 16374,
16452, 16454,
16461, 16463,
16499, 16501,
16510, 16512,
16614, 16867,
17163, 17447,
17726, 17862,
18130, 18420,
18426, 18438,
18443, 18656,
18685, 18846,
18877, 18900,
18917, 18934,
18951, 18968,
18985, 19003,
19022, 19042,
19077, 19269,
19428, 19460,
19870, 19917,
19927, 19982,
20676, 20753,
20760, 20764,
20765, 20945,
20947, 20961, 20964
\hspace 108,
109, 238, 239,
556, 2427, 2432,
2438, 4518, 4525,
4747, 5425, 5426,
5432, 5433, 5439,
5440, 5446, 5447,
5574, 5600, 5601,
7783, 7956, 7959,
7963, 7965, 7970,
7972, 7976, 7979,
7982, 7986, 7988,
7992, 7994, 7998,
8001, 8004, 8008,
8010, 8015, 8017,
8308, 8642, 8826,
8838, 8850, 11989,
12005, 12018,
12030, 12043,
12052, 12060,
12105, 12114,
12122, 12135,
12148, 12160,
12184, 12797,
12798, 16899,
16914, 16919,
16921, 16922,
17479, 17494,
17499, 17501,
17502, 17802,
18162, 18177,
18182, 18184,
18185, 18383,
18384, 18662,
18674, 21184,
21188, 21193,
21195, 21199, 21201
\hss 460,
519, 538, 671, 698,
900, 915, 1154,
1182, 1635, 1851,
1920, 5541, 6274,
6299, 6451, 6476,
6679, 6738, 6755,
7016, 7192, 7196,
7251, 7257, 7318,
7321, 7326, 7331,
7494, 7496, 7500,
7504, 7864, 7874,
7919, 7928, 8122,
8125, 8127, 8130,
8133, 8289, 8301,
8400, 8497, 8555,
8825, 8831, 8837,
8843, 8849, 8855,
10610, 10627,
10719, 10846,
10850, 10882,
10888, 11043,
11642, 11648,
11694, 11698,
11751, 11797,
11855, 11869,
13002, 13009,
13014, 13485,
13493, 13872,
14133, 14214,
14459, 14463,
14555, 14561,
14699, 14700,
14713, 14714,
15125, 15135,
15355, 15366,
15367, 15368,
15575, 15600,
15947, 15972,
16063, 16106,
16162, 16179,
16288, 16347,
16364, 16597,
16975, 16984,
17146, 17555,
17564, 17716,
17845, 18238,
18247, 18432,
19272, 19378,
20196, 20198,
20203, 20209,
20413, 20531,
20594, 20595,
20597, 20598,
20600, 20601,
20606, 20607,
20664, 20665,
20666, 20667,
20759, 20763,
20802, 20808, 20949
\ht 388, 1463, 1496, 1627,
1843, 6964, 6973,

6975, 7291, 7293, 7300, 7306, 7307, 7308, 7362, 7401, 7419, 7431, 7455, 7459, 7469, 7477, 7478, 7481, 7482, 7484, 7485, 7537, 7573, 7804, 7813, 7825, 7834, 7842, 7852, 7854, 7870, 7899, 7909, 7911, 7924, 8273, 8933, 9081, 9086, 9225, 9230, 9376, 9381, 9527, 9532, 9678, 9683, 9829, 9834, 9980, 9985, 10131, 10136, 10282, 10287, 10300, 10791, 11487, 11494, 11511, 11518, 11519, 11532, 11536, 11559, 11744, 11745, 11747, 11790, 11791, 11793, 11926, 12932, 12933, 12939, 12942, 12975, 13451, 13509, 13522, 13537, 13539, 13540, 13606, 13613, 13616, 14437, 14441, 14446, 14537, 14541, 14546, 14597, 14599, 15169, 15227, 15238, 15243, 15244, 15245, 15246, 15250, 15265, 15382, 15405, 16438, 16480, 16483, 16538, 16545, 16928, 16930, 16931, 17508, 17510, 17511, 18191, 18193, 18194, 18460, 18496, 18508, 18623, 20231, 20233, 20635, 20925, 20935, 20939

\ht@strip 14594, 14595, 14596, 14597, 14598, 14601, 14603

\ht@viper 7290, 7295, 7318, 7321, 7326, 7331, 7399, 7400, 7455, 7456, 7457, 7461, 7494, 7496, 7500, 7504

\httplink 2464

\Huge 5508, 6598, 6610, 6790, 6798, 8584, 8593, 10640, 10648, 16397, 16405

\huge 567, 5362, 5364, 5507, 6589, 6784, 8319, 8328, 8578, 10635, 16392, 16648, 16761, 17197, 17310, 17896, 18009

\hv@Bottom 12084

\hv@Center . . . 11988, 11999, 12039, 12101, 12129, 12182

\hv@figure . 11953, 11971

\hv@floatObject 11914, 11918

\hv@floatType . 11944, 11953, 11971, 12189

\hv@Height 11926

\hv@label 11895

\hv@Left . . . 11929, 11997

\hv@longCap 11894

\hv@Right . . 11930, 11986

\hv@shortCap 11893, 11959, 11977

\hv@Top . 12012, 12048, 12068, 12110, 12142

\hv@Width . . 11924, 11947

\hv@Zero . . . 11913, 12176

\hvAboveCaptionSkip 12092, 12095

\hvBelowCaptionSkip 12076, 12079

\hvCaptionBox . 11948, 11965, 12007, 12009, 12020, 12022, 12032, 12034, 12040, 12041, 12049, 12050, 12057, 12058, 12069, 12070, 12076, 12079, 12085, 12086, 12093, 12096, 12102, 12103, 12111, 12112, 12119, 12120, 12137, 12139, 12150, 12152, 12162, 12164

\hvCapWidth . . . 11922, 11924, 11926, 11928, 11932, 11934, 11949, 11967

\hvFloat 11896

\hvMaxCapWidth 11907, 11908, 11929, 11930, 11931, 11934

\hvObjectBox 11911, 11914, 11916, 11920, 11926, 12001, 12003, 12014, 12016, 12026, 12028, 12044, 12045, 12053, 12054, 12061, 12062, 12069, 12072, 12077, 12080, 12085, 12088, 12092, 12095, 12106, 12107, 12115, 12116, 12123, 12124, 12131, 12133, 12144, 12146, 12156, 12158

\hvObjectWidth 11920, 11924, 11928, 11929, 11930

\hvOBox 11914, 11918

\hvSet@capAngle 11947, 11966

\hvSet@capPos 11929, 11930, 11997, 12068, 12084
\hvSet@capVPos 11999, 12012, 12039, 12048, 12101, 12110, 12129, 12142
\hvSet@capWidth 11924, 11926, 11931, 11932
\hvSet@floatCapSep 12005, 12018, 12030, 12043, 12052, 12060, 12105, 12114, 12122, 12135, 12148, 12160
\hvSet@floatPos . . 11942
\hvSet@objectAngle 11913, 11917
\hvSet@objectPos . . . 11986, 11988, 12182
\hvSet@rotAngle . . . 11907, 12176, 12179
\Hy@Acrobatmenu . . 12693
\Hy@backout 12720
\Hy@BeginAnnot 12576, 12596, 12633, 12665, 12694
\Hy@bidipoem@footnotetext 12449, 12458
\Hy@bidipoem@LTRfootnotetext 12480, 12489
\Hy@bidipoem@RTLfootnotetext 12511, 12520
\Hy@CleanupFile . . 12598
\Hy@colorlink . 12626, 12658, 12687, 12713
\Hy@EndAnnot 12583, 12629, 12661, 12690, 12716
\Hy@endcolorlink . 12585
\Hy@footnote@currentHlabel . 12305, 12320, 12335
\Hy@footnote@currentHref 12267, 12270, 12278, 12281, 12289, 12292, 12300, 12303, 12306, 12315, 12318, 12321, 12330, 12333, 12336, 12379, 12417, 12450, 12481, 12512
\Hy@gtemp . . 12355, 12360
\Hy@href@nextactionraw 12622, 12654, 12683, 12709
\Hy@href@page 12617
\Hy@linkcounter 8173, 8178
\Hy@linktoc 12198
\Hy@LT@currentHref 12750, 12761
\Hy@LT@LTRfootnotetext 12378, 12387
\Hy@LT@RTLfootnotetext 12416, 12425
\Hy@MakeRemoteAction 12601
\Hy@maketitle@end . . 12547, 12552, 12554
\Hy@maketitle@optarg 12545, 12550
\Hy@pstringD 12600, 12619
\Hy@pstringdef 12599, 12600, 12634, 12635, 12666
\Hy@pstringF 12597, 12598, 12599, 12614, 12634, 12647, 12652
\Hy@pstringP 12635, 12652
\Hy@pstringURI 12666, 12679
\Hy@raisedlink 12269, 12280, 12291, 12302, 12317, 12332, 12392, 12430, 12463, 12494, 12525, 12762
\Hy@saved@footnotemark 12537, 12556
\Hy@saved@footnotetext 12538, 12559
\Hy@SetNewWindow 12621, 12649
\Hy@setpdfborder 12607, 12641, 12672, 12701
\Hy@tabularx@hook 12344, 12356
\Hy@temp@menu 12695, 12708
\Hy@xspace@end 12592, 12628, 12660, 12689, 12715
\HyLTR@saved@LTRfootnotetext 12540, 12565
\HyOrg@maketitle . . 12535, 12546, 12551
\HyOrg@TX@endtabularx 12343
\hyper@@anchor 12267, 12270, 12278, 12281, 12289, 12292, 12300, 12303, 12315, 12318, 12330, 12333, 12390, 12393, 12428, 12431, 12461, 12464, 12492, 12495, 12523, 12526
\hyper@anchorend . 12763
\hyper@anchorstart 12763
\hyper@link 12591
\hyper@linkend 12202, 12206, 12210, 12212, 12592, 12725, 12728
\hyper@linkfile . . 12594
\hyper@linkstart 12202, 12206, 12210, 12212, 12592, 12721, 12728
\hyper@linkurl . . . 12663
\hyper@makecurrent 12749
\hyper@nat@current 12722
\hyper@natlinkbreak 12727
\hyper@natlinkend 12724
\hyper@natlinkstart 12719
\hypersetup 2310, 2318, 5618, 5677, 5694
\hyphenpenalty . . . 6, 105, 211, 235, 626, 933, 1127, 6247, 6424, 12794,

12818, 15530, 15980, 16042, 16185
\HyRTL@saved@RTLfootnotetext 12539, 12562

I

\i 3681, 3682, 3694, 3706, 3707
\ialign . . . 396, 18465, 18503, 20440, 20640
\if 364, 365, 366, 368, 369, 370, 371, 372, 375, 376, 377, 401, 407, 1389, 1390, 1391, 1393, 1394, 1395, 1396, 1397, 1398, 1399, 1402, 1403, 1404, 1427, 1428, 1429, 1431, 1432, 1433, 1434, 1435, 2209, 2215, 2218, 2221, 2224, 3385, 3440, 3444, 3450, 3454, 3487, 3570, 3957, 6834, 6853, 6886, 6887, 6888, 11119, 11143, 11377, 12896, 13433, 13435, 13437, 15043, 18472, 18506, 18511, 18598, 18599, 18600, 18601, 18602, 18603, 18604, 18606, 18607, 18608, 18609, 18610, 18613, 18614, 18615, 20526, 20527, 20632, 20649, 20656, 20657, 20658, 20659, 20660, 20661
\if@allcaps 755, 764, 772, 1007, 1016, 1024, 1257, 1266, 1274, 6368, 6377, 6385, 6545, 6554, 6562, 15665, 15674, 15682, 15804, 15813, 15821
\if@altsecnumformat . 16785, 17333, 18032
\if@bib@break@ 16795, 16820, 16835, 16851, 17375, 17400, 17415, 17431, 18058, 18083, 18098, 18114
\if@bibchapter . . . 18771
\if@bidi@amsmathloaded@ 13212
\if@bidi@amstextloaded@ 13215
\if@bidi@amsthmloaded@ 13218
\if@bidi@animateloaded@ 13221
\if@bidi@arabxetexloaded@ 13420
\if@bidi@arrayloaded@ 13354
\if@bidi@arydshlnloaded@ 13378
\if@bidi@blank 2752, 3044, 3051
\if@bidi@breqnloaded@ 13224
\if@bidi@calsloaded@ 13227
\if@bidi@captionloaded@ 13230
\if@bidi@colorloaded@ 13236
\if@bidi@colortblloaded@ 13255
\if@bidi@croploaded@ 13233
\if@bidi@csdef 1754, 2716, 2765
\if@bidi@csmacro . . 2764
\if@bidi@csprimitive 2774
\if@bidi@csundef . . 2722, 2795, 4162, 4214, 8659, 8660, 8673, 8674, 21084
\if@bidi@cutedloaded@ 13243
\if@bidi@cutwinloaded@ 13240
\if@bidi@dblfnoteloaded@ 13246
\if@bidi@def 2734
\if@bidi@defmacro 2757, 2758, 2766, 2943, 2962, 3106
\if@bidi@defparam 2964, 3058, 3059, 3108
\if@bidi@defprimitive 2768
\if@bidi@defprotected 2971, 3067, 3068, 3119
\if@bidi@diagboxloaded@ 13249
\if@bidi@draftwatermarkloaded@ 13309
\if@bidi@empheqloaded@ 13312
\if@bidi@fancyboxloaded@ 13303
\if@bidi@fancyhdrloaded@ 13306
\if@bidi@fancyvrbloaded@ 13426
\if@bidi@floatloaded@ 13258
\if@bidi@floatrowloaded@ 13261
\if@bidi@flowframloaded@ 13264
\if@bidi@fontspecloaded@ 13417
\if@bidi@framedloaded@ 13267
\if@bidi@ftnrightloaded@ 13270
\if@bidi@geometryloaded@ 13285
\if@bidi@graphicxloaded@ 13282
\if@bidi@hvfloatloaded@ 13288
\if@bidi@hyperrefloaded@ 13300
\if@bidi@lettrineloaded@ 13321

\if@bidi@linenoloaded@ 13324
\if@bidi@list@minipage@parbox@hook 1580, 20477, 20549, 20558, 20567, 20576, 20589, 20590, 20604, 20605
\if@bidi@list@minipage@parbox@hook@set 1581, 20485, 20551, 20560, 20569, 20578
\if@bidi@listingsloaded@ 13327
\if@bidi@longtableloaded@ 13375
\if@bidi@mdf@RTL 13568, 13575
\if@bidi@mdframedloaded@ 13291
\if@bidi@midfloatloaded@ 13294
\if@bidi@minitocloaded@ 13387
\if@bidi@multicolloaded@ 13381
\if@bidi@multienumloaded@ 13384
\if@bidi@natbibloaded@ 13390
\if@bidi@newfloatloaded@ 13393
\if@bidi@ntheoremloaded@ 13297
\if@bidi@overpicloaded@ 13315
\if@bidi@patchable 2931, 2932
\if@bidi@pdfm@mark 1571, 1749, 1802, 1866
\if@bidi@pdfpagesloaded@ 13318
\if@bidi@pgfloaded@ 13336
\if@bidi@picinparloaded@ 13339
\if@bidi@polyglossialoaded@ 13423
\if@bidi@pstricksloaded@ 13333
\if@bidi@quotchaploaded@ 13342
\if@bidi@rotatingloaded@ 13399
\if@bidi@soulloaded@ 13360
\if@bidi@tabularloaded@ 13357
\if@bidi@subfigloaded@ 13363
\if@bidi@subfigureloaded@ 13366
\if@bidi@supertabularloaded@ 13369
\if@bidi@tablsloaded@ 13402
\if@bidi@tabularyloaded@ 13405
\if@bidi@tikzloaded@ 13345
\if@bidi@titlesecloaded@ 13348
\if@bidi@titletocloaded@ 13351
\if@bidi@tocbasicloaded@ 13408
\if@bidi@tocbibindloaded@ 13414
\if@bidi@tocstyleloaded@ 13411
\if@bidi@todonotes@figposition@right . . 20024, 20122, 20127, 20134, 20140
\if@bidi@todonotes@textdirection@RTL 20023, 20057, 20097, 20131
\if@bidi@undef 2740, 2799, 2840, 2851, 2870, 2874, 2878, 2882, 2892, 2896, 2900, 2904, 2940, 2959, 3103
\if@bidi@wrapfigloaded@ 13279
\if@bidi@xcolorloaded@ 13252
\if@bidi@xltxtraloaded@ 13273
\if@bidi@xtabloaded@ 13372
\if@bidi@xunicodeloaded@ 13276
\if@capbreak 16916, 17496, 18179
\if@captionabove 16949, 16955, 16968, 16978, 17529, 17535, 17548, 17558, 18212, 18218, 18231, 18241
\if@cftdopart 18828
\if@cfthaschapter 18819, 18823, 18829, 18850, 18862, 18884
\if@cfthaspart . . . 18815
\if@chapterentrywithdots 17606, 18289
\if@colour 2293
\if@colourgreen 7591, 7620, 7689, 7715
\if@colourgrey . 7595, 7634, 7693, 7727
\if@colourorange 7589, 7613, 7687, 7709
\if@colourred . . 7593, 7627, 7691, 7721
\if@compatibility 521, 673, 749, 1001, 1156, 1251, 6362, 6539, 15659, 15798, 19134, 19382, 20620
\if@contcw . 14302, 14331
\if@conthang 14312
\if@contindent . . . 14318
\if@DEBUG 2264
\if@displaypagenumbers 2472, 2475
\if@donumindex 18772, 18791
\if@dotocbib 18733
\if@dotocind 18779, 18796
\if@extrafootnotefeatures 1576, 1733
\if@fcolmade 7213, 7272,

10855, 10895, 10979, 11655, 11707, 14473, 14570, 20772, 20815
\if@ff@nwpg 10947
\if@firstcolumn 7164, 7227, 7287, 7368, 7387, 7543, 7562, 10823, 10859, 11615, 11663, 14385, 14485, 14591, 20731, 20778, 20915
\if@firstdetailselement 7756, 7758
\if@firstfooterelement 7660, 7663
\if@flushend@auto@baselineskip 6441, 6465, 15565, 15589, 15937, 15961
\if@hboxRconstruct 1568, 1805, 2686, 2692, 11376, 20484, 20508, 20551, 20560, 20569, 20578, 20589, 20590, 20604, 20605
\if@ignore . . . 3268, 3270
\if@inlabel 6833
\if@inltxdoc 18764
\if@insert 7571
\if@komalongtable . . 16965, 17545, 18228
\if@LTRbibitems . 87, 300, 575, 710, 973, 1223, 1574, 2490, 6314, 6502, 6811, 8335, 8606, 10662, 12775, 14380, 14862, 15620, 16014, 16208, 16411, 16811, 17391, 18074, 18740
\if@LTRmarginpar 1573, 20944, 20949, 20953
\if@mainmatter . 5825, 6588, 6783, 8577, 15418, 17336, 17352, 17360, 17368
\if@minipage . 4570, 14371
\if@mparswitch . . . 20917
\if@newlist . . . 10995, 11030, 20973, 21053
\if@nobreak 4158, 11584, 13579, 15479, 15493
\if@nonlatin 346, 351, 1564, 1745, 2698, 2704, 6869, 6871, 13563
\if@noparlist . 6078, 6191
\if@noskipsec 6832, 11585, 13580, 15480, 15494
\if@oldtoc . 661, 687, 889, 905, 1144, 1171, 6264, 6288, 6441, 6465, 15565, 15589, 15937, 15961
\if@openright 5853, 6802, 8597
\if@ovb 10799
\if@ovl 10797
\if@ovr 10796
\if@ovt 10798
\if@parafootRTL . . . 1577, 10309, 10320
\if@pboxsw 20533
\if@ref 17739
\if@restonecol 607, 623, 872, 1124, 6244, 6421, 6631, 15527, 15782, 16241, 18811
\if@reversemargin 20920
\if@rjfield 20959
\if@rl 1563
\if@rl@footnote . . . 1579
\if@rlmain 1562
\if@rot@twoside 16442, 16447, 16457, 16487, 16493, 16505
\if@RTL . 12, 13, 25, 87, 104, 107, 108, 109, 217, 218, 234, 237, 238, 239, 300, 315, 319, 516, 533, 536, 537, 560, 575, 627, 640, 651, 652, 657, 668, 693, 696, 697, 710, 878, 879, 885, 895, 898, 899, 912, 934, 973, 1128, 1134, 1135, 1140, 1151, 1177, 1180, 1181, 1199, 1223, 1362, 1363, 1474, 1475, 1488, 1499, 1563, 1595, 1804, 1811, 2490, 2662, 2668, 5481, 5482, 5599, 5600, 5601, 6248, 6254, 6255, 6260, 6271, 6294, 6297, 6298, 6314, 6425, 6431, 6432, 6437, 6448, 6471, 6474, 6475, 6502, 6586, 6597, 6599, 6735, 6750, 6753, 6754, 6781, 6795, 6811, 6830, 6842, 6855, 6930, 6971, 6972, 6976, 6977, 6979, 6986, 6992, 7011, 7014, 7015, 7021, 7026, 7133, 7136, 7153, 7157, 7962, 7969, 7985, 7991, 8007, 8014, 8121, 8201, 8216, 8238, 8239, 8240, 8241, 8264, 8284, 8287, 8288, 8298, 8312, 8325, 8335, 8552, 8575, 8590, 8606, 8627, 8630, 8635, 8643, 10607, 10622, 10625, 10626, 10633, 10645, 10662, 10931, 11091, 11377, 11457, 11459, 11723, 11725, 11728, 11729, 11730, 11736, 11738, 11755, 11758, 11765, 11774, 11780, 11784,

11787, 11801, 11826, 11833, 11998, 12100, 12202, 12210, 12592, 12628, 12660, 12689, 12715, 12721, 12725, 12728, 12775, 12793, 12796, 12797, 12798, 12813, 12824, 12825, 12859, 12863, 12866, 12871, 12979, 12982, 12986, 13001, 13011, 13486, 13571, 13654, 13662, 13853, 14179, 14261, 14262, 14263, 14264, 14265, 14266, 14345, 14347, 14380, 14625, 14629, 14630, 14637, 14642, 14649, 14654, 14862, 14941, 14961, 14976, 14990, 15147, 15197, 15272, 15326, 15327, 15330, 15334, 15366, 15367, 15368, 15413, 15415, 15421, 15432, 15434, 15445, 15447, 15458, 15460, 15469, 15471, 15488, 15510, 15511, 15531, 15544, 15555, 15556, 15561, 15572, 15595, 15598, 15599, 15620, 15915, 15916, 15927, 15928, 15933, 15944, 15967, 15970, 15971, 15981, 15994, 16014, 16043, 16159, 16174, 16177, 16178, 16183, 16184, 16208, 16344, 16359, 16362, 16363, 16390, 16402, 16411, 16522, 16524, 16528, 16532, 16534, 16539, 16543, 16546, 16550, 16552, 16556, 16583, 16592, 16783, 16784, 16811, 16869, 16870, 16871, 16873, 16944, 17132, 17141, 17332, 17391, 17449, 17450, 17451, 17453, 17524, 17705, 17712, 17797, 17803, 17831, 17840, 18031, 18074, 18132, 18133, 18134, 18136, 18207, 18382, 18385, 18415, 18435, 18633, 18675, 18692, 18712, 18715, 18720, 18724, 18725, 18740, 18836, 18837, 18838, 18846, 18867, 18868, 18869, 18877, 18890, 18891, 18892, 18900, 18907, 18908, 18909, 18917, 18924, 18925, 18926, 18934, 18941, 18942, 18943, 18951, 18958, 18959, 18960, 18968, 18975, 18976, 18977, 18985, 18993, 18994, 18995, 19003, 19012, 19013, 19014, 19022, 19032, 19033, 19034, 19042, 19067, 19068, 19069, 19077, 19117, 19118, 19119, 19797, 19859, 19860, 19861, 19867, 19870, 19917, 19977, 19982, 20005, 20012, 20072, 20075, 20159, 20194, 20202, 20229, 20230, 20233, 20234, 20236, 20273, 20277, 20330, 20335, 20381, 20382, 20393, 20394, 20397, 20401, 20478, 20486, 20492, 20498, 20511, 20591, 20592, 20594, 20597, 20600, 20604, 20605, 20606, 20607, 20609, 20611, 20612, 20617, 20664, 20665, 20671, 20676, 20944, 20949, 20953, 20961, 20962, 20963, 20964, 21064, 21067, 21075, 21085, 21183, 21193, 21199

`\if@RTL@footnote` 36, 249, 1579, 1807, 4849, 8703, 8750,

8953, 8998, 9104, 9146, 9248, 9293, 9399, 9444, 9550, 9594, 9701, 9745, 9852, 9897, 10003, 10048, 10154, 10199, 10367, 10417, 11271, 11320, 11360, 11361
\if@RTLbibitems . 87, 300, 575, 710, 973, 1223, 1575, 2490, 6314, 6502, 6811, 8335, 8606, 10662, 12775, 14380, 14862, 15620, 16014, 16208, 16411, 16811, 17391, 18074, 18740
\if@RTLcolumnfootnotes 1578, 8925, 8926, 8929, 8930, 8963, 9015, 9113, 9162, 9258, 9310, 9409, 9461, 9560, 9612, 9711, 9763, 9862, 9914, 10013, 10065, 10164, 10216
\if@RTLmain 1562, 1594, 1613, 1803, 1810, 1829, 7029, 7052, 7075, 7098, 7314, 7491, 7950, 8075, 8078, 8092, 8110, 11096, 11851, 11861, 11878, 11884, 13019, 14582, 14742, 20821, 20989, 20995, 21024, 21045
\if@RTLmarginpar 1572, 20944, 20949, 20953
\if@RTLtab . 365, 366, 382, 385, 407, 409, 1370, 1371, 1390, 1391, 1428, 1429, 1567, 2128, 2132, 2133, 2674, 2680, 6890, 6892, 6913, 6920, 6942, 6943, 6956, 6967, 13434, 13436, 13550, 13553, 18450, 18454, 18455, 18472, 18480, 18486, 18511, 18599, 18600, 20437, 20624, 20628, 20629, 20649, 20657, 20658
\if@sectionentrywithdots 17026
\if@sentdir 1806
\if@specialpage 10950, 20984
\if@star 15402
\if@tab@rl 1567
\if@tablecaptionabove . 16996, 17576, 18259
\if@tempswa 4000, 4045, 7858, 7915, 19511
\if@thmmarks .. 14924, 14928, 14945, 14949
\if@titlecentered 1344, 15895
\if@titlepage .. 414, 628, 736, 935, 988, 1187, 1238, 6633, 8358, 8451, 10677, 15532, 15646, 15783, 15982, 16045, 16242, 16617, 17166, 17865
\if@tocstyle@penalties 19780, 19889
\if@todonotes@authorgiven 20048, 20059, 20084, 20101
\if@todonotes@disabled 20042, 20043
\if@todonotes@dviStyle 20045, 20079
\if@ttb@rotate ... 11090
\if@twocolumn ... 98, 228, 461, 594, 610, 637, 644, 812, 859, 944, 955, 1064, 1111, 1196, 1203, 1314, 5779, 6231, 6408, 6618, 6680, 8401, 8498, 10720, 12787, 14244, 15514, 15541, 15548, 15722, 15769, 15863, 15991, 15998, 16107, 16228, 16289, 16696, 17245, 17944, 18766, 20693, 20914, 21078
\if@twoside 5770, 10954, 16665, 16678, 16746, 17214, 17227, 17295, 17913, 17926, 17994, 20185, 20987
\if@vihproof 14610, 14616
\ifadl@inactive ... 1376
\ifadl@usingarypkg 1379
\ifAM@output 15069
\ifAM@survey 15047
\ifartopt 14281
\ifbidi@autofootnoterule 11097, 11332, 11346, 11360
\ifbidi@in@label 3449, 3451
\IfbidiPackageVersion 1549
\IfbidiPackageVersionBefore 1543
\IfbidiPackageVersionLater 1537
\ifblendcolors 20241, 20262, 20284, 20311
\ifbool 13593, 13602
\ifcase ... 1411, 1438, 1442, 1446, 1450, 1476, 1639, 1645, 1651, 1657, 1663, 1669, 1681, 1687, 1693, 1700, 1714, 1721, 6944, 12198, 13504, 18706, 19087, 19849, 19919, 20029, 20037, 20261, 20310, 20708, 20709

\ifcat 1605, 1821, 3335, 3336
\ifconvertcolorsU 20247, 20263, 20290, 20312
\ifcpoddpage 4347
\ifcsname 2717, 2723, 2857, 3774, 3789, 4003, 4011, 14886, 14896, 14910, 19804, 19805, 19814, 19825, 19829, 19839, 19851, 19905, 19933, 19934, 19942, 19946, 19950, 19954, 19958, 19962, 19966, 19970
\ifdefined . . . 2735, 2741
\ifdefining 3455
\ifdfn@allowcbreak 7811, 7832
\ifdfn@ruleboth 7869, 7923
\ifdfn@trysingle 7850, 7907
\ifdim 1464, 1465, 1538, 1544, 1550, 4583, 5150, 5919, 5956, 5958, 6017, 6018, 6020, 6026, 6066, 6079, 6086, 6167, 6169, 6182, 6184, 6192, 6863, 7307, 7352, 7364, 7377, 7380, 7382, 7412, 7416, 7417, 7431, 7456, 7481, 7526, 7539, 7552, 7555, 7557, 7805, 7826, 7846, 7855, 7882, 7886, 7903, 7912, 7934, 7938, 8823, 8828, 8835, 8840, 8847, 8852, 10785, 10787, 10930, 11469, 11477, 11493, 11494, 11524, 11532, 11545, 11560, 11593, 11594, 11743, 11750, 11789, 11796, 11841, 11931, 12069, 12085, 12947, 12953, 13078, 13487, 13498, 13537, 13540, 14251, 14294, 14301, 14305, 14307, 14346, 14407, 14415, 14417, 14507, 14515, 14517, 14592, 14603, 14687, 14695, 14701, 14718, 14726, 15097, 15144, 15169, 15227, 15238, 15245, 15250, 15265, 15378, 15403, 16903, 16911, 17483, 17491, 17743, 17749, 17755, 17761, 17767, 17773, 17779, 17785, 17791, 18166, 18174, 18497, 19422, 19436, 19441, 19815, 19840, 19906, 20162, 20164, 20166, 20168, 20169, 20170, 20172, 20212, 20219, 20926, 21063
\ifdofullc@p 16906, 17486, 18169
\iffalse 2606, 2607, 2609, 11584, 11585, 13129, 13579, 13580, 15479, 15480, 15493, 15494
\IfFileExists . . 3714, 3729, 4327, 5799, 5864
\iffootdir@debug 11105, 11109
\ifGin@grid . 14977, 14990
\ifGin@iso 11840
\ifhbox 10315, 10325, 10329
\ifhmode . . 2193, 4808, 4852, 4896, 5139, 5145, 6977, 6979, 6986, 6992, 7011, 18668, 20234, 20236, 20273, 20277, 20330, 20604, 20605, 20648, 20825, 20869
\ifhv@fbox . . . 12000, 12006, 12013, 12019, 12025, 12031, 12040, 12044, 12049, 12053, 12057, 12061, 12075, 12091, 12102, 12106, 12111, 12115, 12119, 12123, 12130, 12136, 12143, 12149, 12155, 12161
\ifhv@nonFloat 11943, 11950, 11968, 11989, 12181, 12183
\ifhv@onlyText 11951, 11969
\ifhv@useOBox 11914, 11918
\ifHy@href@ismap . 12680
\ifHy@hyperfootnotes . . 8661, 8675, 12217
\ifHy@nesting 12266, 12277, 12288, 12299, 12314, 12329, 12389, 12427, 12460, 12491, 12522
\ifHy@pdfa . . . 12606, 12640, 12671, 12700
\ifin@ 4019
\ifin@label 3457
\ifinner . . 2199, 4814, 4858, 4902, 11472, 20154, 20831, 20875
\ifL@grid 12948
\ifL@image 12924
\iflatin 2697

\ifLettrineImage . 12894
\ifLettrineOnGrid 12895
\ifLtoR 2667
\ifLtoRhboxconstruct 2691
\ifLtoRtable 2679
\ifmaskcolors . 20251, 20262, 20294, 20311
\ifmmode 184, 1794, 6971, 6976, 10900, 10910, 11723, 11725, 11728, 11729, 11730, 11736, 11738, 11755, 11758, 11765, 11774, 11780, 11784, 11787, 11801, 11826, 11833, 12577, 12589, 12592, 12628, 12660, 12689, 12715, 15080, 15138, 15370, 15406, 16522, 16524, 16528, 16532, 16534, 16539, 16543, 16546, 16550, 16552, 16556, 20229, 20233, 20528, 20615
\ifNAT@openbib . . . 14865
\ifnonlatin 2703
\ifnum 3, 137, 143, 208, 314, 356, 357, 358, 359, 361, 462, 511, 528, 554, 563, 647, 663, 681, 813, 874, 907, 925, 1065, 1130, 1146, 1164, 1315, 1381, 1382, 1383, 1384, 1386, 1425, 1426, 1742, 1743, 2225, 3309, 3337, 3339, 3347, 3349, 3542, 3552, 3650, 3656, 3681, 3696, 3702, 6039, 6250, 6266, 6282, 6346, 6348, 6350, 6427, 6443, 6459, 6523, 6525, 6527, 6587, 6681, 6730, 6745, 6768, 6770, 6772, 6782, 6864, 7131, 7139, 7144, 7151, 7339, 7348, 7358, 7513, 7522, 7532, 7746, 8279, 8293, 8306, 8315, 8402, 8499, 8548, 8562, 8564, 8566, 8576, 8931, 10602, 10617, 10634, 10721, 10771, 10773, 10775, 11066, 11068, 11070, 11079, 11081, 11083, 11229, 11332, 11346, 11360, 11593, 11595, 12579, 12584, 12815, 12931, 13049, 13052, 13060, 13063, 13132, 13448, 13449, 13532, 13533, 14245, 14278, 14404, 14434, 14504, 14534, 14623, 14635, 14647, 14708, 14744, 14750, 14905, 14915, 15157, 15163, 15175, 15178, 15179, 15180, 15182, 15183, 15184, 15185, 15194, 15216, 15221, 15232, 15243, 15244, 15250, 15254, 15257, 15258, 15364, 15365, 15372, 15417, 15551, 15567, 15583, 15641, 15643, 15645, 15723, 15864, 15923, 15939, 15955, 16006, 16008, 16010, 16108, 16155, 16169, 16195, 16197, 16199, 16290, 16339, 16354, 16377, 16379, 16381, 16391, 16685, 16697, 17234, 17246, 17335, 17351, 17359, 17367, 17933, 17945, 18542, 18590, 18591, 18592, 18593, 18595, 18697, 18699, 18818, 18822, 18864, 18883, 18905, 18922, 18939, 18956, 18973, 18991, 19010, 19030, 19065, 19248, 19249, 19356, 19357, 19381, 19391, 19779, 19784, 19802, 19975, 20193, 20459, 20654, 20655, 20669, 20724, 20922, 20944, 21072, 21073
\ifodd 2210, 5770, 8083, 8100, 8160, 10955, 11871, 11877, 20185, 20918, 20988
\ifoddpage 4341
\ifonelinecaptions . 16877, 17457, 18140
\ifpgfrememberpicturepositiononpage 15093
\ifpoem@started 6013, 6019, 6166, 6173, 6187
\ifprimitive . . 2769, 2776
\ifPst@shift@star 15394

\ifr@ggedbottom . . 15344
\ifrot@messages . . .
. . . . . 16492, 16504
\ifRtoL 2661
\ifRtoLhboxconstruct
. 2685
\ifRtoLtable 2673
\ifshowgrid 15372
\ifsomething 3580
\ifstr . . 19130, 19131,
19132, 19133,
19134, 19135,
19136, 19137,
19138, 19153,
19154, 19155,
19156, 19158,
19159, 19160,
19163, 19166,
19175, 19176,
19177, 19180,
19183, 19202,
19203, 19204,
19206, 19207,
19208, 19211,
19214, 19223,
19224, 19225,
19228, 19231,
19285, 19286,
19287, 19288,
19289, 19290,
19291, 19292,
19293, 19308,
19309, 19310,
19311, 19313,
19314, 19315,
19318, 19321,
19330, 19331,
19332, 19335,
19338, 19536,
19537, 19538,
19539, 19540,
19541, 19542,
19543, 19544,
19587, 19588,
19589, 19590,
19592, 19593,
19594, 19597,
19600, 19609,
19610, 19611,
19614, 19617,
19647, 19648,
19649, 19651,
19652, 19653,
19656, 19659,
19668, 19669,
19670, 19673,
19676, 19696,
19699, 19702,
19722, 19726,
19731, 19743,
19746, 19750, 19760
\ifstrstart . . . . . .
. 19527, 19559, 19633
\iftagsleft@ . . 338, 8118
\iftest 3392
\ifthenelse . . . . . .
. . 181, 186, 194,
2444, 2461, 2465,
2469, 2477, 4240,
4300, 4302, 4305,
4309, 4312, 4315,
4340, 4397, 4416,
4431, 4436, 4442,
4451, 4462, 4468,
4474, 4475, 4482,
4489, 4491, 4497,
4514, 4532, 4534,
4538, 4556, 4557,
4560, 4561, 4596,
4605, 4616, 4626,
4675, 4790, 5014,
5032, 5033, 5051,
5052, 5070, 5071,
5102, 5103, 5221,
5226, 5250, 5255,
5279, 5284, 5361,
5365, 5413, 5626,
5672, 5681, 5689,
5716, 5763, 5832,
5843, 7650, 7656,
7673, 7676, 7677,
7678, 7679, 7680,
7766, 7771, 7774,
7775, 7776, 7777,
7778, 7781, 7785,
11039, 11054,
15037, 16446, 16491
\iftocstyle@autolength
. 19824
\iftocstyle@indentnotnumbered
. . . . . 19869, 19916
\iftrue 2608,
4755, 4768, 4781
\ifttl@label 18673
\ifTX@ 18532
\ifvbox 10538
\ifvmode . . 4158, 4544,
4547, 4550, 4553,
13608, 14677,
14935, 14955, 18484
\ifvoid 7199,
7215, 7258, 7274,
7293, 7301, 7334,
7459, 7470, 7508,
7809, 7830, 7841,
7866, 7898, 7920,
8868, 8885, 8895,
10574, 10587,
11022, 11395,
11553, 11574,
12756, 12760,
13550, 13624,
14662, 15272,
15338, 15340,
15345, 20335, 21035
\ifWF@float . 20167, 20181
\ifx . 115, 134, 136, 151,
155, 159, 166, 797,
801, 1049, 1053,
1299, 1303, 2076,
2082, 2088, 2103,
2134, 2186, 2189,
2450, 2451, 2452,
2454, 2515, 2518,
2538, 2542, 2562,
2566, 2581, 2585,
2655, 2724, 2742,
2820, 3008, 3024,
3315, 3321, 3322,
3359, 3360, 3361,
3362, 3372, 3378,
3403, 3408, 3413,
3418, 3424, 3429,
3609, 3719, 3743,
3758, 3823, 3835,
3867, 3878, 3913,
3919, 3930, 3931,
3942, 3972, 3981,
3982, 4002, 4017,
4027, 4041, 4048,

4060, 4076, 4131, 4142, 5084, 5908, 5929, 6090, 6141, 6146, 6148, 7175, 7238, 7878, 7930, 8625, 8641, 8645, 10833, 10869, 11226, 11437, 11628, 11676, 11769, 11811, 11812, 11818, 11905, 11907, 11913, 11924, 11926, 11929, 11930, 11947, 11953, 11954, 11956, 11959, 11971, 11972, 11974, 11977, 11986, 11988, 11997, 11999, 12012, 12039, 12048, 12068, 12084, 12101, 12110, 12129, 12142, 12176, 12182, 12195, 12226, 12237, 12248, 12555, 12558, 12561, 12564, 12608, 12616, 12642, 12650, 12673, 12702, 12840, 12861, 12908, 13089, 13090, 13094, 13096, 13453, 14355, 14396, 14496, 14758, 14762, 14766, 14891, 14895, 14902, 14908, 15053, 15065, 15335, 15387, 15428, 15441, 15454, 15707, 15711, 15848, 15852, 16579, 16605, 16612, 16632, 16637, 16644, 16650, 16674, 16745, 16749, 16757, 16763, 16775, 16799, 16861, 16866, 17128, 17154, 17161, 17181, 17186, 17193, 17199, 17223, 17294, 17298, 17306, 17312, 17324, 17378, 17441, 17446, 17701, 17729, 17730, 17731, 17732, 17733, 17734, 17735, 17736, 17740, 17746, 17752, 17758, 17764, 17770, 17776, 17782, 17788, 17797, 17827, 17853, 17860, 17880, 17885, 17892, 17898, 17922, 17993, 17997, 18005, 18011, 18023, 18061, 18124, 18129, 18492, 18708, 19050, 19405, 19409, 19413, 19510, 19791, 19862, 19874, 19882, 19899, 19924, 19991, 19996, 19998, 20242, 20285, 20402, 20512, 20515, 20522, 20695, 20703, 20742, 20789, 21001, 21002, 21004, 21005

\ifXC@@tst . 20265, 20314

\ignorespaces ... 46, 60, 76, 122, 259, 273, 288, 346, 633, 642, 940, 1192, 1201, 3190, 3628, 3644, 3646, 3652, 3655, 3658, 3662, 3667, 4567, 4574, 4575, 4584, 5171, 5189, 5207, 5243, 5272, 5301, 5566, 5990, 6001, 6161, 6162, 6309, 6497, 6867, 6873, 6986, 6992, 7000, 7007, 8630, 8644, 8713, 8729, 8745, 8759, 8772, 8785, 11283, 11300, 11316, 11343, 11357, 11371, 11853, 11857, 11862, 11867, 12847, 12866, 13563, 14368, 14375, 15537, 15546, 15987, 15996, 16522, 16532, 16550, 16886, 16907, 16912, 16917, 16922, 16940, 17466, 17487, 17492, 17497, 17502, 17520, 17803, 18149, 18170, 18175, 18180, 18185, 18203, 20273, 20277, 20504, 20545, 20555, 20564, 20573, 20582

\iii 3688

\ilg 15166, 15189

\immediate ... 4155, 6153

\in@ 4018

\includegraphics 2485, 7652, 7783, 14965, 15039

\includemedia 13828, 14158, 14159

\includepdf 15030

\IncMargin 186

\indentedwidth 8643
\index 3566, 3567, 11006, 21012
\indexname 601, 602, 603, 617, 618, 866, 867, 1118, 1119, 5586, 5587, 6238, 6239, 6415, 6416, 6625, 6626, 6627, 15521, 15522, 15776, 15777, 16235, 16236, 16237, 18775, 18776, 18777, 18781, 18782, 18783, 18786, 18787, 18793, 18794, 18798, 18799, 18800, 18803, 18804
\indexspace 5602
\input 1636, 1637, 1734, 1800, 1876, 2297, 5800, 5865, 21077, 21087, 21088, 21089, 21090, 21091, 21092, 21093, 21094, 21095, 21096, 21097, 21098, 21099, 21100, 21101, 21102, 21103, 21104, 21105, 21106, 21107, 21108, 21109, 21110, 21111, 21112, 21113, 21115, 21116, 21120, 21125, 21132, 21133, 21134, 21135, 21136, 21137, 21138, 21139, 21140, 21141, 21142, 21143, 21144, 21145, 21146, 21147, 21148, 21149, 21150, 21151, 21152, 21153, 21154, 21155, 21156, 21157, 21158, 21159, 21160, 21161, 21162, 21163, 21164, 21165, 21166, 21167, 21168, 21169, 21170, 21171, 21172, 21173, 21174, 21176, 21177, 21178, 21179, 21180, 21181, 21204, 21205, 21206, 21207, 21208, 21209, 21210, 21211, 21212, 21213, 21214, 21215, 21216, 21217, 21218, 21219, 21220, 21221, 21222, 21223, 21224, 21225, 21226
\input@path 13849
\InputIfFileExists 3713, 3717, 3726, 12899
\insert 35, 49, 65, 248, 262, 277, 1611, 1827, 7800, 7816, 7821, 7837, 7884, 7890, 7936, 7942, 8702, 8718, 8734, 8953, 8963, 8973, 9051, 9104, 9113, 9122, 9196, 9248, 9258, 9268, 9346, 9399, 9409, 9419, 9497, 9550, 9560, 9570, 9648, 9701, 9711, 9721, 9799, 9852, 9862, 9872, 9950, 10003, 10013, 10023, 10101, 10154, 10164, 10174, 10252, 10358, 10370, 10382, 10477, 11270, 11287, 11303
\insert@column 1413, 1414, 1415, 1416, 1418, 1419, 1479, 1481, 1482, 1484, 1485, 1486, 6947, 6949, 6950, 6952, 6953, 6954
\insertpenalties . 11234
\int 13882, 13929, 13930, 13934, 14012, 14100, 14103, 14104, 14115, 14153, 14191, 14216, 15001, 15003, 15017
\interfootnotelinepenalty . . 39, 53, 69, 252, 266, 281, 8877, 11274, 11291, 11307
\interlinepenalty 39, 53, 69, 252, 266, 281, 561, 625, 650, 877, 932, 1126, 1133, 5478, 6246, 6253, 6423, 6430, 6594, 6789, 6797, 7337, 7346, 7356, 7511, 7520, 7530, 8313, 8326, 8583, 8592, 8877, 10639, 10647, 11274, 11291, 11307, 14627, 14639, 14651, 15421, 15529, 15554, 15926, 15979, 16041, 16396, 16404, 18665, 18706, 18840, 18871, 18894, 18911, 18928, 18945, 18962, 18979, 18997, 19016, 19036, 19071, 19404, 19865, 19979, 20160, 20673
\intermath@penalty 6866

\intextsep . 20220, 20222
\InTheoType 8134, 14925, 14927, 14946, 14948
\invoicename 17766
\ior . . 13932, 13933, 13937
\iow 15002
\isempty . . 4416, 5014, 5221, 5226, 5250, 5255, 5279, 5284, 5672, 5681, 5689, 5716
\isodd 16446, 16491
\isSC@ODD 18383, 18384, 18386, 18387, 21184, 21186, 21188, 21190
\isundefined 4626, 4675, 7650, 7656, 7673, 7676, 7677, 7678, 7679, 7680, 7771, 7774, 7775, 7776, 7777, 7778, 7781, 7785
\item 102, 232, 606, 621, 870, 953, 1122, 5558, 5566, 5571, 5592, 6242, 6419, 6630, 10905, 10920, 12791, 15525, 15780, 16240, 18810
\itemindent 5553, 5554, 5562, 20466
\itemsep 4289, 5499, 5538, 5552
\itemx 14790
\itemxox 14825
\itemxoxx 14835
\itemxx 14793
\itemxxo 14830
\itemxxox 14842
\itemxxx 14798
\itemxxxo 14849
\itemxxxx 14805
\itemxxxxx 14814
\itshape . . 1984, 2457, 5362, 5364, 5368, 5375, 5382, 5417, 5424, 5431, 5438, 5445, 5749, 5750, 5751

J

\j 3702, 3703, 3707
\juo@ht 14423, 14430, 14523, 14530, 14599, 14606
\juo@pr 14406, 14436, 14506, 14536
\juo@sar 14405, 14435, 14477, 14505, 14535, 14574
\juo@sk . 14404, 14434, 14477, 14504, 14534, 14574, 14607
\justifying 4323, 4393, 4963, 15466
\JustifyingParfillskip 15472
\JustifyingParindent 4295, 4966, 5525, 15473

K

\keepthetitle 14227
\kern . . . 27, 29, 30, 31, 241, 243, 244, 245, 346, 542, 544, 546, 548, 726, 727, 729, 732, 733, 735, 747, 962, 964, 967, 969, 999, 1206, 1207, 1209, 1212, 1213, 1215, 1249, 1477, 1482, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2018, 2019, 2066, 2068, 2069, 4765, 4766, 4776, 4777, 4779, 5244, 5245, 5273, 5274, 5302, 5303, 6330, 6331, 6333, 6336, 6337, 6339, 6360, 6483, 6484, 6486, 6489, 6490, 6492, 6537, 6760, 6762, 6764, 6766, 6945, 6950, 6972, 7795, 7796, 8204, 8211, 8219, 8226, 8265, 8269, 8351, 8353, 8355, 8357, 8650, 8652, 8654, 8656, 8697, 8698, 8814, 8815, 10652, 10654, 10656, 10658, 10796, 10797, 10798, 11043, 11186, 11188, 11189, 11190, 11191, 11192, 11224, 11442, 11506, 11751, 11797, 12801, 12803, 12804, 12805, 12875, 12877, 12879, 12881, 13563, 14686, 14784, 14786, 14787, 14788, 15344, 15355, 15358, 15385, 15401, 15607, 15608, 15610, 15613, 15614, 15616, 15657, 15796, 16030, 16031, 16033, 16036, 16037, 16039, 16187, 16189, 16191, 16193, 16369, 16371, 16373, 16375, 16604, 16608, 16611, 16614, 16615, 16860, 16863, 16865, 16868, 17153, 17157, 17160, 17163, 17164, 17440, 17443, 17445, 17448, 17721, 17723, 17725, 17727, 17852, 17856, 17859, 17862, 17863, 18123, 18126, 18128, 18131, 18419,

18425, 18679, 20195, 20199, 20205, 20208, 20230, 20413, 20416, 20418, 20941
\keys ... 13645, 13841, 13935, 14174, 14175
\keywords 334
\kill 13450
\KOMAClassName 16686, 17003, 17235, 17583, 17934, 18266
\KV@do 12916, 12921
\KV@prefix . 12914, 12919

L

\l 8160, 8176, 8179, 8185, 8188, 8190, 8191, 8194, 8195, 8198, 8201, 8202, 8203, 8208, 8209, 8210, 8216, 8217, 8218, 8223, 8224, 8225, 8234, 8237, 8245, 13653, 13655, 13661, 13663, 13669, 13670, 13671, 13672, 13673, 13674, 13675, 13676, 13677, 13678, 13679, 13681, 13682, 13684, 13685, 13686, 13693, 13694, 13695, 13697, 13699, 13702, 13703, 13710, 13720, 13721, 13722, 13723, 13724, 13725, 13726, 13727, 13728, 13729, 13730, 13731, 13732, 13733, 13734, 13738, 13739, 13740, 13742, 13744, 13747, 13748, 13750, 13751, 13752, 13761, 13771, 13772, 13773, 13774, 13775, 13776, 13777, 13778, 13779, 13785, 13787, 13788, 13789, 13792, 13794, 13796, 13801, 13802, 13803, 13805, 13807, 13812, 13814, 13816, 13824, 13835, 13836, 13851, 13852, 13853, 13854, 13872, 13892, 13900, 13905, 13919, 13924, 13928, 13929, 13930, 13932, 13933, 13934, 13937, 13941, 13943, 13944, 13945, 13946, 13947, 13948, 13949, 13951, 13952, 13953, 13954, 13956, 13957, 13958, 13960, 13961, 13962, 13965, 13966, 13967, 13970, 14003, 14005, 14008, 14033, 14035, 14067, 14071, 14083, 14084, 14130, 14140, 14146, 14158, 14159, 14178, 14179, 14180, 14181, 14182, 14183, 14184, 14185, 14186, 14222, 14223, 15006, 15008, 15021
\l@ 19081
\L@ante 12889, 12964, 12989
\l@chapter 6289, 6303, 6466, 6480, 6744, 10616, 15590, 15604, 15962, 15976, 16168, 16353, 18730, 18731, 18863, 19944
\l@color ... 12904, 12905
\l@figure 5486, 5487, 18972, 19972
\L@Findent 12890, 12966, 12990
\L@first 12932, 12933, 12936, 12937, 12939, 12940, 12941, 12942, 12947, 12953, 12955, 12959, 12964, 12965, 12967, 12968, 12979
\L@gridfalse 12895
\L@gridtrue 12895
\L@hang 12886, 12963
\L@imagefalse 12894
\L@imagetrue 12894
\L@lbox 12917, 12918, 12925, 12927, 12932, 12942, 12962, 12963, 12974, 12975, 12976, 12989
\l@LOKeys 12909, 12911, 12916, 12921
\L@lraise 12934, 12940, 12941, 12943, 12944, 12989
\L@next 12970, 12971, 12982, 12984
\l@ngrel@x 2820, 2821, 2823
\L@Nindent ... 12891, 12969, 12971, 12973, 12982, 12983
\L@novskip 12893, 12947, 12951
\L@oversize 12887
\l@paragraph 18938, 19960
\L@parshape ... 12979, 12982, 12986, 12988
\l@part . 510, 662, 680, 906, 924, 1145,

1163, 6265, 6281, 6442, 6458, 6729, 8292, 8547, 10601, 15566, 15582, 15938, 15954, 16154, 16338, 18727, 18728, 18816, 19936, 19939
\L@Pindent ... 12962, 12963, 12965, 12966, 12968, 12969, 12972, 12979
\L@raise ... 12888, 12940
\l@section 527, 688, 701, 890, 903, 1172, 1185, 8278, 18882, 19948
\L@slope 12892, 12983, 12984
\l@subfigure 19009
\l@subparagraph 18955, 19964
\l@subsection 18904, 19952
\l@subsubsection 18921, 19956
\l@subtable 19029
\l@table 5487, 18990, 19968
\L@tbox 12929, 12933, 12991
\l@textcolor 12906, 12907
\label 2481, 4445, 4447, 4449, 4453, 4505, 11005, 11961, 11979, 21011
\labelitemi . 746, 998, 1061, 1248, 6359, 6536, 15656, 15795
\labelname ... 14791, 14794, 14796, 14799, 14801, 14803, 14806, 14808, 14810, 14812, 14815, 14817, 14819, 14821, 14823, 14826, 14828, 14831, 14833, 14836, 14838, 14840, 14843, 14845, 14847, 14850, 14852, 14854
\labelsep 85, 90, 298, 303, 580, 715, 978, 1228, 2496, 2498, 5515, 5517, 5574, 6319, 6507, 6816, 8340, 8611, 10667, 12773, 12778, 14791, 14794, 14796, 14799, 14801, 14803, 14806, 14808, 14810, 14812, 14815, 14817, 14819, 14821, 14823, 14826, 14828, 14831, 14833, 14836, 14838, 14840, 14843, 14845, 14847, 14850, 14852, 14854, 15623, 15624, 16017, 16018, 16211, 16212, 16414, 16415, 16816, 16817, 17396, 17397, 18079, 18080, 18743, 18744
\langle 1985
\Larg 1984, 1985, 1986, 1987, 1988
\Larga 1985
\Largb 1986
\LARGE 426, 497, 754, 844, 1006, 1096, 1256, 1347, 1358, 5417, 5424, 5506, 5749, 6367, 6544, 6645, 6716, 7735, 8368, 8433, 8463, 8534, 10687, 10752, 15664, 15754, 15803, 15900, 15911, 16067, 16254, 16325
\Large 564, 5368, 5431, 5505, 5750, 5751, 7646, 7739, 8316, 16143, 16652, 16658, 16660, 16676, 16765, 16772, 16774, 16777, 17201, 17207, 17209, 17225, 17314, 17321, 17323, 17326, 17900, 17906, 17908, 17924, 18013, 18020, 18022, 18025
\large 428, 434, 499, 505, 519, 671, 761, 771, 846, 852, 915, 1013, 1023, 1098, 1104, 1154, 1263, 1273, 1349, 1355, 1359, 1364, 5375, 5438, 5504, 6274, 6374, 6384, 6451, 6551,

6561, 6647, 6653, 6718, 6724, 6738, 7645, 7647, 7738, 7740, 8301, 8370, 8376, 8435, 8441, 8465, 8471, 8536, 8542, 8555, 10610, 10689, 10695, 10754, 10760, 15575, 15671, 15681, 15756, 15762, 15810, 15820, 15902, 15908, 15912, 15917, 15947, 16069, 16075, 16162, 16256, 16262, 16327, 16333, 16347, 19374, 19724, 19762
\Largr 1988
\Largs 1987
\lastbox 7418, 7422, 7448, 10291, 10314, 10324, 10328, 13605, 15272, 20335
\lastbox@a 7418, 7419, 7422, 7423
\LastFrameCommand 11460, 11570
\lastkern . . . 5150, 11545
\lastpenalty . 6864, 19784
\lastrule 6911
\lastskip 4583, 6079, 6080, 6192, 6193, 6863, 7405, 7406, 7410, 7411, 7413, 7420, 7425
\lastskip@a 7408, 7412, 7416
\lastskip@b 7406, 7408, 7410, 7412, 7416, 7417
\lastskip@d 7405, 7411, 7413, 7419, 7420, 7423, 7425, 7426, 7429, 7439
\LastTOCLevelWasHigher 19694
\LastTOCLevelWasLower 19690
\LastTOCLevelWasSame 19692
\LaTeX 12737, 20405, 20406, 20418
\LaTeXe 20407, 20408
\LBEG 1989
\lcb . 1986, 1989, 1990, 1993
\lccode 3337, 3339, 20186, 20187
\Lcs 2000
\LcsStar 2001
\leaders 16614, 17163, 17862, 18432, 18721, 19875, 19984, 20678
\leavevmode 14, 219, 315, 381, 518, 535, 656, 670, 695, 747, 884, 897, 914, 999, 1062, 1139, 1153, 1179, 1249, 2118, 2426, 5138, 5479, 5947, 6023, 6259, 6273, 6296, 6360, 6436, 6450, 6473, 6537, 6737, 6752, 6832, 6833, 6971, 7023, 8286, 8300, 8554, 8987, 9135, 9282, 9433, 9584, 9735, 9886, 10037, 10188, 10609, 10624, 10905, 10920, 11374, 11739, 11785, 11805, 12595, 12632, 12664, 12807, 12826, 13600, 13832, 14165, 14628, 14640, 14652, 15271, 15352, 15357, 15403, 15424, 15560, 15574, 15597, 15657, 15796, 15932, 15946, 15969, 16161, 16176, 16346, 16361, 16614, 17163, 17862, 18399, 18450, 18671, 18694, 18841, 18872, 18895, 18912, 18929, 18946, 18963, 18980, 18998, 19017, 19037, 19072, 19265, 19373, 19418, 19866, 19980, 20229, 20410, 20415, 20417, 20425, 20432, 20506, 20624, 20674
\left . 20426, 20433, 20439
\left@footnoterule 30, 244, 418, 541, 725, 742, 961, 994, 1205, 1244, 6329, 6355, 6482, 6532, 6637, 6759, 8350, 8362, 8455, 8649, 10651, 10681, 11189, 11195, 11208, 11210, 11346, 11360, 12804, 12874, 15606, 15652, 15789, 16029, 16049, 16186, 16246, 16368, 16602, 16624, 16859, 17151, 17173, 17439, 17721, 17850, 17872, 18122
\leftfootnoterule . 1672, 7792, 8694, 11193, 11196, 11434, 11714, 21080
\leftline 15367, 20596, 20602, 20604
\leftlinenumbers 13022, 13025
\leftmargin 90, 303, 579, 580, 714,

715, 950, 977, 978, 1227, 1228, 2497, 2498, 4286, 5496, 5555, 5556, 5563, 5569, 6318, 6319, 6506, 6507, 6815, 6816, 8339, 8340, 8610, 8611, 10666, 10667, 12778, 15421, 15624, 15625, 16018, 16019, 16212, 16213, 16415, 16416, 16817, 16818, 17397, 17398, 18080, 18081, 18744, 18745, 20476, 20479, 20489, 20493, 20501, 20550, 20552, 20553, 20554, 20559, 20561, 20562, 20563, 20568, 20570, 20571, 20572, 20577, 20579, 20580, 20581
\leftmargini ... 4286, 5496, 5509, 5516
\leftmarginii 5510
\leftmarginiii 5511
\leftmarginiv 5512
\leftmarginv 5513
\leftmarginvi 5514
\leftmarginwidth . 16183
\leftmark 5846
\leftskip 12, 13, 217, 218, 315, 319, 516, 533, 536, 537, 627, 640, 651, 652, 657, 668, 693, 696, 697, 878, 879, 885, 895, 898, 899, 912, 934, 1128, 1134, 1135, 1140, 1151, 1177, 1180, 1181, 1199, 5473, 5481, 5482, 6053, 6248, 6254, 6255, 6260, 6271, 6294, 6297, 6298, 6425, 6431, 6432, 6437, 6448, 6471, 6474, 6475, 6735, 6750, 6753, 6754, 6886, 6887, 6888, 7014, 7015, 7021, 8284, 8287, 8288, 8298, 8552, 8910, 10528, 10607, 10622, 10625, 10626, 12824, 12825, 13587, 14261, 14262, 14625, 14629, 14630, 14637, 14642, 14649, 14654, 15432, 15434, 15445, 15447, 15458, 15460, 15469, 15471, 15488, 15531, 15544, 15555, 15556, 15561, 15572, 15595, 15598, 15599, 15927, 15928, 15933, 15944, 15967, 15970, 15971, 15981, 15994, 16043, 16159, 16174, 16177, 16178, 16183, 16184, 16344, 16359, 16362, 16363, 18663, 18675, 18692, 18713, 18715, 18720, 18724, 18725, 18836, 18837, 18838, 18846, 18867, 18868, 18869, 18877, 18890, 18891, 18892, 18900, 18907, 18908, 18909, 18917, 18924, 18925, 18926, 18934, 18941, 18942, 18943, 18951, 18958, 18959, 18960, 18968, 18975, 18976, 18977, 18985, 18993, 18994, 18995, 19003, 19012, 19013, 19014, 19022, 19032, 19033, 19034, 19042, 19067, 19068, 19069, 19077, 19117, 19118, 19119, 19797, 19859, 19860, 19861, 19867, 19870, 19917, 19977, 19982, 20005, 20012, 20381, 20382, 20585, 20611, 20612, 20671, 20676
\LEND 1990
\LenToUnit 8078, 8092, 8110
\leqno 338, 15363, 15365, 21071, 21073
\let 86, 102, 115, 152, 153, 156, 157, 160, 161, 164, 184, 188, 203, 204, 232, 299, 329, 337, 338, 350, 382, 383, 386, 403, 407, 411, 416, 417, 418, 419, 420, 421, 422, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 494, 495, 496, 583, 606, 621, 718, 740, 741, 742, 743, 744, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 826, 827, 828,

829, 830, 831, 832,
833, 834, 835, 836,
843, 870, 981, 992,
993, 994, 995, 996,
1034, 1035, 1036,
1037, 1038, 1039,
1040, 1041, 1042,
1043, 1078, 1079,
1080, 1081, 1082,
1083, 1084, 1085,
1086, 1087, 1088,
1095, 1122, 1231,
1242, 1243, 1244,
1245, 1246, 1284,
1285, 1286, 1287,
1288, 1289, 1290,
1291, 1292, 1293,
1328, 1329, 1330,
1331, 1332, 1333,
1334, 1335, 1336,
1337, 1338, 1346,
1372, 1373, 1377,
1393, 1394, 1395,
1431, 1432, 1433,
1458, 1459, 1460,
1461, 1466, 1501,
1502, 1600, 1602,
1604, 1709, 1710,
1717, 1763, 1816,
1818, 1820, 1852,
1925, 1926, 1927,
1928, 1929, 1930,
1931, 1932, 1933,
1934, 1935, 2073,
2074, 2075, 2102,
2119, 2120, 2121,
2122, 2123, 2124,
2125, 2126, 2127,
2129, 2130, 2131,
2241, 2242, 2243,
2244, 2245, 2246,
2247, 2248, 2249,
2501, 2510, 2515,
2533, 2557, 2576,
2581, 2606, 2607,
2614, 2615, 2618,
2619, 2653, 2786,
2789, 2797, 2821,
2843, 2865, 2866,
2996, 3076, 3078,
3079, 3080, 3081,
3082, 3137, 3173,
3180, 3186, 3192,
3200, 3203, 3206,
3214, 3218, 3220,
3367, 3370, 3401,
3480, 3486, 3489,
3499, 3509, 3520,
3587, 3597, 3599,
3633, 3644, 3739,
3755, 3775, 3790,
3806, 3899, 3920,
3921, 3937, 3980,
3983, 3985, 3990,
4004, 4012, 4013,
4033, 4034, 4061,
4072, 4077, 4081,
4083, 4086, 4096,
4107, 4134, 4145,
4154, 4203, 4208,
4224, 4225, 4226,
4227, 4229, 4230,
4231, 4232, 4278,
4408, 4409, 4446,
4447, 4453, 4455,
4459, 4504, 4505,
4587, 4589, 4591,
4737, 4738, 4751,
4755, 4757, 4758,
4764, 4768, 4772,
4781, 5025, 5026,
5044, 5045, 5063,
5064, 5091, 5092,
5120, 5121, 5122,
5219, 5240, 5241,
5242, 5248, 5269,
5270, 5271, 5277,
5298, 5299, 5300,
5316, 5320, 5321,
5322, 5325, 5329,
5330, 5331, 5334,
5338, 5339, 5340,
5487, 5551, 5592,
5679, 5746, 5747,
5748, 5938, 5939,
5941, 5942, 5960,
5981, 5982, 5983,
5984, 5985, 5986,
5987, 5988, 5989,
5992, 5993, 5994,
5995, 5996, 5997,
5998, 5999, 6000,
6061, 6087, 6137,
6143, 6164, 6177,
6187, 6201, 6205,
6206, 6207, 6208,
6209, 6210, 6211,
6212, 6213, 6219,
6220, 6221, 6222,
6223, 6224, 6225,
6226, 6227, 6242,
6322, 6353, 6354,
6355, 6356, 6357,
6395, 6396, 6397,
6398, 6399, 6400,
6401, 6402, 6403,
6404, 6419, 6510,
6530, 6531, 6532,
6533, 6534, 6572,
6573, 6574, 6575,
6576, 6577, 6578,
6579, 6580, 6581,
6630, 6635, 6636,
6637, 6638, 6639,
6640, 6641, 6659,
6660, 6661, 6662,
6663, 6664, 6665,
6666, 6667, 6668,
6669, 6670, 6694,
6695, 6696, 6697,
6698, 6699, 6700,
6701, 6702, 6703,
6704, 6705, 6706,
6713, 6714, 6715,
6819, 6843, 6845,
6848, 6849, 6850,
6856, 6861, 6881,
6893, 6894, 6895,
6897, 6898, 6904,
6905, 6906, 6907,
6927, 6936, 6977,
6983, 7004, 7176,
7179, 7180, 7239,
7242, 7243, 7790,
7791, 7792, 7793,
7794, 7797, 7798,
7800, 7818, 7819,
7821, 7839, 7840,
7844, 7879, 7881,
7893, 7896, 7897,

7901, 7931, 7933,
7945, 7948, 7949,
7996, 8020, 8028,
8036, 8343, 8360,
8361, 8362, 8363,
8364, 8382, 8383,
8384, 8385, 8386,
8387, 8388, 8389,
8390, 8391, 8415,
8416, 8417, 8418,
8419, 8420, 8421,
8422, 8423, 8424,
8425, 8432, 8453,
8454, 8455, 8456,
8457, 8458, 8459,
8477, 8478, 8479,
8480, 8481, 8482,
8483, 8484, 8485,
8486, 8487, 8488,
8512, 8513, 8514,
8515, 8516, 8517,
8518, 8519, 8520,
8521, 8522, 8523,
8524, 8531, 8532,
8533, 8614, 8662,
8663, 8664, 8665,
8666, 8667, 8676,
8677, 8678, 8679,
8680, 8681, 8682,
8683, 8684, 8685,
8686, 8687, 8692,
8693, 8694, 8695,
8696, 8788, 8789,
8790, 8791, 8792,
8793, 8796, 8797,
8798, 8799, 8800,
8801, 8803, 8940,
8941, 8942, 8946,
8947, 8948, 8949,
8952, 9091, 9092,
9093, 9097, 9098,
9099, 9100, 9103,
9235, 9236, 9237,
9241, 9242, 9243,
9244, 9247, 9386,
9387, 9388, 9392,
9393, 9394, 9395,
9398, 9537, 9538,
9539, 9543, 9544,
9545, 9546, 9549,
9688, 9689, 9690,
9694, 9695, 9696,
9697, 9700, 9839,
9840, 9841, 9845,
9846, 9847, 9848,
9851, 9990, 9991,
9992, 9996, 9997,
9998, 9999, 10002,
10141, 10142,
10143, 10147,
10148, 10149,
10150, 10153,
10334, 10335,
10336, 10340,
10341, 10342,
10343, 10346,
10359, 10371,
10383, 10408,
10422, 10436,
10535, 10597,
10670, 10679,
10680, 10681,
10682, 10683,
10701, 10702,
10703, 10704,
10705, 10706,
10707, 10708,
10709, 10710,
10734, 10735,
10736, 10737,
10738, 10739,
10740, 10741,
10742, 10743,
10744, 10751,
10807, 10834,
10837, 10838,
10870, 10873,
10874, 10956,
10957, 10959,
10960, 10963,
10964, 10993,
10995, 10997,
11005, 11006,
11007, 11013,
11017, 11020,
11028, 11030,
11033, 11034,
11168, 11196,
11222, 11223,
11332, 11346,
11360, 11386,
11387, 11388,
11389, 11423,
11438, 11444,
11449, 11584,
11585, 11586,
11587, 11629,
11632, 11633,
11677, 11680,
11681, 11714,
11715, 11716,
11717, 11718,
11808, 11842,
11844, 11872,
11874, 11879,
11881, 11885,
11887, 12218,
12219, 12220,
12261, 12262,
12263, 12305,
12306, 12307,
12320, 12321,
12322, 12335,
12336, 12337,
12343, 12345,
12346, 12347,
12348, 12349,
12350, 12351,
12360, 12396,
12434, 12467,
12498, 12529,
12535, 12537,
12538, 12539,
12540, 12541,
12542, 12543,
12544, 12556,
12559, 12562,
12565, 12732,
12733, 12734,
12735, 12750,
12761, 12774,
12791, 12840,
12905, 12915,
12920, 13117,
13129, 13440,
13441, 13442,
13444, 13446,
13450, 13452,
13454, 13455,
13457, 13458,

13459, 13463,
13469, 13481,
13517, 13518,
13519, 13579,
13580, 13581,
13582, 13583,
13591, 13638,
13639, 13640,
14229, 14230,
14231, 14232,
14233, 14234,
14235, 14236,
14237, 14293,
14296, 14297,
14299, 14300,
14397, 14400,
14401, 14497,
14500, 14501,
14736, 14739,
14759, 14760,
14763, 14764,
14767, 14768,
14872, 14873,
14874, 14982,
14983, 14984,
14985, 14986,
14988, 15033,
15038, 15052,
15084, 15273,
15277, 15322,
15323, 15324,
15325, 15328,
15329, 15331,
15336, 15359,
15360, 15361,
15362, 15363,
15425, 15429,
15431, 15442,
15444, 15455,
15457, 15467,
15468, 15479,
15480, 15481,
15482, 15483,
15493, 15494,
15495, 15496,
15497, 15506,
15508, 15509,
15525, 15628,
15650, 15651,
15652, 15653,
15654, 15692,
15693, 15694,
15695, 15696,
15697, 15698,
15699, 15700,
15701, 15736,
15737, 15738,
15739, 15740,
15741, 15742,
15743, 15744,
15745, 15746,
15753, 15780,
15787, 15788,
15789, 15790,
15791, 15792,
15793, 15831,
15832, 15833,
15834, 15835,
15836, 15837,
15838, 15839,
15840, 15841,
15842, 15877,
15878, 15879,
15880, 15881,
15882, 15883,
15884, 15885,
15886, 15887,
15888, 15889,
15897, 15898,
15899, 16022,
16047, 16048,
16049, 16050,
16051, 16052,
16053, 16081,
16082, 16083,
16084, 16085,
16086, 16087,
16088, 16089,
16090, 16091,
16092, 16121,
16122, 16123,
16124, 16125,
16126, 16127,
16128, 16129,
16130, 16131,
16132, 16133,
16139, 16140,
16141, 16216,
16240, 16244,
16245, 16246,
16247, 16248,
16249, 16250,
16268, 16269,
16270, 16271,
16272, 16273,
16274, 16275,
16276, 16277,
16278, 16279,
16303, 16304,
16305, 16306,
16307, 16308,
16309, 16310,
16311, 16312,
16313, 16314,
16315, 16322,
16323, 16324,
16419, 16444,
16471, 16472,
16489, 16561,
16562, 16563,
16622, 16623,
16624, 16625,
16626, 16627,
16628, 16630,
16694, 16711,
16712, 16713,
16714, 16715,
16716, 16717,
16718, 16719,
16720, 16721,
16722, 16723,
16724, 16725,
16726, 16727,
16728, 16729,
16730, 16731,
16732, 16733,
16734, 16735,
16736, 16737,
16738, 16742,
16743, 16744,
16829, 16854,
16855, 16879,
16880, 16881,
16882, 16883,
16884, 16890,
16891, 16892,
16893, 16894,
16895, 16989,
16991, 16997,
16999, 17110,

17111, 17112, 17171, 17172, 17173, 17174, 17175, 17176, 17177, 17179, 17243, 17260, 17261, 17262, 17263, 17264, 17265, 17266, 17267, 17268, 17269, 17270, 17271, 17272, 17273, 17274, 17275, 17276, 17277, 17278, 17279, 17280, 17281, 17282, 17283, 17284, 17285, 17286, 17287, 17291, 17292, 17293, 17409, 17434, 17435, 17459, 17460, 17461, 17462, 17463, 17464, 17470, 17471, 17472, 17473, 17474, 17475, 17569, 17571, 17577, 17579, 17809, 17810, 17811, 17870, 17871, 17872, 17873, 17874, 17875, 17876, 17878, 17942, 17959, 17960, 17961, 17962, 17963, 17964, 17965, 17966, 17967, 17968, 17969, 17970, 17971, 17972, 17973, 17974, 17975, 17976, 17977, 17978, 17979, 17980, 17981, 17982, 17983, 17984, 17985, 17986, 17990, 17991, 17992, 18092, 18117, 18118, 18142, 18143, 18144, 18145, 18146, 18147, 18153, 18154, 18155, 18156, 18157, 18158, 18252, 18254, 18260, 18262, 18390, 18391, 18392, 18395, 18451, 18452, 18453, 18456, 18467, 18468, 18469, 18476, 18477, 18482, 18491, 18492, 18493, 18495, 18498, 18502, 18505, 18507, 18510, 18519, 18522, 18535, 18536, 18537, 18552, 18553, 18554, 18555, 18556, 18557, 18559, 18560, 18563, 18564, 18638, 18639, 18642, 18644, 18645, 18646, 18658, 18687, 18716, 18721, 18727, 18730, 18748, 18810, 18814, 18843, 18844, 18845, 18874, 18875, 18876, 18897, 18898, 18899, 18914, 18915, 18916, 18931, 18932, 18933, 18948, 18949, 18950, 18965, 18966, 18967, 18982, 18983, 18984, 19000, 19001, 19002, 19019, 19020, 19021, 19039, 19040, 19041, 19074, 19075, 19076, 19139, 19294, 19431, 19512, 19515, 19545, 19778, 19994, 20002, 20007, 20014, 20031, 20034, 20094, 20152, 20156, 20234, 20239, 20249, 20253, 20282, 20292, 20296, 20336, 20340, 20389, 20390, 20391, 20392, 20395, 20396, 20398, 20403, 20405, 20407, 20419, 20420, 20421, 20422, 20426, 20427, 20433, 20434, 20435, 20447, 20469, 20531, 20584, 20587, 20588, 20602, 20603, 20621, 20625, 20626, 20627, 20630, 20642, 20643, 20644, 20645, 20651, 20652, 20653, 20691, 20743, 20746, 20747, 20790, 20793, 20794, 20971, 20973, 20976, 20988, 20990, 20992, 20994, 20996, 20998, 21001, 21002, 21004, 21005, 21011, 21012, 21013, 21018,

21030, 21033, 21040, 21047, 21051, 21053, 21056, 21057, 21070, 21071, 21079, 21080, 21081, 21228, 21230
\Letter 2346
\lettergroup 5603
\LettrineDepth . . . 12976
\LettrineFont 12917, 12927
\LettrineFontEPS . 12925
\LettrineHeight . . 12975
\LettrineTextFont 12929, 12938
\LettrineWidth 12918, 12974
\lftside 15203, 15205, 15208, 15210, 15224, 15226
\Line 8023, 8026, 8031, 8034, 8039, 8040, 8043, 8044, 8048, 8049, 8052, 8053, 8057, 8058, 8061, 8062, 8066, 8067, 8070, 8071
\line 7033, 7034, 7036, 7037, 7043, 7044, 7046, 7047, 7056, 7057, 7059, 7060, 7066, 7067, 7069, 7070, 7079, 7080, 7082, 7083, 7089, 7090, 7092, 7093, 7102, 7103, 7105, 7106, 7112, 7113, 7115, 7116, 15366, 15367, 15368
\LineNumber . . . 13000, 13002, 13004, 13009, 13012, 13014
\linenumberwidth . . . 13002, 13009, 13014
\lineskip . . 202, 404, 429, 500, 762, 847, 1014, 1099, 1264, 1350, 1359, 2330, 6375, 6552, 6648, 6719, 8371, 8436, 8466, 8537, 10690, 10755, 11009, 13482, 13588, 15489, 15503, 15672, 15757, 15811, 15903, 15912, 16070, 16146, 16257, 16328, 16652, 16766, 17201, 17315, 17900, 18014, 18471, 18510, 20647, 21014
\lineskiplimit 11010, 21014
\linespacing . . 24, 12812
\linespread 2807
\linewidth 2454, 4481, 10906, 10921, 10925, 11596, 11604, 11605, 11607, 11608, 11908, 12967, 12970, 12986, 13585, 14301, 14307, 14939, 14941, 14959, 14961, 15161, 15167, 15253, 15262, 15263, 15316, 15318, 15486, 15500, 16975, 17555, 18238, 20383, 20385, 20475, 20476, 20503, 20550, 20552, 20553, 20554, 20559, 20561, 20562, 20563, 20568, 20570, 20571, 20572, 20577, 20579, 20580, 20581, 20960, 20963
\link 2460
\list 89, 302, 577, 712, 948, 975, 1225, 5534, 5552, 5561, 5569, 6316, 6504, 6813, 8337, 8608, 10664, 12777, 14864, 15622, 16016, 16210, 16413, 16813, 17393, 18076, 18742, 20458
\listdoubleitemmaincolumnwidth 2400, 2413, 2414, 2415, 2442, 2446
\listfigurename 5456, 5457
\listitemmaincolumnwidth 2399, 2407, 2408, 2440
\listitemsymbol 2341, 2398, 2439, 2441, 7601, 7699
\listitemsymbolwidth 2397, 2398, 2408, 2414
\listoffigures 5454
\listoftables 5462
\listparindent 948, 5554, 5561, 5562, 20465, 20474
\listtablename 5464, 5465
\llap 5541, 8133, 8824, 8836, 8848, 10813, 10819, 11721, 11853, 11855, 11857, 11859, 11862, 11864, 11867, 11869, 12989, 18417, 18676, 18694
\LoadClass . . . 5788, 5812
\long . . 34, 48, 64, 247, 261, 276, 458, 745, 810, 997, 1060, 1247, 1312, 1918, 2136, 2139, 2142, 2147, 2150, 2153, 2551, 2552, 2561, 2564, 2575, 2754, 2758, 2791, 2823, 2827, 2937, 2956, 3031, 3047, 3059, 3068, 3100, 3128, 3140, 3141, 3467, 3469, 3473, 3485,

3492, 3501, 3504, 3511, 3529, 4151, 4415, 4564, 4824, 4828, 4832, 4868, 4872, 4876, 4912, 4916, 4920, 5131, 5218, 5247, 5276, 6094, 6097, 6100, 6104, 6107, 6110, 6358, 6535, 6677, 6970, 7799, 7820, 8398, 8495, 10717, 11270, 11287, 11303, 11331, 11345, 11359, 11719, 11729, 11738, 11784, 11825, 11832, 12264, 12275, 12286, 12297, 12312, 12327, 12370, 12387, 12408, 12425, 12441, 12458, 12472, 12489, 12503, 12520, 12745, 13069, 14243, 14293, 14343, 14365, 14771, 14775, 14779, 15142, 15351, 15655, 15720, 15794, 15861, 16057, 16100, 16286, 16577, 17126, 17700, 17800, 17825, 18389, 18575, 18579, 18582, 18586, 20228, 20409, 20505, 20841, 20845, 20849, 20885, 20889, 20893, 20952, 21060

\longindentation . . 8642

\longthickrule 16138, 16144

\loop 1742, 1743, 3542, 3552, 7126, 7296, 7302, 7407, 7462, 7474, 10312, 10322, 12953, 15159, 15195, 15222, 15233, 15260, 18530

\looprepeat 3559, 3563, 3607, 3678, 3685, 3690, 3696, 3699, 3701, 3705, 3706, 3711

\lower 1630, 1846, 15357, 15391, 15399, 20222, 20415, 20417

\lowercase 2621, 2629, 2637, 2645

\lowertitleback . . . 16735, 17284, 17983

\LR 12733, 15324, 15357, 20391, 20415, 20417

\lrb 1988, 1997

\LRE 1601, 1635, 1817, 1851, 12732, 15324, 15327, 20034, 20391, 20394

\LRfootnoterule 7794, 8696, 11196

\lsb 1987, 1995

\lst@@caption . 13090, 13096, 13103, 13108

\lst@alloverstyle 1976, 1982

\lst@HRefStepCounter 13090, 13096

\lst@ifnumberbychapter 13129, 13130

\lst@Key . . . 13033, 13040

\lst@MakeCaption 13088, 13101

\lst@makecaption 13085, 13118

\lst@maketitle 13086, 13119, 13123, 13125

\lst@title@dropdelim 13086

\lstKV@SwitchCases 13034, 13041

\lstset 1946

\LT@@hl 13442, 13444

\LT@@tabarray 13441, 13445

\LT@array 12741, 13431, 16989, 16990, 17569, 17570, 18252, 18253

\LT@bchunk 13472, 13479, 13483

\LT@caption . . . 13450, 16991, 16997, 16999, 17571, 17577, 17579, 18254, 18260, 18262

\LT@cols 13485, 16974, 17554, 18237

\LT@end@pen 13533

\LT@endpbox 13452

\LT@err 13534

\LT@foot 12756, 12760, 13537, 13541, 13550, 13553

\LT@head . . . 13544, 13557

\LT@hline 13450

\LT@kill 13450

\LT@lastfoot 13537, 13539, 13550

\LT@LL@FM@cr 13459, 13463

\LT@make@row 13480

\LT@makecaption 13484, 13495, 16966, 17546, 18229

\LT@mcol 13440, 13485, 16974, 17554, 18237

\LT@no@pgbk . 13448, 13449

\LT@nofcols 13479

\LT@output 13531

\LT@p@ftn 12365, 12368, 12372, 12382, 12403, 12406, 12410, 12420, 13524, 13525, 13527, 13528

\LT@p@ftntext 13517

\LT@p@LTRftntext 12363, 12370, 13518, 13523

\LT@p@RTLftntext 12401, 12408, 13519, 13526

\LT@rows . . . 13474, 13504

\LT@setprevdepth . 13475

\LT@start . . 12758, 12768

\LT@startpbox 13456, 13463, 13515
\LT@tabularcr 13446
\LTcaptype 13497, 13506, 13507
\LTcapwidth 13485, 13498, 13499
\LTleft 13434, 13436, 13438, 13476
\LTR 15316, 20383
\LTR@column@boxes 14693, 14709, 14740, 14742
\LTR@outputdblcol 7226, 10858, 11614, 14484, 20777, 20821, 20823
\LTRbidituftesidenotemarginpar . . . 4851, 5177, 5327
\LTRcite 5121, 5241, 5270, 5299, 5321, 5330, 5339
\LTRcolumnfootnotes 8805
\LTRdblcol 20823
\LTRdfnmakecol 7952
\LTRfootfootmark 8834, 8993, 9141, 9288, 9439, 9590, 9741, 9892, 10043, 10194, 10401
\LTRfootmarkstyle 8820, 8859
\LTRfootnote . . . 421, 495, 2074, 2082, 5310, 5660, 6640, 6714, 8458, 8532, 11251, 15792, 15898, 16052, 16140, 16249, 16323, 16627, 16743, 17176, 17292, 17875, 17991
\LTRfootnotetext 2140, 2151, 6098, 6108, 11407, 11409, 12366, 13524, 18576, 18580
\LTRfootscript . 8820, 8837, 8841, 8843
\LTRfoottextfont 8738, 8745, 8766, 8772, 8872, 8965, 8993, 9013, 9115, 9141, 9160, 9260, 9288, 9308, 9411, 9439, 9459, 9562, 9590, 9610, 9713, 9741, 9761, 9864, 9892, 9912, 10015, 10043, 10063, 10166, 10194, 10214, 10373, 10401, 10425
\LTright 13434, 13436, 13438, 13477
\LTRmarginnote 5324
\LTRmarginpar 20824
\LTRmulticolcolumns 14738
\LTRsidenote . . 5046, 5306
\LTRthanks . 421, 441, 476, 495, 5660, 5668, 5685, 5701, 5712, 6640, 6660, 6695, 6714, 8458, 8478, 8513, 8532, 11405, 14230, 15792, 15832, 15878, 15898, 16052, 16082, 16122, 16140, 16249, 16269, 16304, 16323, 16627, 16712, 16743, 17176, 17261, 17292, 17875, 17960, 17991
\ltx@firstofthree 11121, 11145
\ltx@ifundefined 11115, 11139
\ltx@secondofthree 11124, 11148
\ltx@thirdofthree . . 11117, 11134, 11141

M

\m@addvipersep 14426, 14526
\m@m@float@spacing 8809
\m@m@footnote@spacing 8704, 8720, 8736, 8752, 8765, 8778, 8808, 8954, 8964, 8974, 9000, 9012, 9025, 9052, 9065, 9080, 9085, 9105, 9114, 9123, 9148, 9159, 9171, 9197, 9209, 9224, 9229, 9249, 9259, 9269, 9295, 9307, 9320, 9347, 9360, 9375, 9380, 9400, 9410, 9420, 9446, 9458, 9471, 9498, 9511, 9526, 9531, 9551, 9561, 9571, 9597, 9609, 9622, 9649, 9662, 9677, 9682, 9702, 9712, 9722, 9748, 9760, 9773, 9800, 9813, 9828, 9833, 9853, 9863, 9873, 9899, 9911, 9924, 9951, 9964, 9979, 9984, 10004, 10014, 10024, 10050, 10062, 10075, 10102, 10115, 10130, 10135, 10155, 10165, 10175, 10201, 10213, 10226, 10253, 10266, 10281, 10286, 10348, 10360, 10372, 10384, 10409, 10423, 10437, 10465, 10478, 10492, 10514, 10522
\m@m@h 8921, 8923, 8925, 8928, 8929, 8934
\m@m@k 8921, 8923, 8928, 8931, 8932, 8934
\m@m@makecolfloats . 10533, 10580, 10586
\m@m@makecolintro .

. 10548, 10573, 10584
\m@m@makecoltext . . 10537, 10581, 10592
\m@m@singlespace . . 8807
\m@make@eightcol@footgroup . . . 9844, 9937, 9977
\m@make@eightcolfootfmt 9936, 9972
\m@make@eightcolfootnotetext 9934, 9948
\m@make@fivecol@footgroup . . . 9391, 9484, 9524
\m@make@fivecolfootfmt 9483, 9519
\m@make@fivecolfootnotetext 9481, 9495
\m@make@footstart 8906, 8917, 9040, 9185, 9335, 9486, 9637, 9788, 9939, 10090, 10241
\m@make@fourcol@footgroup . . . 9240, 9333, 9373
\m@make@fourcolfootfmt 9332, 9368
\m@make@fourcolfootnotetext 9330, 9344
\m@make@mpeightcol@footgroup . . . 9850, 9938, 9982
\m@make@mpeightcolfootnotetext 9935, 9960
\m@make@mpfivecol@footgroup . . . 9397, 9485, 9529
\m@make@mpfivecolfootnotetext 9482, 9507
\m@make@mpfourcol@footgroup . . . 9246, 9334, 9378
\m@make@mpfourcolfootnotetext 9331, 9356
\m@make@mpninecol@footgroup . 10001, 10089, 10133
\m@make@mpninecolfootnotetext 10086, 10111
\m@make@mppara@footgroup . 10345, 10453, 10517
\m@make@mpparafootnotetext 10450, 10488
\m@make@mpsevencol@footgroup . . . 9699, 9787, 9831
\m@make@mpsevencolfootnotetext 9784, 9809
\m@make@mpsixcol@footgroup . . . 9548, 9636, 9680
\m@make@mpsixcolfootnotetext 9633, 9658
\m@make@mptencol@footgroup . 10152, 10240, 10284
\m@make@mptencolfootnotetext 10237, 10262
\m@make@mpthreecol@footgroup . . . 9102, 9184, 9227
\m@make@mpthreecolfootnotetext 9181, 9205
\m@make@mptwocol@footgroup . . . 8951, 9039, 9083
\m@make@mptwocolfootnotetext 9036, 9061
\m@make@ninecol@footgroup . 9995, 10088, 10128
\m@make@ninecolfootfmt 10087, 10123
\m@make@ninecolfootnotetext 10085, 10099
\m@make@para@footgroup . 10339, 10452, 10508
\m@make@para@footstart 10454, 10525
\m@make@parafootfmt 10451, 10502
\m@make@parafootnotetext 10449, 10475
\m@make@sevencol@footgroup . . . 9693, 9786, 9826
\m@make@sevencolfootfmt 9785, 9821
\m@make@sevencolfootnotetext 9783, 9797
\m@make@sixcol@footgroup . . . 9542, 9635, 9675
\m@make@sixcolfootfmt 9634, 9670
\m@make@sixcolfootnotetext 9632, 9646
\m@make@tencol@footgroup . 10146, 10239, 10279
\m@make@tencolfootfmt 10238, 10274
\m@make@tencolfootnotetext 10236, 10250
\m@make@threecol@footgroup . . . 9096, 9183, 9222
\m@make@threecolfootfmt 9182, 9217
\m@make@threecolfootnotetext 9180, 9194
\m@make@twocol@footgroup . . . 8945, 9038, 9078
\m@make@twocolfootfmt 9037, 9073
\m@make@twocolfootnotetext 9035, 9049
\m@mdoextrafeet 8863, 10579, 10591
\m@mdoextrafeetendmini 8891, 8901
\m@mdoextrafeetmini 8882
\m@mdosplits . . . 8926, 8930, 8931, 8932
\m@minterparanoteglue 10304, 10306
\m@mipn@skip 10296, 10303, 10305
\m@mmakehboxofhboxes 10308, 10319, 10511, 10520
\m@mmf@prepare . 8716, 8732, 8748, 8813, 8962, 8972, 8982, 9008, 9021, 9033, 9060, 9072, 9112, 9121, 9130, 9155, 9167, 9178, 9204, 9216, 9257, 9267, 9277, 9303, 9316, 9328, 9355, 9367, 9408, 9418, 9428, 9454, 9467, 9479, 9506, 9518, 9559, 9569, 9579, 9605, 9618, 9630, 9657, 9669, 9710, 9720, 9730, 9756, 9769, 9781, 9808, 9820, 9861, 9871, 9881, 9907, 9920, 9932, 9959, 9971, 10012, 10022, 10032, 10058, 10071, 10083, 10110,

10122, 10163, 10173, 10183, 10209, 10222, 10234, 10261, 10273, 10369, 10381, 10393, 10419, 10433, 10447, 10487, 10501
\m@mold@footnotetext 8788, 8796
\m@mold@LTRfootnotetext 8789, 8797
\m@mold@mpfootnotetext 8791, 8799
\m@mold@mpLTRfootnotetext 8792, 8800
\m@mold@mpRTLfootnotetext 8793, 8801
\m@mold@RTLfootnotetext 8790, 8798
\m@mopfootnote 10549, 10577
\m@mremovehboxes 10328, 10329, 10512, 10521
\m@mrigidbalance 8923, 8928, 9082, 9087, 9226, 9231, 9377, 9382, 9528, 9533, 9679, 9684, 9830, 9835, 9981, 9986, 10132, 10137, 10283, 10288
\m@msplitoff . . 8931, 8933
\m@mungebox 10297, 10369, 10381, 10393, 10419, 10433, 10447, 10487, 10501
\m@munvxh . . 10289, 10298
\m@ne 314, 554, 563, 2605, 2794, 3287, 3294, 3538, 3543, 3553, 3634, 4819, 4863, 4907, 6587, 6745, 6782, 7126, 8306, 8315, 8576, 10617, 10634, 12588, 14667, 15417, 16169, 16354, 16391, 17053, 17631, 17634, 18314, 18317, 18822, 18864, 19803, 20836, 20880, 20915, 20918
\m@th 406, 8122, 8127, 8133, 10906, 10921, 13481, 19875, 19984, 20439, 20533, 20617, 20619, 20678
\maincolumnwidth . . 2395, 2404, 2405, 2406, 2407, 2409, 2413, 2428, 2432, 2457
\mainmatter 5839
\makeatletter . 3003, 3022
\makebox 8121, 8126, 8195, 8198, 8201, 8208, 8216, 8223, 8264, 8268, 14976, 14994
\makefooter 7666, 7667, 7683
\MakeFramed 11462
\makelabel . . 5541, 20469
\MakeLineNo 12994
\makeLineNumber 12995, 12997
\makeLineNumberLeft 13000
\makeLineNumberRight 13008
\maketag@@@ 346, 8119, 8132, 13563
\makethanksmark . . 14243
\maketitle . 110, 323, 330, 415, 443, 454, 478, 738, 783, 805, 827, 990, 1035, 1057, 1079, 1240, 1285, 1307, 1329, 1914, 1926, 2421, 5636, 5740, 5764, 6351, 6396, 6528, 6573, 6634, 6662, 6673, 6697, 7648, 7762, 8359, 8383, 8394, 8416, 8452, 8480, 8491, 8515, 10678, 10702, 10713, 10735, 12535, 12536, 12835, 14238, 15648, 15693, 15715, 15737, 15785, 15834, 15856, 15880, 16046, 16084, 16095, 16124, 16243, 16271, 16282, 16306, 16616, 16687, 16714, 17165, 17236, 17263, 17864, 17935, 17962
\maketitledetailsnewline 7757, 7772, 7774, 7775, 7776, 7777, 7778
\maketitledetailswidth 7749, 7751, 7752, 7753, 7754, 7769
\maketitlehookb . . 14288
\maketitlehookc . . 14290
\maketitlenamefullwidth . . . 7743, 7744, 7746
\maketitlenamemaxwidth . . . 7741, 7742, 7746
\maketitlenamewidth 7745, 7746, 7752, 7764
\maketitlepage 5722, 5764
\maketitlepicturewidth 7747, 7748, 7754, 7783
\MakeUppercase . 125, 574, 602, 603, 618, 709, 867, 972, 1119, 1222, 6239, 6313, 6416, 6501, 6626, 6627, 6810, 8334, 8605, 10661, 12850, 15522, 15619, 15777, 16013, 16236, 16237, 16410
\marginline 16872, 17452, 18135
\marginnote 5315

\marginpar 4385, 5093, 16873, 17453, 18136, 20070
\marginparpush 4318, 20934
\marginparsep 1904, 2306, 4359, 4362, 4366, 4518, 4525, 11852, 11854, 11858, 11863, 11866, 11868, 20945, 20947
\marginparwidth 1903, 2307, 4358, 4363, 4375, 4473, 4743, 4836, 4880, 4924, 11852, 11854, 11866, 11868, 20853, 20897, 20947
\markboth 124, 568, 5844, 8320, 12849
\mathindent . 10907, 10923
\mathsurround 6860
\max@poem@no 6039, 6148, 6149
\maxdepth . . 10582, 10593
\maxdimen 7167, 7168, 7170, 7230, 7231, 7233, 10365, 10377, 10389, 10415, 10429, 10443, 10483, 10497, 10778, 10826, 10827, 10828, 10862, 10863, 10864, 11469, 11620, 11621, 11623, 11668, 11669, 11671, 14388, 14389, 14391, 14488, 14489, 14491, 18523, 18562, 19935, 19938, 19943, 19947, 19951, 19955, 19959, 19963, 19967, 19971, 20156, 20734, 20735, 20737, 20781, 20782, 20784
\mbox . 11813, 12989, 17803
\mc@col@status@write 14697, 14721
\mc@gridwarn 14687
\mc@lastcol@status@write 14703, 14729
\mdf@footenotedistance@length 13626
\mdf@footnoteinput 13634
\mdf@footnoteoutput 13623
\mdf@frametitleaboveskip@length 13618
\mdf@frametitlealignment 13599
\mdf@frametitlebelowskip@length 13619
\mdf@frametitlebox . . 13598, 13611, 13612, 13613, 13614, 13616, 13617
\mdf@frametitlefont 13601
\mdf@frametitlefontcolor 13600
\mdf@horizontalmargin@equation 13576
\mdf@ignorevbadness 13610
\mdf@lrbox . 13569, 13598
\mdf@par@local . . . 13592
\mdf@patchamsthm . 13570
\mdframedtitleenv 13597
\mdframetitleboxdepth 13614
\mdframetitleboxheight 13613
\mdframetitleboxtotalheight 13615
\mdframetitleboxwidth 13612
\mdseries 317, 7642, 7644, 7646, 7647, 7734, 7735, 7736, 7739, 7740
\meaning 2514, 2517, 2760, 2993, 3020, 3035, 3053, 3061, 3070, 3134
\mediabutton 14161, 14222, 14223
\medskip 5946
\medskipamount 8644
\mem@makecol 10572, 10594
\memRTLleftskip . . 14261
\memRTLraggedleft 14266
\memRTLraggedright 14265
\memRTLrightskip . 14262
\memRTLvleftskip . 14263
\memRTLvrightskip 14264
\message . . 1789, 1791, 11470, 11478, 11482, 11487, 11495, 11501, 11511, 11516, 11518, 11525, 11533, 11546, 11554, 11559, 11564, 11577, 11588, 11596, 11608
\MessageBreak 148, 3233, 3247, 3259, 3273, 3915, 3926, 3933, 3945, 3951, 4049, 4102, 4103, 4104, 4118, 4119, 4121, 4399, 4495, 4722, 4723, 4791, 5395, 5396, 5397, 5399, 5400, 5404, 5405, 5406, 5408, 5409, 14339, 14340, 14670, 14689, 14755, 16688, 16839, 16846, 17237, 17419, 17426, 17936, 18102, 18109, 19447, 19449, 19452
\MH 8131, 8135, 8140, 8141, 8145, 8149, 8150, 8154, 8162, 8164, 8169, 8181, 8189, 8194, 8197, 8200, 8202, 8203, 8205, 8206, 8209, 8210, 8212, 8213, 8215, 8217,

8218, 8220, 8221, 8224, 8225, 8227, 8228, 8230, 8235, 8236, 8237, 8238, 8239, 8240, 8241, 8242, 8243, 8252, 8254, 8258, 8259, 8261
\MHInternalSyntaxOff 8276, 13566
\MHInternalSyntaxOn 8116, 13560
\MidFrameCommand . . . 11458, 11502, 11570
\minrowclearance 1463, 1497, 6965
\mintagvsep 8136
\missingfigure 20114, 20144
\mix 13655, 13656, 13663, 13664, 13690, 13707, 13730, 13733, 13735, 13758, 13790, 13798, 13807, 13818, 13829, 13831, 13836, 13837, 13839, 13840, 13842, 13854, 13863, 13866, 13867, 13868, 13878, 13888, 13889, 13891, 13892, 13897, 13898, 13914, 13916, 13918, 13923, 13962, 13969, 13970, 13973, 13991, 13993, 13996, 13998, 14001, 14008, 14016, 14018, 14071, 14076, 14087, 14088, 14091, 14122, 14127, 14129, 14136, 14137, 14140, 14155, 14159, 14162, 14164, 14173, 14176, 14186, 14187, 14189, 14212, 14218, 14223
\mkern 19876, 19877, 19985, 20679
\mobile 2383
\Mobilefone 2343
\mobilesymbol 2343, 7676, 7774
\modernpoem 6201
\modernpoem@obeylines 5941, 6201
\modernpoem@par 5941, 5942, 6165
\morefloats . . . 4625, 4722
\moreLRE 1602, 1818, 15278, 20341
\moreRLE 1604, 1820, 15279, 20342
\moveleft . . . 4775, 14582
\moveright 11011, 14680, 21017
\mp@footgroupv@r . . 8887, 8920, 8952, 9103, 9247, 9398, 9549, 9700, 9851, 10002, 10153, 10346
\mpfootnoterule 11223, 11227
\msg 13710, 13713, 13761, 13764, 13779, 13782, 13824
\MT . 8155, 8161, 8163, 13561
\mult@cols 14770
\mult@footnotetext 151, 153, 14758, 14760, 14771
\mult@gfirstbox . . . 14694, 14711, 14717
\mult@info 14668
\mult@LTRfootnotetext 155, 157, 14762, 14764, 14775
\mult@rightbox 14661, 14701, 14702, 14704, 14726, 14727, 14730
\mult@RTLfootnotetext 159, 161, 14766, 14768, 14779
\multfootsep . . 5135, 5153
\multicol@leftmargin 14671, 14680
\multicols 14743
\multicolumn 13440, 18497
\multiplefootnotemarker 5134, 5150, 5244, 5245, 5273, 5274, 5302, 5303, 8812, 8814, 8815
\multiply 1888, 1893, 2231, 10351, 10468, 15178, 15182
\myrefname 17754

N

\n@xt 1600, 1602, 1604, 1605, 1816, 1818, 1820, 1821
\na 15181, 15183, 15185, 15194, 15196, 15221, 15222
\narrower 20610
\NAT@bibitem@first@sw 14872
\nb 15181, 15184, 15185, 15194, 15195, 15216, 15232, 15233
\NC@find 18529
\NC@rewrite@X 18528
\NeedsTeXFormat 1504, 1881, 1937, 2070, 2262, 2511, 4234, 4800, 5342, 5488, 5604, 5631, 5780, 5804, 5869, 7586, 7684
\new@command . . 2796, 2798
\new@poem@width . . . 5956, 5957, 5958, 5959, 6044, 6086, 6089
\newblock . 2509, 6056, 6163, 14866, 14868
\newboolean 4242, 4245, 4247, 4249, 4250, 4262, 4326, 4336, 4403, 4426, 4727, 5351, 5610, 5637
\newbox 6011, 6012
\newcommand 1536, 1537, 1543, 1549,

1565, 1566, 1569, 1570, 1582, 1585, 1588, 1611, 1612, 1619, 1635, 1745, 1975, 1981, 1984, 1985, 1986, 1987, 1988, 1989, 1990, 2287, 2373, 2378, 2379, 2380, 2382, 2383, 2384, 2386, 2387, 2389, 2390, 2401, 2402, 2422, 2429, 2431, 2435, 2439, 2441, 2447, 2456, 2458, 2460, 2464, 2468, 2473, 2485, 2509, 2620, 2628, 2636, 2644, 2661, 2667, 2673, 2679, 2685, 2691, 2697, 2703, 2710, 2713, 2716, 2722, 2734, 2740, 2752, 2755, 2757, 2764, 2768, 2774, 2781, 2784, 2787, 2790, 2806, 2812, 2856, 2861, 2983, 3007, 3058, 3067, 3144, 3147, 3150, 3153, 3156, 3159, 3162, 3166, 3169, 3183, 3195, 3210, 3737, 3738, 3754, 3769, 3773, 3779, 3782, 3785, 3788, 3793, 3796, 3799, 3803, 3807, 3810, 3811, 3812, 3814, 3822, 3831, 3833, 3843, 3845, 3857, 3859, 3866, 3874, 3876, 3885, 3887, 3898, 3900, 3901, 3905, 3909, 3979, 3989, 3993, 3998, 4032, 4070, 4093, 4094, 4095, 4127, 4128, 4129, 4130, 4141, 4238, 4239, 4240, 4241, 4263, 4266, 4293, 4320, 4321, 4322, 4323, 4338, 4357, 4393, 4395, 4396, 4401, 4402, 4404, 4405, 4412, 4413, 4414, 4422, 4425, 4513, 4531, 4741, 4749, 4759, 4762, 4770, 4939, 4940, 4941, 4942, 4943, 4944, 4945, 4946, 4947, 4948, 4949, 4950, 4951, 4952, 4953, 4954, 4955, 4956, 4957, 4958, 4959, 4960, 4961, 4962, 4963, 4964, 4973, 5023, 5042, 5061, 5083, 5089, 5114, 5115, 5149, 5305, 5306, 5307, 5315, 5324, 5333, 5346, 5347, 5470, 5523, 5603, 5616, 5650, 5651, 5652, 5653, 5654, 5655, 5656, 5657, 5708, 5722, 5898, 5905, 5914, 5918, 5928, 5947, 6151, 6152, 7757, 7951, 7952, 7961, 7968, 7984, 7990, 8006, 8013, 8658, 8672, 10561, 10594, 10595, 10596, 10597, 11039, 11042, 11101, 11106, 11108, 11114, 11130, 11154, 11166, 11220, 11266, 11267, 11268, 11321, 11323, 11896, 13047, 13058, 14735, 14738, 14741, 16559, 16560, 17108, 17109, 17807, 17808, 20025, 20027, 20332, 20333, 20381, 20382, 20457, 20591, 20592, 20694, 20822, 20823, 20967

\newcount 1736, 1884, 1885, 3280, 3383, 3535, 3596, 3676, 8921, 20686

\newcounter 5022, 6147, 10932, 11099, 19051, 19055, 19056

\newdimen 5902, 5903, 5953, 8921

\newenvironment . . . 2022, 2033, 2042, 2051, 2486, 4372, 4387, 4390, 4428, 4555, 6136, 6200, 12771, 20547, 20556, 20565, 20574

\newfloat@@setwithin 14899, 14905, 14913, 14915

\newfloat@Error . . 14918

\newfloat@setwithin 14885

\newif 1564, 1568, 1571, 1572, 1573, 1574, 1575, 1576, 1577, 1578, 1580, 1581, 1802, 1803, 1804, 1805, 1806, 1807, 2264, 2293, 2472, 3009, 3449, 5825, 6013, 7589, 7591, 7593, 7595, 7660, 7687, 7689, 7691, 7693, 7756, 11097, 11105, 13568, 20023, 20024

\newinsert 1607, 1823, 4628, 4629, 4630, 4631, 4632, 4633, 4634, 4635, 4636, 4637, 4638, 4639, 4640, 4641, 4642, 4643,

4644, 4645, 4646, 4647, 4648, 4649, 4650, 4651, 4652, 4653, 4654, 4655, 4656, 4657, 4658, 4659, 4660, 4661, 4677, 4678, 4679, 4680, 4681, 4682, 4683, 4684, 4685, 4686, 4687, 4688, 4689, 4690, 4691, 4692, 4693, 4694, 4695, 4696, 4697, 4698, 4699, 4700, 4701, 4702, 8913, 8919
\newlength 2391, 2392, 2393, 2395, 2396, 2397, 2399, 2400, 2483, 4354, 4355, 4356, 4410, 4427, 5215, 7741, 7743, 7745, 7747, 7749, 19083, 19085, 19086, 19713
\newline 2454, 4589
\newlinechar 1764
\newlinetospace . . . 4586, 4606, 4607, 4608, 5845, 5846, 5847
\NewList 3483
\newlistentry 19048, 19115
\newpage 468, 490, 819, 839, 1071, 1091, 1321, 1341, 4096, 4098, 4102, 4107, 4108, 4111, 4115, 4117, 4120, 5741, 5778, 5779, 6687, 6709, 7583, 8408, 8428, 8505, 8527, 10727, 10747, 13447, 14252, 15729, 15749, 15870, 15892, 16114, 16136, 16296, 16318, 16703, 17252, 17951
\newpoem@tabcr 6164, 6173, 6174
\newsavebox 2021, 4371, 4406, 4407
\newskip . . 2059, 2060, 2061, 2799, 10303
\newthought 5544
\newtoks 2072, 2525, 2526, 3281, 3282, 3452, 3465, 3483, 3535, 5954, 11107, 15274, 20337
\newXeTeXintercharclass 1738, 1739
\next 20717, 20720
\next@tpage 16633, 16665, 16675, 16678, 16746, 17182, 17214, 17224, 17227, 17295, 17881, 17913, 17923, 17926, 17994
\ninecolumnfootnotes 9987
\ninecolumnfootstyle 10084
\nl 188
\no@bib@break 16825, 17405, 18088
\noalign 1377, 6067, 8931, 13447, 13448, 13449, 16967, 16992, 16994, 17547, 17572, 17574, 18230, 18255, 18257
\nobibliography . . . 5019
\nobidilogo 1852
\nobreak 14, 16, 219, 221, 520, 538, 565, 569, 657, 658, 672, 698, 885, 886, 900, 916, 1140, 1141, 1155, 1182, 4158, 5142, 5482, 5483, 5967, 5969, 5975, 6260, 6261, 6275, 6299, 6437, 6438, 6452, 6476, 6590, 6598, 6610, 6739, 6755, 6785, 6790, 6798, 7016, 8289, 8302, 8317, 8321, 8329, 8556, 8579, 8584, 8593, 8637, 8638, 10611, 10627, 10636, 10640, 10648, 12826, 12828, 12873, 13557, 13625, 14631, 14642, 14643, 14654, 14655, 15420, 15422, 15561, 15562, 15576, 15600, 15933, 15934, 15948, 15972, 16163, 16179, 16348, 16364, 16393, 16397, 16405, 16800, 17800, 18681, 18698, 18705, 18846, 18849, 18877, 18878, 18900, 18901, 18917, 18918, 18934, 18935, 18951, 18952, 18968, 18969, 18985, 18986, 19003, 19004, 19022, 19023, 19042, 19043, 19077, 19078, 19113, 19271, 19272, 19378, 19380, 19428, 19460, 19465, 19468, 19868, 19873, 19881, 19982, 19983, 19987, 20676, 20677, 20681
\nobreakspace 564
\node . 20068, 20098, 20104
\noexpand 396, 2094, 2095, 2109, 2110, 2137, 2140, 2143, 2521, 2530, 2534, 2554, 2558, 2657, 2759, 2760,

2762, 2988, 2989, 2990, 2992, 2993, 3018, 3020, 3038, 3039, 3040, 3043, 3050, 3051, 3052, 3054, 3060, 3061, 3063, 3069, 3070, 3072, 3131, 3133, 3134, 3300, 3446, 3451, 3457, 3497, 3525, 3528, 3531, 3532, 3616, 3623, 3626, 3627, 3644, 3648, 3650, 3651, 3652, 3660, 3661, 3662, 3665, 3666, 3667, 3702, 3763, 3924, 3925, 3927, 4063, 4168, 4202, 4203, 4991, 4993, 5001, 5394, 5397, 5403, 5406, 6095, 6098, 6101, 6153, 7365, 7540, 7893, 7945, 10934, 10935, 10940, 10941, 10993, 12356, 12366, 12374, 12375, 12376, 12378, 12404, 12412, 12413, 12414, 12416, 12445, 12446, 12447, 12449, 12476, 12477, 12478, 12480, 12507, 12508, 12509, 12511, 13476, 13524, 13527, 14089, 14356, 16822, 16823, 17402, 17403, 18085, 18086, 18393, 18465, 18502, 18503, 18576, 18583, 19058, 19530, 19563, 19570, 19575, 19576, 19636, 20007, 20008, 20009, 20010, 20011, 20012, 20013, 20014, 20015, 20257, 20272, 20300, 20306, 20319, 20540, 20541, 20640, 20971

\noindent 171, 173, 458, 633, 642, 940, 1192, 1201, 1918, 4381, 4574, 5165, 5183, 5201, 5318, 5327, 5336, 5546, 5566, 5727, 5729, 5731, 5922, 6309, 6497, 6677, 6873, 8398, 8495, 8640, 10367, 10379, 10391, 10417, 10431, 10445, 10485, 10499, 10516, 10524, 10717, 11720, 12987, 14316, 15537, 15546, 15987, 15996, 16062, 16105, 16286, 16596, 16633, 16746, 16800, 16914, 16919, 17145, 17182, 17295, 17494, 17499, 17715, 17744, 17750, 17756, 17762, 17768, 17774, 17780, 17786, 17792, 17801, 17844, 17881, 17994, 18177, 18182, 20046, 20049, 20051, 20053, 20056, 20060, 20062, 20118, 20180, 20609

\nointerlineskip 7810, 7831, 11441, 13608, 14678, 20942, 20950

\nopagebreak 6021, 6031, 13449

\nopagenumbers 2473

\normalbaselines . 20439

\normalbaselineskip 321, 4279, 10350, 10467, 13589, 15490, 15504

\normalcolor 2239, 6977, 7188, 7253, 8250, 8887, 8897, 10557, 10568, 11397, 11450, 11644, 11690, 12859, 13627, 14656, 19766, 19988, 20234, 20682, 20755, 20804, 21023, 21044, 21075

\normalfont 25, 38, 52, 68, 85, 251, 265, 280, 298, 457, 460, 562, 809, 811, 1063, 1311, 1313, 1917, 1920, 1984, 1989, 1990, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 4320, 4939, 4940, 4941, 5029, 5048, 5067, 5133, 5368, 5375, 5382, 5574, 6586, 6606, 6676, 6679, 6781, 6796, 8122, 8127, 8133, 8314, 8327, 8397, 8400, 8494, 8497, 8575, 8591, 8825, 8829, 8831, 8837, 8841, 8843, 8849, 8853, 8855, 10633, 10646, 10716, 10719, 12773, 12808, 12813, 12859, 13601, 14242, 14656, 14978,

14991, 15719, 15721, 15860, 15862, 16056, 16063, 16099, 16106, 16285, 16288, 16390, 16403, 19103, 19108, 19109, 19467, 19766, 19988, 20682, 21075
\normalfootnotes .. 8794, 8803
\normallineskip ... 202, 2331, 13588, 15489, 15503
\normalparindent 42, 56, 72, 255, 269, 284
\normalsfcodes 11004, 21010
\normalsize 317, 4272, 4273, 4280, 4847, 4891, 4935, 5029, 5048, 5067, 5445, 7644, 7736, 11004, 14374, 16145, 16603, 16610, 17152, 17159, 17851, 17858, 19467, 20864, 20908, 21008
\NOT .. 4474, 4475, 4514, 4534, 4538, 5221, 5250, 5279, 5361, 5365
\null 423, 437, 491, 631, 634, 750, 779, 840, 938, 941, 1002, 1031, 1092, 1190, 1193, 1252, 1281, 1342, 5482, 6056, 6307, 6310, 6363, 6392, 6495, 6498, 6540, 6569, 6642, 6656, 6710, 8365, 8379, 8429, 8460, 8474, 8528, 10684, 10698, 10748, 14632, 14642, 14643, 14654, 14655, 15535, 15538, 15660, 15689, 15750, 15799, 15828, 15893, 15985, 15988, 16064, 16078, 16137, 16251, 16265, 16319, 16642, 16664, 16675, 16746, 16754, 17191, 17213, 17224, 17295, 17303, 17890, 17912, 17923, 17994, 18002, 18418, 18424, 18446, 18846, 18877, 18900, 18917, 18934, 18951, 18968, 18985, 19003, 19022, 19042, 19077, 19428, 19868, 19982, 20676
\number 8, 139, 213, 3004, 3567, 3682, 3688, 3694, 3697, 3703, 3707, 6039, 6140, 7817, 7838, 7883, 7889, 7892, 7935, 7941, 7944, 8173, 8176, 12820, 14746
\numberline 4567, 13103, 13108, 14368, 18776, 19778, 19996, 19999, 20002
\numberline@box ... 19431, 19432
\numberline@tempa 19998
\numberwithin 339
\numexpr .. 2807, 4175, 19248, 19356, 19530
\nxLcs ... 2000, 2001, 2002

O

\obeylines ... 6057, 6165
\ocgbase ... 14145, 14147
\oddpage 1885, 1889, 1890, 1891, 1894, 1895, 1896
\oddsidemargin 1907, 2302, 8101, 11872, 11881, 11885, 20992, 20996
\on@line 20541
\on@stripcols@break 7449
\onecolumn 607, 623, 872, 1124, 2340, 6244, 6421, 6631, 15527, 15782, 16241, 18811
\opening 8625, 12861
\OptArg 2001, 2067
\OptArg@i 2067, 2068
\OptArg@ii ... 2067, 2069
\OptArgs 2066
\optparams 4448, 5305, 5306, 5307, 5309, 5310, 5311
\OR 4442, 4514, 4534, 4538, 4790
\or 1413, 1414, 1415, 1417, 1418, 1438, 1439, 1440, 1444, 1445, 1446, 1447, 1448, 1452, 1453, 1481, 1482, 1483, 1485, 1486, 1641, 1647, 1653, 1659, 1665, 1671, 1673, 1675, 1677, 1683, 1689, 1695, 1708, 1716, 1723, 6948, 6949, 6950, 6952, 6953, 12200, 12204, 19090, 19093, 19096, 19921, 20032, 20039, 20261, 20310, 20709, 20710, 20712
\orig@footnotetext .. 152, 14759, 14774
\orig@LTRfootnotetext .. 156, 14763, 14778
\orig@RTLfootnotetext .. 160, 14767, 14782
\origin@RaggedLeft . 15508, 15510, 15511

\origin@RaggedRight . 15509, 15510, 15511
\originalHbadness 20094, 20112
\othermargin 882
\outer 1878
\outer@nobreak 2257, 4841, 4885, 4929, 20858, 20902
\outputpenalty 7339, 7340, 7348, 7349, 7358, 7359, 7513, 7514, 7522, 7523, 7532, 7533, 13532, 13533
\overfullrule 2291, 2292, 15403
\OVP@calc 14973

P

\p@ . . . 27, 29, 30, 31, 99, 103, 229, 233, 241, 243, 244, 245, 321, 424, 513, 530, 542, 544, 546, 548, 600, 605, 616, 620, 649, 665, 683, 690, 726, 732, 751, 865, 869, 876, 892, 909, 927, 962, 964, 967, 969, 1003, 1117, 1121, 1132, 1148, 1166, 1174, 1206, 1212, 1253, 1608, 1824, 2330, 2331, 2335, 2336, 4274, 4275, 4276, 4283, 4284, 4285, 4287, 4288, 5493, 5494, 5495, 5497, 5498, 5564, 6237, 6241, 6252, 6268, 6284, 6291, 6330, 6336, 6364, 6414, 6418, 6429, 6445, 6461, 6468, 6483, 6489, 6541, 6585, 6591, 6596, 6600, 6602, 6605, 6608, 6612, 6614, 6624, 6629, 6643, 6732, 6747, 6760, 6762, 6764, 6766, 6780, 6786, 6791, 6794, 6799, 7031, 7041, 7054, 7064, 7077, 7087, 7100, 7110, 7472, 7795, 7796, 8281, 8295, 8351, 8353, 8355, 8357, 8366, 8461, 8550, 8574, 8580, 8585, 8589, 8594, 8650, 8652, 8654, 8656, 8697, 8698, 10604, 10619, 10632, 10637, 10641, 10644, 10649, 10652, 10654, 10656, 10658, 10685, 10786, 11186, 11188, 11189, 11190, 11191, 11192, 11224, 11743, 11750, 11789, 11796, 11841, 12788, 12792, 12801, 12803, 12804, 12805, 12857, 12875, 12877, 12879, 12881, 14294, 14624, 14636, 14648, 14784, 14786, 14787, 14788, 15520, 15524, 15553, 15569, 15585, 15592, 15607, 15613, 15661, 15775, 15779, 15800, 15925, 15941, 15957, 15964, 16030, 16036, 16065, 16157, 16171, 16187, 16189, 16191, 16193, 16234, 16239, 16252, 16341, 16356, 16369, 16371, 16373, 16375, 16389, 16394, 16398, 16401, 16406, 16604, 16608, 16611, 16615, 16860, 16863, 16865, 16868, 17019, 17038, 17153, 17157, 17160, 17164, 17440, 17443, 17445, 17448, 17599, 17618, 17721, 17723, 17725, 17727, 17852, 17856, 17859, 17863, 18123, 18126, 18128, 18131, 18282, 18301, 18809, 19084, 19252, 19255, 19259, 19360, 19363, 19367, 19697, 19700, 19704, 19710, 19792, 19976, 20670, 21085
\p@enumiv 86, 299, 583, 718, 981, 1231, 2501, 6322, 6510, 6819, 8343, 8614, 10670, 12774, 15628, 16022, 16216, 16419, 16829, 17409, 18092, 18748
\p@subfigure 18476
\p@subtable 18477
\PackageError . . 144, 2591, 2623, 2626, 2631, 2634, 2639, 2642, 2647, 2650, 2801, 4112, 4239, 5347, 13038, 13045, 13213, 13216, 13219, 13222, 13225,

13228, 13231, 13234, 13238, 13241, 13244, 13247, 13250, 13253, 13256, 13259, 13262, 13265, 13268, 13271, 13274, 13277, 13280, 13283, 13286, 13289, 13292, 13295, 13298, 13301, 13304, 13307, 13310, 13313, 13316, 13319, 13322, 13325, 13328, 13331, 13334, 13337, 13340, 13343, 13346, 13349, 13352, 13355, 13358, 13361, 13364, 13367, 13370, 13373, 13376, 13379, 13382, 13385, 13388, 13391, 13394, 13397, 13400, 13403, 13406, 13409, 13412, 13415, 13418, 13421, 13424, 13427, 14751, 18709, 19062, 20696
\PackageInfo 2803, 3800, 3902, 4049, 4241, 20018
\PackageWarning 138, 2802, 3903, 3932, 6142, 7598, 7696, 10936, 11575, 12901, 14688, 14745, 14879, 19053, 19444
\PackageWarningNoLine 4099
\page@sofar . . . 164, 14660
\pagebreak 13448, 20164, 20173
\pagecontents 15338
\pagedepth 20158
\pagefillstretch . 20170
\pagefilstretch . . 20169
\pagefootnoterule 11222, 11230
\pagegoal 11469, 11471, 11476, 11483, 11524, 11526, 13538, 14594, 20161
\pageinwindow 7133
\pagenumbering 2338, 5829
\pageref 2477, 2479
\pageshrink . . . 11485, 11489, 11505, 11531, 11543, 20164
\pagestretch . . 11484, 11505, 11543, 20168
\pagestyle 1883, 2329, 2337, 2480, 4594, 5830, 7682
\pagetotal . . . 11471, 11476, 11482, 14251, 14592, 14595, 14606, 20156, 20161, 20219
\paperheight 2266, 2269, 2272, 2275, 2278, 2281, 2284, 2285, 8078
\paperwidth 2267, 2270, 2273, 2276, 2279, 2282, 2285, 2286, 8078, 8086
\par 5, 15, 46, 60, 76, 107, 108, 109, 110, 172, 174, 210, 220, 237, 238, 239, 259, 273, 288, 320, 323, 407, 426, 432, 434, 435, 454, 497, 503, 507, 519, 538, 565, 568, 634, 644, 658, 671, 698, 759, 769, 776, 777, 805, 844, 850, 854, 886, 900, 915, 941, 955, 1011, 1021, 1028, 1029, 1057, 1096, 1102, 1106, 1141, 1154, 1182, 1193, 1203, 1261, 1271, 1278, 1279, 1307, 1347, 1353, 1358, 1363, 1366, 1878, 1914, 2255, 4468, 4476, 4535, 4536, 4539, 4540, 4565, 4574, 4575, 4744, 4760, 5484, 5599, 5600, 5601, 5602, 5727, 5729, 5731, 5749, 5750, 5751, 5925, 6032, 6046, 6057, 6075, 6157, 6165, 6190, 6261, 6274, 6299, 6310, 6372, 6382, 6389, 6390, 6438, 6451, 6476, 6498, 6549, 6559, 6566, 6567, 6590, 6598, 6610, 6645, 6651, 6653, 6654, 6673, 6716, 6722, 6726, 6738, 6755, 6785, 6790, 6798, 6875, 7016, 7433, 7803, 7824, 8289, 8301, 8317, 8320, 8328, 8368, 8374, 8376, 8377, 8394, 8433, 8439, 8443, 8463, 8469, 8471, 8472, 8491, 8534, 8540, 8544, 8555, 8579, 8584, 8593, 8627, 8632, 8635, 8637, 8638, 8648, 8893, 8990, 8993, 8996, 9077, 9138, 9141, 9144, 9221, 9285, 9288, 9291, 9372, 9436, 9439, 9442, 9523, 9587, 9590, 9593, 9674, 9738, 9741, 9744, 9825, 9889, 9892, 9895, 9976, 10040, 10043, 10046, 10127,

10191, 10194, 10197, 10278, 10516, 10524, 10610, 10627, 10636, 10640, 10648, 10687, 10693, 10695, 10696, 10713, 10752, 10758, 10762, 10930, 11393, 12796, 12797, 12798, 12817, 12827, 12835, 12863, 12868, 12871, 12873, 12946, 13079, 13481, 13581, 13604, 13608, 14238, 14310, 14316, 14322, 14326, 14332, 14347, 14366, 14375, 14632, 14644, 14657, 14792, 14804, 14866, 15145, 15316, 15317, 15318, 15319, 15412, 15413, 15420, 15421, 15481, 15495, 15538, 15548, 15562, 15575, 15600, 15669, 15679, 15686, 15687, 15715, 15754, 15760, 15764, 15808, 15818, 15825, 15826, 15856, 15900, 15906, 15911, 15916, 15919, 15934, 15947, 15972, 15988, 15998, 16062, 16067, 16073, 16075, 16076, 16095, 16105, 16143, 16148, 16151, 16162, 16179, 16254, 16260, 16262, 16263, 16282, 16325, 16331, 16335, 16347, 16364, 16393, 16397, 16405, 16595, 16640, 16645, 16648, 16650, 16655, 16658, 16660, 16662, 16668, 16676, 16682, 16752, 16758, 16761, 16763, 16769, 16772, 16774, 16777, 16780, 16800, 16909, 16913, 16914, 16918, 16919, 16923, 17144, 17189, 17194, 17197, 17199, 17204, 17207, 17209, 17211, 17217, 17225, 17231, 17301, 17307, 17310, 17312, 17318, 17321, 17323, 17326, 17329, 17489, 17493, 17494, 17498, 17499, 17503, 17714, 17744, 17750, 17756, 17762, 17768, 17774, 17780, 17786, 17792, 17794, 17797, 17800, 17804, 17843, 17888, 17893, 17896, 17898, 17903, 17906, 17908, 17910, 17916, 17924, 17930, 18000, 18006, 18009, 18011, 18017, 18020, 18022, 18025, 18028, 18172, 18176, 18177, 18181, 18182, 18186, 18507, 19114, 19120, 19273, 19379, 19460, 19887, 19989, 20046, 20047, 20053, 20054, 20056, 20064, 20117, 20383, 20384, 20385, 20386, 20548, 20557, 20566, 20575, 20644, 20683, 21064, 21085

\par@updaterelative 16636, 16748, 17185, 17297, 17884, 17996

\paragraph 5380

\paragraphfootnotes 10331

\paragraphfootstyle 10448

\parbox . . . 2426, 2428, 7670, 8643, 10811, 10812, 10813, 10817, 10818, 10819, 12001, 12003, 12007, 12009, 12040, 12041, 12044, 12045, 12102, 12103, 12106, 12107, 12131, 12133, 12137, 12139, 13485, 14304, 14333, 14790, 14792, 14793, 14795, 14797, 14798, 14800, 14802, 14804, 14805, 14807, 14809, 14810, 14811, 14812, 14813,

14814, 14816, 14817, 14818, 14819, 14820, 14821, 14822, 14823, 14824, 14825, 14827, 14828, 14829, 14830, 14832, 14833, 14834, 14835, 14837, 14838, 14839, 14840, 14841, 14842, 14844, 14845, 14846, 14847, 14848, 14849, 14851, 14852, 14853, 14854, 14855, 16975, 17555, 17744, 17750, 17756, 17762, 17768, 17774, 17780, 17786, 17792, 17803, 18238
\parfillskip . 13, 218, 517, 534, 653, 669, 694, 880, 896, 913, 1136, 1152, 1178, 5475, 6051, 6256, 6272, 6295, 6433, 6449, 6472, 6736, 6751, 6903, 7022, 8285, 8299, 8553, 10396, 10400, 10404, 10505, 10608, 10623, 12825, 13588, 14625, 14637, 14649, 15435, 15448, 15461, 15472, 15489, 15557, 15573, 15596, 15929, 15945, 15968, 16160, 16175, 16345, 16360, 18660, 18689, 18719, 18838, 18869, 18892, 18909, 18926, 18943, 18960, 18977, 18995, 19014, 19034, 19069, 19264, 19372, 19398, 19400, 19460, 19861, 19863, 19977, 20586, 20671
\parindent 12, 42, 56, 72, 103, 217, 233, 255, 269, 284, 458, 516, 533, 560, 604, 619, 655, 668, 693, 745, 762, 868, 883, 895, 912, 949, 997, 1014, 1060, 1120, 1138, 1151, 1177, 1247, 1264, 1918, 2333, 4296, 4967, 5476, 5518, 5526, 5591, 5744, 6050, 6160, 6240, 6258, 6271, 6294, 6358, 6375, 6417, 6435, 6448, 6471, 6535, 6552, 6586, 6606, 6628, 6677, 6735, 6750, 6781, 6795, 6899, 6930, 7021, 8284, 8298, 8312, 8325, 8398, 8495, 8552, 8575, 8590, 8985, 9133, 9280, 9431, 9582, 9733, 9884, 10035, 10186, 10395, 10399, 10403, 10504, 10530, 10607, 10622, 10633, 10645, 10717, 11719, 12792, 12824, 13584, 14626, 14638, 14650, 14859, 15436, 15449, 15462, 15473, 15484, 15523, 15559, 15572, 15595, 15655, 15672, 15778, 15794, 15811, 15931, 15944, 15967, 16062, 16105, 16142, 16159, 16174, 16238, 16286, 16344, 16359, 16390, 16402, 16596, 17145, 17715, 17844, 18670, 18707, 18808, 18839, 18870, 18893, 18910, 18927, 18944, 18961, 18978, 18996, 19015, 19035, 19070, 19263, 19371, 19402, 19797, 19858, 19859, 19978, 20474, 20586, 20611, 20612, 20672
\parsep . . . 952, 4288, 4289, 5498, 5499, 5537, 5564, 20473
\parshape 6872, 11597, 11605, 12988, 14941, 14961, 15151, 15316, 15318, 16061, 16104, 16583, 16592, 17132, 17141, 17705, 17712, 17831, 17840, 20383, 20385, 20503, 20550, 20552, 20553, 20554, 20559, 20561, 20562, 20563, 20568, 20570, 20571, 20572, 20577, 20579, 20580, 20581
\parskip 103, 181, 233, 605, 620, 869, 1121, 1911, 2334, 4297, 4968,

5519, 5527, 5590, 5745, 6049, 6081, 6159, 6194, 6241, 6418, 6629, 7339, 7348, 7358, 7513, 7522, 7532, 8631, 8634, 8636, 8638, 12792, 12867, 12870, 12872, 13584, 13593, 15151, 15484, 15498, 15524, 15779, 16142, 16239, 17737, 18809, 19797, 20155, 20159, 20473
\part 23, 12811
\partname 564, 8316
\partopsep 5540, 14289, 14291, 14935, 14955
\PassOptionsToClass 5782, 5783, 5784, 5785, 5786, 5806, 5807, 5808, 5809, 5810
\PassOptionsToPackage 4799, 5629
\pbs . . 14999, 15025, 15026
\pbs@last@page . . . 15017
\pbs@newkey 15003
\pdfstringdefDisableCommands 12731
\penalty . . 754, 1006, 1256, 5971, 6300, 6367, 6477, 6544, 6756, 6860, 6866, 7337, 7346, 7356, 7511, 7520, 7530, 10302, 10397, 10401, 10405, 10507, 10628, 11506, 15601, 15664, 15803, 15973, 16180, 16365, 19274, 19785, 19893, 20160
\pgf@baseline 15106
\pgf@insertlayers 15128
\pgf@nodecallback 15084
\pgf@oldpicture . . 15091
\pgf@picmaxx . . 15085, 15097, 15099, 15117
\pgf@picmaxy 15087, 15101
\pgf@picminx 15086, 15100, 15110
\pgf@picminy 15088, 15102
\pgf@picture 15091
\pgf@picture@serial@count 15082, 15083
\pgf@process 15106, 15109, 15116
\pgf@relevantforpicturesizefalse 15105
\pgf@relevantforpicturesizetrue 15089
\pgf@remember@layerlist@globally 15123
\pgf@resetpathsizes 15090
\pgf@restore@layerlist@fromglobal 15127
\pgf@shift@baseline 15107
\pgf@trimleft 15109
\pgf@trimleft@final . 15111, 15112, 15114
\pgf@trimright . . . 15116
\pgf@trimright@final . 15118, 15119, 15121
\pgf@x 15110, 15114, 15117, 15121
\pgf@y 15107
\pgfpic 15137
\pgfpicture 15078
\pgfpictureid 15083, 15094
\pgfpicturetrue . . 15081
\pgfsys@discardpath 15130
\pgfsys@endpicture 15133
\pgfsys@endscope . 15132
\pgfsys@markposition 15094
\pgfsys@typesetpicturebox 15137
\pgfutil@gobble . . 15084
\pgfutil@ifnextchar 15091
\phantom . . . 13835, 14683
\phantomsection . . . 2424
\phone 2384
\phonesymbol 2344, 7677, 7775
\photo 2389
\picbox 15256
\picinwindow 7153
\picwd 15144, 15147, 15255, 15257
\plainauthor 4606, 5649, 5651, 5690, 5691, 5694
\plainfootnotes . . . 8803
\plainpublisher 5652, 5717, 5718
\plaintitle 4607, 4608, 5649, 5650, 5673, 5674, 5677, 5845, 5847
\plitemsep 5538
\plparsep 5537
\plpartopsep 5540
\pltemp 1601, 1602, 1817, 1818
\pltopsep 5539
\poem@finish 6090, 6139, 6146
\poem@line 6009, 6015, 6066
\poem@linebegin 5966, 6024
\poem@lineend . 5967, 6030
\poem@lineparsebegin . . . 5978, 6035, 6062
\poem@lineparseend . . . 6004, 6016, 6073
\poem@lineversesep 5968, 6027
\poem@needrun . . 5960, 6087, 6141, 6143
\poem@obeylines 6061, 6137, 6177, 6201
\poem@prop . . . 6042, 6151
\poem@startedfalse . . . 6059, 6175, 6181
\poem@startedtrue 6017, 6018, 6058, 6167, 6169, 6174, 6182, 6184
\poem@verse 5955, 6025, 6028
\poem@width 5958, 5959, 5963, 6040, 6042, 6045, 6086
\poem@write@aux 6089, 6140, 6152

\poemblocksep 5952, 6056, 6163
\poemcolsepskip 5943, 5972
\poemextrabaselineskip . . . 5945, 6033, 6068
\poemmarginskip 5944, 5966, 5967
\poemskip 5946, 6046, 6077
\postbibhook 14382
\postdisplaypenalty 10904, 10918
\postmath 6866
\PotEndMark 8125, 8130, 8133
\predisplaydirection 15364, 15365, 21072, 21073
\predisplaypenalty 10903, 10917
\premath 6862
\preparefootins 11636, 11684
\prepnext@tok 1410, 1420, 1468, 1500, 6940, 6968
\presetkeys 20146
\presig@skip 17803
\prevdepth 4468, 4476, 7873, 7927, 14294, 14685
\pRLE 1603, 1604, 1819, 1820
\process@cols . 14661, 14694, 14711, 14717
\ProcessOptions 2296, 4264, 5355, 5614, 5646, 5787, 5811, 7600, 7698
\ProcessOptionsX . . 1731
\protect 403, 1601, 1602, 1603, 1604, 1763, 1817, 1818, 1819, 1820, 2076, 2082, 2088, 2094, 2103, 2109, 2865, 2866, 3451, 3457, 4154, 4567, 10993, 11407, 11421, 13103, 13108, 13469, 14368, 18497, 18498, 18502, 18510, 18776, 19120, 20326, 20971
\protected 1817, 1819, 2801, 2802, 2803, 2813, 2821, 2823, 2829, 3015, 3031, 3047, 3070, 3072, 3122, 3175, 3188, 15280, 15290, 15300, 15308, 20343, 20353, 20363, 20372
\protected@edef 43, 57, 73, 256, 270, 285, 5166, 5184, 5202, 8709, 8725, 8741, 8754, 8767, 8780, 8957, 8967, 8977, 9003, 9016, 9028, 9055, 9068, 9108, 9117, 9126, 9151, 9163, 9174, 9200, 9212, 9252, 9262, 9272, 9298, 9311, 9323, 9350, 9363, 9403, 9413, 9423, 9449, 9462, 9474, 9501, 9514, 9554, 9564, 9574, 9600, 9613, 9625, 9652, 9665, 9705, 9715, 9725, 9751, 9764, 9776, 9803, 9816, 9856, 9866, 9876, 9902, 9915, 9927, 9954, 9967, 10007, 10017, 10027, 10053, 10066, 10078, 10105, 10118, 10158, 10168, 10178, 10204, 10217, 10229, 10256, 10269, 10363, 10375, 10387, 10413, 10427, 10441, 10481, 10495, 11278, 11295, 11311, 11339, 11353, 11367
\protected@write 1702, 1706, 4134, 4145
\protected@xdef 5229, 5258, 5287, 5670, 5687, 5703, 5714, 11243, 11252, 11406, 11411, 11420, 11426, 12375, 12413, 12446, 12477, 12508, 12571
\providecommand . . . 2341, 2342, 2343, 2344, 2345, 2346, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2513, 5127, 5134, 5135, 5544, 7661, 7666, 11129
\ProvidesClass 2263, 5781, 5805
\ProvidesExplPackage 13642
\ProvidesFile 1, 131, 165, 206, 336, 347, 352, 354, 413, 608, 857, 1109, 1369, 6229, 6406, 6583, 6616, 6829, 6884, 6926, 6928, 6931, 6969, 7012, 7027, 7123, 7161, 7789, 7954, 8073, 8076, 8115, 8277, 8450, 8624, 8657, 10600, 10776, 10805, 10821, 10898, 10928, 10937, 10942, 11095, 11435, 11612, 11722, 11849, 11891, 12192, 12770, 12856, 12860, 12882, 12993, 13032, 13136,

13430, 13559, 13567, 14226, 14383, 14621, 14659, 14789, 14856, 14884, 14922, 14943, 14963, 14997, 15029, 15077, 15141, 15369, 15410, 15426, 15512, 15767, 16044, 16226, 16429, 16558, 17107, 17698, 17806, 18381, 18388, 18448, 18474, 18479, 18513, 18588, 18618, 18637, 18654, 18683, 18732, 18813, 19121, 19776, 20022, 20151, 20227, 20331, 21227
\ProvidesPackage 1507, 1882, 1938, 2071, 2512, 4235, 4801, 5343, 5489, 5605, 5632, 5870, 7587, 7685
\prune 15161, 15199, 15203, 15208, 15212, 15224, 15235, 15262
\prw@mkboth . . . 18782, 18787, 18799, 18804
\psgrid 15373
\pspicture 15370
\psset 15408
\pst@dima 15385
\pst@dimb 15383, 15388, 15390, 15395, 15398
\pst@dimc 15401
\pst@dimd 15382, 15388, 15389, 15390, 15391, 15395, 15396, 15397, 15398, 15399
\pst@hbox 15378, 15382, 15383, 15384, 15400, 15402, 15403, 15405
\pst@ifstar 15370
\pst@killglue 15374
\pst@picture 15370
\pst@shift 15375, 15397, 15405
\pst@tempa . 15387, 15389
\publisher . . . 5707, 5708
\publishers 16733, 17282, 17981
\put 7032, 7033, 7034, 7035, 7036, 7037, 7042, 7043, 7044, 7045, 7046, 7047, 7055, 7056, 7057, 7058, 7059, 7060, 7065, 7066, 7067, 7068, 7069, 7070, 7078, 7079, 7080, 7081, 7082, 7083, 7088, 7089, 7090, 7091, 7092, 7093, 7101, 7102, 7103, 7104, 7105, 7106, 7111, 7112, 7113, 7114, 7115, 7116, 8078, 8092, 8110, 14976, 14978, 14991, 14994

Q

\Q 4984, 5006
\q 13730, 13733, 13962, 14016
\qauthor 15411
\qquad 5420, 5427, 5434, 5441, 5448, 5483, 15413
\quad 1635, 1851, 4606, 4607, 4608, 5845, 5846, 5847, 5952, 20440, 20449
\quote 2390
\quotecolour 2352, 7605, 7703
\quotefont 2361, 2369, 7645, 7738
\quotestyle 2369, 7658, 7787
\quotewidth 2391, 2403, 7658, 7787

R

\R@@page 16434, 16435, 16444, 16446, 16477, 16478, 16489, 16491
\raggedbottom 2339
\raggeddictum 16869, 17449, 18132
\raggeddictumauthor . 16871, 17451, 18134
\raggeddictumtext . . 16870, 17450, 18133
\RaggedLeft 15440, 15508, 15510, 18386, 18387, 21186, 21190, 21194, 21202
\raggedleft 25, 104, 234, 560, 6586, 6781, 6795, 8312, 8325, 8575, 8590, 8627, 8630, 8635, 8643, 10633, 10645, 12793, 12813, 12863, 12866, 12871, 14265, 14266, 15413, 15415, 15421, 16390, 16402, 16783, 16784, 16869, 16870, 16871, 16873, 17332, 17449, 17450, 17451, 17453, 17797, 17803, 18031, 18132, 18133, 18134, 18136, 20587, 20589, 20591, 20592
\RaggedLeftLeftskip 15445
\RaggedLeftParfillskip 15448
\RaggedLeftParindent 15449

\RaggedLeftRightskip 15446
\raggedpart 16784
\RaggedRight . . 15453, 15502, 15509, 15511, 18386, 18387, 21186, 21190, 21196, 21200
\raggedright 25, 104, 185, 234, 560, 6586, 6606, 6781, 6795, 8312, 8325, 8575, 8590, 8627, 8630, 8635, 8643, 10633, 10645, 12793, 12813, 12863, 12866, 12871, 14265, 14266, 15413, 15415, 15421, 16390, 16402, 16783, 16784, 16869, 16870, 16871, 16873, 17332, 17449, 17450, 17451, 17453, 17797, 17803, 18031, 18132, 18133, 18134, 18136, 19405, 19408, 19412, 19513, 20583, 20588, 20590, 20591, 20592
\RaggedRightLeftskip 15458
\RaggedRightParfillskip 15461
\RaggedRightParindent 4294, 4965, 5524, 15462
\RaggedRightRightskip 5521, 15459
\raggedsection 16783, 17332, 18031
\raise 10799, 12808
\raisebox . 4519, 4524, 4535, 4536, 4539, 4540, 8123, 8128, 8144, 8147, 8263, 12014, 12016, 12020, 12022, 12049, 12050, 12053, 12054, 12111, 12112, 12115, 12116, 12144, 12146, 12150, 12152, 12989
\rangle 1985
\rawtext 15151, 15157, 15179, 15180, 15261, 15265
\rbrace 20429, 20438
\rcb . 1986, 1989, 1990, 1994
\rcol@footinsskip 11619, 11667
\realfootnote 12568
\recomputelengths 2402, 2419
\recomputethemelengths 2401, 2417, 7750, 7755
\reflectbox 11783
\refname 573, 574, 708, 709, 971, 972, 1221, 1222, 2488, 5579, 8333, 8334
\refstepcounter 555, 8307, 10919, 12745, 13091, 13097, 13432, 14359, 14932, 14953, 18773
\refvskip 17738
\regex 13670, 13675, 13678, 13681, 13684, 13685, 13721, 13726, 13728, 13772, 13773, 13785
\relax 2, 8, 10, 12, 14, 28, 85, 103, 132, 166, 207, 213, 215, 217, 219, 233, 242, 298, 311, 329, 403, 417, 418, 419, 440, 441, 442, 443, 448, 449, 450, 451, 475, 476, 477, 478, 479, 484, 485, 486, 487, 511, 605, 620, 627, 657, 663, 681, 734, 741, 742, 743, 747, 756, 765, 782, 783, 788, 789, 790, 791, 794, 797, 801, 826, 827, 828, 833, 834, 835, 836, 869, 885, 907, 925, 934, 968, 993, 994, 995, 999, 1008, 1017, 1034, 1035, 1040, 1041, 1042, 1043, 1046, 1049, 1053, 1078, 1079, 1080, 1085, 1086, 1087, 1088, 1121, 1128, 1140, 1146, 1164, 1214, 1243, 1244, 1245, 1249, 1258, 1267, 1284, 1285, 1290, 1291, 1292, 1293, 1296, 1299, 1303, 1328, 1329, 1330, 1335, 1336, 1337, 1338, 1425, 1426, 1443, 1444, 1445, 1639, 1645, 1651, 1657, 1663, 1669, 1681, 1687, 1693, 1700, 1709, 1710, 1714, 1721, 1763, 1793, 1925, 1926, 1927, 1932, 1933, 1934, 1935, 2159, 2167, 2175, 2226, 2296, 2513, 2711, 2714, 2724, 2742, 2796, 2807, 2820, 3004, 3008, 3291, 3292, 3296, 3335, 3336, 3378, 3401, 3520, 3534, 3597, 3599, 3608, 3609, 3625, 3633, 3650, 3661, 3666, 3719, 3743, 3758, 3775, 3790, 3806, 3823, 3835, 3867, 3878, 3957, 4165,

4166, 4175, 4203,
4268, 4766, 4975,
5083, 5146, 5150,
5154, 5234, 5245,
5263, 5274, 5292,
5303, 5361, 5558,
5566, 5571, 5602,
5787, 5811, 5907,
5912, 5915, 5922,
5960, 5966, 6061,
6087, 6115, 6122,
6129, 6141, 6177,
6241, 6248, 6260,
6266, 6282, 6338,
6354, 6355, 6356,
6360, 6369, 6378,
6395, 6396, 6401,
6402, 6403, 6404,
6418, 6425, 6437,
6443, 6459, 6491,
6531, 6532, 6533,
6537, 6546, 6555,
6572, 6573, 6578,
6579, 6580, 6581,
6629, 6636, 6637,
6638, 6659, 6660,
6661, 6662, 6667,
6668, 6669, 6670,
6694, 6695, 6696,
6697, 6698, 6703,
6704, 6705, 6706,
6730, 6872, 6886,
6887, 6888, 6893,
6894, 6895, 6896,
6899, 6903, 6904,
6905, 6906, 6907,
6908, 7008, 7026,
7176, 7239, 7600,
7698, 7790, 7791,
7792, 7793, 7794,
7806, 7827, 7881,
7893, 7896, 7933,
7945, 7948, 8099,
8105, 8166, 8245,
8293, 8361, 8362,
8363, 8382, 8383,
8388, 8389, 8390,
8391, 8415, 8416,
8417, 8422, 8423,
8424, 8425, 8454,
8455, 8456, 8477,
8478, 8479, 8480,
8485, 8486, 8487,
8488, 8512, 8513,
8514, 8515, 8516,
8521, 8522, 8523,
8524, 8548, 8692,
8693, 8694, 8695,
8696, 8815, 8944,
8986, 9048, 9095,
9134, 9193, 9239,
9281, 9343, 9390,
9432, 9494, 9541,
9583, 9645, 9692,
9734, 9796, 9843,
9885, 9947, 9994,
10036, 10098,
10145, 10187,
10249, 10305,
10338, 10463,
10596, 10597,
10602, 10680,
10681, 10682,
10701, 10702,
10707, 10708,
10709, 10710,
10734, 10735,
10736, 10741,
10742, 10743,
10744, 10781,
10783, 10787,
10834, 10870,
10899, 10909,
10952, 10972,
10973, 10988,
11093, 11225,
11247, 11256,
11415, 11430,
11468, 11490,
11528, 11629,
11677, 11954,
11956, 11959,
11972, 11974,
11977, 12223,
12234, 12245,
12256, 12270,
12281, 12292,
12303, 12318,
12333, 12374,
12393, 12412,
12431, 12445,
12464, 12476,
12495, 12507,
12526, 12608,
12642, 12673,
12702, 12773,
12792, 12802,
12814, 12820,
12822, 12824,
12826, 12896,
12908, 12915,
12916, 12920,
12921, 12988,
13469, 13606,
13609, 13612,
13613, 13614,
13620, 14229,
14230, 14231,
14232, 14233,
14293, 14397,
14497, 14623,
14625, 14626,
14629, 14635,
14637, 14638,
14641, 14647,
14649, 14650,
14653, 14743,
14785, 14982,
14983, 14984,
15033, 15038,
15043, 15052,
15060, 15082,
15085, 15086,
15087, 15088,
15097, 15099,
15100, 15101,
15102, 15271,
15335, 15425,
15506, 15524,
15531, 15561,
15567, 15583,
15615, 15651,
15652, 15653,
15657, 15666,
15675, 15692,
15693, 15698,
15699, 15700,
15701, 15704,
15707, 15711,
15736, 15737,

15738, 15743, 15744, 15745, 15746, 15779, 15788, 15789, 15790, 15796, 15805, 15814, 15831, 15832, 15833, 15834, 15839, 15840, 15841, 15842, 15845, 15848, 15852, 15877, 15878, 15879, 15880, 15881, 15886, 15887, 15888, 15889, 15933, 15939, 15955, 15981, 16038, 16043, 16048, 16049, 16050, 16081, 16082, 16083, 16084, 16089, 16090, 16091, 16092, 16121, 16122, 16123, 16124, 16125, 16130, 16131, 16132, 16133, 16155, 16239, 16245, 16246, 16247, 16268, 16269, 16270, 16271, 16276, 16277, 16278, 16279, 16303, 16304, 16305, 16306, 16307, 16312, 16313, 16314, 16315, 16339, 16604, 16605, 16611, 16612, 16614, 16623, 16624, 16625, 16685, 16711, 16712, 16713, 16714, 16715, 16728, 16729, 16730, 16731, 16732, 16733, 16734, 16735, 16736, 16737, 16738, 16799, 16861, 16866, 17027, 17044, 17153, 17154, 17160, 17161, 17163, 17172, 17173, 17174, 17234, 17260, 17261, 17262, 17263, 17264, 17277, 17278, 17279, 17280, 17281, 17282, 17283, 17284, 17285, 17286, 17287, 17335, 17351, 17359, 17367, 17378, 17441, 17446, 17607, 17624, 17852, 17853, 17859, 17860, 17862, 17871, 17872, 17873, 17933, 17959, 17960, 17961, 17962, 17963, 17976, 17977, 17978, 17979, 17980, 17981, 17982, 17983, 17984, 17985, 17986, 18061, 18124, 18129, 18290, 18307, 18395, 18432, 18495, 18510, 18520, 18522, 18551, 18706, 18724, 18725, 18809, 18818, 18836, 18839, 18842, 18867, 18870, 18873, 18890, 18893, 18896, 18907, 18910, 18913, 18924, 18927, 18930, 18939, 18941, 18944, 18947, 18956, 18958, 18961, 18964, 18975, 18978, 18981, 18993, 18996, 18999, 19012, 19015, 19018, 19032, 19035, 19038, 19050, 19065, 19067, 19070, 19073, 19087, 19117, 19118, 19119, 19248, 19269, 19356, 19382, 19394, 19396, 19402, 19419, 19423, 19435, 19437, 19443, 19452, 19454, 19516, 19530, 19564, 19571, 19577, 19638, 19697, 19700, 19704, 19710, 19755, 19791, 19799, 19800, 19802, 19803, 19816, 19827, 19831, 19836, 19841, 19849, 19853, 19862, 19863, 19874, 19882, 19893, 19899, 19903, 19907, 19924, 19928, 19977, 19978, 19981, 20029, 20037, 20178, 20261, 20310, 20325, 20402, 20459, 20471, 20522, 20614, 20617, 20619, 20671, 20672, 20675, 20695, 20704, 20708,

20743, 20790, 21079, 21080, 21081
\remainx 14792
\remainxox . 14827, 14834
\remainxoxx 14837, 14846, 14855
\remainxx . . 14795, 14797
\remainxxx 14800, 14802, 14804, 14829, 14832
\remainxxxx . . . 14807, 14809, 14811, 14813, 14839, 14841, 14844, 14848, 14851, 14853
\remainxxxxx 14816, 14818, 14820, 14822, 14824
\remove@strip . 14405, 14435, 14505, 14535
\renewcommand . . . 19, 20, 21, 22, 86, 168, 175, 190, 224, 225, 226, 227, 299, 339, 415, 454, 456, 510, 527, 541, 545, 549, 550, 551, 552, 584, 624, 646, 662, 680, 688, 701, 703, 704, 705, 706, 719, 725, 731, 737, 738, 748, 805, 807, 873, 890, 903, 906, 924, 931, 957, 958, 959, 960, 961, 966, 982, 989, 990, 1000, 1057, 1059, 1125, 1129, 1145, 1163, 1172, 1185, 1205, 1211, 1216, 1217, 1218, 1219, 1232, 1239, 1240, 1250, 1307, 1309, 1914, 1916, 2288, 2289, 2290, 2326, 2327, 2332, 2381, 2385, 2416, 2421, 2502, 3717, 3741, 4073, 4078, 4098, 4111, 4133, 4144, 4272, 4281, 4322, 4440, 4443, 4444, 4448, 4449, 4601, 4602, 4951, 4952, 4953, 4954, 4955, 4956, 4957, 4958, 4959, 5013, 5128, 5137, 5158, 5176, 5194, 5309, 5310, 5311, 5393, 5402, 5454, 5462, 5486, 5491, 5502, 5503, 5504, 5505, 5506, 5507, 5508, 5574, 5579, 5581, 5582, 5599, 5600, 5601, 5602, 5659, 5660, 5661, 5663, 5667, 5668, 5669, 5673, 5674, 5680, 5684, 5685, 5686, 5690, 5691, 5696, 5700, 5701, 5702, 5711, 5712, 5713, 5717, 5718, 5740, 5764, 5826, 5839, 5844, 5852, 6245, 6249, 6265, 6281, 6289, 6303, 6323, 6329, 6335, 6340, 6341, 6342, 6343, 6344, 6345, 6347, 6349, 6351, 6361, 6422, 6426, 6442, 6458, 6466, 6480, 6482, 6488, 6511, 6517, 6518, 6519, 6520, 6521, 6522, 6524, 6526, 6528, 6538, 6634, 6673, 6675, 6729, 6744, 6759, 6763, 6767, 6769, 6771, 6773, 6774, 6775, 6776, 6777, 6778, 6801, 6820, 6885, 6890, 6912, 6919, 6929, 7013, 7018, 7028, 7051, 7074, 7097, 7124, 7140, 7601, 7641, 7642, 7643, 7644, 7645, 7646, 7647, 7648, 7662, 7667, 7699, 7733, 7734, 7735, 7736, 7737, 7738, 7739, 7740, 7750, 7762, 7950, 7951, 7952, 8074, 8077, 8081, 8097, 8250, 8251, 8278, 8292, 8344, 8350, 8354, 8359, 8394, 8396, 8446, 8447, 8448, 8449, 8452, 8491, 8493, 8547, 8561, 8563, 8565, 8567, 8568, 8569, 8570, 8571, 8572, 8596, 8615, 8625, 8638, 8649, 8653, 8701, 8717, 8733, 8749, 8762, 8775, 10601, 10616, 10651, 10655, 10671, 10678, 10713, 10715, 10765, 10766, 10767, 10768, 10769, 10770, 10772, 10774, 10899, 10909, 10929, 10938, 11046, 11065, 11067, 11069, 11071, 11072, 11073, 11074, 11075, 11076, 11078, 11080, 11082, 11084, 11085, 11086, 11087, 11088, 11089, 11090, 11100, 11169, 11436, 11850, 11860, 12774, 12831, 12832, 12833, 12834, 12857, 12861, 12874, 12878, 12886, 12887,

12888, 12889, 13495, 14227, 14238, 14261, 14262, 14263, 14264, 14265, 14266, 14267, 14268, 14270, 14272, 14274, 14276, 14277, 14279, 14280, 14287, 14288, 14290, 14296, 14297, 14790, 14793, 14798, 14805, 14814, 14825, 14830, 14835, 14842, 14849, 14866, 14868, 14885, 14927, 14948, 15030, 15039, 15411, 15414, 15423, 15427, 15440, 15453, 15466, 15477, 15492, 15528, 15550, 15566, 15582, 15590, 15604, 15606, 15612, 15629, 15635, 15636, 15637, 15638, 15639, 15640, 15642, 15644, 15647, 15648, 15658, 15715, 15717, 15784, 15785, 15797, 15856, 15858, 15922, 15938, 15954, 15962, 15976, 15978, 16000, 16001, 16002, 16003, 16004, 16005, 16007, 16009, 16023, 16029, 16035, 16040, 16046, 16054, 16095, 16097, 16154, 16168, 16183, 16186, 16190, 16194, 16196, 16198, 16200, 16201, 16202, 16203, 16204, 16217, 16243, 16282, 16284, 16338, 16353, 16368, 16372, 16376, 16378, 16380, 16382, 16383, 16384, 16385, 16386, 16387, 16420, 16564, 16568, 16572, 16576, 16602, 16609, 16616, 16629, 16631, 16693, 16695, 16740, 16785, 16786, 16787, 16790, 16791, 16805, 16830, 16859, 16864, 16869, 16870, 16871, 16872, 16875, 16948, 16966, 16988, 16990, 17011, 17013, 17015, 17018, 17024, 17033, 17035, 17037, 17043, 17113, 17117, 17121, 17125, 17151, 17158, 17165, 17178, 17180, 17242, 17244, 17289, 17333, 17334, 17342, 17343, 17346, 17347, 17350, 17358, 17366, 17385, 17410, 17439, 17444, 17449, 17450, 17451, 17452, 17455, 17528, 17546, 17568, 17570, 17591, 17593, 17595, 17598, 17604, 17612, 17614, 17617, 17623, 17699, 17812, 17816, 17820, 17824, 17850, 17857, 17864, 17877, 17879, 17941, 17943, 17988, 18032, 18033, 18037, 18038, 18041, 18042, 18045, 18049, 18053, 18068, 18093, 18122, 18127, 18132, 18133, 18134, 18135, 18138, 18211, 18229, 18251, 18253, 18274, 18276, 18278, 18281, 18287, 18295, 18297, 18300, 18306, 18382, 18385, 18655, 18684, 18690, 18722, 18735, 18749, 18760, 18816, 18863, 18882, 18904, 18921, 18938, 18955, 18972, 18990, 19008, 19009, 19028, 19029, 19048, 19116, 19390, 19412, 19689, 19691, 19693, 19709, 19716, 19718, 19720, 19723, 19727, 19732, 19736, 19740, 19754, 19759, 19761, 19764, 19768,

19771, 19777, 19897, 20004, 20026, 20044, 20066, 20078, 20114, 20589, 20590, 20821, 20822, 20823, 21085, 21127, 21129, 21130, 21131, 21183, 21185, 21187, 21189, 21193, 21195, 21199, 21201
\RenewDocumentCommand 13828, 14161
\renewenvironment 83, 296, 572, 593, 609, 629, 636, 707, 858, 936, 943, 970, 1110, 1188, 1195, 1220, 4543, 4546, 4549, 4552, 5550, 5560, 5568, 5584, 5795, 6230, 6305, 6311, 6407, 6493, 6499, 6617, 6808, 6870, 6891, 7025, 8332, 8603, 10659, 10916, 11453, 14378, 14857, 14964, 15513, 15533, 15540, 15617, 15768, 15983, 15990, 16011, 16205, 16227, 16408, 16794, 17374, 18057, 18736, 18739, 18765, 20441
\renewrobustcmd 13597, 13623, 13634
\renewtagform 13565
\repeat 1742, 1743, 3547, 3554, 7139, 7301, 7307, 7415, 7473, 7483, 10317, 10327, 12956, 15169, 15216, 15227, 15238, 15266, 18534
\RequirePackage . . . 1555, 1557, 1558, 1559, 1560, 1561, 1939, 1940, 2298, 2299, 2300, 2301, 2308, 2309, 2324, 2377, 3920, 3921, 3937, 3981, 3982, 3985, 4237, 4299, 4301, 4308, 4329, 4333, 4369, 4370, 4593, 4803, 4804, 4805, 4806, 5010, 5011, 5126, 5345, 5520, 5531, 5583, 5609, 5617, 5634, 5789, 5790, 5791, 5792, 5793, 5794, 5813, 5814, 5815, 5816, 5817, 5818, 21119, 21122, 21123, 21124, 21175
\RequireXeTeX . 1556, 1801
\reserved@a 2205, 2209, 2215, 2218, 2221, 2224, 2577, 2581, 2852, 2853, 2854, 3922, 3930, 3940, 3942, 3949, 3951, 3956, 3958, 3959, 3962, 3965, 4001, 4002, 4003, 4005, 4012, 4015, 4040, 4041, 4061, 4063, 4067, 4074, 4076, 4155, 4156, 19408, 19409, 19412, 19413, 19893, 19894, 20536, 20542
\reserved@b 2185, 2186, 2577, 2581, 2582, 3912, 3913, 3941, 3999, 4001, 4018, 4035, 4036, 4041, 4046, 4048, 4049, 4051, 4054, 4074, 4076
\reserved@c 4014, 4017, 4018, 4022, 4033, 4046, 4060, 4064
\reserved@d 2576, 2581, 4034, 4053, 4066
\reset@dir . 15335, 20402
\reset@font . . . 37, 51, 67, 250, 264, 279, 4846, 4890, 4934, 5162, 5163, 5180, 5181, 5198, 5199, 8705, 8721, 8737, 8757, 8770, 8783, 8955, 8965, 8975, 9001, 9013, 9026, 9053, 9066, 9106, 9115, 9124, 9149, 9160, 9172, 9198, 9210, 9250, 9260, 9270, 9296, 9308, 9321, 9348, 9361, 9401, 9411, 9421, 9447, 9459, 9472, 9499, 9512, 9552, 9562, 9572, 9598, 9610, 9623, 9650, 9663, 9703, 9713, 9723, 9749, 9761, 9774, 9801, 9814, 9854, 9864, 9874, 9900, 9912, 9925, 9952, 9965, 10005, 10015, 10025, 10051, 10063, 10076, 10103, 10116, 10156, 10166, 10176, 10202, 10214, 10227, 10254, 10267, 10361, 10373, 10385, 10411, 10425, 10439, 10479, 10493, 11004, 11272, 11273, 11289, 11290, 11305, 11306, 11335, 11336, 11349, 11350, 11363, 11364, 20863, 20907, 21007
\resizebox 11804
\restore@protect . . 2867
\restoreCaptionSkip

. 11985
\restorecounters@ . 8177
\restylefloat 4793
\resumename 2378
\righskip 19118
\right 20429, 20438, 20440
\right@cor . . . 14407, 14408, 14507, 14508
\right@footnoterule 26, 240, 417, 545, 731, 741, 966, 993, 1211, 1243, 6335, 6354, 6488, 6531, 6636, 6763, 8354, 8361, 8454, 8653, 10655, 10680, 11185, 11199, 11209, 11332, 11360, 12800, 12878, 14783, 15612, 15651, 15788, 16035, 16048, 16190, 16245, 16372, 16609, 16623, 16864, 17158, 17172, 17444, 17724, 17857, 17871, 18127
\rightfootnoterule 1674, 7791, 8693, 11197, 11715, 21081
\rightline . . . 15368, 20599, 20603, 20605
\rightlinenumbers 13020, 13028
\rightmargin . . . 951, 5536, 5555, 5563, 5569, 11590, 11594, 12972, 12973, 12986, 15421, 20464, 20475, 20481, 20487, 20495, 20499
\rightskip 12, 13, 217, 218, 315, 319, 516, 533, 536, 537, 627, 640, 651, 652, 657, 668, 693, 696, 697, 878, 879, 885, 895, 898, 899, 912, 934, 1128, 1134, 1135, 1140, 1151, 1177, 1180, 1181, 1199, 5474, 5481, 5482, 6052, 6248, 6254, 6255, 6260, 6271, 6294, 6297, 6298, 6425, 6431, 6432, 6437, 6448, 6471, 6474, 6475, 6735, 6750, 6753, 6754, 6886, 6887, 6888, 7014, 7015, 7021, 8284, 8287, 8288, 8298, 8552, 8911, 10529, 10607, 10622, 10625, 10626, 12824, 12825, 13587, 14261, 14262, 14625, 14629, 14630, 14637, 14642, 14649, 14654, 15432, 15434, 15445, 15447, 15458, 15460, 15469, 15471, 15488, 15531, 15544, 15555, 15556, 15561, 15572, 15595, 15598, 15599, 15927, 15928, 15933, 15944, 15967, 15970, 15971, 15981, 15994, 16043, 16159, 16174, 16177, 16178, 16183, 16184, 16344, 16359, 16362, 16363, 18659, 18664, 18675, 18688, 18692, 18712, 18715, 18720, 18724, 18725, 18836, 18837, 18838, 18846, 18867, 18868, 18869, 18877, 18890, 18891, 18892, 18900, 18907, 18908, 18909, 18917, 18924, 18925, 18926, 18934, 18941, 18942, 18943, 18951, 18958, 18959, 18960, 18968, 18975, 18976, 18977, 18985, 18993, 18994, 18995, 19003, 19012, 19013, 19014, 19022, 19032, 19033, 19034, 19042, 19067, 19068, 19069, 19077, 19117, 19119, 19797, 19859, 19860, 19861, 19867, 19870, 19917, 19977, 19982, 20005, 20012, 20381, 20382, 20584, 20611, 20612, 20671, 20676
\RL . . . 12735, 15325, 20392
\rlap . . . 316, 457, 808, 1310, 1917, 6676, 8397, 8494, 10716, 10811, 10817, 11442, 11742, 11788, 11854, 11855, 11868, 11869, 12858, 14683, 15354, 15718, 15859, 16056, 16099, 16285, 16631, 16695, 17180, 17244, 17879, 17943, 18423, 20412
\RLE . 1603, 1819, 12734, 15325, 15326,

15330, 20031, 20392, 20393, 20397
\rmfamily 737, 989, 1239, 5364, 5417, 5420, 5424, 5427, 5431, 5434, 5438, 5441, 5445, 5448, 15647, 15784
\romannumeral . . 3593, 3594, 6089, 6151, 8185, 8188, 8234, 11048, 11049, 11050, 11051, 11053, 11054, 11055, 11056, 11057, 11060, 11061, 11062, 20467
\rot@float@box 16437, 16438, 16439, 16453, 16462, 16480, 16481, 16482, 16483, 16484, 16500, 16511
\rot@label . 16433, 16476
\rot@LR 16444, 16489
\rot@mess@toks 16436, 16448, 16458, 16467, 16479, 16494, 16506, 16516
\rot@message 16467, 16516
\rot@pageref 16434, 16477
\rotate 16530
\rotatebox 11091, 11917, 11966, 12179, 13654, 13662, 14184, 16453, 16462, 16500, 16511
\rotateframe 11053, 11090
\rotFPbot 16454, 16461, 16501, 16510
\rotFPtop 16452, 16463, 16499, 16512
\rrb 1988, 1998
\rsb 1987, 1996
\RTL 15318, 20385
\RTL@column@boxes . . 14707, 14737, 14742
\RTL@outputdblcol . . . 7163, 10822, 11662, 14384, 20730, 20821, 20822
\RTLbidituftesidenotemarginpar . . . 4895, 5195, 5336
\RTLcases . . 20439, 20442
\RTLcite 5122, 5242, 5271, 5300, 5322, 5331, 5340
\RTLcolumnfootnotes 8804
\RTLdblcol 20822
\RTLdfnmakecol 7951
\RTLfootfootmark 8846, 8996, 9144, 9291, 9442, 9593, 9744, 9895, 10046, 10197, 10405
\RTLfootmarkstyle 8821, 8860
\RTLfootnote . . . 422, 496, 2075, 2088, 5311, 5661, 6641, 6715, 8459, 8533, 11242, 15793, 15899, 16053, 16141, 16250, 16324, 16628, 16744, 17177, 17293, 17876, 17992
\RTLfootnotetext 2143, 2154, 6101, 6111, 11421, 11424, 12404, 13527, 18583, 18587
\RTLfootscript . 8821, 8849, 8853, 8855
\RTLfoottextfont 8722, 8729, 8779, 8785, 8873, 8975, 8996, 9026, 9124, 9144, 9172, 9270, 9291, 9321, 9421, 9442, 9472, 9572, 9593, 9623, 9723, 9744, 9774, 9874, 9895, 9925, 10025, 10046, 10076, 10176, 10197, 10227, 10385, 10405, 10439
\RTLmarginnote 5333
\RTLmarginpar 20868
\RTLmulticolcolumns 14735
\RTLsidenote . . 5065, 5307
\RTLthanks . 422, 442, 477, 496, 5661, 5669, 5686, 5702, 5713, 6641, 6661, 6696, 6715, 8459, 8479, 8514, 8533, 11419, 14231, 15793, 15833, 15879, 15899, 16053, 16083, 16123, 16141, 16250, 16270, 16305, 16324, 16628, 16713, 16744, 17177, 17262, 17293, 17876, 17961, 17992
\rtside 15199, 15201, 15212, 15214, 15235, 15237
\rule 46, 60, 76, 259, 273, 288, 2426, 7655, 8266, 8270, 8273, 8713, 8729, 8745, 8759, 8772, 8785, 11283, 11300, 11316, 11343, 11357, 11371, 13835, 15405

S

\s 13684, 13685
\save@dir . . 15334, 20401
\savebox 8191, 11914, 11916, 11996
\saveCaptionSkip . 11946
\savecounters@ 8174
\saved@@dir . . . 15334, 15335, 20401, 20402
\sbox 8257, 11948, 11965, 12917, 12925, 12927, 12929, 12938, 13073, 13486, 13653, 13661, 13853, 14140,

14179, 14184, 14298, 14313, 14345, 14965, 16885, 16899, 16939, 17465, 17479, 17519, 18148, 18162, 18202, 18674, 18691, 19433, 21062
\sc@@temp 17743, 17744, 17749, 17750, 17755, 17756, 17761, 17762, 17767, 17768, 17773, 17774, 17779, 17780, 17785, 17786, 17791, 17792
\SC@FLOAT 18382, 21183, 21187, 21193, 21195, 21199, 21201
\SC@justify@caption .. 18385, 21185, 21189, 21194, 21196, 21200, 21202
\sc@temp 17741, 17743, 17747, 17749, 17753, 17755, 17759, 17761, 17765, 17767, 17771, 17773, 17777, 17779, 17783, 17785, 17789, 17791, 17801, 17803
\sc@wm@text 8075
\scalebox 11802
\scantokens ... 3003, 3023
\scr@caption 16991, 16993, 16995, 17571, 17573, 17575, 18254, 18256, 18258
\scr@caption@before@longtable@warning . 16963, 17543, 18226
\scr@compatibility 17335, 17351, 17359, 17367
\scr@dte@current 19512, 19515
\scr@dte@def@l@largetocline 19279
\scr@dte@def@l@tocline 19481
\scr@dte@def@l@undottedtocline 19122
\scr@dte@donumwidth 19716, 19717
\scr@dte@largetocline@init 19280
\scr@dte@nosub 19528, 19530, 19560, 19561, 19563, 19568, 19570, 19575, 19576, 19634, 19636
\scr@dte@numberline@box 19431, 19458
\scr@dte@tocline 19390, 19773
\scr@dte@tocline@init 19482
\scr@dte@tocline@numberwidth 19434, 19436, 19438, 19441
\scr@dte@tocline@numbox . 19433, 19435, 19449
\scr@dte@undottedtocline@init 19123
\scr@ifundefinedorrelax .. 19157, 19205, 19250, 19312, 19358, 19382, 19421, 19526, 19528, 19557, 19560, 19561, 19568, 19591, 19631, 19632, 19634, 19650, 19703, 19730, 19749
\scr@LT@array . 12744, 16988, 16989, 17091, 17568, 17569, 17581, 18251, 18252, 18264
\scr@parindent 17100, 17689, 18372
\scr@saved@footnotetext 16561, 16565, 17110, 17114, 17809, 17813
\scr@saved@LTRfootnotetext .. 16559, 16562, 16569, 17108, 17111, 17118, 17807, 17810, 17817
\scr@saved@RTLfootnotetext .. 16560, 16563, 16573, 17109, 17112, 17122, 17808, 17811, 17821
\scr@smashdp .. 16907, 16921, 16922, 16940, 17487, 17501, 17502, 17520, 18170, 18184, 18185, 18203
\scr@tmp@footnotetext .. 16879, 16890, 16891, 17459, 17470, 17471, 18142, 18153, 18154
\scr@tmp@LTRfootnotetext .. 16881, 16892, 16893, 17461, 17472, 17473, 18144, 18155, 18156
\scr@tmp@RTLfootnotetext .. 16883, 16894, 16895, 17463, 17474, 17475, 18146, 18157, 18158
\scriptsize 5502, 17742, 17748, 17754, 17760, 17766, 17772, 17778, 17784, 17790
\scshape 6589
\secshape .. 16142, 16183
\SectFont 632, 641, 939, 947, 1191, 1200, 6308, 6496, 15536, 15545, 15986, 15995
\sectfont 15415
\section 573, 601, 617, 632, 638, 641, 708, 866, 939, 945, 947, 971, 1118, 1191, 1197,

1200, 1221, 2422, 2488, 5366, 5388, 5456, 5464, 5579, 5582, 5586, 6308, 6496, 8333, 15536, 15542, 15545, 15986, 15992, 15995
\sectionbib 18760
\sectionfont . . . 2362, 2370, 7646, 7739
\sectionstyle . 2370, 2428
\sectiontitlecolour 2353, 7608, 7616, 7623, 7630, 7637, 7707, 7713, 7719, 7725, 7731
\selectfont 350, 2808, 5727, 5729, 5731, 14978, 14991
\separatorcolumnwidth 2393, 2394, 2405, 2411, 2427, 2432, 2438, 2496, 7753, 7783
\SepMark . . . 20451, 20452
\seq 13916, 13917, 15012, 15015, 15018
\set@color 6972, 6977, 6985, 6991, 6999, 7006, 7011, 11449, 20230, 20234, 20330
\set@typeset@protect 10999, 11003, 18470, 20646, 20979, 20981
\SetatBoolean 2636
\setbaselineskip . . 2806
\SetBoolean 2620
\setboolean 4243, 4244, 4246, 4248, 4253, 4254, 4258, 4259, 4330, 4334, 4337, 4342, 4344, 4348, 4350, 4728, 5352, 5353, 5354, 5611, 5612, 5613, 5638, 5639
\setbox 390, 1416, 1418, 1419, 1475, 1621, 1837, 2237, 4774, 4830, 4833, 4874, 4877, 4918, 4921, 5980, 5991, 6204, 6218, 6844, 6871, 6876, 6908, 6943, 6972, 7127, 7128, 7132, 7135, 7145, 7149, 7152, 7156, 7166, 7169, 7170, 7184, 7201, 7217, 7229, 7232, 7233, 7247, 7260, 7276, 7297, 7298, 7303, 7304, 7309, 7312, 7335, 7343, 7353, 7404, 7418, 7422, 7432, 7437, 7446, 7448, 7463, 7464, 7475, 7476, 7488, 7489, 7509, 7517, 7527, 7575, 7799, 7807, 7808, 7812, 7820, 7828, 7829, 7833, 7848, 7851, 7856, 7860, 7868, 7905, 7908, 7913, 7917, 7922, 8750, 8763, 8776, 8865, 8923, 8928, 8935, 8998, 9010, 9023, 9063, 9146, 9157, 9169, 9207, 9293, 9305, 9318, 9358, 9444, 9456, 9469, 9509, 9595, 9607, 9620, 9660, 9746, 9758, 9771, 9811, 9897, 9909, 9922, 9962, 10048, 10060, 10073, 10113, 10199, 10211, 10224, 10264, 10290, 10291, 10298, 10311, 10314, 10316, 10321, 10324, 10326, 10328, 10365, 10377, 10389, 10407, 10415, 10421, 10429, 10435, 10443, 10483, 10490, 10497, 10512, 10521, 10541, 10549, 10562, 10575, 10585, 10795, 10825, 10828, 10841, 10861, 10864, 10878, 10929, 10969, 10974, 11333, 11347, 11361, 11380, 11504, 11513, 11517, 11541, 11555, 11617, 11622, 11623, 11638, 11665, 11670, 11671, 11686, 11725, 11734, 11741, 11742, 11787, 11788, 13465, 13474, 13536, 13541, 13544, 13553, 13573, 13605, 13611, 14387, 14390, 14391, 14413, 14418, 14428, 14446, 14451, 14487, 14490, 14491, 14513, 14518, 14528, 14546, 14551, 14582, 14663, 14679, 15143, 15157, 15160, 15179, 15180, 15186, 15187, 15198, 15200, 15202, 15204, 15207, 15209, 15211, 15213, 15223, 15225, 15234, 15236, 15251, 15253, 15261, 15263, 15272, 15353, 15354, 15384, 15402,

16522, 16532, 16543, 16550, 16905, 17485, 17742, 17748, 17754, 17760, 17766, 17772, 17778, 17784, 17790, 18168, 18411, 18459, 18500, 18550, 18620, 19935, 19938, 19943, 19947, 19951, 19955, 19959, 19963, 19967, 19971, 20222, 20230, 20335, 20411, 20412, 20538, 20608, 20634, 20733, 20736, 20737, 20751, 20780, 20783, 20784, 20798, 20847, 20850, 20891, 20894, 20922, 20936, 20954, 21020
\setcaptionfont ... 4322
\setcaptionwidth . 13499
\setchapterpreamble 17379, 18062
\setcitationfont .. 4957
\setcounter 439, 474, 749, 781, 825, 1001, 1033, 1077, 1251, 1283, 1327, 1924, 5030, 5049, 5068, 5100, 5350, 5862, 6147, 6362, 6394, 6539, 6571, 6658, 6693, 8381, 8414, 8476, 8511, 10700, 10733, 11032, 12884, 12885, 14259, 14930, 14951, 15659, 15691, 15735, 15798, 15830, 15876, 16080, 16120, 16267, 16302, 16619, 16710, 16823, 16896, 16897, 17168, 17259, 17403, 17476, 17477, 17867, 17958, 18086, 18159, 18160, 19060
\setdefaultbibitems 20456
\setdefaultmarginpar 20958
\setDefaults 11903
\setfloatalignment 4402
\setfootnoteLR ... 11264
\setfootnoteRL ... 11262
\setkeys .. 6835, 6852, 8155, 8161, 8163, 11733, 11777, 11905, 12923, 14971, 15036, 16441, 16486, 20115
\setlatin 1565
\setlength 178, 201, 202, 514, 531, 667, 691, 893, 911, 948, 949, 950, 951, 952, 1150, 1175, 2062, 2063, 2064, 2266, 2267, 2269, 2270, 2272, 2273, 2275, 2276, 2278, 2279, 2281, 2282, 2284, 2285, 2286, 2291, 2292, 2330, 2331, 2333, 2334, 2335, 2336, 2394, 2403, 2404, 2407, 2409, 2412, 2413, 2415, 2418, 2484, 2494, 2495, 2496, 4267, 4294, 4295, 4296, 4297, 4318, 4324, 4325, 4358, 4361, 4365, 4411, 4463, 4464, 4965, 4966, 4967, 4968, 4974, 5216, 5509, 5510, 5511, 5512, 5513, 5514, 5515, 5516, 5518, 5519, 5521, 5524, 5525, 5526, 5527, 5744, 5745, 6270, 6292, 6447, 6469, 6733, 6748, 7019, 7742, 7746, 7748, 7751, 8137, 8282, 8297, 8861, 8862, 8875, 10606, 10620, 11378, 11827, 11828, 11834, 11835, 11837, 11838, 11907, 11908, 11920, 11924, 11926, 11928, 11932, 11934, 12890, 12891, 12892, 12893, 12918, 12932, 12934, 12936, 12940, 12962, 12967, 12970, 12974, 12975, 12976, 13520, 14970, 15571, 15593, 15943, 15965, 16172, 16342, 16357, 16578, 16902, 16928, 17127, 17482, 17508, 17826, 18165, 18191, 18663, 18664, 18712, 18713, 18715, 19084, 19088, 19089, 19091, 19092, 19094, 19095, 19097, 19098, 19100, 19101, 19261, 19369, 19714, 20520, 20523
\setLR 15360, 20420
\setLTR 15321, 15322, 15335, 15360, 15361, 20388, 20389,

20402, 20420, 20421
\setLTRbibitems . . 20455
\setLTRcitationfont 4958
\setLTRmarginnotefont 4955
\setLTRmarginpar . 20957
\setLTRparagraphfootnotes 8700
\setLTRsidenotefont 4952
\setLTRtable 1570
\setmarginnotefont 4954
\setnonlatin 1566
\setparsizes . . 16636, 16748, 17185, 17297, 17884, 17996
\setRL 15359, 20419
\setRTL . 15320, 15323, 15335, 15359, 20057, 20097, 20131, 20387, 20390, 20402, 20419
\setRTLbibitems . . 20454
\setRTLcitationfont 4959
\setRTLmain 1809
\setRTLmarginnotefont 4956
\setRTLmarginpar . 20956
\setRTLparagraphfootnotes 8699
\setRTLsidenotefont 4953
\setRTLtable 1569
\setsidenotefont . . 4951
\setSingleSpace 8806, 8811
\setspace@singlespace . . . 5161, 5179, 5197
\setthesection . . . 14276
\settodepth 14966
\settoheight . 8134, 14967
\settowidth 89, 302, 578, 713, 976, 1226, 2398, 6317, 6505, 6814, 7744, 8179, 8338, 8609, 10665, 12777, 12964, 14969, 15623, 16017, 16211, 16414, 16816, 17396, 17741, 17747, 17753, 17759, 17765, 17771, 17777, 17783, 17789, 18079, 18743, 19900, 19902
\Setversedim 5875, 5879, 5905
\SetWatermarkText . 8074
\sevencolumnfootnotes 9685
\sevencolumnfootstyle 9782
\sf 17742, 17748, 17754, 17760, 17766, 17772, 17778, 17784, 17790
\sf@size 12808
\sfcode 93, 306, 589, 721, 984, 1234, 6325, 6513, 6825, 8346, 8620, 10673, 12781, 14871, 15631, 16025, 16222, 16425, 16833, 17413, 18096, 18754
\sh@wgridXunit . . . 15373
\sh@wgridYunit . . . 15373
\shadowbox 8251
\shadowsize 8261, 8265, 8266, 8269, 8270, 8273
\shipout . . . 10999, 20978
\shortauthors 115, 116, 121, 12840, 12841, 12846
\shortcite 14873
\shorttitle 114, 115, 121, 12839, 12840, 12846
\showbox 11578
\showgridp@s 15372
\showoutput 11578
\sidecaptionsep 18383, 18384, 21184, 21188, 21193, 21195, 21199, 21201
\sidenote 5027, 5081, 5119, 5214, 5305
\sidenotes 5124
\sideways 16548
\sigindent 17802
\sixcolumnfootnotes 9534
\sixcolumnfootstyle 9631
\sixt@@n 2204, 2226
\size@chapter 15415
\skip 1608, 1824, 6068, 6069, 7853, 7910, 8886, 8896, 8914, 10531, 10555, 10566, 11024, 11396, 11619, 11667, 15341, 15347, 21037
\skip@ 321, 322
\skipalgocfslide 186, 194
\skiptotal 202
\sloppy 42, 56, 72, 92, 255, 269, 284, 305, 585, 720, 983, 1233, 2503, 6324, 6512, 6821, 8345, 8616, 10672, 11610, 12780, 13590, 14870, 15491, 15505, 15630, 16024, 16218, 16421, 16832, 17412, 18095, 18750
\slshape . . . 658, 886, 1141, 2450, 6261, 6438, 7644, 7645, 7735, 7736, 7738, 15562, 15934, 16148
\small . . 416, 641, 740, 947, 992, 1200, 1242, 1949, 2364, 2454, 2459, 2489, 5491, 5492, 5557, 5565, 5570, 5589, 6353, 6530, 6635, 8360, 8453, 10679, 15545, 15650, 15787, 15995, 16047, 16244, 16622, 17171, 17870
\smallcaps 5845, 5846, 5847
\smallskip 14792, 14797, 14804, 14813, 14824, 14829,

14834, 14841, 14848, 14855, 15412
\smash 4519, 4524, 4535, 4536, 4539, 4540, 4747, 7802, 7823, 11442, 12989, 15357, 20415, 20417
\SOUL@apo 18405
\SOUL@comma 18404
\SOUL@do 18407
\SOUL@eventuallyexhyphen 18394
\SOUL@grave 18406
\SOUL@ignorespacesfalse 18398
\SOUL@lasttoken . . 18401
\SOUL@lowerthan . . 18391
\SOUL@minus 18403
\SOUL@postamble . . 18408
\SOUL@preamble . . . 18400
\SOUL@soeventuallyskip 18395
\SOUL@spaceskip . . 18396
\SOUL@start 18389
\SOUL@ulcolor . 18420, 18426, 18432, 18440
\SOUL@uldp 18432
\SOUL@uleveryspace 18434
\SOUL@ulht 18432
\SOUL@ulleaders 18420, 18426, 18442
\SOUL@uloverlap . . 18413
\SOUL@ulunderline 18410
\SOUL@word 18402
\soulomit 18393
\space 1507, 2989, 3132, 3915, 4102, 4104, 4115, 4117, 4120, 4583, 4588, 4589, 4722, 4723, 6589, 6784, 7300, 7306, 7469, 7477, 7478, 8578, 10635, 11478, 11486, 11487, 11511, 11519, 12902, 13961, 14669, 14671, 14672, 14673, 14674, 15380, 16392, 16435, 16478, 16687, 16838, 17236, 17418, 17935, 18101, 18570, 18572, 18629, 19451, 19453, 20019, 20698, 20927
\spacefactor . . . 5140, 5145, 5151, 5154
\spaceskip . 18438, 18443
\special . . 1622, 1747, 1838, 1864, 1913, 15354, 18626, 18627, 18631, 18632, 18634, 20412
\spinemargin . . 8084, 8088
\split@prev 11221, 11229, 11234
\splitbotmark 11515
\splitfirstmark 7173, 7236, 10831, 10867, 11514, 11626, 11674, 14394, 14494, 20740, 20787
\SplitFootnoteRule 1676, 11220
\splitfootnoterule 11224, 11232
\splitmaxdepth 40, 54, 70, 253, 267, 282, 7167, 7230, 8880, 10826, 10862, 11276, 11293, 11309, 11620, 11668, 14388, 14488, 20734, 20781
\splittopskip . . . 40, 54, 70, 253, 267, 282, 8879, 8925, 8929, 9081, 9082, 9086, 9087, 9225, 9226, 9230, 9231, 9376, 9377, 9381, 9382, 9527, 9528, 9532, 9533, 9678, 9679, 9683, 9684, 9829, 9830, 9834, 9835, 9980, 9981, 9985, 9986, 10131, 10132, 10136, 10137, 10282, 10283, 10287, 10288, 11275, 11292, 11308, 11509, 11510, 15153
\stepcounter . . . 5038, 5057, 5076, 5108, 5228, 5257, 5286, 6038, 11031, 11102, 11172, 11242, 11251, 12570, 13432, 14925, 14929, 14946, 14950, 16432, 16475, 21055
\stopbreaks . . 8639, 17801
\str 13673, 13724, 13796, 13814, 13876, 13900, 13905, 13979, 14010, 14023, 14045, 14099, 14131
\stretch 1477, 1480, 6945, 6948
\string . . . 362, 1387, 1703, 1707, 2514, 2520, 2592, 2594, 2612, 2613, 2616, 2617, 2794, 2834, 2835, 2841, 2989, 3019, 3040, 3043, 3070, 3072, 3132, 3233, 3234, 3247, 3248, 3259, 3260, 3273, 3274, 3288, 3289, 3290, 3291, 3295, 3915, 3924, 3928, 3934, 3945, 4102, 4104, 4115, 4117, 4118, 4119, 4120, 4122, 4722, 4723, 6981, 6984, 7002, 7005, 11482, 11483, 11484, 11485, 11486, 11608, 11809, 11810, 16687, 16838, 16840,

16846, 17236, 17418, 17420, 17426, 17935, 18101, 18103, 18109, 18596, 20018, 20275, 20322, 20698, 20718
\strip@prefix . 3040, 3053
\strip@pt . 2711, 2807, 8023, 8026, 8031, 8034, 10355, 10472
\stripsep . 7218, 7277, 7292, 7338, 7347, 7357, 7402, 7512, 7521, 7531, 14422, 14424, 14431, 14522, 14524, 14531, 14593, 14596, 14598, 14605
\strut . 46, 60, 76, 259, 273, 288, 1979, 8647, 8990, 8993, 8996, 9076, 9077, 9138, 9141, 9144, 9220, 9221, 9285, 9288, 9291, 9371, 9372, 9436, 9439, 9442, 9522, 9523, 9587, 9590, 9593, 9673, 9674, 9738, 9741, 9744, 9824, 9825, 9889, 9892, 9895, 9975, 9976, 10040, 10043, 10046, 10126, 10127, 10191, 10194, 10197, 10277, 10278, 10397, 10401, 10405, 10506, 13604, 16886, 16888, 16907, 16909, 16912, 16914, 16917, 16921, 16923, 16933, 16935, 16940, 16944, 17466, 17468, 17487, 17489, 17492, 17494, 17497, 17501, 17503, 17513, 17515, 17520, 17524, 17804, 18149, 18151, 18170, 18172, 18175, 18177, 18180, 18184, 18186, 18196, 18198, 18203, 18207, 18674, 18679
\strutbox 40, 54, 70, 253, 267, 282, 388, 392, 8714, 8730, 8746, 8760, 8773, 8786, 8880, 9081, 9086, 9225, 9230, 9376, 9381, 9527, 9532, 9678, 9683, 9829, 9834, 9980, 9985, 10131, 10136, 10282, 10287, 11276, 11283, 11293, 11300, 11309, 11316, 11343, 11357, 11371, 13451, 13467, 13509, 13606, 16930, 16931, 17510, 17511, 18193, 18194, 18460, 18461, 18496, 20635, 20636
\subfig@oldlabel 4453, 4455
\subfigure . . . 4452, 4459
\subitem 108, 238, 5600, 12797
\subjclass 334
\subject 16732, 17281, 17980
\subject@font . 16645, 16758, 17194, 17307, 17893, 18006
\subparagraph 5402, 5403, 5406
\subsection 2429, 5373, 5389
\subsectioncolour 2355, 7609, 7617, 7624, 7631, 7638, 7708, 7714, 7720, 7726, 7732
\subsectionfont 2363, 2371, 7647, 7740
\subsectionstyle 2371, 2430
\subsubitem 109, 239, 5601, 12798
\subsubsection 5393, 5394, 5397
\subtable 4459
\supereject 1878
\symbol 1992, 2002
\sys 13894

T

\t@cb@bchapsec . . . 18735
\tabcaption . 11956, 11974
\tabcolsep 382, 1359, 13462, 15912, 20426
\tablinesep 18493
\tabskip . . 398, 6048, 13476, 13477, 18466, 18504, 20641
\tabular 18565
\tabularnewline 407, 13446, 18468, 20643
\tabularx 18556
\tabularxcolumn . . 18518
\tagform@ 346
\tamark 14242
\tcb@vbox 18641
\tcd . . 15150, 15157, 15158
\tcdsav 15150
\tcl . . 15174, 15175, 15181
\tcn 15158, 15159, 15181, 15182, 15183, 15184
\Telefon 2344
\tencolumnfootnotes 10138
\tencolumnfootstyle 10235
\TeX 12736, 15336, 15337, 15358, 20403, 20404, 20416
\textbf 2457, 5546, 11455, 11457, 11459, 11461

\textbullet 2341, 7601, 7665, 7699
\textcolor 8250, 8265, 8269, 8272, 11445, 12906
\textdef@ 348
\textdir 14139
\textendash . 746, 998, 1061, 1248, 6359, 6536, 15656, 15795
\textheight 1898, 2305, 7201, 7260, 11907, 16440, 16485, 21054
\textit 19120
\textsf 1635
\textsl .. 4606, 4607, 4608
\textsuperscript 5153, 8858, 8859, 8860, 16601, 17150, 17720, 17849
\texttt 2002, 2066, 2068, 2069, 3277
\textwidth 1635, 1897, 2303, 2394, 2403, 2404, 2416, 2418, 4361, 4365, 4464, 4765, 4766, 5906, 7185, 7193, 7248, 7313, 7319, 7490, 7495, 7655, 7670, 7742, 7751, 7865, 8087, 8924, 10310, 10841, 10847, 10879, 10969, 10974, 11383, 11639, 11687, 11695, 11855, 11858, 11863, 11869, 13578, 14452, 14460, 14552, 14583, 14772, 14773, 14776, 14777, 14780, 14781, 14785, 14788, 16638, 16666, 16670, 16750, 17187, 17215, 17219, 17299, 17801, 17886, 17914, 17918, 17998, 20752, 20760, 20799, 21024, 21045
\textwidth@footnoterule .. 419, 743, 995, 1245, 6356, 6533, 6638, 8363, 8456, 10682, 11191, 11202, 14787, 15653, 15790, 16050, 16247, 16625, 17174, 17873
\textwidthfootnoterule 1678, 7793, 8695, 11200, 11716, 21082
\TeXXeTOff . 15269, 20333
\TeXXeTOn 15268, 15270, 20332, 20334
\TeXXeTstate .. 15268, 15269, 20332, 20333
\TF@conlab 11438, 11440, 11447
\TF@savecolor 11444, 11449
\TF@Title 11447
\thanklessauthor 5654, 5687, 5690, 5727
\thanklesspublisher 5655, 5714, 5717, 5731
\thanklesstitle 5653, 5670, 5673, 5729
\thanks 333, 420, 440, 475, 494, 744, 756, 782, 793, 794, 803, 826, 843, 996, 1008, 1034, 1045, 1046, 1055, 1078, 1095, 1246, 1258, 1284, 1295, 1296, 1305, 1328, 1346, 1925, 5653, 5654, 5655, 5656, 5659, 5666, 5667, 5683, 5684, 5699, 5700, 5711, 6357, 6369, 6395, 6534, 6546, 6572, 6639, 6659, 6694, 6713, 8364, 8382, 8415, 8432, 8457, 8477, 8512, 8531, 10683, 10701, 10734, 10751, 14229, 15654, 15666, 15692, 15703, 15704, 15713, 15736, 15753, 15791, 15805, 15831, 15844, 15845, 15854, 15877, 15897, 16051, 16081, 16121, 16139, 16248, 16268, 16303, 16322, 16626, 16711, 16742, 17175, 17260, 17291, 17874, 17959, 17990
\thankses 333
\the ... 124, 125, 1375, 1469, 1470, 1472, 1473, 1534, 1633, 1790, 1849, 1889, 1891, 1894, 1896, 2135, 2137, 2140, 2143, 2148, 2151, 2154, 2259, 2527, 2529, 2530, 2551, 2553, 2554, 3004, 3290, 3385, 3440, 3468, 3470, 3475, 3477, 3478, 3488, 3495, 3497, 3502, 3506, 3507, 3512, 3517, 3525, 3528, 3532, 3538, 3622, 3623, 3624, 3649, 4168, 4175, 4204, 4995, 5005, 5140, 5151, 5957, 5964, 6095, 6098, 6101, 6105, 6108, 6111, 6216, 6831, 6836, 6880, 6941, 7172, 7174, 7235, 7237, 7300, 7306, 7307, 7308, 7440, 7450, 7469, 7477, 7478,

7479, 7482, 7484, 7485, 7486, 10830, 10832, 10866, 10868, 11100, 11115, 11116, 11119, 11120, 11123, 11176, 11180, 11234, 11407, 11421, 11471, 11478, 11482, 11483, 11484, 11485, 11486, 11487, 11495, 11501, 11508, 11509, 11511, 11516, 11518, 11519, 11533, 11559, 11589, 11590, 11591, 11596, 11597, 11598, 11608, 11625, 11627, 11673, 11675, 11779, 11824, 12357, 12365, 12366, 12372, 12374, 12403, 12404, 12410, 12412, 12443, 12445, 12474, 12476, 12505, 12507, 12849, 12850, 12978, 12979, 12982, 12986, 12990, 13524, 13527, 14089, 14393, 14395, 14406, 14423, 14430, 14436, 14493, 14495, 14506, 14523, 14530, 14536, 14606, 14669, 14671, 14672, 14673, 14674, 14675, 14864, 15035, 15051, 15055, 15058, 15083, 15107, 15114, 15121, 15275, 15276, 16448, 16458, 16467, 16494, 16506, 16516, 16823, 17403, 18086, 18489, 18490, 18520, 18539, 18541, 18565, 18570, 18572, 18573, 18576, 18577, 18580, 18583, 18584, 18587, 18692, 19449, 19452, 19454, 19530, 19801, 19804, 19805, 19807, 19809, 19813, 19818, 19822, 19833, 19834, 19837, 19843, 19847, 19855, 19856, 19893, 19909, 19913, 20012, 20175, 20187, 20192, 20213, 20214, 20216, 20338, 20339, 20467, 20524, 20704, 20706, 20718, 20739, 20741, 20786, 20788

\the@cornersize 10787, 10788

\thealgocf 168

\theAlgoLine 21127

\thechapter 318, 5362, 6340, 6346, 6348, 6350, 6517, 6523, 6525, 6527, 6589, 6768, 6770, 6772, 6773, 6774, 6784, 8562, 8564, 8566, 8567, 8568, 8578, 10635, 10765, 10771, 10773, 10775, 11066, 11068, 11070, 11071, 11072, 11079, 11081, 11083, 11084, 11085, 13132, 14267, 14276, 14278, 14279, 14280, 14905, 15418, 15635, 15641, 15643, 15645, 16000, 16006, 16008, 16010, 16195, 16197, 16199, 16200, 16377, 16379, 16381, 16382, 16383, 16392, 17336, 17338, 17352, 17354, 17360, 17362, 17368, 17370, 18034, 18046, 18050, 18054, 18776

\thecontentspage 5420, 5427, 5434, 5441, 5448

\thedate . 5649, 5657, 5703

\theDefaultDepth . 12885

\theDefaultLines . 12884

\theenumiv 86, 89, 299, 302, 584, 719, 982, 1232, 2502, 6323, 6511, 6820, 8344, 8615, 10671, 12774, 12777, 15629, 16023, 16217, 16420, 16830, 17410, 18093, 18749

\theequation 6345, 6522, 6767, 8561, 10770, 11065, 11078, 12859, 14277, 15640, 16009, 16194, 16376, 17366, 18053, 21075

\thefigure 6347, 6524, 6769, 8563, 10772, 11067, 11080, 14279,

15642, 16005, 16196, 16378, 17350, 18045, 18476
\thefootdir@label . . 11100, 11103, 11132, 11137, 11155, 11158, 11178
\thefootnote . . . 456, 748, 807, 1000, 1059, 1250, 1309, 1916, 6361, 6538, 6675, 8396, 8493, 10715, 12257, 15658, 15717, 15797, 15858, 16054, 16097, 16284, 16629, 16693, 17178, 17242, 17877, 17941
\thefootnotemark 16601, 17150, 17720, 17849
\theHchapter 14905
\theHsection 14913, 14915
\theindex . 98, 228, 12787
\theL@lines 12931, 12936, 12943
\TheList 3486
\thelstlisting 13103, 13108, 13131, 13134
\thempfn 2160, 2168, 2176, 5229, 5235, 5258, 5264, 5287, 5293, 6116, 6123, 6130, 11243, 11248, 11252, 11257, 11385, 11411, 11416, 11426, 11431, 12224, 12235, 12246, 12376, 12414, 12447, 12478, 12509, 12571, 13636
\thempfootnote 11385, 13636
\theorem@indent 14939, 14940, 14959, 14960
\theorem@prework . 14933
\theorempostskipamount 14934, 14954
\theorempreskipamount 14937, 14957
\thepage . . 1887, 1892, 2479, 4494, 4606, 4607, 4608, 4617, 4618, 5833, 5834, 5845, 5846, 5847, 7366, 7384, 7541, 7559, 20219, 20927
\theparagraph . . . 21, 22, 226, 227, 551, 552, 705, 706, 959, 960, 1218, 1219, 5383, 6343, 6344, 6520, 6521, 6777, 6778, 8448, 8449, 8571, 8572, 10768, 10769, 11075, 11076, 11088, 11089, 12833, 12834, 14272, 14275, 15638, 15639, 16003, 16004, 16203, 16204, 16386, 16387, 16790, 16792, 17346, 17348, 18041, 18043
\thepart 556, 564, 8308, 8316
\ther@tfl@t . . . 16433, 16434, 16476, 16477
\thesection 19, 224, 549, 703, 957, 1216, 5369, 6340, 6341, 6517, 6518, 6774, 6775, 8446, 8568, 8569, 10765, 10766, 11072, 11073, 11085, 11086, 12831, 14267, 14269, 14913, 14915, 15635, 15636, 16000, 16001, 16200, 16201, 16383, 16384, 16786, 17334, 17342, 18033, 18037
\thesubparagraph 22, 227, 552, 706, 960, 1219, 6344, 6521, 6778, 8449, 8572, 10769, 11076, 11089, 12834, 14274, 15639, 16004, 16204, 16387, 16791, 17347, 18042
\thesubsection . . 19, 20, 224, 225, 549, 550, 703, 704, 957, 958, 1216, 1217, 5376, 6341, 6342, 6518, 6519, 6775, 6776, 8446, 8447, 8569, 8570, 10766, 10767, 11073, 11074, 11086, 11087, 12831, 12832, 14268, 14271, 15636, 15637, 16001, 16002, 16201, 16202, 16384, 16385, 16786, 16788, 17342, 17344, 18037, 18039
\thesubsubsection 20, 21, 225, 226, 550, 551, 704, 705, 958, 959, 1217, 1218, 6342, 6343, 6519, 6520, 6776, 6777, 8447, 8448, 8570, 8571, 10767, 10768, 11074, 11075, 11087, 11088, 12832, 12833, 14270, 14273, 15637, 15638, 16002, 16003, 16202, 16203, 16385, 16386, 16787, 16790, 17343, 17346, 18038, 18041
\thetable 6349,

6526, 6771, 8565, 10774, 11069, 11082, 14280, 15644, 16007, 16198, 16380, 17358, 18049, 18477
\thinlines 7031, 7041, 7054, 7064, 7077, 7087, 7100, 7110
\thispagestyle . 101, 113, 231, 472, 604, 619, 823, 868, 1075, 1120, 1325, 5734, 5756, 5777, 6240, 6417, 6628, 6691, 8412, 8509, 8626, 8629, 10731, 12790, 12838, 12862, 12865, 14257, 15523, 15733, 15778, 15874, 16118, 16238, 16300, 16634, 16707, 17183, 17256, 17882, 17955, 18808
\thm@topsepadd 14934, 14935, 14938, 14954, 14955, 14958
\thr@@ 359, 375, 1384, 1402, 1426, 1435, 9226, 9231, 18396, 18593, 18613
\threecolumnfootnotes 9088
\threecolumnfootstyle 9179
\tiny 1962, 5131, 5503
\title 330, 448, 484, 788, 833, 1040, 1085, 1290, 1335, 1932, 2381, 2420, 5648, 5663, 6401, 6578, 6667, 6703, 8388, 8422, 8485, 8521, 10707, 10741, 15698, 15743, 15839, 15886, 16089, 16130, 16276, 16312, 16729, 17278, 17977
\TitleBarFrame 11436, 11455, 11457, 11459, 11461
\titlecolour .. 2350, 7702
\titlecontents . 5415, 5422, 5429, 5436, 5443
\TitleFont 737, 753, 844, 846, 852, 989, 1005, 1096, 1098, 1104, 1239, 1255, 1347, 1349, 1355, 1358, 1359, 1364, 6366, 6543, 15647, 15663, 15754, 15756, 15762, 15784, 15802, 15900, 15902, 15908, 15911, 15912, 15917
\titlefont 2359, 2367, 7735, 16648, 16761, 17197, 17310, 17896, 18009
\titleformat ... 5359, 5366, 5373, 5380
\titlehead 16731, 17280, 17979
\titlepage 630, 937, 1189, 6306, 6494, 15534, 15984
\titlepagestyle 16707, 17256, 17955
\titlespacing 5387, 5388, 5389
\titlestyle ... 2367, 7766
\tl 13656, 13664, 13669, 13671, 13672, 13673, 13674, 13676, 13677, 13679, 13682, 13686, 13695, 13699, 13702, 13707, 13712, 13720, 13722, 13723, 13724, 13725, 13727, 13729, 13731, 13732, 13734, 13740, 13744, 13747, 13748, 13751, 13758, 13763, 13771, 13774, 13775, 13776, 13777, 13778, 13781, 13787, 13788, 13789, 13794, 13796, 13803, 13807, 13812, 13814, 13816, 13818, 13837, 13843, 13844, 13845, 13846, 13847, 13859, 13862, 13865, 13867, 13891, 13892, 13894, 13903, 13906, 13907, 13908, 13909, 13910, 13911, 13913, 13919, 13924, 13927, 13928, 13941, 13943, 13944, 13945, 13946, 13947, 13948, 13949, 13958, 13961, 13965, 13966, 13967, 13970, 13984, 13990, 14003, 14008, 14012, 14033, 14041, 14042, 14067, 14071, 14072, 14073, 14086, 14158, 14159, 14167, 14168, 14169, 14170, 14180, 14181, 14182, 14187, 14192, 14194, 14197, 14198, 14203, 14204, 14209, 14222, 14223
\tmpcount 3676, 3702
\toaddress .. 8635, 12871
\toc@headstar 18798, 18803

\tocbasic@DependOnPenaltyAndTOCLevel 19393
\tocbasic@SetPenaltyByTOCLevel 19477
\TOCEntryStyleStartInitCode . . 17010, 17023, 17042, 17590, 17603, 17622, 18273, 18286, 18305
\toclevel@subfigure 19010
\toclevel@subtable 19030
\TOCLineLeaderFill 17027, 17044, 17607, 17624, 18290, 18307, 19494, 19755
\tocstyle@@numberline 19900, 19902, 19920, 19922, 19925, 19927
\tocstyle@activate@all@l 20013
\tocstyle@activate@features 19790
\tocstyle@dottedtocline 19777
\tocstyle@feature@dothook 19876
\tocstyle@feature@entryhook 19872
\tocstyle@feature@entryvskip 19791, 19794
\tocstyle@feature@leaders 19874, 19879
\tocstyle@feature@pagenumberbox 19882, 19885
\tocstyle@feature@pagenumberhook 19883, 19885
\tocstyle@feature@parfillskip 19862, 19863
\tocstyle@feature@raggedhook 19798
\tocstyle@feature@spaceafternumber 19899, 19903, 19924, 19928
\tocstyle@indentstyle 19849, 19919
\tocstyle@l@define . . 19936, 19939, 19944, 19948, 19952, 19956, 19960, 19964, 19968, 19972, 20004
\tocstyle@macrochangewarning 19992, 19999
\tocstyle@numberline 19778, 19897
\tocstyle@saved@dottedtocline 19994
\tocstyle@saved@numberline 20002
\tocstyledepth 19789, 19801, 19813, 19833, 19834, 19837, 19855, 19856, 19905, 19907, 19909, 19913
\tocstyleTOC 19801, 19804, 19805, 19807, 19809, 19813, 19814, 19816, 19817, 19821, 19825, 19826, 19829, 19830, 19833, 19834, 19837, 19839, 19841, 19842, 19846, 19851, 19852, 19855, 19856, 19905, 19907, 19908, 19912
\today 5657
\token 15003
\toks 122, 124, 1469, 1470, 1472, 1473, 4988, 4989, 4995, 6941, 11514, 11515, 11516, 12847, 12849
\toks@ 121, 125, 1620, 1633, 1836, 1849, 4200, 4204, 7171, 7172, 7173, 7174, 7234, 7235, 7236, 7237, 10829, 10830, 10831, 10832, 10865, 10866, 10867, 10868, 11624, 11625, 11626, 11627, 11672, 11673, 11674, 11675, 11776, 11779, 11813, 11815, 11819, 11821, 11824, 12354, 12357, 12846, 12850, 14392, 14393, 14394, 14395, 14492, 14493, 14494, 14495, 18539, 18559, 18565, 20738, 20739, 20740, 20741, 20785, 20786, 20787, 20788
\tolerance 8986, 9134, 9281, 9432, 9583, 9734, 9885, 10036, 10187
\toname 8635, 12871
\topheight 15162, 15164, 15165, 15166, 15168, 15174, 15176, 15178, 15179, 15180, 15243, 15244, 15245, 15246, 15250, 15251, 15255
\topins 15338
\topmargin 1902, 2304, 8106, 11011, 21016
\topmark . . 7171, 7180, 7234, 7243, 10829, 10838, 10865, 10874, 11624, 11633, 11672, 11681, 14392, 14401, 14492, 14501, 20738, 20747, 20785, 20794
\topsep . . . 2044, 2053, 2494, 4287, 5497, 5539, 14289, 14291
\topskip 311, 1910, 7426, 7429,

11520, 11522, 11527, 14295, 14586, 18774, 18780, 18785, 18792, 18797, 18802
\TOTALHEIGHT 18625, 18629
\totalheight 11806
\tovalue 3560, 3647, 3655, 3686, 3699, 3705, 3706
\tracingmacros 3675
\traditionalconnverses . . . 5895, 5918, 5934
\traditionalhalfverses 5884, 5888, 5895, 5928
\traditionalpoem . . 6137
\traditionalpoem@cr . . . 6008, 6057, 6058
\traditionalpoem@obeylines 5938, 6137
\traditionalpoem@par . . . 5938, 5939, 6057
\trimb 4990, 4997
\trimc 4999
\trivlist 10920, 14936, 14956
\ttdefault . . . 7641, 7733
\ttfamily 1949, 1989, 1990, 1992, 1993, 1994, 1995, 1996, 1997, 1998
\ttl@a 18697, 18699
\ttl@b 18692, 18693, 18697, 18699
\ttl@beginlongest 18667
\ttl@calc . . 18662, 18674
\ttl@changecentercr 18666
\ttl@contentsstretch 18704
\ttl@corr 18719, 18720, 18723
\ttl@endlongest . . 18682
\ttl@filleft 18656, 18685
\ttl@filright 18657, 18686
\ttl@glcmds 18669
\ttl@hmode@error . 18668
\ttl@leaders 18721
\ttl@lselect 18728, 18731
\ttl@makeline 18662, 18717
\ttl@margin . 18716, 18722
\ttl@midlongest . . 18681
\ttl@outnoblock . . 18695
\ttl@savel@chapter 18730
\ttl@savel@part . . 18727
\ttlh@hang 18661
\turn 16520
\turnbox 16541
\tw@ . . . 358, 366, 1383, 1391, 1425, 1429, 1434, 2216, 2835, 9082, 9087, 10792, 10793, 11513, 11517, 11518, 11532, 11536, 11541, 11544, 11555, 11559, 11560, 11561, 11562, 11565, 11731, 11732, 11742, 11744, 11745, 11747, 11748, 11751, 11753, 11754, 11788, 11790, 11791, 11793, 11794, 11797, 11799, 11800, 12980, 14679, 14686, 14687, 14695, 14696, 14701, 14702, 14708, 14718, 14719, 14726, 14727, 14744, 14749, 15354, 15355, 16592, 17141, 17712, 17840, 18396, 18494, 18592, 18600, 18922, 20412, 20413, 20654, 20658, 20660
\twocolumn 465, 601, 617, 816, 866, 1068, 1118, 1318, 1886, 6238, 6415, 6625, 6684, 7365, 7540, 8405, 8502, 10724, 14248, 15521, 15726, 15776, 15867, 16111, 16235, 16293, 16700, 17249, 17948, 18774, 18780, 18785, 18792, 18797, 18802
\twocolumnfootnotes 8937
\twocolumnfootstyle 9034
\TX@ 18516, 18517, 18545, 18546
\TX@align . . 18569, 18571
\TX@arith 18531
\TX@ckpt . . . 18521, 18567
\TX@col@width . 18518, 18524, 18529, 18572
\TX@cols 18525, 18529, 18573
\TX@endtabularx 12343, 12354, 12360, 18514
\TX@find@endtabularxa 18516, 18517
\TX@find@endtabularxb 18546
\TX@find@endtabularxbb 18544
\TX@ftn . 18541, 18576, 18578, 18580, 18583, 18585, 18587
\TX@ftntext 18535
\TX@LTRftntext 18536, 18575
\TX@newcol 18518
\TX@old@table 18523
\TX@RTLftntext 18537, 18582
\TX@target . 18524, 18538
\TX@trial 18528, 18533, 18549
\TX@trial@ftn 18552, 18553, 18554
\TX@typeout@ 18526, 18568
\TX@verb 18519
\TX@vwarn 18555
\TX@xftntext 18535
\TX@xLTRftntext 18536, 18579

\TX@xRTLftntext 18537, 18586
\typeout 1533, 1535, 4490, 4492, 4493, 4494, 4496, 4498, 4499, 4500, 11110, 15394, 19801, 19813, 19833, 19834, 19837, 19855, 19856

U

\uc@authornothanks . . 765, 794, 799, 1017, 1046, 1051, 1267, 1296, 1301, 6378, 6555, 15675, 15704, 15709, 15814, 15845, 15850
\uc@ax 795, 796, 1047, 1048, 1297, 1298, 15705, 15706, 15846, 15847
\uc@nothanks 756, 793, 794, 803, 1008, 1045, 1046, 1055, 1258, 1295, 1296, 1305, 6369, 6546, 15666, 15703, 15704, 15713, 15805, 15844, 15845, 15854
\uc@tx 793, 801, 1045, 1053, 1295, 1303, 15703, 15711, 15844, 15852
\uc@ty 802, 803, 1054, 1055, 1304, 1305, 15712, 15713, 15853, 15854
\undefined 4006, 6090, 6143, 6146, 6148, 16891, 16893, 16895, 17471, 17473, 17475, 18154, 18156, 18158
\underline . 20613, 20621
\undertext 20621
\unexpanded 2862, 2871, 2872, 2879, 2880, 2893, 2894, 2901, 2902, 3003, 3124
\unhbox 1499, 5963, 6228, 6967, 10292, 10316, 10326, 10329, 10512, 10516, 10521, 10524, 20531, 20664, 20665, 20666, 20667
\unhcopy 18416, 18428, 18504
\unhskip 3480
\unitindent 640, 651, 652, 654, 728, 734, 878, 879, 881, 947, 948, 950, 951, 963, 968, 1062, 1134, 1135, 1137, 1199, 1208, 1214, 6254, 6255, 6257, 6332, 6338, 6431, 6432, 6434, 6485, 6491, 15544, 15555, 15556, 15558, 15609, 15615, 15927, 15928, 15930, 15994, 16032, 16038
\unitlength 7031, 7041, 7054, 7064, 7077, 7087, 7100, 7110, 14970
\unkern 5152
\unpenalty 6866, 7409, 7421, 7432, 7438, 10295, 10313, 10323, 11544
\unrestored@protected@xdef 2160, 2168, 2176, 5235, 5264, 5293, 6116, 6123, 6130, 11248, 11257, 11416, 11431, 12224, 12235, 12246, 12257
\unsetfootnoteRL 11263, 11264
\unsetLTR . . 15323, 20390
\unsetRL . . . 15361, 20421
\unsetRTL . . 15322, 20389
\unskip 46, 60, 76, 259, 273, 288, 346, 1451, 1452, 1453, 4544, 4547, 4550, 4553, 5243, 5272, 5301, 5990, 6001, 6863, 7169, 7232, 7409, 7421, 7432, 7434, 7438, 7442, 8894, 10293, 10294, 11394, 11622, 11670, 13563, 13605, 13608, 14390, 14490, 16525, 16535, 16553, 16888, 16909, 16914, 16923, 17468, 17489, 17494, 17503, 18151, 18172, 18177, 18186, 20546, 20736, 20783, 20959
\untilcondition 3561, 3575, 3659, 3702
\unvbox . . . 6877, 6878, 7132, 7135, 7152, 7156, 7169, 7219, 7232, 7278, 7336, 7344, 7345, 7354, 7432, 7434, 7438, 7441, 7447, 7451, 7510, 7518, 7519, 7528, 7576, 7807, 7810, 7811, 7828, 7831, 7832, 7857, 7864, 7869, 7874, 7914, 7919, 7923, 7928, 8751, 8764, 8777, 8867, 8899, 8905, 8936, 8999, 9011, 9024, 9064, 9147, 9158, 9170, 9208, 9294, 9306, 9319, 9359, 9445, 9457, 9470, 9510, 9596, 9608, 9621, 9661, 9747, 9759,

9772, 9812, 9898, 9910, 9923, 9963, 10049, 10061, 10074, 10114, 10200, 10212, 10225, 10265, 10290, 10410, 10424, 10438, 10491, 10510, 10519, 10544, 10552, 10559, 10564, 10570, 11025, 11334, 11348, 11362, 11399, 11404, 11507, 11517, 11544, 11622, 11670, 13536, 13541, 13550, 13553, 13611, 13629, 14390, 14419, 14421, 14429, 14447, 14449, 14490, 14519, 14521, 14529, 14547, 14549, 14604, 15200, 15204, 15209, 15213, 15225, 15236, 15256, 15259, 15264, 15338, 15339, 15343, 15348, 20531, 20736, 20783, 21038
\unvcopy . 7404, 7851, 7908
\uppercase 318, 773, 793, 1025, 1045, 1275, 1295, 6386, 6563, 15683, 15703, 15822, 15844
\uppercasenonmath 114, 12839
\uppermargin 8090
\uppertitleback 16734, 17283, 17982
\upshape 5420, 5427, 5434, 5441, 5448, 7642, 7646, 7647, 7734, 7739, 7740, 15413
\urlstyle 2323
\use 13787
\usebox ... 2029, 2039, 4385, 4517, 4519, 4524, 4526, 4535, 4536, 4539, 4540, 4747, 8196, 8199, 8207, 8214, 8222, 8229, 8272, 11914, 11918, 12001, 12003, 12007, 12009, 12014, 12016, 12020, 12022, 12026, 12028, 12032, 12034, 12040, 12041, 12044, 12045, 12049, 12050, 12053, 12054, 12057, 12058, 12061, 12062, 12076, 12077, 12079, 12080, 12092, 12093, 12095, 12096, 12102, 12103, 12106, 12107, 12111, 12112, 12115, 12116, 12119, 12120, 12123, 12124, 12131, 12133, 12137, 12139, 12144, 12146, 12150, 12152, 12156, 12158, 12162, 12164, 12177, 12179, 12989, 12991, 14966, 14967, 14969, 14976, 14994, 15271, 15272, 20335
\usecounter 91, 304, 582, 717, 980, 1230, 2500, 5535, 6321, 6509, 6818, 8342, 8613, 10669, 12779, 15627, 16021, 16215, 16418, 16822, 16827, 17402, 17407, 18085, 18090, 18747
\usekomafont .. 16606, 16613, 16650, 16763, 17014, 17017, 17034, 17036, 17155, 17162, 17199, 17312, 17594, 17597, 17613, 17616, 17854, 17861, 17898, 18011, 18277, 18280, 18296, 18299
\usepackage 3924, 3925, 3930, 3931, 3934, 3937, 3982, 3983
\usetocbasicnumberline 19430

V

\v@aaa 7297, 7299, 7300, 7301, 7303, 7305, 7306, 7307, 7308, 7463, 7465, 7467, 7469, 7470, 7475, 7476, 7478, 7481, 7482, 7485
\v@ccc 7298, 7304, 7306, 7307, 7308, 7309, 7318, 7326, 7464, 7476, 7477, 7481, 7484, 7488, 7494, 7500
\vadjust . 5966, 5967, 5974
\valign 8926, 8930
\value 5033, 5052, 5071, 5103, 11100, 11115, 11116, 11119, 11120, 11123, 16878, 17458, 18141, 18520
\varcustomer .. 17732, 17758, 17759, 17762
\varinvoice ... 17733, 17764, 17765, 17768
\varmyref 17731, 17752, 17753, 17756

\varrefitemi . . 17734, 17770, 17771, 17774
\varrefitemii . 17735, 17776, 17777, 17780
\varrefitemiii 17736, 17782, 17783, 17786
\varrefitemnamei . 17772
\varrefitemnameii 17778
\varrefitemnameiii 17784
\varyourmail . . 17730, 17746, 17747, 17750
\varyourref . . . 17729, 17740, 17741, 17744
\vbadness . 7168, 7231, 8925, 8929, 10827, 10863, 10968, 11621, 11669, 14389, 14489, 15152, 20735, 20782
\vbox . . . 179, 316, 401, 407, 1419, 1486, 2240, 4774, 4775, 4777, 5950, 6871, 6876, 6954, 7132, 7135, 7152, 7156, 7169, 7184, 7201, 7217, 7232, 7247, 7260, 7276, 7298, 7304, 7309, 7312, 7318, 7321, 7326, 7331, 7335, 7343, 7353, 7404, 7432, 7434, 7437, 7446, 7464, 7476, 7488, 7489, 7494, 7496, 7500, 7504, 7509, 7517, 7527, 7575, 7581, 7799, 7807, 7808, 7816, 7820, 7828, 7829, 7837, 7851, 7856, 7860, 7863, 7867, 7868, 7885, 7892, 7908, 7913, 7917, 7918, 7921, 7922, 7937, 7944, 8750, 8763, 8776, 8865, 8998, 9010, 9023, 9063, 9146, 9157, 9169, 9207, 9293, 9305, 9318, 9358, 9444, 9456, 9469, 9509, 9595, 9607, 9620, 9660, 9746, 9758, 9771, 9811, 9897, 9909, 9922, 9962, 10048, 10060, 10073, 10113, 10199, 10211, 10224, 10264, 10290, 10365, 10377, 10389, 10407, 10415, 10421, 10429, 10435, 10443, 10483, 10490, 10497, 10541, 10549, 10562, 10841, 10878, 10969, 10974, 10999, 11012, 11042, 11333, 11347, 11361, 11380, 11504, 11517, 11541, 11622, 11638, 11670, 11686, 13474, 13536, 13541, 13544, 13549, 13550, 13553, 13573, 13611, 14143, 14295, 14390, 14413, 14418, 14420, 14428, 14446, 14451, 14490, 14513, 14518, 14520, 14528, 14546, 14551, 14582, 15022, 15186, 15187, 15200, 15204, 15209, 15213, 15225, 15236, 15251, 15253, 15255, 15258, 15263, 15300, 15307, 15308, 15315, 15424, 16905, 17485, 18168, 18472, 18506, 18511, 19935, 19938, 19943, 19947, 19951, 19955, 19959, 19963, 19967, 19971, 20363, 20371, 20372, 20380, 20521, 20526, 20632, 20649, 20736, 20751, 20783, 20798, 20937, 20978, 21017, 21020
\vboxL 15308, 16440, 16485, 20372
\vboxR 15300, 20363
\vcenter 401, 1483, 6951, 18506, 20439, 20528, 20529, 20632
\veqno 337, 338
\verb 18519
\VerbBox 8253, 8255
\verse@i 5980, 6011, 6017, 6025, 6066
\verse@ii 5991, 6012, 6018, 6020, 6026, 6028, 6066
\versewidth 5943, 5953, 6045
\vfil 423, 437, 631, 634, 750, 779, 938, 941, 1002, 1031, 1190, 1193, 1252, 1281, 5950, 6307, 6310, 6363, 6392, 6495, 6498, 6540, 6569, 6642, 6656, 7807, 7828, 8365, 8379, 8460, 8474, 10684, 10698, 15344, 15535, 15538, 15660, 15689, 15799, 15828, 15985, 15988, 16064, 16078, 16251, 16265, 21021
\vfill 1878, 5730, 8926, 8930, 10596,

15251, 15256, 15257, 16450, 16465, 16497, 16514, 16642, 16664, 16669, 16675, 17191, 17213, 17218, 17224, 17890, 17912, 17917, 17923
\vfuzz . . . 5001, 5004, 5005
\vleftskip . 14263, 14264
\voffset 1906
\voidb@x 6844, 6908
\vphantom 20098
\vpic . 15176, 15186, 15187
\vrightskip . 14263, 14264
\vrule 390, 1498, 4776, 4777, 5949, 5951, 6966, 7188, 7253, 7316, 7328, 7493, 7502, 10843, 10884, 11644, 11690, 13465, 13522, 13871, 14133, 14214, 14423, 14430, 14455, 14523, 14530, 14557, 14586, 14699, 14713, 18432, 18460, 18501, 20635, 20755, 20804, 20951
\vsize 7374, 7549, 10989, 11469, 11520, 13548, 13556
\vskip 319, 322, 424, 427, 433, 492, 498, 504, 508, 570, 649, 751, 760, 770, 841, 845, 851, 855, 876, 1003, 1012, 1022, 1093, 1097, 1103, 1107, 1132, 1253, 1262, 1272, 1343, 1348, 1354, 1358, 1364, 1367, 2255, 6006, 6033, 6069, 6070, 6076, 6080, 6082, 6193, 6195, 6252, 6291, 6364, 6373, 6383, 6429, 6468, 6541, 6550, 6560, 6591, 6596, 6600, 6602, 6608, 6612, 6614, 6643, 6646, 6652, 6711, 6717, 6723, 6727, 6747, 6786, 6791, 6799, 7218, 7277, 7338, 7339, 7347, 7348, 7357, 7358, 7439, 7512, 7513, 7521, 7522, 7531, 7532, 7872, 7926, 8322, 8330, 8366, 8369, 8375, 8430, 8434, 8440, 8444, 8461, 8464, 8470, 8529, 8535, 8541, 8545, 8580, 8585, 8594, 8886, 8896, 8909, 10527, 10531, 10545, 10553, 10555, 10566, 10619, 10637, 10641, 10649, 10685, 10688, 10694, 10749, 10753, 10759, 10763, 11011, 11015, 11016, 11024, 11396, 11505, 11543, 11548, 12957, 12959, 13071, 13084, 13492, 13509, 13510, 13512, 13626, 14289, 14291, 14294, 14335, 14344, 14352, 14421, 14422, 14424, 14431, 14448, 14521, 14522, 14524, 14531, 14548, 14593, 14605, 14624, 14636, 14648, 15151, 15168, 15189, 15255, 15341, 15347, 15553, 15592, 15661, 15670, 15680, 15751, 15755, 15761, 15765, 15800, 15809, 15819, 15894, 15901, 15907, 15911, 15917, 15920, 15925, 15964, 16065, 16068, 16074, 16138, 16144, 16149, 16152, 16171, 16252, 16255, 16261, 16320, 16326, 16332, 16336, 16356, 16394, 16398, 16406, 16605, 16612, 16646, 16649, 16651, 16657, 16659, 16661, 16677, 16755, 16759, 16762, 16764, 16771, 16773, 16776, 16781, 16861, 16866, 16950, 16952, 16956, 16958, 16969, 16971, 16979, 16981, 17154, 17161, 17195, 17198, 17200, 17206, 17208, 17210, 17226, 17304, 17308, 17311, 17313, 17320, 17322, 17325, 17330, 17441, 17446, 17530, 17532, 17536, 17538, 17549, 17551, 17559, 17561,

17737, 17738, 17853, 17860, 17894, 17897, 17899, 17905, 17907, 17909, 17925, 18003, 18007, 18010, 18012, 18019, 18021, 18024, 18029, 18124, 18129, 18213, 18215, 18219, 18221, 18232, 18234, 18242, 18244, 18866, 18885, 18906, 18923, 18940, 18957, 18974, 18992, 19011, 19031, 19066, 19255, 19792, 19976, 20155, 20159, 20178, 20555, 20564, 20573, 20582, 20670, 20937, 21016, 21029, 21037, 21061, 21069
\vspace 2423, 4378, 4468, 4476, 5094, 5098, 5160, 5165, 5178, 5183, 5196, 5201, 5318, 5327, 5336, 5417, 5424, 5431, 5438, 5445, 5728, 5772, 5776, 6585, 6605, 6780, 6794, 8574, 8589, 8634, 8636, 8638, 10632, 10644, 12870, 12872, 13593, 13606, 16389, 16401, 17795, 17798, 17800, 17805, 18774, 18780, 18785, 18792, 18797, 18802
\vsplit 7127, 7128, 7145, 7149, 7170, 7233, 7299, 7305, 7310, 7465, 7467, 7476, 7488, 7578, 8935, 10828, 10864, 11513, 11623, 11671, 14391, 14491, 15157, 15160, 15179, 15180, 15198, 15202, 15207, 15211, 15223, 15234, 15261, 20737, 20784
\vss 316, 7204, 7263, 7299, 7305, 7310, 7318, 7321, 7326, 7331, 7466, 7476, 7488, 7494, 7496, 7500, 7504, 7579, 7864, 7874, 7919, 7928, 11043, 13541, 13553, 14144, 15186, 15187, 15258, 15424, 20531
\vtop 180, 401, 407, 1418, 1485, 4835, 4879, 4923, 6877, 6953, 13456, 18472, 18506, 18511, 20527, 20632, 20649, 20852, 20896

W

\waslice 15186, 15204, 15209, 15225, 15244, 15245, 15254
\wbslice 15187, 15200, 15213, 15236, 15243, 15245, 15246, 15250, 15251, 15258, 15263, 15264
\wd 1628, 1844, 5956, 5957, 6017, 6018, 6020, 6026, 6066, 6167, 6169, 6182, 6184, 6975, 8266, 8270, 10300, 10803, 10930, 11442, 11560, 11561, 11751, 11753, 11797, 11799, 11920, 12001, 12003, 12007, 12009, 12040, 12041, 12044, 12045, 12069, 12070, 12072, 12085, 12086, 12088, 12102, 12103, 12106, 12107, 12131, 12133, 12137, 12139, 12918, 12962, 12963, 12974, 13078, 13487, 13612, 14301, 14305, 14307, 14315, 14346, 14665, 15144, 15355, 15378, 15405, 16437, 16482, 16538, 16545, 16903, 17483, 17743, 17749, 17755, 17761, 17767, 17773, 17779, 17785, 17791, 18166, 18412, 18570, 18621, 18675, 18692, 19435, 19449, 20189, 20233, 20413, 20609, 21063
\WF@@everypar 20152
\WF@adjlw . . 20192, 20217
\WF@adjtlm . 20214, 20217
\WF@box 20189, 20222, 20223
\WF@floatfalse 20155, 20163, 20173, 20176
\WF@fltmes 20182
\WF@info 20162, 20172, 20175, 20184, 20219, 20221
\WF@ovh 20189
\WF@place . . 20187, 20193
\WF@putfigmaybe . . 20153
\WF@size . . . 20166, 20220

\WF@startwrapping 20225
\WF@wfname 20184, 20219, 20221
\WF@wrapil . 20213, 20216
\whilecondition 3561, 3575, 3664, 3696
\whiledo 10973
\widowpenalty . . . 92, 305, 588, 720, 983, 1233, 2503, 6054, 6324, 6512, 6824, 8345, 8619, 10672, 12780, 14870, 15630, 16024, 16221, 16424, 16832, 17412, 18095, 18753
\WIDTH 18621, 18629
\width . . 11463, 11731, 11819, 11821, 14180, 14189, 14213
\widthof 8121, 8126
\windowbox . 15253, 15259
\wlog 7300, 7306, 7308, 7469, 7477, 7484
\write 4155, 5939, 5942, 6153, 18558, 20717
\wstrutbox . 15163, 15165

X

\x 3696, 3697, 4167, 4170, 8039, 8040, 8043, 8044, 8049, 8053, 8057, 8058, 8061, 8062, 8067, 8071, 12745, 12754, 12756, 12768
\XC@@tmp 20260, 20261, 20275, 20309, 20310, 20318, 20322
\XC@@tstfalse 20260, 20309
\XC@@tsttrue . . 20261, 20262, 20263, 20310, 20311, 20312
\XC@bidideclaredc@lor 20316, 20321
\XC@bidideclaredcolor 20315, 20317
\XC@bidiundeclaredcolor 20300, 20302
\XC@coremodel 20244, 20287
\XC@current@color 20272, 20275, 20276, 20306, 20322, 20323
\XC@declaredc@lor 20267, 20274
\XC@declaredcolor 20266
\XC@display . . . 20273, 20277, 20307, 20324
\XC@edef . . . 20260, 20309
\XC@fbox 20328
\XC@getmodclr 20240, 20283
\XC@inflate . 20254, 20297
\XC@let@Nc . 20275, 20322
\XC@mclr . . . 20254, 20297
\XC@mmod 20252, 20253, 20295, 20296
\XC@mul 20255, 20298
\XC@split 20318
\XC@tgt@mod . 20248, 20291
\XC@type . . . 20261, 20310
\XC@undeclaredcolor 20257, 20268
\xcolor@ . . . 20272, 20306
\xdef 343, 396, 1982, 2659, 2794, 2879, 2880, 2883, 2884, 2901, 2902, 2905, 2906, 4046, 4201, 5957, 5959, 6040, 6042, 6044, 7172, 7174, 7235, 7237, 7817, 7838, 7883, 7889, 7890, 7935, 7941, 7942, 10355, 10472, 10534, 10830, 10832, 10866, 10868, 11234, 11625, 11627, 11673, 11675, 12355, 12911, 13472, 14393, 14395, 14493, 14495, 15107, 15114, 15121, 18692, 19817, 19821, 19842, 19846, 19908, 19912, 20187, 20192, 20213, 20214, 20216, 20217, 20739, 20741, 20786, 20788
\XeLaTeX 12737, 20417, 21230, 21231
\XeTeX . . 12736, 15357, 20415, 21228, 21229
\XeTeXcharclass 1740, 1741, 1742, 1743
\XeTeXinterchartokenstate 1737
\XeTeXinterchartoks 1744
\xm . . 8040, 8044, 8058, 8062
\xxm . 8048, 8052, 8066, 8070
\xyzzy 4982

Y

\y . . . 8040, 8044, 8048, 8052, 8057, 8058, 8061, 8062, 8066, 8067, 8070, 8071, 12741, 12743, 12744, 12747, 12754
\ym . . 8057, 8061, 8067, 8071
\yourmailname 17748
\yourrefname 17742
\yym . 8039, 8043, 8049, 8053

Z

\z@ . . . 12, 24, 46, 60, 76, 99, 103, 111, 128, 134, 136, 217, 229, 233, 259, 273, 288, 316, 324, 328, 346, 360, 364, 367, 378, 393, 398, 404, 405, 469, 516, 528, 533, 560, 599, 604, 605, 615, 619, 620, 649, 650, 653, 655, 668, 693, 745, 762, 820, 864, 868, 869, 876, 877, 880, 883, 895, 912, 949, 952, 997, 1014, 1060, 1072, 1116, 1120, 1121, 1132, 1133, 1136, 1138, 1151, 1177,

1247, 1264, 1322,
1359, 1385, 1389,
1392, 1405, 1427,
1435, 1453, 1463,
1465, 1475, 1477,
1482, 1496, 1498,
1499, 1621, 1626,
1627, 1628, 1630,
1837, 1842, 1843,
1844, 1846, 2200,
2255, 3541, 3551,
4275, 4284, 4583,
4816, 4820, 4860,
4864, 4904, 4908,
5494, 5521, 5552,
5564, 5742, 5970,
5973, 5976, 6017,
6018, 6020, 6026,
6040, 6044, 6048,
6049, 6050, 6051,
6052, 6053, 6066,
6079, 6147, 6159,
6160, 6167, 6169,
6182, 6184, 6192,
6236, 6240, 6241,
6252, 6253, 6256,
6258, 6271, 6294,
6346, 6348, 6350,
6358, 6375, 6413,
6417, 6418, 6429,
6430, 6433, 6435,
6448, 6471, 6523,
6525, 6527, 6535,
6552, 6586, 6606,
6623, 6628, 6629,
6688, 6735, 6750,
6768, 6770, 6772,
6781, 6795, 6846,
6847, 6858, 6860,
6943, 6945, 6950,
6964, 6966, 6967,
6972, 6973, 6974,
6975, 6976, 7010,
7021, 7139, 7293,
7340, 7349, 7359,
7377, 7380, 7417,
7459, 7514, 7523,
7533, 7552, 7555,
7805, 7826, 7843,
7844, 7846, 7847,
7855, 7877, 7879,
7882, 7900, 7901,
7903, 7904, 7912,
7929, 7931, 7934,
8235, 8257, 8259,
8261, 8264, 8266,
8268, 8270, 8272,
8273, 8279, 8284,
8298, 8312, 8325,
8409, 8506, 8552,
8562, 8564, 8566,
8575, 8590, 8713,
8729, 8745, 8759,
8772, 8785, 8823,
8828, 8835, 8840,
8847, 8852, 8910,
8911, 8985, 9133,
9280, 9431, 9582,
9733, 9884, 10035,
10186, 10299,
10395, 10399,
10403, 10504,
10528, 10529,
10530, 10607,
10622, 10633,
10645, 10728,
10771, 10773,
10775, 10804,
10955, 11010,
11043, 11066,
11068, 11070,
11079, 11081,
11083, 11229,
11283, 11300,
11316, 11343,
11357, 11371,
11385, 11389,
11510, 11560,
11567, 11593,
11594, 11595,
11725, 11726,
11727, 11734,
11741, 11742,
11743, 11744,
11745, 11747,
11748, 11750,
11751, 11753,
11787, 11788,
11789, 11790,
11791, 11793,
11794, 11796,
11797, 11799,
11871, 11877,
12788, 12792,
12808, 12812,
12824, 12836,
12853, 12934,
12995, 12997,
13037, 13044,
13049, 13060,
13132, 13434,
13436, 13468,
13474, 13477,
13482, 13485,
13522, 13536,
13540, 13541,
13544, 13550,
13563, 13584,
13586, 13608,
13637, 14251,
14254, 14278,
14403, 14407,
14417, 14478,
14503, 14507,
14517, 14575,
14592, 14601,
14603, 14624,
14636, 14648,
14668, 14679,
14685, 14859,
14864, 14905,
14915, 14965,
14966, 14967,
14969, 14971,
14976, 14994,
15272, 15316,
15318, 15353,
15354, 15355,
15364, 15365,
15378, 15402,
15403, 15424,
15469, 15470,
15484, 15487,
15501, 15519,
15523, 15524,
15553, 15554,
15557, 15559,
15572, 15595,
15641, 15643,
15645, 15655,

15672, 15730,
15774, 15778,
15779, 15794,
15811, 15871,
15912, 15925,
15926, 15929,
15931, 15944,
15967, 16006,
16008, 16010,
16063, 16106,
16115, 16142,
16159, 16174,
16195, 16197,
16199, 16233,
16238, 16239,
16297, 16344,
16359, 16377,
16379, 16381,
16390, 16402,
16437, 16438,
16439, 16482,
16483, 16484,
16522, 16526,
16527, 16532,
16536, 16537,
16538, 16543,
16544, 16545,
16550, 16554,
16555, 16597,
16605, 16612,
16614, 16636,
16659, 16677,
16704, 16748,
16773, 16861,
16866, 16911,
16975, 17051,
17054, 17060,
17070, 17080,
17090, 17146,
17154, 17161,
17163, 17185,
17208, 17226,
17253, 17297,
17322, 17441,
17446, 17491,
17555, 17635,
17640, 17643,
17649, 17659,
17669, 17679,
17716, 17845,
17853, 17860,
17862, 17884,
17907, 17925,
17952, 17996,
18021, 18124,
18129, 18174,
18238, 18318,
18323, 18326,
18332, 18342,
18352, 18362,
18403, 18404,
18405, 18406,
18411, 18412,
18416, 18428,
18462, 18485,
18497, 18501,
18594, 18598,
18605, 18616,
18659, 18660,
18670, 18674,
18675, 18676,
18679, 18688,
18689, 18691,
18692, 18694,
18702, 18707,
18722, 18808,
18809, 18883,
18973, 18991,
19084, 19263,
19371, 19400,
19710, 19714,
19792, 19797,
19802, 19850,
19976, 20162,
20169, 20170,
20188, 20204,
20207, 20216,
20217, 20219,
20223, 20230,
20231, 20232,
20233, 20328,
20335, 20383,
20385, 20411,
20412, 20413,
20464, 20465,
20466, 20555,
20564, 20573,
20582, 20586,
20606, 20607,
20637, 20648,
20656, 20661,
20670, 20833,
20837, 20877,
20881, 20922,
20926, 20929,
20939, 20940,
20944, 20951,
20988, 21014,
21027, 21072, 21073
\z@skip .. 2255, 11008,
11009, 13584,
13587, 15484,
15488, 15498,
18466, 18471,
18504, 18510,
20585, 20586,
20641, 20647, 21014
\zap@space 3912, 3999, 4035
\zifrefundefined ..
..... 11132, 11155
\zref@extractdefault
..... 11137, 11158
\zref@labelbyprops
..... 11103, 11178

□
\ 1743
\ 1743